



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

Kelly A. Gable
Mail Code: 3RC20
Direct Phone: 215.814.2471
Email: gable.kelly@epa.gov

December 20, 2011

Via Electronic Submission and First-Class Mail


Ms. Eurika Durr
U.S. Environmental Protection Agency
Clerk of the Board
Environmental Appeals Board (1103B)
Ariel Rios Building
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460-0001

Re: District of Columbia, Municipal Separate Storm Sewer System
Permit Number: DC0000221
Appeal Numbers: NPDES 11-05 and NPDES 11-06

Dear Ms. Durr:

Attached please find a copy of the letter, pursuant to 40 C.F.R. §§ 124.16(a)(2) and 124.60(b), stating the U.S. Environmental Protection Agency Region III's determination of which portions of the permit subject to appeal in the above-referenced matter are stayed pending final agency action pursuant to 40 C.F.R. § 124.19(f).

Very truly yours,


Kelly A. Gable
Assistant Regional Counsel

cc: Jennifer Chavez, Esq. (w/att.)
Rebecca Hammer, Esq. (w/att.)
Amy McDonnell, Esq. (w/att.)
Paul Calamita, Esq. (w/att.)

