

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-19 (D15-F - Product)						Sampled: 05/30/08			RL3
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.0050	ND	10	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.10	ND	10	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.0050	ND	10	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.0050	ND	10	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.0050	ND	10	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.0050	ND	10	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.20	ND	10	0.5	6/7/2008	6/9/2008	
<i>Surrogate: Tetrachloro-m-xylene (35-115%)</i>				173 %					
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>				57 %					
Sample ID: IRE2681-20 (D16-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.00050	ND	1	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.010	ND	1	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.00050	ND	1	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.00050	ND	1	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.020	ND	1	0.5	6/7/2008	6/9/2008	
<i>Surrogate: Tetrachloro-m-xylene (35-115%)</i>				68 %					
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>				80 %					
Sample ID: IRE2681-21 (D17-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.00050	ND	1	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.010	ND	1	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.00050	ND	1	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.00050	ND	1	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.020	ND	1	0.5	6/7/2008	6/9/2008	
<i>Surrogate: Tetrachloro-m-xylene (35-115%)</i>				68 %					
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>				65 %					

TestAmerica Irvine

Joseph Doak For Trupty Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-22 (D19-F - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.00050	ND	1	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.010	ND	1	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.00050	ND	1	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.00050	ND	1	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.020	ND	1	0.5	6/7/2008	6/9/2008	
<i>Surrogate: Tetrachloro-m-xylene (35-115%)</i>				87 %					
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>				73 %					
Sample ID: IRE2681-23 (D20-F - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.00050	ND	1	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.010	ND	1	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.00050	ND	1	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.00050	ND	1	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.020	ND	1	0.5	6/7/2008	6/9/2008	
<i>Surrogate: Tetrachloro-m-xylene (35-115%)</i>				75 %					
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>				84 %					
Sample ID: IRE2681-24 (D40-O - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.00050	ND	1	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.010	ND	1	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.00050	ND	1	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.00050	ND	1	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.020	ND	1	0.5	6/7/2008	6/9/2008	
<i>Surrogate: Tetrachloro-m-xylene (35-115%)</i>				70 %					
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>				35 %					

Z

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.00050	ND	1	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.010	ND	1	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.00050	ND	1	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.00050	ND	1	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.020	ND	1	0.5	6/7/2008	6/9/2008	
<i>Surrogate: Tetrachloro-m-xylene (35-115%)</i>				10 %					Z
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>				14 %					Z
Sample ID: IRE2681-26 (D30-B - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.00050	ND	1	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.010	ND	1	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.00050	ND	1	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.00050	ND	1	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.00050	ND	1	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.020	ND	1	0.5	6/7/2008	6/9/2008	
<i>Surrogate: Tetrachloro-m-xylene (35-115%)</i>				8 %					Z
<i>Surrogate: Decachlorobiphenyl (45-120%)</i>				11 %					Z

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-01 (BULK - Product)						Sampled: 05/29/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F05054	0.0020	ND	1	0.2	6/5/2008	6/5/2008	
Arsenic	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Barium	6010B-TCLP	8F04143	0.20	ND	1	100.0	6/4/2008	6/5/2008	
Cadmium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Chromium	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Lead	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Selenium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Silver	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Sample ID: IRE2681-02 (D60-NH - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F05054	0.0020	ND	1	0.2	6/5/2008	6/5/2008	
Arsenic	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Barium	6010B-TCLP	8F04143	0.20	ND	1	100.0	6/4/2008	6/5/2008	
Cadmium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Chromium	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Lead	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Selenium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Silver	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Sample ID: IRE2681-03 (D67-NH - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F05054	0.0020	ND	1	0.2	6/5/2008	6/5/2008	
Arsenic	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Barium	6010B-TCLP	8F04143	0.20	ND	1	100.0	6/4/2008	6/5/2008	
Cadmium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Chromium	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Lead	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Selenium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Silver	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-04 (D73-NH - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F05054	0.0020	ND	1	0.2	6/5/2008	6/5/2008	
Arsenic	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Barium	6010B-TCLP	8F04143	0.20	0.20	1	100.0	6/4/2008	6/5/2008	
Cadmium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Chromium	6010B-TCLP	8F04143	0.10	0.11	1	5.0	6/4/2008	6/5/2008	
Lead	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Selenium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Silver	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Sample ID: IRE2681-05 (D72-NH - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F05054	0.0020	ND	1	0.2	6/5/2008	6/5/2008	
Arsenic	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Barium	6010B-TCLP	8F04143	0.20	ND	1	100.0	6/4/2008	6/5/2008	
Cadmium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Chromium	6010B-TCLP	8F04143	0.10	0.11	1	5.0	6/4/2008	6/5/2008	
Lead	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Selenium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Silver	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Sample ID: IRE2681-06 (D27-B - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F05054	0.0020	ND	1	0.2	6/5/2008	6/5/2008	
Arsenic	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Barium	6010B-TCLP	8F04143	0.20	ND	1	100.0	6/4/2008	6/5/2008	
Cadmium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Chromium	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Lead	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Selenium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Silver	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-07 (D28-B - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F05054	0.0020	ND	1	0.2	6/5/2008	6/5/2008	
Arsenic	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Barium	6010B-TCLP	8F04143	0.20	ND	1	100.0	6/4/2008	6/5/2008	
Cadmium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Chromium	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Lead	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Selenium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Silver	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Sample ID: IRE2681-08 (D29-B - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F05054	0.0020	ND	1	0.2	6/5/2008	6/5/2008	
Arsenic	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Barium	6010B-TCLP	8F04143	0.20	ND	1	100.0	6/4/2008	6/5/2008	
Cadmium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Chromium	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Lead	6010B-TCLP	8F04143	0.10	ND	1	5.0	6/4/2008	6/5/2008	
Selenium	6010B-TCLP	8F04143	0.10	ND	1	1.0	6/4/2008	6/5/2008	
Silver	6010B-TCLP	8F04143	0.20	ND	1	5.0	6/4/2008	6/5/2008	
Sample ID: IRE2681-09 (D49-B - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F06059	0.0020	ND	1	0.2	6/6/2008	6/6/2008	M2
Arsenic	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Barium	6010B-TCLP	8F06076	0.20	ND	1	100.0	6/6/2008	6/6/2008	
Cadmium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Chromium	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Lead	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Selenium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Silver	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-10 (D50-B - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F06059	0.0020	ND	1	0.2	6/6/2008	6/6/2008	
Arsenic	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Barium	6010B-TCLP	8F06076	0.20	ND	1	100.0	6/6/2008	6/6/2008	
Cadmium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Chromium	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Lead	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Selenium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Silver	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Sample ID: IRE2681-11 (D56-B - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F06059	0.0020	ND	1	0.2	6/6/2008	6/6/2008	
Arsenic	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Barium	6010B-TCLP	8F06076	0.20	ND	1	100.0	6/6/2008	6/6/2008	
Cadmium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Chromium	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Lead	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Selenium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Silver	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Sample ID: IRE2681-12 (D51-A - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F06059	0.0020	ND	1	0.2	6/6/2008	6/6/2008	
Arsenic	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Barium	6010B-TCLP	8F06076	0.20	ND	1	100.0	6/6/2008	6/6/2008	
Cadmium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Chromium	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Lead	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Selenium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Silver	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-13 (D4-A - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F06059	0.0020	ND	1	0.2	6/6/2008	6/6/2008	
Arsenic	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Barium	6010B-TCLP	8F06076	0.20	0.20	1	100.0	6/6/2008	6/6/2008	
Cadmium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Chromium	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Lead	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Selenium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Silver	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Sample ID: IRE2681-14 (D5-A - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F06059	0.0020	ND	1	0.2	6/6/2008	6/6/2008	
Arsenic	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Barium	6010B-TCLP	8F06076	0.20	ND	1	100.0	6/6/2008	6/6/2008	
Cadmium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Chromium	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Lead	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Selenium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Silver	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Sample ID: IRE2681-15 (D11-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F06059	0.0020	ND	1	0.2	6/6/2008	6/6/2008	
Arsenic	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Barium	6010B-TCLP	8F06076	0.20	1.1	1	100.0	6/6/2008	6/6/2008	
Cadmium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Chromium	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Lead	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Selenium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Silver	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-16 (D12-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F06059	0.0020	ND	1	0.2	6/6/2008	6/6/2008	
Arsenic	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Barium	6010B-TCLP	8F06076	0.20	ND	1	100.0	6/6/2008	6/6/2008	
Cadmium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Chromium	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Lead	6010B-TCLP	8F06076	0.10	ND	1	5.0	6/6/2008	6/6/2008	
Selenium	6010B-TCLP	8F06076	0.10	ND	1	1.0	6/6/2008	6/6/2008	
Silver	6010B-TCLP	8F06076	0.20	ND	1	5.0	6/6/2008	6/6/2008	
Sample ID: IRE2681-17 (D13-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Sample ID: IRE2681-18 (D14-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-19 (D15-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Sample ID: IRE2681-20 (D16-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Sample ID: IRE2681-21 (D17-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-22 (D19-F - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Sample ID: IRE2681-23 (D20-F - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Sample ID: IRE2681-24 (D40-O - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP METALS

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Mercury	7470A-TCLP	8F09053	0.0020	ND	1	0.2	6/9/2008	6/9/2008	
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	0.11	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Sample ID: IRE2681-26 (D30-B - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
Arsenic	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	
Barium	6010B-TCLP	8F07050	0.20	ND	1	100.0	6/7/2008	6/8/2008	
Cadmium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Chromium	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Lead	6010B-TCLP	8F07050	0.10	ND	1	5.0	6/7/2008	6/8/2008	
Selenium	6010B-TCLP	8F07050	0.10	ND	1	1.0	6/7/2008	6/8/2008	
Silver	6010B-TCLP	8F07050	0.20	ND	1	5.0	6/7/2008	6/8/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP Herbicides per EPA Method 1311/8151

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-01 (BULK - Product)						Sampled: 05/29/08			A-01a
Reporting Units: mg/l									
2,4-D	1311/8151	8060253	0.00100	ND	1	10.0	6/6/2008	6/11/2008	
2,4,5-TP (Silvex)	1311/8151	8060253	0.00100	ND	1	1.0	6/6/2008	6/11/2008	
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				85.5 %					
Sample ID: IRE2681-02RE1 (D60-NH - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.0100	ND	10	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.0100	ND	10	1.0	6/12/2008	6/14/2008	A-01
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				92.9 %		A-01, C8			
Sample ID: IRE2681-03RE1 (D67-NH - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.100	ND	100	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.100	ND	100	1.0	6/12/2008	6/14/2008	A-01
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				94.5 %		A-01, C8			
Sample ID: IRE2681-04RE1 (D73-NH - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.100	ND	100	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.100	ND	100	1.0	6/12/2008	6/14/2008	A-01
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				123 %		A-01, C8			
Sample ID: IRE2681-05 (D72-NH - Product)						Sampled: 05/30/08			A-01a
Reporting Units: mg/l									
2,4-D	1311/8151	8060253	0.00100	ND	1	10.0	6/6/2008	6/11/2008	
2,4,5-TP (Silvex)	1311/8151	8060253	0.00100	ND	1	1.0	6/6/2008	6/11/2008	
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				37.5 %		C			
Sample ID: IRE2681-06 (D27-B - Product)						Sampled: 05/30/08			A-01a
Reporting Units: mg/l									
2,4-D	1311/8151	8060253	0.00100	ND	1	10.0	6/6/2008	6/11/2008	
2,4,5-TP (Silvex)	1311/8151	8060253	0.00100	ND	1	1.0	6/6/2008	6/11/2008	
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				64.4 %		C			
Sample ID: IRE2681-07 (D28-B - Product)						Sampled: 05/30/08			A-01a
Reporting Units: mg/l									
2,4-D	1311/8151	8060253	0.00100	ND	1	10.0	6/6/2008	6/11/2008	
2,4,5-TP (Silvex)	1311/8151	8060253	0.00100	ND	1	1.0	6/6/2008	6/11/2008	
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				34.0 %		C			

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP Herbicides per EPA Method 1311/8151

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-08RE1 (D29-B - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.0100	0.0156	10	10.0	6/12/2008	6/14/2008	A-01, R10, C8
2,4,5-TP (Silvex)	1311/8151	8060434	0.0100	ND	10	1.0	6/12/2008	6/14/2008	A-01
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				89.3 %	A-01, C8				
Sample ID: IRE2681-09 (D49-B - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.0100	ND	10	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.0100	ND	10	1.0	6/12/2008	6/17/2008	A-01, C
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				184 %	A-01, ZX, C8				
Sample ID: IRE2681-10 (D50-B - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.0100	ND	10	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.0100	ND	10	1.0	6/12/2008	6/14/2008	A-01
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				86.3 %	A-01, C8				
Sample ID: IRE2681-11 (D56-B - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.0100	ND	10	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.0100	ND	10	1.0	6/12/2008	6/14/2008	A-01
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				96.0 %	A-01, C8				
Sample ID: IRE2681-12 (D51-A - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.00100	ND	1	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.00100	ND	1	1.0	6/12/2008	6/17/2008	A-01, C
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				30.7 %	A-01, C8				
Sample ID: IRE2681-13 (D4-A - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.100	ND	100	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.100	ND	100	1.0	6/12/2008	6/14/2008	A-01
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				107 %	A-01, C8				
Sample ID: IRE2681-14 (D5-A - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.00500	ND	5	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.00500	ND	5	1.0	6/12/2008	6/17/2008	A-01, C
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				36.0 %	A-01, C8				

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP Herbicides per EPA Method 1311/8151

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-15 (D11-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.100	ND	100	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.100	ND	100	1.0	6/12/2008	6/14/2008	A-01
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				119 %					
Sample ID: IRE2681-16 (D12-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060434	0.100	ND	100	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060434	0.100	ND	100	1.0	6/12/2008	6/14/2008	A-01
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				110 %					
Sample ID: IRE2681-17 (D13-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.100	ND	100	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.100	ND	100	1.0	6/12/2008	6/14/2008	A-01
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				113 %					
Sample ID: IRE2681-18 (D14-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.100	ND	100	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.100	ND	100	1.0	6/12/2008	6/14/2008	A-01
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				114 %					
Sample ID: IRE2681-19 (D15-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.100	ND	100	10.0	6/12/2008	6/14/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.100	ND	100	1.0	6/12/2008	6/14/2008	A-01
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				100 %					
Sample ID: IRE2681-20 (D16-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.00100	ND	1	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.00100	ND	1	1.0	6/12/2008	6/17/2008	A-01, C
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				40.1 %					
Sample ID: IRE2681-21 (D17-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.00100	ND	1	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.00100	ND	1	1.0	6/12/2008	6/17/2008	A-01, C
<i>Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)</i>				12.1 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP Herbicides per EPA Method 1311/8151

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-22 (D19-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.0100	ND	10	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.0100	ND	10	1.0	6/12/2008	6/17/2008	A-01, C
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				133 %					
Sample ID: IRE2681-23 (D20-F - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.00100	ND	1	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.00100	ND	1	1.0	6/12/2008	6/17/2008	A-01, C
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				105 %					
Sample ID: IRE2681-24 (D40-O - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.0100	ND	10	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.0100	ND	10	1.0	6/12/2008	6/17/2008	A-01, C
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				72.0 %					
Sample ID: IRE2681-25 (D37-O - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.00100	ND	1	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.00100	ND	1	1.0	6/12/2008	6/17/2008	A-01, C
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				128 %					
Sample ID: IRE2681-26 (D30-B - Product)						Sampled: 05/30/08			
Reporting Units: mg/l									
2,4-D	1311/8151	8060435	0.0100	ND	10	10.0	6/12/2008	6/17/2008	A-01, C
2,4,5-TP (Silvex)	1311/8151	8060435	0.0100	ND	10	1.0	6/12/2008	6/17/2008	A-01, C
Surrogate: 2,4-Dichlorophenylacetic acid (20-150%)				41.6 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP EXTRACTION - Zero Headspace (ZHE)

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-01 (BULK - Product)			Sampled: 05/29/08		
Extraction	EPA 1311-ZHE	8F03152	6/3/2008	6/4/2008	
Sample ID: IRE2681-02 (D60-NH - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F03152	6/3/2008	6/4/2008	
Sample ID: IRE2681-03 (D67-NH - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F03152	6/3/2008	6/4/2008	
Sample ID: IRE2681-04 (D73-NH - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F03152	6/3/2008	6/4/2008	
Sample ID: IRE2681-05 (D72-NH - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F03152	6/3/2008	6/4/2008	
Sample ID: IRE2681-06 (D27-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F03152	6/3/2008	6/4/2008	
Sample ID: IRE2681-07 (D28-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F03152	6/3/2008	6/4/2008	
Sample ID: IRE2681-08 (D29-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F03152	6/3/2008	6/4/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 162 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP EXTRACTION - Zero Headspace (ZHE)

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-09 (D49-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05003	6/4/2008	6/5/2008	
Sample ID: IRE2681-10 (D50-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05003	6/4/2008	6/5/2008	
Sample ID: IRE2681-11 (D56-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05003	6/4/2008	6/5/2008	
Sample ID: IRE2681-12 (D51-A - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05003	6/4/2008	6/5/2008	
Sample ID: IRE2681-13 (D4-A - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05003	6/4/2008	6/5/2008	
Sample ID: IRE2681-14 (D5-A - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05003	6/4/2008	6/5/2008	
Sample ID: IRE2681-15 (D11-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05003	6/4/2008	6/5/2008	
Sample ID: IRE2681-16 (D12-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05003	6/4/2008	6/5/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 163 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP EXTRACTION - Zero Headspace (ZHE)

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-17 (D13-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	
Sample ID: IRE2681-18 (D14-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	
Sample ID: IRE2681-19 (D15-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	
Sample ID: IRE2681-20 (D16-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	
Sample ID: IRE2681-21 (D17-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	
Sample ID: IRE2681-22 (D19-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	
Sample ID: IRE2681-23 (D20-F - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	
Sample ID: IRE2681-24 (D40-O - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 164 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP EXTRACTION - Zero Headspace (ZHE)

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	
Sample ID: IRE2681-26 (D30-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-ZHE	8F05149	6/5/2008	6/6/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 165 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP EXTRACTION - Semi Volatiles

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-01 (BULK - Product) Extraction	EPA 1311-SV	8F03151	Sampled: 05/29/08 6/3/2008	6/4/2008	
Sample ID: IRE2681-02 (D60-NH - Product) Extraction	EPA 1311-SV	8F03151	Sampled: 05/30/08 6/3/2008	6/4/2008	
Sample ID: IRE2681-03 (D67-NH - Product) Extraction	EPA 1311-SV	8F03151	Sampled: 05/30/08 6/3/2008	6/4/2008	
Sample ID: IRE2681-04 (D73-NH - Product) Extraction	EPA 1311-SV	8F03151	Sampled: 05/30/08 6/3/2008	6/4/2008	
Sample ID: IRE2681-05 (D72-NH - Product) Extraction	EPA 1311-SV	8F03151	Sampled: 05/30/08 6/3/2008	6/4/2008	
Sample ID: IRE2681-06 (D27-B - Product) Extraction	EPA 1311-SV	8F03151	Sampled: 05/30/08 6/3/2008	6/4/2008	
Sample ID: IRE2681-07 (D28-B - Product) Extraction	EPA 1311-SV	8F03151	Sampled: 05/30/08 6/3/2008	6/4/2008	
Sample ID: IRE2681-08 (D29-B - Product) Extraction	EPA 1311-SV	8F03151	Sampled: 05/30/08 6/3/2008	6/4/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 166 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP EXTRACTION - Semi Volatiles

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-09 (D49-B - Product) Extraction	EPA 1311-SV	8F05002	Sampled: 05/30/08 6/4/2008	6/5/2008	
Sample ID: IRE2681-10 (D50-B - Product) Extraction	EPA 1311-SV	8F05002	Sampled: 05/30/08 6/4/2008	6/5/2008	
Sample ID: IRE2681-11 (D56-B - Product) Extraction	EPA 1311-SV	8F05002	Sampled: 05/30/08 6/4/2008	6/5/2008	
Sample ID: IRE2681-12 (D51-A - Product) Extraction	EPA 1311-SV	8F05002	Sampled: 05/30/08 6/4/2008	6/5/2008	
Sample ID: IRE2681-13 (D4-A - Product) Extraction	EPA 1311-SV	8F05002	Sampled: 05/30/08 6/4/2008	6/5/2008	
Sample ID: IRE2681-14 (D5-A - Product) Extraction	EPA 1311-SV	8F05002	Sampled: 05/30/08 6/4/2008	6/5/2008	
Sample ID: IRE2681-15 (D11-F - Product) Extraction	EPA 1311-SV	8F05002	Sampled: 05/30/08 6/4/2008	6/5/2008	
Sample ID: IRE2681-16 (D12-F - Product) Extraction	EPA 1311-SV	8F05002	Sampled: 05/30/08 6/4/2008	6/5/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP EXTRACTION - Semi Volatiles

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-17 (D13-F - Product) Extraction	EPA 1311-SV	8F05150	Sampled: 05/30/08 6/5/2008	6/6/2008	
Sample ID: IRE2681-18 (D14-F - Product) Extraction	EPA 1311-SV	8F05150	Sampled: 05/30/08 6/5/2008	6/6/2008	
Sample ID: IRE2681-19 (D15-F - Product) Extraction	EPA 1311-SV	8F05150	Sampled: 05/30/08 6/5/2008	6/6/2008	
Sample ID: IRE2681-20 (D16-F - Product) Extraction	EPA 1311-SV	8F05150	Sampled: 05/30/08 6/5/2008	6/6/2008	
Sample ID: IRE2681-21 (D17-F - Product) Extraction	EPA 1311-SV	8F05150	Sampled: 05/30/08 6/5/2008	6/6/2008	
Sample ID: IRE2681-22 (D19-F - Product) Extraction	EPA 1311-SV	8F05150	Sampled: 05/30/08 6/5/2008	6/6/2008	
Sample ID: IRE2681-23 (D20-F - Product) Extraction	EPA 1311-SV	8F05150	Sampled: 05/30/08 6/5/2008	6/6/2008	
Sample ID: IRE2681-24 (D40-O - Product) Extraction	EPA 1311-SV	8F05150	Sampled: 05/30/08 6/5/2008	6/6/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 168 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP EXTRACTION - Semi Volatiles

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-SV	8F05150	6/5/2008	6/6/2008	
Sample ID: IRE2681-26 (D30-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-SV	8F05150	6/5/2008	6/6/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 169 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP EXTRACTION - Metals

Analyte	Method	Batch	Extraction Start Date	Extraction End Date	Data Qualifiers
Sample ID: IRE2681-01 (BULK - Product)			Sampled: 05/29/08		
Extraction	EPA 1311-Met	8F03150	6/3/2008	6/4/2008	
Sample ID: IRE2681-02 (D60-NH - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-Met	8F03150	6/3/2008	6/4/2008	
Sample ID: IRE2681-03 (D67-NH - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-Met	8F03150	6/3/2008	6/4/2008	
Sample ID: IRE2681-04 (D73-NH - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-Met	8F03150	6/3/2008	6/4/2008	
Sample ID: IRE2681-05 (D72-NH - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-Met	8F03150	6/3/2008	6/4/2008	
Sample ID: IRE2681-06 (D27-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-Met	8F03150	6/3/2008	6/4/2008	
Sample ID: IRE2681-07 (D28-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-Met	8F03150	6/3/2008	6/4/2008	
Sample ID: IRE2681-08 (D29-B - Product)			Sampled: 05/30/08		
Extraction	EPA 1311-Met	8F03150	6/3/2008	6/4/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 170 of 227>