

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-06RE1 (D27-B - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F10087	0.20	ND	1	NA	6/10/2008	6/14/2008	
2,4-Dinitrophenol	EPA 8270C	8F10087	0.50	ND	1	NA	6/10/2008	6/14/2008	
2,4-Dinitrotoluene	EPA 8270C	8F10087	0.050	ND	1	0.13	6/10/2008	6/14/2008	
2,6-Dinitrotoluene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Di-n-octyl phthalate	EPA 8270C	8F10087	0.20	ND	1	NA	6/10/2008	6/14/2008	
Fluoranthene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Fluorene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Hexachlorobenzene	EPA 8270C	8F10087	0.050	ND	1	0.13	6/10/2008	6/14/2008	
Hexachlorobutadiene	EPA 8270C	8F10087	0.050	ND	1	0.5	6/10/2008	6/14/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F10087	0.20	ND	1	NA	6/10/2008	6/14/2008	
Hexachloroethane	EPA 8270C	8F10087	0.050	ND	1	3.0	6/10/2008	6/14/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Isophorone	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2-Methylnaphthalene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2-Methylphenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
4-Methylphenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Naphthalene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2-Nitroaniline	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
3-Nitroaniline	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
4-Nitroaniline	EPA 8270C	8F10087	0.50	ND	1	NA	6/10/2008	6/14/2008	
Nitrobenzene	EPA 8270C	8F10087	0.20	ND	1	2.0	6/10/2008	6/14/2008	
2-Nitrophenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
4-Nitrophenol	EPA 8270C	8F10087	0.50	ND	1	NA	6/10/2008	6/14/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Pentachlorophenol	EPA 8270C	8F10087	0.20	ND	1	100.0	6/10/2008	6/14/2008	
Phenanthrene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Phenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Pyrene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F10087	0.10	ND	1	400.0	6/10/2008	6/14/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F10087	0.10	ND	1	2.0	6/10/2008	6/14/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Surrogate: 2-Fluorophenol (35-120%)				38 %					
Surrogate: Phenol-d6 (45-120%)				52 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-06RE1 (D27-B - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Surrogate: 2,4,6-Tribromophenol (40-125%)				12 %	Z				
Surrogate: Nitrobenzene-d5 (40-120%)				65 %					
Surrogate: 2-Fluorobiphenyl (45-120%)				66 %					
Surrogate: Terphenyl-d14 (45-135%)				95 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 27 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-07RE1 (D28-B - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Acenaphthylene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Aniline	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Anthracene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Benmidine	EPA 8270C	8F10087	0.50	ND	1	NA	6/10/2008	6/14/2008	
Benzoic acid	EPA 8270C	8F10087	0.50	ND	1	NA	6/10/2008	6/14/2008	
Benzo(a)anthracene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Benzo(b)fluoranthene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Benzo(k)fluoranthene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Benzo(a)pyrene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Benzyl alcohol	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F10087	0.25	ND	1	NA	6/10/2008	6/14/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Butyl benzyl phthalate	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
4-Chloroaniline	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2-Chloronaphthalene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
2-Chlorophenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Chrysene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Dibenzofuran	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Di-n-butyl phthalate	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
1,3-Dichlorobenzene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
1,4-Dichlorobenzene	EPA 8270C	8F10087	0.050	ND	1	7.5	6/10/2008	6/14/2008	
1,2-Dichlorobenzene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F10087	0.20	ND	1	NA	6/10/2008	6/14/2008	
2,4-Dichlorophenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Diethyl phthalate	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2,4-Dimethylphenol	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Dimethyl phthalate	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-07RE1 (D28-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F10087	0.20	ND	1	NA	6/10/2008	6/14/2008	
2,4-Dinitrophenol	EPA 8270C	8F10087	0.50	ND	1	NA	6/10/2008	6/14/2008	
2,4-Dinitrotoluene	EPA 8270C	8F10087	0.050	ND	1	0.13	6/10/2008	6/14/2008	
2,6-Dinitrotoluene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Di-n-octyl phthalate	EPA 8270C	8F10087	0.20	ND	1	NA	6/10/2008	6/14/2008	
Fluoranthene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Fluorene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Hexachlorobenzene	EPA 8270C	8F10087	0.050	ND	1	0.13	6/10/2008	6/14/2008	
Hexachlorobutadiene	EPA 8270C	8F10087	0.050	ND	1	0.5	6/10/2008	6/14/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F10087	0.20	ND	1	NA	6/10/2008	6/14/2008	
Hexachloroethane	EPA 8270C	8F10087	0.050	ND	1	3.0	6/10/2008	6/14/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Isophorone	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2-Methylnaphthalene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2-Methylphenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
4-Methylphenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Naphthalene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2-Nitroaniline	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
3-Nitroaniline	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
4-Nitroaniline	EPA 8270C	8F10087	0.50	ND	1	NA	6/10/2008	6/14/2008	
Nitrobenzene	EPA 8270C	8F10087	0.20	ND	1	2.0	6/10/2008	6/14/2008	
2-Nitrophenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
4-Nitrophenol	EPA 8270C	8F10087	0.50	ND	1	NA	6/10/2008	6/14/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Pentachlorophenol	EPA 8270C	8F10087	0.20	ND	1	100.0	6/10/2008	6/14/2008	
Phenanthrene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Phenol	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
Pyrene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F10087	0.050	ND	1	NA	6/10/2008	6/14/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F10087	0.10	ND	1	400.0	6/10/2008	6/14/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F10087	0.10	ND	1	2.0	6/10/2008	6/14/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F10087	0.10	ND	1	NA	6/10/2008	6/14/2008	
Surrogate: 2-Fluorophenol (35-120%)				47 %					
Surrogate: Phenol-d6 (45-120%)				53 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers	
Sample ID: IRE2681-07RE1 (D28-B - Product) - cont.				Sampled: 05/30/08						
Reporting Units: mg/l										
Surrogate: 2,4,6-Tribromophenol (40-125%)				14 %						Z
Surrogate: Nitrobenzene-d5 (40-120%)				74 %						
Surrogate: 2-Fluorobiphenyl (45-120%)				77 %						
Surrogate: Terphenyl-d14 (45-135%)				85 %						

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 30 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-08RE1 (D29-B - Product)					Sampled: 05/30/08			RL3	
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Acenaphthylene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Aniline	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Anthracene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Benzidine	EPA 8270C	8F10087	10	ND	20	NA	6/10/2008	6/17/2008	
Benzoic acid	EPA 8270C	8F10087	2.0	2.6	20	NA	6/10/2008	6/17/2008	
Benzo(a)anthracene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Benzo(b)fluoranthene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Benzo(k)fluoranthene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Benzo(a)pyrene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Benzyl alcohol	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F10087	5.0	ND	20	NA	6/10/2008	6/17/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Butyl benzyl phthalate	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
4-Chloroaniline	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
2-Chloronaphthalene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
2-Chlorophenol	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Chrysene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
Dibenzofuran	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Di-n-butyl phthalate	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
1,3-Dichlorobenzene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
1,4-Dichlorobenzene	EPA 8270C	8F10087	1.0	ND	20	7.5	6/10/2008	6/17/2008	
1,2-Dichlorobenzene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F10087	4.0	ND	20	NA	6/10/2008	6/17/2008	
2,4-Dichlorophenol	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Diethyl phthalate	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
2,4-Dimethylphenol	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
Dimethyl phthalate	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-08RE1 (D29-B - Product) - cont.						Sampled: 05/30/08		RL3	
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F10087	4.0	ND	20	NA	6/10/2008	6/17/2008	
2,4-Dinitrophenol	EPA 8270C	8F10087	10	ND	20	NA	6/10/2008	6/17/2008	
2,4-Dinitrotoluene	EPA 8270C	8F10087	1.0	ND	20	0.13	6/10/2008	6/17/2008	
2,6-Dinitrotoluene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Di-n-octyl phthalate	EPA 8270C	8F10087	4.0	ND	20	NA	6/10/2008	6/17/2008	
Fluoranthene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Fluorene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Hexachlorobenzene	EPA 8270C	8F10087	1.0	ND	20	0.13	6/10/2008	6/17/2008	
Hexachlorobutadiene	EPA 8270C	8F10087	1.0	ND	20	0.5	6/10/2008	6/17/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F10087	4.0	ND	20	NA	6/10/2008	6/17/2008	
Hexachloroethane	EPA 8270C	8F10087	1.0	ND	20	3.0	6/10/2008	6/17/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
Isophorone	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
2-Methylnaphthalene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
2-Methylphenol	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
4-Methylphenol	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Naphthalene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
2-Nitroaniline	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
3-Nitroaniline	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
4-Nitroaniline	EPA 8270C	8F10087	10	ND	20	NA	6/10/2008	6/17/2008	
Nitrobenzene	EPA 8270C	8F10087	4.0	ND	20	2.0	6/10/2008	6/17/2008	
2-Nitrophenol	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
4-Nitrophenol	EPA 8270C	8F10087	10	ND	20	NA	6/10/2008	6/17/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
Pentachlorophenol	EPA 8270C	8F10087	4.0	ND	20	100.0	6/10/2008	6/17/2008	
Phenanthrene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Phenol	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
Pyrene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F10087	1.0	ND	20	NA	6/10/2008	6/17/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F10087	2.0	ND	20	400.0	6/10/2008	6/17/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F10087	2.0	ND	20	2.0	6/10/2008	6/17/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F10087	2.0	ND	20	NA	6/10/2008	6/17/2008	
Surrogate: 2-Fluorophenol (35-120%)				48 %					Z3
Surrogate: Phenol-d6 (45-120%)				58 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-08RE1 (D29-B - Product) - cont.					Sampled: 05/30/08			RL3	
Reporting Units: mg/l									
Surrogate: 2,4,6-Tribromophenol (40-125%)				59 %		Z3			
Surrogate: Nitrobenzene-d5 (40-120%)				77 %		Z3			
Surrogate: 2-Fluorobiphenyl (45-120%)				62 %		Z3			
Surrogate: Terphenyl-d14 (45-135%)				64 %		Z3			

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 33 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-09 (D49-B - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Acenaphthylene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Aniline	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Anthracene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzidine	EPA 8270C	8F06100	10	ND	20	NA	6/6/2008	6/11/2008	
Benzoic acid	EPA 8270C	8F06100	10	20	20	NA	6/6/2008	6/11/2008	
Benzo(a)anthracene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzo(b)fluoranthene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzo(k)fluoranthene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzo(a)pyrene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzyl alcohol	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	C
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F06100	5.0	ND	20	NA	6/6/2008	6/11/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Butyl benzyl phthalate	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
4-Chloroaniline	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2-Chloronaphthalene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
2-Chlorophenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Chrysene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Dibenzofuran	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Di-n-butyl phthalate	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
1,3-Dichlorobenzene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
1,4-Dichlorobenzene	EPA 8270C	8F06100	1.0	ND	20	7.5	6/6/2008	6/11/2008	
1,2-Dichlorobenzene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F06100	4.0	ND	20	NA	6/6/2008	6/11/2008	
2,4-Dichlorophenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Diethyl phthalate	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2,4-Dimethylphenol	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Dimethyl phthalate	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-09 (D49-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F06100	4.0	ND	20	NA	6/6/2008	6/11/2008	
2,4-Dinitrophenol	EPA 8270C	8F06100	10	ND	20	NA	6/6/2008	6/11/2008	
2,4-Dinitrotoluene	EPA 8270C	8F06100	1.0	ND	20	0.13	6/6/2008	6/11/2008	
2,6-Dinitrotoluene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Di-n-octyl phthalate	EPA 8270C	8F06100	4.0	ND	20	NA	6/6/2008	6/11/2008	
Fluoranthene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Fluorene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Hexachlorobenzene	EPA 8270C	8F06100	1.0	ND	20	0.13	6/6/2008	6/11/2008	
Hexachlorobutadiene	EPA 8270C	8F06100	1.0	ND	20	0.5	6/6/2008	6/11/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F06100	4.0	ND	20	NA	6/6/2008	6/11/2008	
Hexachloroethane	EPA 8270C	8F06100	1.0	ND	20	3.0	6/6/2008	6/11/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Isophorone	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2-Methylnaphthalene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2-Methylphenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
4-Methylphenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Naphthalene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2-Nitroaniline	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
3-Nitroaniline	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
4-Nitroaniline	EPA 8270C	8F06100	10	ND	20	NA	6/6/2008	6/11/2008	
Nitrobenzene	EPA 8270C	8F06100	4.0	ND	20	2.0	6/6/2008	6/11/2008	
2-Nitrophenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
4-Nitrophenol	EPA 8270C	8F06100	10	ND	20	NA	6/6/2008	6/11/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Pentachlorophenol	EPA 8270C	8F06100	4.0	ND	20	100.0	6/6/2008	6/11/2008	
Phenanthrene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Phenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Pyrene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F06100	2.0	ND	20	400.0	6/6/2008	6/11/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F06100	2.0	ND	20	2.0	6/6/2008	6/11/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Surrogate: 2-Fluorophenol (35-120%)				70 %					Z3
Surrogate: Phenol-d6 (45-120%)				67 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-09 (D49-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
<i>Surrogate: 2,4,6-Tribromophenol (40-125%)</i>				53 %					
<i>Surrogate: Nitrobenzene-d5 (40-120%)</i>				77 %					
<i>Surrogate: 2-Fluorobiphenyl (45-120%)</i>				69 %					
<i>Surrogate: Terphenyl-d14 (45-135%)</i>				58 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 36 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-10 (D50-B - Product)							Sampled: 05/30/08		
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Acenaphthylene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Aniline	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Anthracene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Benzdine	EPA 8270C	8F06100	0.50	ND	1	NA	6/6/2008	6/14/2008	
Benzoic acid	EPA 8270C	8F06100	0.50	ND	1	NA	6/6/2008	6/14/2008	
Benzo(a)anthracene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Benzo(b)fluoranthene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Benzo(k)fluoranthene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Benzo(a)pyrene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Benzyl alcohol	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F06100	0.25	ND	1	NA	6/6/2008	6/14/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Butyl benzyl phthalate	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
4-Chloroaniline	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
2-Chloronaphthalene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
2-Chlorophenol	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Chrysene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
Dibenzofuran	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Di-n-butyl phthalate	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
1,3-Dichlorobenzene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
1,4-Dichlorobenzene	EPA 8270C	8F06100	0.050	ND	1	7.5	6/6/2008	6/14/2008	
1,2-Dichlorobenzene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F06100	0.20	ND	1	NA	6/6/2008	6/14/2008	
2,4-Dichlorophenol	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Diethyl phthalate	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
2,4-Dimethylphenol	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
Dimethyl phthalate	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-10 (D50-B - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F06100	0.20	ND	1	NA	6/6/2008	6/14/2008	
2,4-Dinitrophenol	EPA 8270C	8F06100	0.50	ND	1	NA	6/6/2008	6/14/2008	
2,4-Dinitrotoluene	EPA 8270C	8F06100	0.050	ND	1	0.13	6/6/2008	6/14/2008	
2,6-Dinitrotoluene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Di-n-octyl phthalate	EPA 8270C	8F06100	0.20	ND	1	NA	6/6/2008	6/14/2008	
Fluoranthene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Fluorene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Hexachlorobenzene	EPA 8270C	8F06100	0.050	ND	1	0.13	6/6/2008	6/14/2008	
Hexachlorobutadiene	EPA 8270C	8F06100	0.050	ND	1	0.5	6/6/2008	6/14/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F06100	0.20	ND	1	NA	6/6/2008	6/14/2008	
Hexachloroethane	EPA 8270C	8F06100	0.050	ND	1	3.0	6/6/2008	6/14/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
Isophorone	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
2-Methylnaphthalene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
2-Methylphenol	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
4-Methylphenol	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Naphthalene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
2-Nitroaniline	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
3-Nitroaniline	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
4-Nitroaniline	EPA 8270C	8F06100	0.50	ND	1	NA	6/6/2008	6/14/2008	
Nitrobenzene	EPA 8270C	8F06100	0.20	ND	1	2.0	6/6/2008	6/14/2008	
2-Nitrophenol	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
4-Nitrophenol	EPA 8270C	8F06100	0.50	ND	1	NA	6/6/2008	6/14/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
Pentachlorophenol	EPA 8270C	8F06100	0.20	ND	1	100.0	6/6/2008	6/14/2008	
Phenanthrene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Phenol	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
Pyrene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F06100	0.050	ND	1	NA	6/6/2008	6/14/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F06100	0.10	ND	1	400.0	6/6/2008	6/14/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F06100	0.10	ND	1	2.0	6/6/2008	6/14/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F06100	0.10	ND	1	NA	6/6/2008	6/14/2008	
Surrogate: 2-Fluorophenol (35-120%)				63 %					
Surrogate: Phenol-d6 (45-120%)				73 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-10 (D50-B - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
<i>Surrogate: 2,4,6-Tribromophenol (40-125%)</i>				78 %					
<i>Surrogate: Nitrobenzene-d5 (40-120%)</i>				81 %					
<i>Surrogate: 2-Fluorobiphenyl (45-120%)</i>				82 %					
<i>Surrogate: Terphenyl-d14 (45-135%)</i>				102 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 39 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-11 (D56-B - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Acenaphthylene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Aniline	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Anthracene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Benzidine	EPA 8270C	8F06100	4.0	ND	8	NA	6/6/2008	6/10/2008	
Benzoic acid	EPA 8270C	8F06100	4.0	ND	8	NA	6/6/2008	6/10/2008	
Benzo(a)anthracene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Benzo(b)fluoranthene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Benzo(k)fluoranthene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Benzo(a)pyrene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Benzyl alcohol	EPA 8270C	8F06100	0.80	6.5	8	NA	6/6/2008	6/10/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F06100	2.0	ND	8	NA	6/6/2008	6/10/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Butyl benzyl phthalate	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
4-Chloroaniline	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
2-Chloronaphthalene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
2-Chlorophenol	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Chrysene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
Dibenzofuran	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Di-n-butyl phthalate	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
1,3-Dichlorobenzene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
1,4-Dichlorobenzene	EPA 8270C	8F06100	0.40	ND	8	7.5	6/6/2008	6/10/2008	
1,2-Dichlorobenzene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F06100	1.6	ND	8	NA	6/6/2008	6/10/2008	
2,4-Dichlorophenol	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Diethyl phthalate	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
2,4-Dimethylphenol	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
Dimethyl phthalate	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-11 (D56-B - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F06100	1.6	ND	8	NA	6/6/2008	6/10/2008	
2,4-Dinitrophenol	EPA 8270C	8F06100	4.0	ND	8	NA	6/6/2008	6/10/2008	
2,4-Dinitrotoluene	EPA 8270C	8F06100	0.40	ND	8	0.13	6/6/2008	6/10/2008	
2,6-Dinitrotoluene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Di-n-octyl phthalate	EPA 8270C	8F06100	1.6	ND	8	NA	6/6/2008	6/10/2008	
Fluoranthene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Fluorene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Hexachlorobenzene	EPA 8270C	8F06100	0.40	ND	8	0.13	6/6/2008	6/10/2008	
Hexachlorobutadiene	EPA 8270C	8F06100	0.40	ND	8	0.5	6/6/2008	6/10/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F06100	1.6	ND	8	NA	6/6/2008	6/10/2008	
Hexachloroethane	EPA 8270C	8F06100	0.40	ND	8	3.0	6/6/2008	6/10/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
Isophorone	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
2-Methylnaphthalene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
2-Methylphenol	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
4-Methylphenol	EPA 8270C	8F06100	0.40	0.70	8	NA	6/6/2008	6/10/2008	
Naphthalene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
2-Nitroaniline	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
3-Nitroaniline	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
4-Nitroaniline	EPA 8270C	8F06100	4.0	ND	8	NA	6/6/2008	6/10/2008	
Nitrobenzene	EPA 8270C	8F06100	1.6	ND	8	2.0	6/6/2008	6/10/2008	
2-Nitrophenol	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
4-Nitrophenol	EPA 8270C	8F06100	4.0	ND	8	NA	6/6/2008	6/10/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
Pentachlorophenol	EPA 8270C	8F06100	1.6	ND	8	100.0	6/6/2008	6/10/2008	
Phenanthrene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Phenol	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
Pyrene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F06100	0.40	ND	8	NA	6/6/2008	6/10/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F06100	0.80	ND	8	400.0	6/6/2008	6/10/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F06100	0.80	ND	8	2.0	6/6/2008	6/10/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F06100	0.80	ND	8	NA	6/6/2008	6/10/2008	
Surrogate: 2-Fluorophenol (35-120%)				50 %					
Surrogate: Phenol-d6 (45-120%)				42 %					Z

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-11 (D56-B - Product) - cont.				Sampled: 05/30/08					
Reporting Units: mg/l									
Surrogate: 2,4,6-Tribromophenol (40-125%)				56 %					
Surrogate: Nitrobenzene-d5 (40-120%)				21 % Z					
Surrogate: 2-Fluorobiphenyl (45-120%)				41 % Z					
Surrogate: Terphenyl-d14 (45-135%)				76 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 42 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-12 (D51-A - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Acenaphthylene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Aniline	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Anthracene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzidine	EPA 8270C	8F06100	10	ND	20	NA	6/6/2008	6/11/2008	
Benzoic acid	EPA 8270C	8F06100	10	25	20	NA	6/6/2008	6/11/2008	
Benzo(a)anthracene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzo(b)fluoranthene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzo(k)fluoranthene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzo(a)pyrene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Benzyl alcohol	EPA 8270C	8F06100	2.0	8.1	20	NA	6/6/2008	6/11/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	C
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F06100	5.0	ND	20	NA	6/6/2008	6/11/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Butyl benzyl phthalate	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
4-Chloroaniline	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2-Chloronaphthalene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
2-Chlorophenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Chrysene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Dibenzofuran	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Di-n-butyl phthalate	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
1,3-Dichlorobenzene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
1,4-Dichlorobenzene	EPA 8270C	8F06100	1.0	ND	20	7.5	6/6/2008	6/11/2008	
1,2-Dichlorobenzene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F06100	4.0	ND	20	NA	6/6/2008	6/11/2008	
2,4-Dichlorophenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Diethyl phthalate	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2,4-Dimethylphenol	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Dimethyl phthalate	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-12 (D51-A - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F06100	4.0	ND	20	NA	6/6/2008	6/11/2008	
2,4-Dinitrophenol	EPA 8270C	8F06100	10	ND	20	NA	6/6/2008	6/11/2008	
2,4-Dinitrotoluene	EPA 8270C	8F06100	1.0	ND	20	0.13	6/6/2008	6/11/2008	
2,6-Dinitrotoluene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Di-n-octyl phthalate	EPA 8270C	8F06100	4.0	ND	20	NA	6/6/2008	6/11/2008	
Fluoranthene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Fluorene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Hexachlorobenzene	EPA 8270C	8F06100	1.0	ND	20	0.13	6/6/2008	6/11/2008	
Hexachlorobutadiene	EPA 8270C	8F06100	1.0	ND	20	0.5	6/6/2008	6/11/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F06100	4.0	ND	20	NA	6/6/2008	6/11/2008	
Hexachloroethane	EPA 8270C	8F06100	1.0	ND	20	3.0	6/6/2008	6/11/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Isophorone	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2-Methylnaphthalene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2-Methylphenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
4-Methylphenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Naphthalene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2-Nitroaniline	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
3-Nitroaniline	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
4-Nitroaniline	EPA 8270C	8F06100	10	ND	20	NA	6/6/2008	6/11/2008	
Nitrobenzene	EPA 8270C	8F06100	4.0	ND	20	2.0	6/6/2008	6/11/2008	
2-Nitrophenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
4-Nitrophenol	EPA 8270C	8F06100	10	ND	20	NA	6/6/2008	6/11/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Pentachlorophenol	EPA 8270C	8F06100	4.0	ND	20	100.0	6/6/2008	6/11/2008	
Phenanthrene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Phenol	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
Pyrene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F06100	1.0	ND	20	NA	6/6/2008	6/11/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F06100	2.0	ND	20	400.0	6/6/2008	6/11/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F06100	2.0	ND	20	2.0	6/6/2008	6/11/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F06100	2.0	ND	20	NA	6/6/2008	6/11/2008	
Surrogate: 2-Fluorophenol (35-120%)				65 %					Z3
Surrogate: Phenol-d6 (45-120%)				74 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-12 (D51-A - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Surrogate: 2,4,6-Tribromophenol (40-125%)				57 %					Z3
Surrogate: Nitrobenzene-d5 (40-120%)				74 %					Z3
Surrogate: 2-Fluorobiphenyl (45-120%)				73 %					Z3
Surrogate: Terphenyl-d14 (45-135%)				69 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 45 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-13 (D4-A - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Acenaphthylene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Aniline	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Anthracene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Benzidine	EPA 8270C	8F06100	25	ND	50	NA	6/6/2008	6/10/2008	
Benzoic acid	EPA 8270C	8F06100	12	21	50	NA	6/6/2008	6/10/2008	
Benzo(a)anthracene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Benzo(b)fluoranthene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Benzo(k)fluoranthene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Benzo(a)pyrene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Benzyl alcohol	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F06100	12	ND	50	NA	6/6/2008	6/10/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Butyl benzyl phthalate	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
4-Chloroaniline	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
2-Chloronaphthalene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
2-Chlorophenol	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Chrysene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
Dibenzofuran	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Di-n-butyl phthalate	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
1,3-Dichlorobenzene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
1,4-Dichlorobenzene	EPA 8270C	8F06100	2.5	ND	50	7.5	6/6/2008	6/10/2008	
1,2-Dichlorobenzene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F06100	10	ND	50	NA	6/6/2008	6/10/2008	
2,4-Dichlorophenol	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Diethyl phthalate	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
2,4-Dimethylphenol	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
Dimethyl phthalate	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-13 (D4-A - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F06100	10	ND	50	NA	6/6/2008	6/10/2008	
2,4-Dinitrophenol	EPA 8270C	8F06100	25	ND	50	NA	6/6/2008	6/10/2008	
2,4-Dinitrotoluene	EPA 8270C	8F06100	2.5	ND	50	0.13	6/6/2008	6/10/2008	
2,6-Dinitrotoluene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Di-n-octyl phthalate	EPA 8270C	8F06100	10	ND	50	NA	6/6/2008	6/10/2008	
Fluoranthene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Fluorene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Hexachlorobenzene	EPA 8270C	8F06100	2.5	ND	50	0.13	6/6/2008	6/10/2008	
Hexachlorobutadiene	EPA 8270C	8F06100	2.5	ND	50	0.5	6/6/2008	6/10/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F06100	10	ND	50	NA	6/6/2008	6/10/2008	
Hexachloroethane	EPA 8270C	8F06100	2.5	ND	50	3.0	6/6/2008	6/10/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
Isophorone	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
2-Methylnaphthalene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
2-Methylphenol	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
4-Methylphenol	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Naphthalene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
2-Nitroaniline	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
3-Nitroaniline	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
4-Nitroaniline	EPA 8270C	8F06100	25	ND	50	NA	6/6/2008	6/10/2008	
Nitrobenzene	EPA 8270C	8F06100	10	ND	50	2.0	6/6/2008	6/10/2008	
2-Nitrophenol	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
4-Nitrophenol	EPA 8270C	8F06100	25	ND	50	NA	6/6/2008	6/10/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
Pentachlorophenol	EPA 8270C	8F06100	10	ND	50	100.0	6/6/2008	6/10/2008	
Phenanthrene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Phenol	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
Pyrene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F06100	2.5	ND	50	NA	6/6/2008	6/10/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F06100	5.0	ND	50	400.0	6/6/2008	6/10/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F06100	5.0	ND	50	2.0	6/6/2008	6/10/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F06100	5.0	ND	50	NA	6/6/2008	6/10/2008	
Surrogate: 2-Fluorophenol (35-120%)				46 %					Z3
Surrogate: Phenol-d6 (45-120%)				10 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-13 (D4-A - Product) - cont.				Sampled: 05/30/08					
Reporting Units: mg/l									
Surrogate: 2,4,6-Tribromophenol (40-125%)				35 %					
Surrogate: Nitrobenzene-d5 (40-120%)				15 %					
Surrogate: 2-Fluorobiphenyl (45-120%)				55 %					
Surrogate: Terphenyl-d14 (45-135%)				75 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 48 of 227>

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-14 (D5-A - Product)							Sampled: 05/30/08		
Reporting Units: mg/l									
Acenaphthene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Acenaphthylene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Aniline	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Anthracene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Benzidine	EPA 8270C	8F06100	12	ND	25	NA	6/6/2008	6/11/2008	
Benzoic acid	EPA 8270C	8F06100	12	29	25	NA	6/6/2008	6/11/2008	
Benzo(a)anthracene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Benzo(b)fluoranthene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Benzo(k)fluoranthene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Benzo(g,h,i)perylene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Benzo(a)pyrene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Benzyl alcohol	EPA 8270C	8F06100	2.5	7.9	25	NA	6/6/2008	6/11/2008	
Bis(2-chloroethoxy)methane	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Bis(2-chloroethyl)ether	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Bis(2-chloroisopropyl)ether	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	C
Bis(2-ethylhexyl)phthalate	EPA 8270C	8F06100	6.2	ND	25	NA	6/6/2008	6/11/2008	
4-Bromophenyl phenyl ether	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Butyl benzyl phthalate	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
4-Chloroaniline	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
2-Chloronaphthalene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
4-Chloro-3-methylphenol	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
2-Chlorophenol	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
4-Chlorophenyl phenyl ether	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Chrysene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Dibenz(a,h)anthracene	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
Dibenzofuran	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Di-n-butyl phthalate	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
1,3-Dichlorobenzene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
1,4-Dichlorobenzene	EPA 8270C	8F06100	1.2	ND	25	7.5	6/6/2008	6/11/2008	
1,2-Dichlorobenzene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
3,3-Dichlorobenzidine	EPA 8270C	8F06100	5.0	ND	25	NA	6/6/2008	6/11/2008	
2,4-Dichlorophenol	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Diethyl phthalate	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
2,4-Dimethylphenol	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
Dimethyl phthalate	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
 1359-A Ellsworth Industrial Blvd
 Atlanta, GA 30318
 Attention: Kris Spikes

Project ID: TCLP Samples
 U.S. Colloidal
 Report Number: IRE2681

Sampled: 05/29/08-05/30/08
 Received: 05/30/08

TCLP SEMI-VOLATILE ORGANIC COMPOUNDS BY GC/MS (EPA 1311/3520/8270C)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-14 (D5-A - Product) - cont.						Sampled: 05/30/08			
Reporting Units: mg/l									
4,6-Dinitro-2-methylphenol	EPA 8270C	8F06100	5.0	ND	25	NA	6/6/2008	6/11/2008	
2,4-Dinitrophenol	EPA 8270C	8F06100	12	ND	25	NA	6/6/2008	6/11/2008	
2,4-Dinitrotoluene	EPA 8270C	8F06100	1.2	ND	25	0.13	6/6/2008	6/11/2008	
2,6-Dinitrotoluene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Di-n-octyl phthalate	EPA 8270C	8F06100	5.0	ND	25	NA	6/6/2008	6/11/2008	
Fluoranthene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Fluorene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Hexachlorobenzene	EPA 8270C	8F06100	1.2	ND	25	0.13	6/6/2008	6/11/2008	
Hexachlorobutadiene	EPA 8270C	8F06100	1.2	ND	25	0.5	6/6/2008	6/11/2008	
Hexachlorocyclopentadiene	EPA 8270C	8F06100	5.0	ND	25	NA	6/6/2008	6/11/2008	
Hexachloroethane	EPA 8270C	8F06100	1.2	ND	25	3.0	6/6/2008	6/11/2008	
Indeno(1,2,3-cd)pyrene	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
Isophorone	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
2-Methylnaphthalene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
2-Methylphenol	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
4-Methylphenol	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Naphthalene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
2-Nitroaniline	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
3-Nitroaniline	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
4-Nitroaniline	EPA 8270C	8F06100	12	ND	25	NA	6/6/2008	6/11/2008	
Nitrobenzene	EPA 8270C	8F06100	5.0	ND	25	2.0	6/6/2008	6/11/2008	
2-Nitrophenol	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
4-Nitrophenol	EPA 8270C	8F06100	12	ND	25	NA	6/6/2008	6/11/2008	
N-Nitrosodiphenylamine	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
N-Nitroso-di-n-propylamine	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
Pentachlorophenol	EPA 8270C	8F06100	5.0	ND	25	100.0	6/6/2008	6/11/2008	
Phenanthrene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Phenol	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
Pyrene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
1,2,4-Trichlorobenzene	EPA 8270C	8F06100	1.2	ND	25	NA	6/6/2008	6/11/2008	
2,4,5-Trichlorophenol	EPA 8270C	8F06100	2.5	ND	25	400.0	6/6/2008	6/11/2008	
2,4,6-Trichlorophenol	EPA 8270C	8F06100	2.5	ND	25	2.0	6/6/2008	6/11/2008	
1,2-Diphenylhydrazine/Azobe	EPA 8270C	8F06100	2.5	ND	25	NA	6/6/2008	6/11/2008	
Surrogate: 2-Fluorophenol (35-120%)				73 %					Z3
Surrogate: Phenol-d6 (45-120%)				80 %					Z3

TestAmerica Irvine

Joseph Doak For Trupti Mistry
 Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.