

RECEIVED. U.S. E.P.A.

pay 10y 29 AM 10: 48

Date: Nov. 29, 2007

ENVIOLANDEALS BOARD

U.S. Environmental Protection Agency Office of Regional Counsel One Congress Street, Suite 1100 Boston, MA 02114-2023

Phone: (617) 918-1148 Fax: (617) 918-1029

#### PLEASE DELIVER TO:

Eurika Durr

Clerk, EPA Environmental Appeals Board

(202) 233-0121

From:

Samir Bukhari

Attorney, Office of Regional Counsel

EPA, Region 1

## Number of Pages to Follow: 4

RE: Joint Status Report

Town of North Attleborough Wastewater Treatment Facility

NPDES Appeal Nos. 07-02 and 07-04

NPDES Permit No. MA0101036

Original will follow via First Class Mail.



# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1 1 CONGRESS STREET, SUITE 1100 BOSTON, MASSACHUSETTS 02114-2023 RECEIVED U.S. E.P.A.

707 101 29 14 10 43

EMVIR. APPEALS BOARD

November 29, 2007

### VIA FACSIMILE AND FIRST CLASS MAIL

U.S. Environmental Protection Agency Environmental Appeals Board (MC1103B) Attn: Eurika Durr, Clerk of the Board Ariel Rios Building 1200 Pennsylvania Avenue, NW Washington, DC 20460-0001

Re: Joint Status Report

Town of North Attleborough Wastewater Treatment Facility

NPDES Appeal Nos. 07-02 and 07-04 NPDES Permit No. MA0101036

Dear Ms. Durr:

In connection with the above-referenced permit appeals, please find enclosed for docketing and review by the EPA Environmental Appeals Board an originally executed copy of a Joint Status Report and a Certificate of Service. The Region has provided five additional paper copies.

If you should have any questions, please do not hesitate to contact me at 617-918-1095.

Sincerely,

Samir Bukhari Assistant Regional Counsel Office of Regional Counsel US EPA-Region 1

**Enclosures** 

cc:

Recipients Listed on Enclosed Certificate of Service

RECEIVED U.S. E.P.A.

# BEFORE THE ENVIRONMENTAL APPEALS BOARD UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 29 M 10 118 WASHINGTON, D.C.

EMVIR. APPEALS BOARD

In the Matter of:

Town of North Attleborough

Wastewater Treatment Facility

NPDES Appeal No. 07-02

NPDES Appeal No. 07-04

NPDES Permit No. MA0101036

#### JOINT STATUS REPORT

In its Third Order Staying Proceedings (September 28, 2007), the United States

Environmental Protection Agency ("EPA") Environmental Appeals Board ("EAB" or "Board")

directed EPA-Region 1 ("Region") to file a status report on the progress of settlement

discussions among the Region, the Town of North Attleborough ("Town") and the Rhode Island

Department of Environmental Management ("RI-DEM") in the above-captioned matter no later

than November 30, 2007.

In their last filing with the Board, the parties stated that they had reached an agreement to resolve the contested conditions of the permit, subject to the parties negotiating the terms of a reasonable, mutually acceptable administrative compliance order with respect to the nitrogen and phosphorus limits in the permit. The Region also indicated that it had issued a draft permit modification with a new, more stringent phosphorus limit to partially implement the settlement.

See Joint Status Report (October 30, 2007). The comment period on the draft permit modification closed on November 17, 2007. Comments were received from the Town. After

considering such comments and preparing a response, the Region expects to expeditiously issue a final permit and, after confirming no appeals have been filed, the parties expect to jointly motion to dismiss the petitions for review now pending before the Board.

The Region and the Town also continue productive discussions over the terms of a reasonable compliance schedule. The Region met with Town officials and the Town's engineering consultants on October 16, 2007. The Town expects to submit to the Region a proposed compliance schedule reflecting input from this meeting within the next ten days.

Counsel for the Town and RI-DEM have assented to this status report.

Respectfully submitted,

United States EPA-Region 1

Samir Bukhari, Esq.

Assistant Regional Counsel

US EPA Region 1 (RAA)

One Congress St. - Suite 1100

Boston, MA 02114-2023

Phone: (617) 918-1095

Fax: (617) 918-0095

Dated: November 29, 2007