

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-004

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	2043 T5
Project Number:	NA	Client Sample Number:	4
Sample Date:	8/11/2009	Chain of Custody Number:	89220

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA

D0844

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-005

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	2053 B6
Project Number:	NA	Client Sample Number:	5
Sample Date:	8/11/2009	Chain of Custody Number:	89220

Comments:

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA

D0845

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-006

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1843 BR22
Project Number:	NA	Client Sample Number:	6
Sample Date:	8/11/2009	Chain of Custody Number:	89220

**Comments:**

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/17/2009	BDA

D0846

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-007

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	2077 TE6
Project Number:	NA	Client Sample Number:	7
Sample Date:	8/11/2009	Chain of Custody Number:	89220

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	6.1	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0847

## Analytical Laboratory Report

Client Identification: **Stinson Morrison Hecker LLP**      Sample Matrix: **Wipe**  
Fibertec Project Number: **35429**      Sample Number: **35429-008**

### Client Sample Information

Project Identification: **SIM-Ottumwa PCB Site**      Client Sample Description: **2009 L5**  
Project Number: **NA**      Client Sample Number: **8**  
Sample Date: **8/11/2009**      Chain of Custody Number: **89220**

Comments:

**Definitions/Qualifiers:**  
 A: Spike recovery or precision unusable due to dilution.      J: The concentration is an estimated value.      X: Matrix Interference has resulted in a raised reporting limit or distorted result.  
 B: The analyte was detected in the associated method blank.      U: The analyte was not detected at or above the reporting limit.      W: Results reported on a wet-weight basis.  
 E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.      \*: Value reported is outside QA limits

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0848

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-009

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	2066 B2
Project Number:	NA	Client Sample Number:	9
Sample Date:	8/11/2009	Chain of Custody Number:	89220

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0849

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-010

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1955 T9
Project Number:	NA	Client Sample Number:	10
Sample Date:	8/11/2009	Chain of Custody Number:	89220

Comments:

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0850

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-011

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1955 T10
Project Number:	NA	Client Sample Number:	11
Sample Date:	8/11/2009	Chain of Custody Number:	89221

**Comments:**

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0851

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-012

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	FIELD BLANK 1
Project Number:	NA	Client Sample Number:	12
Sample Date:	8/11/2009	Chain of Custody Number:	89221

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0852

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-013

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	2033 T24
Project Number:	NA	Client Sample Number:	13
Sample Date:	8/11/2009	Chain of Custody Number:	89221

Comments:

<b>Definitions/Qualifiers:</b> A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
---------	--------	-------	--------------	-----------------	------------	----------------	--------------------	---------

Polychlorinated Biphenyls (PCBs) (EPA 8082)								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0853

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-014

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1819 R23
Project Number:	NA	Client Sample Number:	14
Sample Date:	8/11/2009	Chain of Custody Number:	89221

Comments:

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm2	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0854

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-015

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1809 R44
Project Number:	NA	Client Sample Number:	15
Sample Date:	8/11/2009	Chain of Custody Number:	89221

Comments:

<b>Definitions/Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
--------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H17A	8/17/2009	8/18/2009	BDA

D0855

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-016

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	644 R55
Project Number:	NA	Client Sample Number:	16
Sample Date:	8/11/2009	Chain of Custody Number:	89221

Comments:

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA

D0856

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-017

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	654 B7
Project Number:	NA	Client Sample Number:	17
Sample Date:	8/11/2009	Chain of Custody Number:	89221

Comments:

Definitions/ Qualifiers:	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-----------------------------	---	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA

D0857

## Analytical Laboratory Report

Client Identification:	Stinson Morrison Hecker LLP	Sample Matrix:	Wipe
Fibertec Project Number:	35429	Sample Number:	35429-018

### Client Sample Information

Project Identification:	SIM-Ottumwa PCB Site	Client Sample Description:	1051 R42
Project Number:	NA	Client Sample Number:	18
Sample Date:	8/11/2009	Chain of Custody Number:	89221

**Comments:**

<b>Definitions/ Qualifiers:</b>	A: Spike recovery or precision unusable due to dilution. B: The analyte was detected in the associated method blank. E: The analyte was detected at a concentration greater than the calibration range, therefore the result is estimated.	J: The concentration is an estimated value. U: The analyte was not detected at or above the reporting limit.	X: Matrix Interference has resulted in a raised reporting limit or distorted result. W: Results reported on a wet-weight basis. *: Value reported is outside QA limits
-------------------------------------	--	---	--

Analyte	Result	Units	Report Limit	Dilution Factor	Prep Batch	Prep Date/Time	Analysis Date/Time	Analyst
<b>Polychlorinated Biphenyls (PCBs) (EPA 8082)</b>								
Aroclor-1016	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1221	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1232	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1242	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1248	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1254	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1260	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1262	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA
Aroclor-1268	U	µg/100 cm <sup>2</sup>	5.0	1	PS09H18B	8/18/2009	8/18/2009	BDA

D0858