

List of NM Active Individual Permits with NO DISCHARGE from 01-01-2018 to 10-31-2023

- [NM0000108](#)
- [NM0000116](#)
- [NM0020311](#)
- [NM0022268](#)
- [NM0022306](#)
- [NM0028711](#)
- [NM0028746](#)
- [NM0029149](#)
- [NM0029505](#)
- [NM0029581](#)
- [NM0029891](#)
- [NM0030139](#)
- [NM0030180](#)
- [NM0030953](#)
- [NM0030996](#)
- [NM0031038](#)
- [NM0031194](#)
- [NM0031208](#)
- [NM0031216](#)
- [NM0031224](#)

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
EL PASO ELECTRIC	0	Minor	11/8/18	1/1/19	12/31/23
EL PASO ELECTRIC	4	Minor	6/28/13	8/1/13	7/31/18

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	100
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	15	20
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001A

00556 Oil & Grease / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001A

00556 Oil & Grease / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.0753	.113
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

DMR Values		
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Totalizer	Continuous

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.019
DMR Values	
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

Outfall 001Q

00940 Chloride [as Cl] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01020 Boron, dissolved [as B] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001Q

01020 Boron, dissolved [as B] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 001Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 106A

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 106A

00400 pH / Location J / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	100
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 106A

00530 Solids, total suspended / Location J / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00556 Oil & Grease / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	15	20
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 106A

00556 Oil & Grease / Location J / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 106A

00556 Oil & Grease / Location J / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	1	1
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 106A

01042 Copper, total [as Cu] / Location J / Season 0 / Base

DMR Values		
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	1	1
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 106A

01045 Iron, total [as Fe] / Location J / Season 0 / Base

DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 106A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

DMR Values		
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 106A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

DMR Values		
9/30/23	NODI=C	NODI=C

Outfall 107A

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 107A

00400 pH / Location J / Season 0 / Base

DMR Values		
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	100
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 107A

00530 Solids, total suspended / Location J / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00556 Oil & Grease / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	15	20
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 107A

00556 Oil & Grease / Location J / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 107A

01042 Copper, total [as Cu] / Location J / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	1	1
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 107A

01042 Copper, total [as Cu] / Location J / Season 0 / Base

DMR Values		
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	1	1
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 107A

01045 Iron, total [as Fe] / Location J / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 107A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 108A

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 108A

00400 pH / Location J / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 108A

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	100
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 108A

00530 Solids, total suspended / Location J / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00556 Oil & Grease / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	15	20
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 108A

00556 Oil & Grease / Location J / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	1	1
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 108A

01042 Copper, total [as Cu] / Location J / Season 0 / Base

DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	1	1
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 108A

01045 Iron, total [as Fe] / Location J / Season 0 / Base

DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 108A

01045 Iron, total [as Fe] / Location J / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 108A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 109A

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 109A

00400 pH / Location J / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	100
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 109A

00530 Solids, total suspended / Location J / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00556 Oil & Grease / Location J / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 109A

00556 Oil & Grease / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	15	20
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 109A

00556 Oil & Grease / Location J / Season 0 / Base

DMR Values		
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	1	1
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 109A

01042 Copper, total [as Cu] / Location J / Season 0 / Base

DMR Values		
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	1	1
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 109A

01045 Iron, total [as Fe] / Location J / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 109A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall 109A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall TX1S

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/19	NODI=C
12/31/19	NODI=C
6/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/19	NODI=C
12/31/19	NODI=C
6/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall TX1S

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/19	NODI=C
12/31/19	NODI=C
6/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/19	NODI=C
12/31/19	NODI=C
6/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/19	NODI=C
12/31/19	NODI=C
6/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall TX1S

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

DMR Values	
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/19	NODI=C
12/31/19	NODI=C
6/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/19	NODI=C
12/31/19	NODI=C
6/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/31/23	24 Hour Composite	Once per 6 Months

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 0

Outfall TX1S

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/19	NODI=C
12/31/19	NODI=C
6/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	30	100
DMR Values		
1/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	15	20
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	DAILY AV	DAILY MX	DAILY AV	DAILY MX
Limit Value			75.3	113
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 001A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

DMR Values				
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Totalizer	Continuous

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	19
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 001A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C

Outfall 001Q

00940 Chloride [as Cl] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
3/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	30	100
DMR Values		
3/31/18	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	15	20
DMR Values		
3/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Totalizer	Continuous

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	19
DMR Values	
3/31/18	NODI=C

Outfall 106A

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 106A

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	30	100
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

00556 Oil & Grease / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 106A

00556 Oil & Grease / Location J / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	15	20
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	1	1
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	1	1

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 106A

01045 Iron, total [as Fe] / Location J / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

Outfall 107A

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 107A

00400 pH / Location J / Season 0 / Base

DMR Values		
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	30	100
DMR Values		
1/31/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

00556 Oil & Grease / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	15	20
DMR Values		
1/31/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 107A

00556 Oil & Grease / Location J / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	1	1
DMR Values		
1/31/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	1	1
DMR Values		
1/31/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 107A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

Outfall 108A

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	30	100

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 108A

00530 Solids, total suspended / Location J / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

00556 Oil & Grease / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	15	20
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	1	1
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 108A

01042 Copper, total [as Cu] / Location J / Season 0 / Base

DMR Values		
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	1	1
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall 108A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

DMR Values		
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

Outfall TX1S

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	Once per 6 Months

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall TX1S

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/13	7/31/18	24 Hour Composite	Once per 6 Months

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000108

Version # 4

Outfall TX1S

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
GCC RIO GRANDE, INC.	0	Minor	5/24/21	6/1/21	5/31/26
GCC RIO GRANDE, INC.	4	Minor	4/8/16	6/1/16	5/31/21

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/21	5/31/26	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/21	5/31/26	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		50
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/21	5/31/26	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 0

Outfall 001A

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

DMR Values	
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01040 Copper, dissolved [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/21	5/31/26	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 0

Outfall 001A

01040 Copper, dissolved [as Cu] / Location 1 / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/21	5/31/26	Grab	Weekly

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.011	.011
DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/21	5/31/26	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 0

Outfall 001A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.78	.78	.75	.75
DMR Values				
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/21	5/31/26	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	50
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values	
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall 001A

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

DMR Values	
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C

01040 Copper, dissolved [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall 001A

01040 Copper, dissolved [as Cu] / Location 1 / Season 0 / Base

DMR Values	
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	DAILY MX
Limit Value	.011
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall 001A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

DMR Values	
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	DAILY MX
Limit Value	.75
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall 001A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	50
DMR Values	
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall TX1Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall TX1Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/18	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/18	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/18	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0000116

Version # 4

Outfall TX1Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/18	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
ROSWELL, NEW MEXICO	0	Major	11/20/19	1/1/20	12/31/24
ROSWELL, NEW MEXICO	4	Major	9/26/13	11/1/13	10/31/18

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Five per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY MN	MO AV MN
Limit Value	4.1	4.1
DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

DMR Values		
10/31/23	NODI=C	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	935	1168	16	20
DMR Values				
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

12/4/23 10:54 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Totalizer	Daily

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
2/29/20	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Five per Week

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Calculated	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 001Q

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 001Q

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 002A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Five per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY MN	MO AV MN
Limit Value	4.1	4.1
DMR Values		
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Five per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	935	1168	16	20
DMR Values				
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Totalizer	Daily

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
1/31/20	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values			
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Five per Week

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 002Q

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002Q

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 002Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 002Y

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/21	12/31/23	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	EVNT TOT
Limit Value	
DMR Values	
12/31/21	NODI=C
12/31/22	NODI=C

Outfall 101A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Five per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY MN	MO AV MN
Limit Value	4.1	4.1
DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	935	1168	16	20
DMR Values				
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Totalizer	Daily

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
2/29/20	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values			
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
11/30/22	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Five per Week

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
2/28/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall 101A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 101Q

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	12 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall TX1Q

51710 Whole Effluent Toxicity [WET] - C. dubia / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX1Q

51710 Whole Effluent Toxicity [WET] - C. dubia / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	MN VALUE
Limit Value	90
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

51714 Whole Effluent Toxicity [WET] - P. promelas / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	MN VALUE
Limit Value	90
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX1Q

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Seaso

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX1Q

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX1Q

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

Outfall TX2Q

51710 Whole Effluent Toxicity [WET] - C. dubia / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX2Q

51710 Whole Effluent Toxicity [WET] - C. dubia / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Percent
Statistical Base	MN VALUE
Limit Value	90
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

51714 Whole Effluent Toxicity [WET] - P. promelas / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	MN VALUE
Limit Value	90
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX2Q

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

DMR Values	
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX2Q

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX2Q

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Seaso

DMR Values	
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX2Q

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX2Q

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

DMR Values	
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TX2Q

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
3/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
3/31/23	NODI=C

Outfall TXCQ

51710 Whole Effluent Toxicity [WET] - C. dubia / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	MN VALUE
Limit Value	90
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

51714 Whole Effluent Toxicity [WET] - P. promelas / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	MN VALUE
Limit Value	90
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TXCQ

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TXCQ

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

DMR Values	
6/30/21	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TXCQ

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 0

Outfall TXCQ

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/20	NODI=C
6/30/21	NODI=C

Version # 4

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00610 Nitrogen, ammonia total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Five per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 001A

00610 Nitrogen, ammonia total [as N] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
2/28/18	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Five per Week

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
9/30/18	NODI=C
10/31/18	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C

Outfall 002A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00610 Nitrogen, ammonia total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Five per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 002A

00610 Nitrogen, ammonia total [as N] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
1/31/18	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 002A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Five per Week

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 002A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 002A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C

Outfall 101A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 101A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	12 Hour Composite	Five per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1751	2627	30	45
DMR Values				
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 101A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00610 Nitrogen, ammonia total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Five per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
2/28/18	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 101A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values			
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Five per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 101A

51040 E. coli / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall 101A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C

Outfall TX1Q

22414 Whole effluent toxicity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value	89	89
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX1Q

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX1Q

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas
TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX1Q

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX1Q

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX1Q

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Outfall TX2Q

22414 Whole effluent toxicity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value	89	89
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX2Q

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

DMR Values		
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX2Q

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX2Q

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX2Q

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TX2Q

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

DMR Values		
10/31/19	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TXCQ

22414 Whole effluent toxicity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value	89	89
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TXCQ

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

DMR Values		
10/31/19	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TXCQ

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TXCQ

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TXCQ

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020311

Version # 4

Outfall TXCQ

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0020681

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
TRUTH OR CONSEQUENCES, CITY OF	4	Major	9/9/16	10/1/16	9/30/21

Version # 4

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
12/31/18	NODI=C
1/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
ARTESIA, CITY OF	0	Major	11/20/19	1/1/20	12/31/24
ARTESIA, CITY OF	4	Major	7/29/13	9/1/13	8/31/18

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AV MN	DAILY MN
Limit Value	5	5
DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	6 Hour Composite	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	325	488	30	45

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	6 Hour Composite	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	325	488	30	45
DMR Values				
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C

01147 Selenium, total [as Se] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Totalizer	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Grab	Weekly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

51568 Nonylphenol / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/23	6 Hour Composite	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	DAILY MX
Limit Value				
DMR Values				
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C

Outfall 001Q

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	6 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
6/30/20	NODI=C
9/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	6 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 0

Outfall 001Q

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
6/30/20	NODI=C
9/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C

39400 Toxaphene / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	6 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
6/30/20	NODI=C
9/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C

51032 Chlordane / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/20	12/31/24	6 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
6/30/20	NODI=C
9/30/20	NODI=C
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C

Version # 4

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	Grab	Twice per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 4

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AV MN	DAILY MN
Limit Value	5	5
DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	6 Hour Composite	Twice per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	325	488	30	45
DMR Values				
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	Grab	Twice per Week

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	6 Hour Composite	Twice per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	325	488	30	45
DMR Values				
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C

01147 Selenium, total [as Se] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/16	8/31/18	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	DAILY MX
Limit Value			5	7.4
DMR Values				
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 4

Outfall 001A

01147 Selenium, total [as Se] / Location 1 / Season 0 / Base

DMR Values				
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	Totalizer	Continuous

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	Grab	Twice per Week

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	19
DMR Values	
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 4

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	Grab	Twice per Week

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 4

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
9/30/19	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/13	8/31/18	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

Outfall TX1S

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

51443 Whole Effluent Toxicity - Retest #3 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 4

Outfall TX1S

51443 Whole Effluent Toxicity - Retest #3 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022268

Version # 4

Outfall TX1S

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

DMR Values		
8/31/19	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/18	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
CHEVRON MINING INC.	0	Major	9/30/13	11/1/13	10/31/18

Version # 0

Outfall 004A

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	125	125
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	20	30
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01002 Arsenic, total [as As] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.665	.665
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01002 Arsenic, total [as As] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01002 Arsenic, total [as As] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01027 Cadmium, total [as Cd] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1.78	1.78
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01027 Cadmium, total [as Cd] / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.044	.044
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.403	.403
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01077 Silver, total [as Ag] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.012	.012
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01077 Silver, total [as Ag] / Location 1 / Season 0 / Base

DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.2	.2
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3.87	3.87
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Measured	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.019	.019
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

51032 Chlordane / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	2.4	2.4
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

51032 Chlordane / Location 1 / Season 0 / Base

DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1.4	1.4
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 004A

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

Outfall 005A

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	125	125
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	20	30
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01002 Arsenic, total [as As] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.665	.665
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01002 Arsenic, total [as As] / Location 1 / Season 0 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01027 Cadmium, total [as Cd] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1.78	1.78
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01027 Cadmium, total [as Cd] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01027 Cadmium, total [as Cd] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.044	.044
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

DMR Values		
10/31/23	NODI=C	NODI=C

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.403	.403
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

DMR Values		
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01077 Silver, total [as Ag] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.012	.012
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01077 Silver, total [as Ag] / Location 1 / Season 0 / Base

DMR Values		
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01077 Silver, total [as Ag] / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.2	.2
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3.87	3.87
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

DMR Values		
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Measured	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.019	.019
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

51032 Chlordane / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	2.4	2.4
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

51032 Chlordane / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

51032 Chlordane / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Grab	Daily

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1.4	1.4
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall 005A

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX4Q

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX4Q

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX4Q

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX4Q

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

DMR Values		
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX4Q

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX4Q

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

DMR Values		
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall TX5Q

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX5Q

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX5Q

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX5Q

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

DMR Values		
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX5Q

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

DMR Values		
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	24 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0022306

Version # 0

Outfall TX5Q

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

DMR Values		
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0023396

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
RAMAH WATER & SANITATION DIST.	0	Minor	8/18/15	10/1/15	9/30/20

Version # 0

Outfall 001Y

70295 Solids, total dissolved / Location 3 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/15	9/30/20	Grab	Annual

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value			
DMR Values			
9/30/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0023477

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
FORT SUMNER, TOWN OF	5	Minor	4/20/18	5/1/18	4/30/23

Version # 5

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/18	4/30/23	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	52.54	78.81	30	45
DMR Values				
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/18	4/30/23	Grab	Five per Week

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/18	4/30/23	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	52.54	78.81	30	45
DMR Values				
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/18	4/30/23	Totalizer	Daily

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0023477

Version # 5

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values			
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/18	4/30/23	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	19
DMR Values	
5/31/18	NODI=C
6/30/18	NODI=C

50076 BOD, percent removal [total] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/18	4/30/23	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
5/31/18	NODI=C
6/30/18	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/18	4/30/23	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/18	4/30/23	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0023477

Version # 5

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
5/31/18	NODI=C
6/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0024163

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
RESERVE MUTUAL SEWER ASSOCIATI	0	Minor	2/28/19	4/1/19	3/31/24

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Monthly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027863

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
SANDIA PEAK SKI CO-SANDIA PEAK	4	Minor	4/28/16	6/1/16	5/31/21

Version # 4

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1.88	2.82	30	45
DMR Values				
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Five per Week

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	1.88	2.82	30	45
DMR Values				
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Totalizer	Continuous

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027863

Version # 4

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Five per Week

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Grab	Monthly

Limit			
Limit Unit Desc	Million Colony Forming Units per Day	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	30DAVGEO	DAILY MX
Limit Value	13.4	47	410
DMR Values			
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027863

Version # 4

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/16	5/31/21	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027987

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
RIO RANCHO, CITY OF	4	Major	5/31/16	7/1/16	6/30/21

Version # 4

Outfall 101A

00310 BOD, 5-day, 20 deg. C / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/16	6/30/21	12 Hour Composite	Five per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	30	45
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027987

Version # 4

Outfall 101A

00310 BOD, 5-day, 20 deg. C / Location J / Season 0 / Base

DMR Values		
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/16	6/30/21	12 Hour Composite	Five per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	30	45
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027987

Version # 4

Outfall 101A

00530 Solids, total suspended / Location J / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/16	6/30/21	Totalizer	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027987

Version # 4

Outfall 101A

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/16	6/30/21	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027987

Version # 4

Outfall 101A

81010 BOD, 5-day, percent removal / Location J / Season 0 / Base

DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C

81011 Solids, suspended percent removal / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/16	6/30/21	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0027987

Version # 4

Outfall 101A

81011 Solids, suspended percent removal / Location J / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
LOS ALAMOS NATIONAL LABORATORY	3	Major	8/12/14	10/1/14	9/30/19
LOS ALAMOS NATIONAL LABORATORY	4	Major	3/30/22	8/1/22	4/30/27

Version # 3

Outfall 022A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Record (manual)	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
6/30/18	NODI=C
3/31/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
5/31/21	NODI=C

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Record (manual)	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 027A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 027A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Twice per Month

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 027A

51040 E. coli / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	MOAV GEO	DAILY MX
Limit Value	548	2507
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 027A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

Outfall 027Q

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	30	100
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	20	40

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 027Q

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

Outfall 027Y

01040 Copper, dissolved [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/17	9/30/19	Grab	Annual

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	.0073
DMR Values	
9/30/18	NODI=C
9/30/19	NODI=C
9/30/20	NODI=C
9/30/21	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/17	9/30/19	Grab	Annual

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	.9889
DMR Values	
9/30/18	NODI=C
9/30/19	NODI=C
9/30/20	NODI=C
9/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	125	125
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX	MO AVG	DAILY MX
Limit Value	73	109	30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Three per Week

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	MO AV MN
Limit Value	50
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
12/31/21	NODI=C
2/28/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

01034 Chromium, total [as Cr] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1.34	2.68
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Three per Week

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.014	.014
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.076	.115
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Three per Week

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.191	.191
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

11503 Radium 226 + radium 228, total / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Picocuries per Liter	Picocuries per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	30	30
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
12/31/21	NODI=C
2/28/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

61209 Perchlorate [ClO4] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 051A

78141 Organics, total toxic [TTO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1	1
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 055A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 055A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 055A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

81364 RDX, total / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Twice per Month

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.2	.66
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 055A

81364 RDX, total / Location 1 / Season 0 / Base

DMR Values		
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

Outfall 055Q

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 055Q

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	125	125
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	30	45
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 055Q

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	15	15
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

78141 Organics, total toxic [TTO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1	1
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 055Q

78141 Organics, total toxic [TTO] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

81360 Trinitrotoluene [TNT], total / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.02	
DMR Values		
3/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

Outfall 055T

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 055T

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
9/30/19	NODI=C	NODI=C

80029 Alpha gross radioactivity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Picocuries per Liter	Picocuries per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
9/30/19	NODI=C	NODI=C

Outfall 055Y

61209 Perchlorate [ClO4] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Annual

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

Outfall 113A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
4/30/19	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 113A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Record (manual)	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
4/30/19	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
4/30/19	NODI=C

Outfall 13SA

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	24 Hour Composite	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX	MO AVG	DAILY MX
Limit Value	73	109	30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SA

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SA

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SA

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	24 Hour Composite	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX	MO AVG	DAILY MX
Limit Value	73	109	30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SA

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Record (manual)	Continuous

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SA

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SA

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
7/31/22	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	MOAV GEO	DAILY MX
Limit Value	548	2507
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SA

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

Outfall 13ST

80029 Alpha gross radioactivity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Picocuries per Liter	Picocuries per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
9/30/19	NODI=C	NODI=C

Outfall 13SY

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/17	9/30/19	Grab	Annual

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	3.514
DMR Values	
9/30/18	NODI=C
9/30/19	NODI=C
9/30/20	NODI=C
9/30/21	NODI=C

39516 Polychlorinated biphenyls [PCBs] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 13SY

39516 Polychlorinated biphenyls [PCBs] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	24 Hour Composite	Annual

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.00064	.00064
DMR Values		
9/30/18	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

Outfall 160A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 160A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

00720 Cyanide, total [as CN] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Monthly

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 160A

00720 Cyanide, total [as CN] / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Three per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.021	.032
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 160A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Record (manual)	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 160A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 160A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 160A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C

Outfall 160Q

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	30	100
DMR Values		
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 160Q

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	20	40
DMR Values		
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

Outfall 160Y

01002 Arsenic, total [as As] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	Grab	Annual

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.013	.018
DMR Values		
9/30/19	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/17	9/30/19	Grab	Annual

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	4.29
DMR Values	
9/30/19	NODI=C
9/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall 160Y

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
9/30/21	NODI=C

Outfall T051Q

22414 Whole effluent toxicity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
3/1/16	9/30/19	3 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value	100	100
DMR Values		
3/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	3 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	3 Hour Composite	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall T051Q

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	3 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	3 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall T051Q

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

DMR Values		
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	3 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

Outfall T13SY

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/19	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/19	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 3

Outfall T13SY

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	24 Hour Composite	Once per 2 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/19	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	24 Hour Composite	Once per 2 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/19	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/14	9/30/19	24 Hour Composite	Once per 2 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/19	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

Version # 4

Outfall 022A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 022A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
9/30/23	NODI=C

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 027A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Record (manual)	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 027A

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	MOAV GEO	DAILY MX
Limit Value	548	2507
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

Outfall 027Q

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	30	100
DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	20	40

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 027Q

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

Outfall 027Y

01040 Copper, dissolved [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Annual

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	.0073
DMR Values	
7/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Annual

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	.9889
DMR Values	
7/31/23	NODI=C

39516 Polychlorinated biphenyls [PCBs] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Annual

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.00064	.000642
DMR Values		
7/31/23	NODI=C	NODI=C

Outfall 051A

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 051A

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	125	125
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX	MO AVG	DAILY MX
Limit Value	73	109	30	45
DMR Values				
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Three per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 051A

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	MO AV MN
Limit Value	50
DMR Values	
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01034 Chromium, total [as Cr] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1.34	2.68
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Three per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.014	.014
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 051A

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.076	.115
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Three per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.191	.191
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

11503 Radium 226 + radium 228, total / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Picocuries per Liter	Picocuries per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	30	30
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 051A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

61209 Perchlorate [ClO4] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

78141 Organics, total toxic [TTO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 051A

78141 Organics, total toxic [TTO] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1	1
DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

Outfall 055A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 055A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

81364 RDX, total / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Twice per Month

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.2	.66
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

Outfall 055Q

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 055Q

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	125	125
DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	30	45
DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	15	15
DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

78141 Organics, total toxic [TTO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 055Q

78141 Organics, total toxic [TTO] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	1	1
DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

81360 Trinitrotoluene [TNT], total / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.02	
DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

Outfall 055Y

61209 Perchlorate [ClO4] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Annual

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
7/31/23	NODI=C	NODI=C

Outfall 13SA

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	24 Hour Composite	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 13SA

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX	MO AVG	DAILY MX
Limit Value	73	109	30	45
DMR Values				
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	24 Hour Composite	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 13SA

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX	MO AVG	DAILY MX
Limit Value	73	109	30	45
DMR Values				
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Record (manual)	Continuous

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 13SA

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	MOAV GEO	DAILY MX
Limit Value	548	2507
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

Outfall 13SY

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 13SY

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Annual

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	3.514
DMR Values	
7/31/23	NODI=C

39516 Polychlorinated biphenyls [PCBs] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	24 Hour Composite	Annual

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.00064	.00064
DMR Values		
7/31/23	NODI=C	NODI=C

Outfall 160A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00720 Cyanide, total [as CN] / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 160A

00720 Cyanide, total [as CN] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Monthly

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Three per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.021	.032
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 160A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Record (manual)	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 160Q

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	30	100
DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Quarterly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	20	40
DMR Values		
10/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

Outfall 160Y

01002 Arsenic, total [as As] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Annual

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	.013	.018
DMR Values		
7/31/23	NODI=C	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall 160Y

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	4.29
DMR Values	
7/31/23	NODI=C

Outfall T051Q

22414 Whole effluent toxicity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	3 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value	100	100
DMR Values		
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	3 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	3 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	3 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028355

Version # 4

Outfall T051Q

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	3 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/22	4/30/27	3 Hour Composite	Quarterly

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
7/31/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
LAC MINERALS (USA) LLC	0	Minor	8/20/21	9/1/21	8/31/26
LAC MINERALS (USA) LLC	3	Minor	9/30/16	10/1/16	9/30/21

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01147 Selenium, total [as Se] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	Grab	Monthly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	DAILY MX
Limit Value	5
DMR Values	
9/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 0

Outfall 001A

01147 Selenium, total [as Se] / Location 1 / Season 0 / Base

DMR Values	
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

51931 Alpha, gross adjusted / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	Grab	Monthly

Limit	
Limit Unit Desc	Picocuries per Liter
Statistical Base	DAILY MX
Limit Value	15
DMR Values	
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 0

Outfall TX1Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	6 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	6 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	6 Hour Composite	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	6 Hour Composite	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/21	8/31/26	6 Hour Composite	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 0

Outfall TX1Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

Version # 3

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 3

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

01147 Selenium, total [as Se] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	Grab	Monthly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	DAILY MX
Limit Value	5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 3

Outfall 001A

01147 Selenium, total [as Se] / Location 1 / Season 0 / Base

DMR Values	
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 3

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

80029 Alpha gross radioactivity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	Grab	Monthly

Limit	
Limit Unit Desc	Picocuries per Liter
Statistical Base	DAILY MX
Limit Value	15
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 3

Outfall 001A

80029 Alpha gross radioactivity / Location 1 / Season 0 / Base

DMR Values	
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C

Outfall TX1Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	6 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	6 Hour Composite	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028711

Version # 3

Outfall TX1Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	6 Hour Composite	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	6 Hour Composite	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/16	9/30/21	6 Hour Composite	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
SAN JUAN COAL COMPANY-SAN JUAN	0	Minor	10/4/18	10/5/18	10/4/23
SAN JUAN COAL COMPANY-SAN JUAN	3	Minor	8/29/13	10/1/13	9/30/18

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 001A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 001A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

Outfall 001T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
10/4/23	NODI=C

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 002A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	7.07	7.07
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 002A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values		
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
11/4/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 002A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 002A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

Outfall 002T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
10/4/23	NODI=C

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 006A

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 006A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 006A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 006A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

Outfall 006T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
10/4/23	NODI=C

Outfall 007A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 007A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 007A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 007A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 007A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 007A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 007A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
10/4/23	NODI=C

Outfall 007T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
10/4/23	NODI=C

Outfall 008A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 008A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 008A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 008A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 008A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 008A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

Outfall 008T

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 008T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
10/4/23	NODI=C

Outfall 010A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 010A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 010A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 010A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 010A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

Outfall 010T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
10/4/23	NODI=C

Outfall 011A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 011A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 011A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 011A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
11/4/18	NODI=C
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 011A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

Outfall 011T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 011T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
10/4/23	NODI=C

Outfall 012A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 012A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.115	.115
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 012A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

DMR Values		
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 012A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	6.11	6.11
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 012A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

DMR Values		
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/4/18	NODI=C	NODI=C
12/4/18	NODI=C	NODI=C
1/4/19	NODI=C	NODI=C
2/4/19	NODI=C	NODI=C
3/4/19	NODI=C	NODI=C
4/4/19	NODI=C	NODI=C
5/4/19	NODI=C	NODI=C
6/4/19	NODI=C	NODI=C
7/4/19	NODI=C	NODI=C
8/4/19	NODI=C	NODI=C
9/4/19	NODI=C	NODI=C
10/4/19	NODI=C	NODI=C
11/4/19	NODI=C	NODI=C
12/4/19	NODI=C	NODI=C
1/4/20	NODI=C	NODI=C
2/4/20	NODI=C	NODI=C
3/4/20	NODI=C	NODI=C
4/4/20	NODI=C	NODI=C
5/4/20	NODI=C	NODI=C
6/4/20	NODI=C	NODI=C
7/4/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/4/20	NODI=C	NODI=C
9/4/20	NODI=C	NODI=C
10/4/20	NODI=C	NODI=C
11/4/20	NODI=C	NODI=C
12/4/20	NODI=C	NODI=C
1/4/21	NODI=C	NODI=C
2/4/21	NODI=C	NODI=C
3/4/21	NODI=C	NODI=C
4/4/21	NODI=C	NODI=C
5/4/21	NODI=C	NODI=C
6/4/21	NODI=C	NODI=C
7/4/21	NODI=C	NODI=C
8/4/21	NODI=C	NODI=C
9/4/21	NODI=C	NODI=C
10/4/21	NODI=C	NODI=C
11/4/21	NODI=C	NODI=C
12/4/21	NODI=C	NODI=C
1/4/22	NODI=C	NODI=C
2/4/22	NODI=C	NODI=C
3/4/22	NODI=C	NODI=C
4/4/22	NODI=C	NODI=C
5/4/22	NODI=C	NODI=C
6/4/22	NODI=C	NODI=C
7/4/22	NODI=C	NODI=C
8/4/22	NODI=C	NODI=C
9/4/22	NODI=C	NODI=C
10/4/22	NODI=C	NODI=C
11/4/22	NODI=C	NODI=C
12/4/22	NODI=C	NODI=C
1/4/23	NODI=C	NODI=C
2/4/23	NODI=C	NODI=C
3/4/23	NODI=C	NODI=C
4/4/23	NODI=C	NODI=C
5/4/23	NODI=C	NODI=C
6/4/23	NODI=C	NODI=C
7/4/23	NODI=C	NODI=C
8/4/23	NODI=C	NODI=C
9/4/23	NODI=C	NODI=C
10/4/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
11/4/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 012A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
12/4/18	NODI=C
1/4/19	NODI=C
2/4/19	NODI=C
3/4/19	NODI=C
4/4/19	NODI=C
5/4/19	NODI=C
6/4/19	NODI=C
7/4/19	NODI=C
8/4/19	NODI=C
9/4/19	NODI=C
10/4/19	NODI=C
11/4/19	NODI=C
12/4/19	NODI=C
1/4/20	NODI=C
2/4/20	NODI=C
3/4/20	NODI=C
4/4/20	NODI=C
5/4/20	NODI=C
6/4/20	NODI=C
7/4/20	NODI=C
8/4/20	NODI=C
9/4/20	NODI=C
10/4/20	NODI=C
11/4/20	NODI=C
12/4/20	NODI=C
1/4/21	NODI=C
2/4/21	NODI=C
3/4/21	NODI=C
4/4/21	NODI=C
5/4/21	NODI=C
6/4/21	NODI=C
7/4/21	NODI=C
8/4/21	NODI=C
9/4/21	NODI=C
10/4/21	NODI=C
11/4/21	NODI=C
12/4/21	NODI=C
1/4/22	NODI=C
2/4/22	NODI=C
3/4/22	NODI=C
4/4/22	NODI=C
5/4/22	NODI=C
6/4/22	NODI=C
7/4/22	NODI=C
8/4/22	NODI=C
9/4/22	NODI=C
10/4/22	NODI=C
11/4/22	NODI=C
12/4/22	NODI=C
1/4/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall 012A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
2/4/23	NODI=C
3/4/23	NODI=C
4/4/23	NODI=C
5/4/23	NODI=C
6/4/23	NODI=C
7/4/23	NODI=C
8/4/23	NODI=C
9/4/23	NODI=C
10/4/23	NODI=C

Outfall 012T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
10/4/23	NODI=C

Outfall TX6Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX6Y

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX6Y

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX6Y

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX6Y

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Outfall TX7Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX7Y

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX7Y

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX7Y

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

Outfall TX8Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX8Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Values		
10/4/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX8Y

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX8Y

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/5/18	10/4/23	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 0

Outfall TX8Y

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
10/4/23	NODI=C	NODI=C

Version # 3

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 001A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

Outfall 001T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
9/30/18	NODI=C

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 002A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	7.07	7.07
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 002A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values	
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

Outfall 002T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
9/30/18	NODI=C

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 006A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 006T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
9/30/18	NODI=C

Outfall 007A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 007A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

Outfall 007T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 008A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 008A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

Outfall 008T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
9/30/18	NODI=C

Outfall 010A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 010A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 010T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
9/30/18	NODI=C

Outfall 011A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 011A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

Outfall 011T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
9/30/18	NODI=C

Outfall 012A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 012A

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.115	.115
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	6.11	6.11
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	2000
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

Outfall 012T

51168 Priority pollutants scan [yes/no] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Permit Term

Limit	
Limit Unit Desc	No=0; Yes=1
Statistical Base	VALUE
Limit Value	
DMR Values	
9/30/18	NODI=C

Outfall TX6Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX6Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

DMR Values		
9/30/18	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX6Y

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX6Y

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX6Y

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

Outfall TX7Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX7Y

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

DMR Values		
9/30/18	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Seaso

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX7Y

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Seaso

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX7Y

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

Outfall TX8Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX8Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX8Y

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX8Y

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028746

Version # 3

Outfall TX8Y

TYP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0028827

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
LAS VEGAS, CITY OF (SOUTH EAST	0	Major	3/23/17	5/1/17	4/30/22

Version # 0

Outfall 001A

00610 Nitrogen, ammonia total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/17	4/30/22	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	83	125	4	6
DMR Values				
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C

01027 Cadmium, total [as Cd] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/17	4/30/22	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.0102	.0153	.491	.736
DMR Values				
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C

39100 Di[2-ethylhexyl] phthalate [DEHP] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/17	4/30/22	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.484	.726	23.22	34.83
DMR Values				
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/17	4/30/22	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MN
Limit Value	.016	.0186	.77	.891
DMR Values				
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
MAXWELL, VILLAGE OF	0	Minor	9/17/20	10/1/20	9/30/25
MAXWELL, VILLAGE OF	3	Minor	5/30/14	7/1/14	6/30/19

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	5	7.5	30	45
DMR Values				
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Twice per Month

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	15	23	90	135
DMR Values				
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	.076
DMR Values	
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Monthly

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	.005

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

DMR Values	
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Daily

Limit			
Limit Unit Desc	Gallons per Day	Gallons per Day	Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values			
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	65
DMR Values	
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	65
DMR Values	
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall TX1T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C

51443 Whole Effluent Toxicity - Retest #3 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall TX1T

51443 Whole Effluent Toxicity - Retest #3 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 0

Outfall TX1T

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

DMR Values		
9/30/21	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/20	9/30/25	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
9/30/21	NODI=C	NODI=C

Version # 3

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	5	7.5	30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	15	23	90	135
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Grab	Monthly

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	.076
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Grab	Monthly

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	DAILY MX
Limit Value	.005
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Grab	Daily

Limit			
Limit Unit Desc	Gallons per Day	Gallons per Day	Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values			
1/31/18	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	65
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/14	6/30/19	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	65
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029149

Version # 3

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Permit Name	Version Nmbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
SAN JUAN COAL COMPANY-LA PLA	0	Minor	7/30/20	9/1/20	8/31/25
SAN JUAN COAL COMPANY-LA PLA	3	Minor	9/10/14	11/1/14	10/31/19

Version # 0

Outfall 003A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00AA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00AA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00CA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00CA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00DA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00DA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00EA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00EA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00FA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00FA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00GA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00GA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00HA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00HA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00IA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00IA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00JA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00JA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00KA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00KA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00MA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00MA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00NA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00NA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00OA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00OA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 00PA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 00PA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 015A

01105 Aluminum, total [as Al] / Location 2 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
3/1/22	8/31/25	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 015A

01105 Aluminum, total [as Al] / Location 2 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	252	378
DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 5 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 015A

01105 Aluminum, total [as Al] / Location 5 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location S / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 015A

01105 Aluminum, total [as Al] / Location S / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 015A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

52646 Hardness, Dissolved [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 015A

52646 Hardness, Dissolved [as CaCO3] / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 016A

01105 Aluminum, total [as Al] / Location 2 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
3/1/22	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	252	378
DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 5 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 016A

01105 Aluminum, total [as Al] / Location 5 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location S / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 016A

01105 Aluminum, total [as Al] / Location S / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 016A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

52646 Hardness, Dissolved [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 016A

52646 Hardness, Dissolved [as CaCO3] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 018A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 018A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 019A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 019A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 020A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 020A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 021A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 021A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 022A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 022A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 023A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 023A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 026A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 026A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 027A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 027A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00981 Selenium, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.005	.005
DMR Values		
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 028A

00981 Selenium, total recoverable / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 2 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
3/1/22	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	252	378
DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 028A

01105 Aluminum, total [as Al] / Location 2 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 5 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 028A

01105 Aluminum, total [as Al] / Location 5 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location S / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 028A

01105 Aluminum, total [as Al] / Location S / Season 0 / Base

DMR Values		
9/30/23	NODI=C	NODI=C

46529 Rainfall / Location R / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Measured	Monthly

Limit	
Limit Unit Desc	Inches
Statistical Base	TOTAL
Limit Value	
DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 028A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

52646 Hardness, Dissolved [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 028A

52646 Hardness, Dissolved [as CaCO3] / Location 1 / Season 0 / Base

DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.00077	.00077
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 028A

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 029A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 029A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 030A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 030A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 031A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 031A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 032A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/20	8/31/25	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 0

Outfall 032A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Version # 3

Outfall 003A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 003A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00AA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00CA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00CA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00DA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00EA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00EA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00FA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00FA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00GA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00HA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00HA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00IA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00IA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00JA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00KA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00KA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00MA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00MA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00NA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00OA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00OA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 00PA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 00PA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 015A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 015A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 016A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 016A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 018A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 019A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 019A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 020A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 020A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 021A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 022A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 022A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 023A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 023A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 026A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 027A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 027A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Monthly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

00981 Selenium, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/19	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.005	.005
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 028A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/19	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.00077	.00077
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 028A

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 029A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 030A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 030A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 031A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029505

Version # 3

Outfall 031A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

Outfall 032A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
LEE RANCH COAL COMPANY	0	Minor	4/26/23	6/1/23	5/31/28
LEE RANCH COAL COMPANY	2	Minor	9/8/10	11/1/10	10/31/15
LEE RANCH COAL COMPANY	3	Minor	4/5/18	6/1/18	5/31/23

Version # 0

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 002E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 002P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 002P

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 002R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 002R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 003E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 003E

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 003P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 003P

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 003R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 003R

00545 Solids, settleable / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 004A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 004E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 004E

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 004P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 004P

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Outfall 004R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 006E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 006P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 006P

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 006R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 006R

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 027A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 027E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 027P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 027P

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 027R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 027R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 028A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 028E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 028E

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 028P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 028P

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 028R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 028R

00545 Solids, settleable / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 042A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 042A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 042E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 042E

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 042P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 042P

00545 Solids, settleable / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 042R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 042R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 044A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	30	45
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00310 BOD, 5-day, 20 deg. C / Location G / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 044A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	45
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location G / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	30	45
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	10	15
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 044A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Calculated	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 044A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

Outfall 049A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 049A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 049E

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 049E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 049P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 049P

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 049R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 049R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 050A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 050A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 050E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 050E

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 050P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 050P

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 050R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 050R

00545 Solids, settleable / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 061A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 061A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 061E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 061E

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 061P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 061P

00545 Solids, settleable / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 061R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 061R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 062A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 062A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 062E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 062E

00400 pH / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 062P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 062P

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 062R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 062R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 067A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 067A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 067E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 067E

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 067P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 067P

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 067R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 067R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Outfall 080A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 080A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 080E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 080E

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 080P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 080P

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Outfall 080R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 085A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 085A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 085A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 085E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 085P

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 085P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 085R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 085R

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 087A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 087A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 087A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 087E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 087P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 087P

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 087R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 087R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 090A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 090A

00400 pH / Location 1 / Season 0 / Base

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 090A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 090E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 090P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 090P

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 090R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 090R

00400 pH / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 091A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 091A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 091A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 091E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 091P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 091P

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 091R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 091R

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 092A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 092A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 092E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 092P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 092P

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 092R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 092R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 093A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 093A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 093E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 093E

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 093P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 093P

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 093R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 093R

00545 Solids, settleable / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 094A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 094A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 094E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 094E

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 094P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 094P

00545 Solids, settleable / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 094R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 094R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 095A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 095A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 095E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 095E

00400 pH / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 095P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 095P

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 095R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 095R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 096A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 096A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 096E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 096E

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 096P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 096P

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 096R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 096R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Outfall 097A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 097A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 097E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 097E

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 097P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 097P

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Outfall 097R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 098A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 098A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 098A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 098E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 098P

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 098P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 098R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 098R

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 099A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 099A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 099A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 099E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 099P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 099P

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 099R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 099R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 101A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 101A

00400 pH / Location 1 / Season 0 / Base

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 101A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 101E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 101P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 101P

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 101R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 101R

00400 pH / Location 1 / Season 0 / Base

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 102A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 102A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 102A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 102E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 102P

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 102P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 102R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 102R

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 102R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 103A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 103A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 103E

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 103E

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 103P

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 103P

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 103R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 0

Outfall 103R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/23	5/31/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Version # 2

Outfall 001A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location IN / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 001A

01045 Iron, total [as Fe] / Location IN / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 002A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 003A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 003A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 003A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 004A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 004A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 009A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 009A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 015R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 015R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 016R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 016R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 020R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 020R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 021R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 021R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 024A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 024A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 024A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 027A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 027A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 027R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 027R

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 028A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 028A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 028R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 028R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 032R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 032R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 033R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 033R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 034AL

00310 BOD, 5-day, 20 deg. C / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 034AL

00310 BOD, 5-day, 20 deg. C / Location J / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	45
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00400 pH / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	45
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 034AL

50050 Flow, in conduit or thru treatment plant / Location J / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location J / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 034L

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 034L

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	45
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	30	45
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 034L

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 036A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 036A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 036A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 037A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 037A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 038A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 038A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 039A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 039A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 039A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 041R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 041R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 042A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 042A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 044A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 044A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 045A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 045A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 045A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 049A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 049A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 050A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 050A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 051A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 051A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 051A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 054A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 054A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 061A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 061A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 062A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 062A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 062A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 063A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 063A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 064A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 064A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 065A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 065A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 065A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 066A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 066A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 067A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 067A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 073A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 073A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 073A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 076A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 076A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 077A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 077A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 077R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 077R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 078A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 078A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 078A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 078R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 078R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 079A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 079A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 079R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 079R

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 080A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 080A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 080R

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 080R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 085A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 085A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 085A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 086A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 086A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 087A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 087A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 088A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 088A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 088A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 089A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 089A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 090A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 090A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 091A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 091A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 091A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 092A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 092A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 093A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 093A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 094A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 094A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 094A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	MAXIMUM
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 095A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 095A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 096A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 096A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 097A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 097A

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 097A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 098A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 098A

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Outfall 099A

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 2

Outfall 099A

00530 Solids, total suspended / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/10	10/31/15	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

Version # 3

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 002R

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 002R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 003R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 003R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 004R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 004R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 006R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 006R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 027R

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 027R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 028R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 028R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 042A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 042R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 042R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 044A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 044R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 044R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 049A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 049R

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 049R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 050A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 050R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 050R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 061A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 061R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 061R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 062A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 062R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 062R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 067A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 067R

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 067R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 080A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 080R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 080R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 085A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 085R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 085R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 087A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 087R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 087R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 090A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 090R

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 090R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 091A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 091R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 091R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 092A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 092R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 092R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 093A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 093R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 093R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 094A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 094R

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 094R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 095A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 095R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 095R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 096A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 096R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 096R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 097A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 097R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 097R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 098A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 098R

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 098R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 099A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 099R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 099R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 101A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 101R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101R

00400 pH / Location 1 / Season 1 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 101R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 102A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 102R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 102R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 103A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103A

00400 pH / Location 1 / Season 1 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3.5	7
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall 103R

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103R

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103R

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 1 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103R

00400 pH / Location 1 / Season 1 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Weekly

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103R

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall 103R

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T002T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T002T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T002T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T002T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T002T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T002Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T002Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T003T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T003T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T003T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T003T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T003T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T003Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T003Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T004T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T004T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T004T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T004T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T004T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L
TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T004Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T004Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T006T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T006T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T006T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T006T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T006T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T006Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T006Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T027T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T027T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T027T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T027T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T027T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T027Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T027Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T028T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T028T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T028T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T028T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T028T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T028Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T028Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T042T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T042T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T042T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T042T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T042T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T042Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T042Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T044T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T044T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T044T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T044T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T044T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T044Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T044Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T049T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T049T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T049T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T049T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T049T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T049Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T049Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T050T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T050T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T050T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T050T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T050T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T050Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T050Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T061T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T061T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T061T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T061T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T061T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T061Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T061Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T062T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T062T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T062T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T062T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T062T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T062Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T062Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T067T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T067T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T067T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T067T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T067T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T067Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T067Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T080T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T080T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T080T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T080T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T080T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T080Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T080Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T085T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T085T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T085T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T085T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T085T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T085Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T085Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T087T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T087T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T087T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T087T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T087T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T087Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T087Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T090T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T090T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T090T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T090T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T090T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T090Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T090Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T091T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T091T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T091T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T091T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T091T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T091Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T091Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T092T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T092T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T092T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T092T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T092T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T092Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T092Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T093T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T093T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T093T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T093T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T093T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T093Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T093Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T094T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T094T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T094T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T094T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T094T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T094Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T094Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T095T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T095T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T095T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T095T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T095T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T095Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T095Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T096T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T096T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T096T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T096T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T096T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T096Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T096Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T097T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T097T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T097T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T097T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T097T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T097Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T097Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T098T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T098T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T098T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T098T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T098T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T098Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T098Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T099T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T099T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T099T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T099T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T099T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T099Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T099Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T101T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T101T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T101T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T101T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T101T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T101Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T101Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T102T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T102T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T102T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T102T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T102T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T102Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T102Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

Outfall T103T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T103T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T103T

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

DMR Values		
5/31/23	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T103T

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T103T

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
5/31/23	NODI=C	NODI=C

Outfall T103Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029581

Version # 3

Outfall T103Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/18	5/31/23	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
5/31/19	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029629

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
ANTHONY WATER & SANITATION DIS	0	Minor	2/21/18	3/1/18	2/28/23

Version # 0

Outfall 001A

01020 Boron, dissolved [as B] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
3/1/18	2/28/23	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	30DA AVG
Limit Value	
DMR Values	
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Permit Name	Version Nmbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
RATON, CITY OF - WATER FILTRATION FACILITY	0	Minor	7/19/21	8/1/21	7/31/26
RATON, CITY OF - WATER FILTRATION FACILITY	4	Minor	7/28/16	9/1/16	8/31/21

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	20	30
DMR Values		
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 0

Outfall 001A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Estimate	Weekly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/16	8/31/21	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/16	8/31/21	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	20	30

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 4

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/16	8/31/21	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 4

Outfall 001A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 4

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/16	8/31/21	Estimate	Weekly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 4

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/16	8/31/21	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	33
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0029891

Version # 4

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030112

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
SEVEN SPRINGS STATE TROUT HATC	4	Minor	8/28/13	10/1/13	9/30/18

Version # 4

Outfall 01BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030112

Version # 4

Outfall 01BA

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
2/28/19	NODI=C
3/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030121

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
LISBOA SPRINGS STATE FARM HATC	3	Minor	8/28/13	10/1/13	9/30/18

Version # 3

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Twice per Month

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value			10	15
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Twice per Month

Limit		
Limit Unit Desc	Milliliters per Liter	Milliliters per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.1	.5
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030121

Version # 3

Outfall 004A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

Outfall 01BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030121

Version # 3

Outfall 01BA

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C

Outfall 01BB

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030121

Version # 3

Outfall 01BC

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C

Outfall TX4S

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030121

Version # 3

Outfall TX4S

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 6 Months

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 6 Months

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030121

Version # 3

Outfall TX4S

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
LOS OJOS STATE FISH HATCHERY	0	Minor	5/31/19	7/1/19	6/30/24
LOS OJOS STATE FISH HATCHERY	3	Minor	9/25/13	11/1/13	10/31/18

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Twice per Month

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
7/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX	DAILY AV	DAILY MX
Limit Value			10	15
DMR Values				
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Twice per Month

Limit		
Limit Unit Desc	Milliliters per Liter	Milliliters per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	.1	.5
DMR Values		
7/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX	DAILY AV	DAILY MX
Limit Value	59.84		1.9	
DMR Values				
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

DMR Values				
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX	DAILY AV	DAILY MX
Limit Value	12.59		.4	
DMR Values				
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

DMR Values				
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
7/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
7/31/19	NODI=C
11/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
12/31/19	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

Limit			
Limit Unit Desc	Million Colony Forming Units per Day	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	DA GEOAV	DA GEOAV	DAILY MX
Limit Value	1803	126	235
DMR Values			
7/31/19	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values			
9/30/23	NODI=C	NODI=C	NODI=C

Outfall TX1T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall TX1T

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall TX1T

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

DMR Values		
6/30/20	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 0

Outfall TX1T

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/19	6/30/24	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
6/30/20	NODI=C	NODI=C

Version # 3

Outfall 01BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/13	10/31/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030139

Version # 3

Outfall 01BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
ROCK LAKE STATE TROUT HATCHERY	3	Minor	8/29/13	10/1/13	9/30/18

Version # 3

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Twice per Month

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	433	649	10	15
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall 003A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Twice per Month

Limit		
Limit Unit Desc	Milliliters per Liter	Milliliters per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.1	.5
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall 003A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Twice per Month

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C

Outfall 003Q

01022 Boron, total [as B] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Quarterly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	32	45	750	1037
DMR Values				
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C

39410 Heptachlor / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall 003Q

39410 Heptachlor / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Quarterly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.00003416	.00004725	.00079	.00109276
DMR Values				
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C

Outfall 004A

00011 Temperature, water deg. fahrenheit / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Weekly

Limit	
Limit Unit Desc	Degrees Fahrenheit
Statistical Base	DAILY MX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value			10	15
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall 004A

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milliliters per Liter	Milliliters per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.1	.5
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Twice per Month

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall 004A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C

Outfall 004Q

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Quarterly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value				
DMR Values				
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C

01022 Boron, total [as B] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Quarterly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value			750	1037
DMR Values				
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall 004Q

01022 Boron, total [as B] / Location 1 / Season 0 / Base

DMR Values				
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C

39410 Heptachlor / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Quarterly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value			.00079	.00109276
DMR Values				
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C

Outfall 01BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall 01BA

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C

Outfall TX01B

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall TX01B

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Use

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall TX01B

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Use

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Use

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall TX01B

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Use

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Use

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall TX01B

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Once per Use

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

Outfall TX4Y

22414 Whole effluent toxicity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value	72	72
DMR Values		
9/30/18	NODI=C	NODI=C

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall TX4Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall TX4Y

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall TX4Y

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030155

Version # 3

Outfall TX4Y

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/13	9/30/18	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	7 DA MIN	MO AV MN
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030163

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
STATE OF NM DEPT.GAME & FISH	0	Minor	7/3/18	9/1/18	8/31/23
STATE OF NM DEPT.GAME & FISH	4	Minor	3/25/13	5/1/13	4/30/18

Version # 0

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/18	8/31/23	Grab	Twice per Month

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030163

Version # 0

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/18	8/31/23	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY AV	DAILY MX	DAILY AV	DAILY MX
Limit Value	157	235	10	15
DMR Values				
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030163

Version # 0

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/18	8/31/23	Grab	Twice per Month

Limit		
Limit Unit Desc	Milliliters per Liter	Milliliters per Liter
Statistical Base	DAILY AV	DAILY MX
Limit Value	.1	.5
DMR Values		
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030163

Version # 0

Outfall 002A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/18	8/31/23	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030163

Version # 0

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/18	8/31/23	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030163

Version # 0

Outfall 002A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C

Outfall 002Q

39330 Aldrin / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/18	8/31/23	Grab	Quarterly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
12/31/18	NODI=C
3/31/19	NODI=C
6/30/19	NODI=C
9/30/19	NODI=C
12/31/19	NODI=C
3/31/20	NODI=C

Version # 4

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/13	4/30/18	Weir	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030163

Version # 4

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C

Outfall 01BA

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
5/1/13	4/30/18	Weir	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	DAILY AV	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
CHEVRON MINING, INC.	0	Minor	8/20/19	10/1/19	9/30/24
CHEVRON MINING, INC.	4	Minor	7/29/14	9/1/14	8/31/19

Version # 0

Outfall 004A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 004A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 004A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 005A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 005A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 005A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 006A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 006A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 006A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 007A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 007A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 007A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 007A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 007A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 011A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 011A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 011A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 011A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 012A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 012A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 012A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 014A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 014A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	2.173	3.259
DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 014A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values		
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 014A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 015A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 015A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 015A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 015A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 015A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 017A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 017A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 017A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 017A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 018A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 018A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 018A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
5/31/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 018A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
4/30/20	NODI=C
5/31/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 030A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 030A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 030A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 030A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 031A

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 031A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 031A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 031A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 031A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 032A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 032A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 032A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 032A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
6/30/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall 034A

00070 Turbidity / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 034A

00070 Turbidity / Location 1 / Season 0 / Base

DMR Values	
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 034A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/19	9/30/24	Estimate	Monthly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 0

Outfall 034A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Version # 4

Outfall 004A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

12/4/23 10:54 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 004A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 005A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 006A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 006A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 007A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 007A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 007A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 011A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
10/31/18	NODI=C
12/31/18	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 011A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/18	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 012A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 014A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 014A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 015A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 015A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 015A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 016A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 016A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 017A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 017A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 018A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 018A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
5/31/18	NODI=C
6/30/18	NODI=C
8/31/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 019A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 019A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 019A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 020A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 020A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 021A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 021A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 022A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
8/31/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 022A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 023A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 023A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 023A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 030A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 030A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 031A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 031A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 032A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 032A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 033A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 033A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 033A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 034A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 034A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

Outfall 037A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	5.423
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030180

Version # 4

Outfall 037A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/19	Estimate	Monthly

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
LAS VEGAS, CITY OF	0	Minor	9/28/22	10/1/22	9/30/27
LAS VEGAS, CITY OF	4	Minor	7/27/17	9/1/17	8/31/22

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/22	9/30/27	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	MO MIN
Limit Value	6
DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/22	9/30/27	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/22	9/30/27	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value			
DMR Values			
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/22	9/30/27	Grab	Once per Discharge

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/22	9/30/27	Grab	Weekly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value			
DMR Values			
10/31/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 0

Outfall 001A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values			
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/22	9/30/27	Estimate	Weekly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
10/1/22	9/30/27	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	19
DMR Values	
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Weekly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value			
DMR Values			
1/31/18	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values			
4/30/19	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall 001A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value			
DMR Values			
1/31/18	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall 001A

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

DMR Values			
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C

01106 Aluminum, dissolved [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Weekly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value			
DMR Values			
1/31/18	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall 001A

01106 Aluminum, dissolved [as Al] / Location 1 / Season 0 / Base

DMR Values			
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Estimate	Weekly

Limit	
Limit Unit Desc	Million Gallons per Day
Statistical Base	30DA AVG
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values	
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall 001A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	19
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall 001A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values	
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C

Outfall TX1T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall TX1T

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Once per Permit Term

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/17	8/31/22	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030341

Version # 4

Outfall TX1T

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
8/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030368

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
RANGLAND UTILITY CO WWTF	0	Minor	2/15/19	4/1/19	3/31/24

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	6 Hour Composite	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	94	141	30	45
DMR Values				
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030368

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	6 Hour Composite	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA GEO	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	94	141	30	45
DMR Values				
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Recorder (auto)	Continuous

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030368

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values			
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
10/31/21	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030368

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Weekly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
10/31/21	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030368

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
10/31/21	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
ANGEL FIRE WWTP, VILLAGE OF	0	Minor	6/1/23	7/1/23	6/30/28
ANGEL FIRE WWTP, VILLAGE OF	3	Minor	9/27/17	11/1/17	10/31/22

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Twice per Month

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MN
Limit Value	4.8
DMR Values	
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	62.5	83.3	15	20
DMR Values				
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00310 BOD, 5-day, 20 deg. C / Location G / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	30DA AVG
Limit Value	
DMR Values	
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Twice per Month

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	125	129	30	45
DMR Values				
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00530 Solids, total suspended / Location G / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	30DA AVG
Limit Value	
DMR Values	
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Twice per Month

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	30DA AVG
Limit Value	22.84
DMR Values	
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 0

Outfall 001A

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Twice per Month

Limit	
Limit Unit Desc	Pounds per Day
Statistical Base	30DA AVG
Limit Value	3.16
DMR Values	
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Instantaneous	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Daily

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	11	11
DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	235
DMR Values		
7/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/23	6/30/28	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

Version # 3

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/20	Grab	Twice per Month
11/1/20	10/31/22	Grab	Twice per Month

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	DAILY MN	DAILY MN
Limit Value	4.5	
DMR Values		
4/30/18	NODI=C	
5/31/18	NODI=C	
6/30/18	NODI=C	
11/30/19	NODI=C	
12/31/19	NODI=C	
1/31/20	NODI=C	
2/29/20	NODI=C	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

DMR Values	
6/30/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	62.5	83.3	15	20
DMR Values				
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Grab	Twice per Month

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	125	129	30	45
DMR Values				
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Grab	Twice per Month

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pounds per Day	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Grab	Twice per Month

Limit		
Limit Unit Desc	Pounds per Day	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

00665 Phosphorus, total [as P] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Instantaneous	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
6/30/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	235
DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Calculated	Twice per Month

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
6/30/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/17	10/31/22	Calculated	Twice per Month

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030503

Version # 3

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
6/30/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030520

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
DULCE WWTP - JICARILLA APACHE	0	Minor	6/24/19	8/1/19	7/31/24

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Daily

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	INST MAX
Limit Value	.011
DMR Values	
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
PAA-KO COMMUNITIES SEWER ASSOC	2	Minor	4/18/13	6/1/13	5/31/18
PAA-KO COMMUNITIES SEWER ASSOC	3	Minor	5/23/18	7/1/18	6/30/23

Version # 2

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/13	5/31/18	12 Hour Composite	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	25.02	37.53	30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/13	5/31/18	Grab	Twice per Month

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/13	5/31/18	12 Hour Composite	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	25.02	37.53	30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 2

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/13	5/31/18	Estimate	When Discharging

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/13	5/31/18	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
6/1/13	5/31/18	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 2

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C

Version # 3

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	12 Hour Composite	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	25.02	37.53	30	45
DMR Values				
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	Grab	Twice per Month

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	12 Hour Composite	Twice per Month

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	25.02	37.53	30	45
DMR Values				
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	Estimate	When Discharging

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
9/30/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall TX1Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	24 Hour Composite	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall TX1Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Values		
6/30/22	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	24 Hour Composite	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	24 Hour Composite	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	24 Hour Composite	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030724

Version # 3

Outfall TX1Y

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	24 Hour Composite	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	24 Hour Composite	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	24 Hour Composite	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Permit Name	Version Nmbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
LAS CRUCES, CITY OF - EAST MESA WATER RECLAMATION FACILITY	0	Minor	2/27/19	4/1/19	3/31/24

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Five per Week

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	MO MIN
Limit Value	5
DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	6 Hour Composite	Three per Month

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM



DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	250.3	375.3	30	45
DMR Values				
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Five per Week

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	6 Hour Composite	Three per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	250.3	375.3	30	45
DMR Values				
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

39100 Di[2-ethylhexyl] phthalate [DEHP] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Monthly

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	22	
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall 001A

39100 Di[2-ethylhexyl] phthalate [DEHP] / Location 1 / Season 0 / Base

DMR Values		
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Totalizer	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Daily

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	INST MAX
Limit Value		11
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location 1 / Season 0 / Base

DMR Values		
10/31/23	NODI=C	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Grab	Three per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Calculated	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
1/31/21	NODI=C
4/30/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall TX1Q

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall TX1Q

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

DMR Values	
9/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

51443 Whole Effluent Toxicity - Retest #3 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

51710 Whole Effluent Toxicity [WET] - C. dubia / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall TX1Q

51710 Whole Effluent Toxicity [WET] - C. dubia / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	100
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall TX1Q

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

DMR Values	
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall TX1Q

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall TX1Q

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Sea

DMR Values	
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall TX1Q

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C
9/30/23	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall TX1Q

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
4/1/19	3/31/24	24 Hour Composite	Quarterly

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030872

Version # 0

Outfall TX1Q

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

DMR Values	
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
NAVAJO DAM DWC AND MSW, INC.	0	Minor	9/2/14	11/1/14	10/31/19

Version # 0

Outfall 001A

00095 Specific conductance / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Weekly

Limit	
Limit Unit Desc	microSiemens per centimeter
Statistical Base	MAXIMUM
Limit Value	400
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

00095 Specific conductance / Location 1 / Season 0 / Base

DMR Values	
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	20	30
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

00900 Hardness, total [as CaCO3] / Location 1 / Season 0 / Base

DMR Values	
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values	
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030953

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
EL SEGUNDO MINE	0	Minor	6/25/20	7/1/20	6/30/25
EL SEGUNDO MINE	2	Minor	9/30/14	11/1/14	10/31/19

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 001A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 001A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/30/23	NODI=C	NODI=C

Outfall 001B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 001B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 002A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 002A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 002B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 002B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 003A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 003A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 003A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 003A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 003B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 003B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 004A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 004A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 004A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 004B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 004B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 013A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 013A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 013A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 013A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 013A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 013A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 013B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 013B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 014A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 014A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 014A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 014A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 014A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 014A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 014B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 014B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 015A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 015A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 015A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 015A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 015A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 015A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 015B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 015B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 016A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 016A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 016A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 016A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 016A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 016A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 016B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 016B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 017A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 017A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 017A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 017A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 017A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 017A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 017B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 017B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 018A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	30	45
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values		
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	30	45
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	DAILY MX
Limit Value	11
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Weekly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

Outfall 018B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 018B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 024A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 024A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 024A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 024A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 024A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 024A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 024B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 024B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 025A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 025A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 025A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 025A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 025A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 025A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 025B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 025B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 026A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 026A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 026A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 026A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 026A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 026A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 026B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 026B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 029A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 029A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 029A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 029A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 029A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 029A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 029B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 029B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 030A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 030A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 030A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 030A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 030A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 030B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 030B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 031A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 031A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 031A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 031A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 031A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 031B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 031B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 032A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 032A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 032A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 032A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 032A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 032B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 032B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 033A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 033A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 033A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 033A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 033A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 033B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 033B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 035A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 035A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 035A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 035A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 035A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 035A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 035B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 035B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 036A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 036A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 036A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 036A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 036A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 036A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 036B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 036B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 038A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 038A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 038A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
7/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 038A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 038A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 038A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 038B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		
DMR Values			

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 038B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 039A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 039A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 039A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 039A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 039A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 039A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 039B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 039B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 041A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 041A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 041A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 041A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 041A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 041A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 041B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 041B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall 042A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 042A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 042A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 042A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 042A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 042A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 043A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 043A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 043A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 043A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 043A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 043A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 044A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 044A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 044A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 044A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 044A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 044A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 045A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 045A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 045A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 045A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 045A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 045A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 046A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 046A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 046A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 046A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 046A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 046A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 047A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 047A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 047A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 047A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 047A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 047A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 053A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 053A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 053A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 053A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 053A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 053A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 056A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 056A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 056A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 056A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 056A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 056A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

Outfall 056B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Daily

Limit			
Limit Unit Desc	Tons per Year	Milligrams per Liter	Milligrams per Liter
Statistical Base	ANNL MAX	30DA AVG	DAILY MX
Limit Value	366		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall 056B

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C

Outfall TX13Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX13Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX13Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX14Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX14Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX15Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX15Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

DMR Values	
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX16Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX16Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX16Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX17Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX17Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX1Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX1Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX24Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX24Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX24Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX25Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX25Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX26Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX26Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX29Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX29Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX29Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX2Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX2Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX30Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX30Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX31Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX31Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX31Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX32Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX32Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX33Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX33Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX35Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX35Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX35Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX36Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX36Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX38Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX38Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX39Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX39Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX39Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX3Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX3Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX41Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX41Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX42Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX42Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX42Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX43Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX43Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX44Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX44Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX45Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX45Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX45Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX46Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX46Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX47Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX47Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX4Y

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX4Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX4Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX53Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX53Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Outfall TX56Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 0

Outfall TX56Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	6/30/25	Grab	Annual

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/21	NODI=C
6/30/22	NODI=C
6/30/23	NODI=C

Version # 2

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 001A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 001A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C

Outfall 001Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 002A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 002A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 002A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 002A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 002Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 002Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 003A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 003A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 003A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 003A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 003A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 003Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 004A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 004A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 004A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 004A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 004Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 004Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 005A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 005A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 005A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 005A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 005A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 005Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 006A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 006A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 006A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 006A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 006Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 006Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 007A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 007A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 007A

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 007A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 007A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 007Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 009A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 009A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 009A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 009A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 009A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 009Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 009Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 010A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 010A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 010A

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 010A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 010A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 010Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 011A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 011A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 011A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 011A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 011A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 011Q

12/4/23 10:54 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 011Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 012A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 012A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 012A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 012A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 012A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 012Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 013A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 013A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 013A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 013A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 013A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 013Q

12/4/23 10:54 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 013Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 014A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 014A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 014A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 014A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 014A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 014Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 015A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 015A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 015A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 015A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 015A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 015Q

12/4/23 10:54 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 015Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 016A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 016A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 016A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 016A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 016A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 016Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 017A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 017A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 017A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 017A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 017A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 017Q

12/4/23 10:54 AM

Page 3,405 of 4,046

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 017Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 018A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	30	45
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 018A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 018A

00400 pH / Location 1 / Season 0 / Base

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG
Limit Value	30	45
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 018A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	DAILY MX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 018A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Weekly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	548	2507
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 018A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 018A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
5/31/20	NODI=C
6/30/20	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

Outfall 018Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 018Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 020A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 020A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 020A

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 020A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 020A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 020Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 021A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 021A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 021A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 021A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 021A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 021Q

12/4/23 10:54 AM

Page 3,437 of 4,046

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 021Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 023A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 023A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 023A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 023A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 023A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 023Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 024A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 024A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 024A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 024A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 024A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 024Q

12/4/23 10:54 AM

Page 3,455 of 4,046

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 024Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 025A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 025A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 025A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 025A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 025A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 025Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 026A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 026A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 026A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 026A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 026A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 026Q

12/4/23 10:54 AM

Page 3,473 of 4,046

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 026Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 027A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 027A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 027A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 027A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 027Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 028A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 028A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 028A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 028A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 028Q

12/4/23 10:54 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 028Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 029A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 029A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 029A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 029A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 029A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 029Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 030A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 030A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 030A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 030A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 030A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 030Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 031A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 031A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 031A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 031A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 031Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 031Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 032A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 032A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 032A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 032A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 032Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 032Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values			
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 033A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 033A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 033A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 033A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 033Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 034A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 034A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 034A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 034A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 034A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 034Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 034Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 035A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 035A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 035A

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 035A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 035A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 035Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 036A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 036A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 036A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 036A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 036A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 036Q

12/4/23 10:54 AM

Page 3,557 of 4,046

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 036Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 037A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 037A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 037A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 037A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 037A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 037Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 038A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 038A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 038A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 038A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 038A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 038Q

12/4/23 10:54 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 038Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 039A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 039A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 039A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 039A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 039A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 039Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 040A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 040A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 040A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 040A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 040A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 040Q

12/4/23 10:54 AM

Page 3,593 of 4,046

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 040Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 041A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 041A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 041A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 041A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 041A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 041Q

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Quarterly

Limit			
Limit Unit Desc	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	30DA AVG	DAILY MX
Limit Value	2000		
DMR Values			
3/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C

Outfall 042A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 042A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 042A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 042A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 042A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 043A

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 043A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 043A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 043A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 043A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 043A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C

Outfall 044A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 044A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 044A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 044A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 044A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 045A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 045A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 045A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 045A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 045A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 046A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 046A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 046A

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 046A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 046A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 047A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 047A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 047A

00530 Solids, total suspended / Location 1 / Season 0 / Base

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 047A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 047A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 048A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 048A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 048A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 048A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 048A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 049A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 049A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 049A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 049A

00545 Solids, settleable / Location 1 / Season 0 / Base

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 049A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 050A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 050A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 050A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 050A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 050A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 051A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 051A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 051A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 051A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 051A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 052A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 052A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 052A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 052A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 052A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 053A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 053A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 053A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 053A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 053A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall 054A

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 054A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 054A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 054A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 054A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 054A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
6/30/20	NODI=C	NODI=C

Outfall 055A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 055A

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	35	70
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

00545 Solids, settleable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit	
Limit Unit Desc	Milliliters per Liter
Statistical Base	DAILY MX
Limit Value	.5
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 055A

00545 Solids, settleable / Location 1 / Season 0 / Base

DMR Values	
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Daily

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	MO AVG	DAILY MX
Limit Value	3	6
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 055A

01045 Iron, total [as Fe] / Location 1 / Season 0 / Base

DMR Values		
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall 055A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

Outfall TX10Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX10Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX11Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX11Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX12Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX12Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX13Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX13Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX13Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX14Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX14Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX15Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX15Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX16Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX16Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX17Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX17Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX17Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX18Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX18Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

DMR Values		
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Once per 5 Years

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/19	NODI=C	NODI=C

Outfall TX1Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX1Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX20Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX20Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX21Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX21Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX23Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX23Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX23Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX24Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX24Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX25Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX25Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX26Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX26Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX27Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX27Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX27Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX28Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX28Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX29Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX29Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX2Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX2Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX30Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX30Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX30Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX31Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX31Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX32Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX32Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX33Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX33Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX34Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX34Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX34Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX35Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX35Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX36Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX36Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX37Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX37Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX38Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX38Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX38Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX39Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX39Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX3Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX3Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX40Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX40Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX41Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX41Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX41Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX42Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX42Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX43Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX43Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX44Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX44Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX45Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX45Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX45Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX46Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX46Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX47Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX47Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX48Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX48Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX49Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX49Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX49Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX4Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX4Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX50Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX50Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX51Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX51Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX52Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX52Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX52Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX53Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX53Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX54Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX54Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX55Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX55Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX5Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX5Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX5Y

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX6Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX6Y

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX7Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX7Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

Outfall TX9Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0030996

Version # 2

Outfall TX9Y

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/14	10/31/19	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
CIMARRON, VILLAGE OF WWTP	0	Minor	10/29/20	11/1/20	10/31/25
CIMARRON, VILLAGE OF WWTP	2	Minor	9/30/15	11/1/15	10/31/20

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
11/30/20	NODI=C
12/31/20	NODI=C
2/27/21	NODI=C
3/27/21	NODI=C
4/27/21	NODI=C
5/27/21	NODI=C
6/27/21	NODI=C
7/27/21	NODI=C
8/27/21	NODI=C
9/27/21	NODI=C
10/27/21	NODI=C
11/27/21	NODI=C
12/27/21	NODI=C
1/27/22	NODI=C
2/27/22	NODI=C
3/27/22	NODI=C
4/27/22	NODI=C
5/27/22	NODI=C
6/27/22	NODI=C
7/27/22	NODI=C
8/27/22	NODI=C
9/27/22	NODI=C
10/27/22	NODI=C
11/27/22	NODI=C
12/27/22	NODI=C
1/27/23	NODI=C
2/27/23	NODI=C
3/27/23	NODI=C
4/27/23	NODI=C
5/27/23	NODI=C
6/27/23	NODI=C
7/27/23	NODI=C
8/27/23	NODI=C
9/27/23	NODI=C
10/27/23	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	2.1		30	45
DMR Values				
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/27/21	NODI=C	NODI=C	NODI=C	NODI=C
3/27/21	NODI=C	NODI=C	NODI=C	NODI=C
4/27/21	NODI=C	NODI=C	NODI=C	NODI=C
5/27/21	NODI=C	NODI=C	NODI=C	NODI=C
6/27/21	NODI=C	NODI=C	NODI=C	NODI=C
7/27/21	NODI=C	NODI=C	NODI=C	NODI=C
8/27/21	NODI=C	NODI=C	NODI=C	NODI=C
9/27/21	NODI=C	NODI=C	NODI=C	NODI=C
10/27/21	NODI=C	NODI=C	NODI=C	NODI=C
11/27/21	NODI=C	NODI=C	NODI=C	NODI=C
12/27/21	NODI=C	NODI=C	NODI=C	NODI=C
1/27/22	NODI=C	NODI=C	NODI=C	NODI=C
2/27/22	NODI=C	NODI=C	NODI=C	NODI=C
3/27/22	NODI=C	NODI=C	NODI=C	NODI=C
4/27/22	NODI=C	NODI=C	NODI=C	NODI=C
5/27/22	NODI=C	NODI=C	NODI=C	NODI=C
6/27/22	NODI=C	NODI=C	NODI=C	NODI=C
7/27/22	NODI=C	NODI=C	NODI=C	NODI=C
8/27/22	NODI=C	NODI=C	NODI=C	NODI=C
9/27/22	NODI=C	NODI=C	NODI=C	NODI=C
10/27/22	NODI=C	NODI=C	NODI=C	NODI=C
11/27/22	NODI=C	NODI=C	NODI=C	NODI=C
12/27/22	NODI=C	NODI=C	NODI=C	NODI=C
1/27/23	NODI=C	NODI=C	NODI=C	NODI=C
2/27/23	NODI=C	NODI=C	NODI=C	NODI=C
3/27/23	NODI=C	NODI=C	NODI=C	NODI=C
4/27/23	NODI=C	NODI=C	NODI=C	NODI=C
5/27/23	NODI=C	NODI=C	NODI=C	NODI=C
6/27/23	NODI=C	NODI=C	NODI=C	NODI=C
7/27/23	NODI=C	NODI=C	NODI=C	NODI=C
8/27/23	NODI=C	NODI=C	NODI=C	NODI=C
9/27/23	NODI=C	NODI=C	NODI=C	NODI=C
10/27/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
2/27/21	NODI=C	NODI=C
3/27/21	NODI=C	NODI=C
4/27/21	NODI=C	NODI=C
5/27/21	NODI=C	NODI=C
6/27/21	NODI=C	NODI=C
7/27/21	NODI=C	NODI=C
8/27/21	NODI=C	NODI=C
9/27/21	NODI=C	NODI=C
10/27/21	NODI=C	NODI=C
11/27/21	NODI=C	NODI=C
12/27/21	NODI=C	NODI=C
1/27/22	NODI=C	NODI=C
2/27/22	NODI=C	NODI=C
3/27/22	NODI=C	NODI=C
4/27/22	NODI=C	NODI=C
5/27/22	NODI=C	NODI=C
6/27/22	NODI=C	NODI=C
7/27/22	NODI=C	NODI=C
8/27/22	NODI=C	NODI=C
9/27/22	NODI=C	NODI=C
10/27/22	NODI=C	NODI=C
11/27/22	NODI=C	NODI=C
12/27/22	NODI=C	NODI=C
1/27/23	NODI=C	NODI=C
2/27/23	NODI=C	NODI=C
3/27/23	NODI=C	NODI=C
4/27/23	NODI=C	NODI=C
5/27/23	NODI=C	NODI=C
6/27/23	NODI=C	NODI=C
7/27/23	NODI=C	NODI=C
8/27/23	NODI=C	NODI=C
9/27/23	NODI=C	NODI=C
10/27/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	6.2		90	135
DMR Values				

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/27/21	NODI=C	NODI=C	NODI=C	NODI=C
3/27/21	NODI=C	NODI=C	NODI=C	NODI=C
4/27/21	NODI=C	NODI=C	NODI=C	NODI=C
5/27/21	NODI=C	NODI=C	NODI=C	NODI=C
6/27/21	NODI=C	NODI=C	NODI=C	NODI=C
7/27/21	NODI=C	NODI=C	NODI=C	NODI=C
8/27/21	NODI=C	NODI=C	NODI=C	NODI=C
9/27/21	NODI=C	NODI=C	NODI=C	NODI=C
10/27/21	NODI=C	NODI=C	NODI=C	NODI=C
11/27/21	NODI=C	NODI=C	NODI=C	NODI=C
12/27/21	NODI=C	NODI=C	NODI=C	NODI=C
1/27/22	NODI=C	NODI=C	NODI=C	NODI=C
2/27/22	NODI=C	NODI=C	NODI=C	NODI=C
3/27/22	NODI=C	NODI=C	NODI=C	NODI=C
4/27/22	NODI=C	NODI=C	NODI=C	NODI=C
5/27/22	NODI=C	NODI=C	NODI=C	NODI=C
6/27/22	NODI=C	NODI=C	NODI=C	NODI=C
7/27/22	NODI=C	NODI=C	NODI=C	NODI=C
8/27/22	NODI=C	NODI=C	NODI=C	NODI=C
9/27/22	NODI=C	NODI=C	NODI=C	NODI=C
10/27/22	NODI=C	NODI=C	NODI=C	NODI=C
11/27/22	NODI=C	NODI=C	NODI=C	NODI=C
12/27/22	NODI=C	NODI=C	NODI=C	NODI=C
1/27/23	NODI=C	NODI=C	NODI=C	NODI=C
2/27/23	NODI=C	NODI=C	NODI=C	NODI=C
3/27/23	NODI=C	NODI=C	NODI=C	NODI=C
4/27/23	NODI=C	NODI=C	NODI=C	NODI=C
5/27/23	NODI=C	NODI=C	NODI=C	NODI=C
6/27/23	NODI=C	NODI=C	NODI=C	NODI=C
7/27/23	NODI=C	NODI=C	NODI=C	NODI=C
8/27/23	NODI=C	NODI=C	NODI=C	NODI=C
9/27/23	NODI=C	NODI=C	NODI=C	NODI=C
10/27/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Measured	Weekly

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value			
DMR Values			
11/30/20	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C
2/27/21	NODI=C	NODI=C	NODI=C
3/27/21	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values			
4/27/21	NODI=C	NODI=C	NODI=C
5/27/21	NODI=C	NODI=C	NODI=C
6/27/21	NODI=C	NODI=C	NODI=C
7/27/21	NODI=C	NODI=C	NODI=C
8/27/21	NODI=C	NODI=C	NODI=C
9/27/21	NODI=C	NODI=C	NODI=C
10/27/21	NODI=C	NODI=C	NODI=C
11/27/21	NODI=C	NODI=C	NODI=C
12/27/21	NODI=C	NODI=C	NODI=C
1/27/22	NODI=C	NODI=C	NODI=C
2/27/22	NODI=C	NODI=C	NODI=C
3/27/22	NODI=C	NODI=C	NODI=C
4/27/22	NODI=C	NODI=C	NODI=C
5/27/22	NODI=C	NODI=C	NODI=C
6/27/22	NODI=C	NODI=C	NODI=C
7/27/22	NODI=C	NODI=C	NODI=C
8/27/22	NODI=C	NODI=C	NODI=C
9/27/22	NODI=C	NODI=C	NODI=C
10/27/22	NODI=C	NODI=C	NODI=C
11/27/22	NODI=C	NODI=C	NODI=C
12/27/22	NODI=C	NODI=C	NODI=C
1/27/23	NODI=C	NODI=C	NODI=C
2/27/23	NODI=C	NODI=C	NODI=C
3/27/23	NODI=C	NODI=C	NODI=C
4/27/23	NODI=C	NODI=C	NODI=C
5/27/23	NODI=C	NODI=C	NODI=C
6/27/23	NODI=C	NODI=C	NODI=C
7/27/23	NODI=C	NODI=C	NODI=C
8/27/23	NODI=C	NODI=C	NODI=C
9/27/23	NODI=C	NODI=C	NODI=C
10/27/23	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
11/30/20	NODI=C
12/31/20	NODI=C
2/27/21	NODI=C
3/27/21	NODI=C
4/27/21	NODI=C
5/27/21	NODI=C
6/27/21	NODI=C
7/27/21	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
8/27/21	NODI=C
9/27/21	NODI=C
10/27/21	NODI=C
11/27/21	NODI=C
12/27/21	NODI=C
1/27/22	NODI=C
2/27/22	NODI=C
3/27/22	NODI=C
4/27/22	NODI=C
5/27/22	NODI=C
6/27/22	NODI=C
7/27/22	NODI=C
8/27/22	NODI=C
9/27/22	NODI=C
10/27/22	NODI=C
11/27/22	NODI=C
12/27/22	NODI=C
1/27/23	NODI=C
2/27/23	NODI=C
3/27/23	NODI=C
4/27/23	NODI=C
5/27/23	NODI=C
6/27/23	NODI=C
7/27/23	NODI=C
8/27/23	NODI=C
9/27/23	NODI=C
10/27/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Grab	Weekly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
2/27/21	NODI=C	NODI=C
3/27/21	NODI=C	NODI=C
4/27/21	NODI=C	NODI=C
5/27/21	NODI=C	NODI=C
6/27/21	NODI=C	NODI=C
7/27/21	NODI=C	NODI=C
8/27/21	NODI=C	NODI=C
9/27/21	NODI=C	NODI=C
10/27/21	NODI=C	NODI=C
11/27/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
12/27/21	NODI=C	NODI=C
1/27/22	NODI=C	NODI=C
2/27/22	NODI=C	NODI=C
3/27/22	NODI=C	NODI=C
4/27/22	NODI=C	NODI=C
5/27/22	NODI=C	NODI=C
6/27/22	NODI=C	NODI=C
7/27/22	NODI=C	NODI=C
8/27/22	NODI=C	NODI=C
9/27/22	NODI=C	NODI=C
10/27/22	NODI=C	NODI=C
11/27/22	NODI=C	NODI=C
12/27/22	NODI=C	NODI=C
1/27/23	NODI=C	NODI=C
2/27/23	NODI=C	NODI=C
3/27/23	NODI=C	NODI=C
4/27/23	NODI=C	NODI=C
5/27/23	NODI=C	NODI=C
6/27/23	NODI=C	NODI=C
7/27/23	NODI=C	NODI=C
8/27/23	NODI=C	NODI=C
9/27/23	NODI=C	NODI=C
10/27/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
11/30/20	NODI=C
12/31/20	NODI=C
2/27/21	NODI=C
3/27/21	NODI=C
4/27/21	NODI=C
5/27/21	NODI=C
6/27/21	NODI=C
7/27/21	NODI=C
8/27/21	NODI=C
9/27/21	NODI=C
10/27/21	NODI=C
11/27/21	NODI=C
12/27/21	NODI=C
1/27/22	NODI=C
2/27/22	NODI=C
3/27/22	NODI=C
4/27/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
5/27/22	NODI=C
6/27/22	NODI=C
7/27/22	NODI=C
8/27/22	NODI=C
9/27/22	NODI=C
10/27/22	NODI=C
11/27/22	NODI=C
12/27/22	NODI=C
1/27/23	NODI=C
2/27/23	NODI=C
3/27/23	NODI=C
4/27/23	NODI=C
5/27/23	NODI=C
6/27/23	NODI=C
7/27/23	NODI=C
8/27/23	NODI=C
9/27/23	NODI=C
10/27/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/20	10/31/25	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	65
DMR Values	
11/30/20	NODI=C
12/31/20	NODI=C
2/27/21	NODI=C
3/27/21	NODI=C
4/27/21	NODI=C
5/27/21	NODI=C
6/27/21	NODI=C
7/27/21	NODI=C
8/27/21	NODI=C
9/27/21	NODI=C
10/27/21	NODI=C
11/27/21	NODI=C
12/27/21	NODI=C
1/27/22	NODI=C
2/27/22	NODI=C
3/27/22	NODI=C
4/27/22	NODI=C
5/27/22	NODI=C
6/27/22	NODI=C
7/27/22	NODI=C
8/27/22	NODI=C
9/27/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
10/27/22	NODI=C
11/27/22	NODI=C
12/27/22	NODI=C
1/27/23	NODI=C
2/27/23	NODI=C
3/27/23	NODI=C
4/27/23	NODI=C
5/27/23	NODI=C
6/27/23	NODI=C
7/27/23	NODI=C
8/27/23	NODI=C
9/27/23	NODI=C
10/27/23	NODI=C

Outfall TX1S

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	10/31/25	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	48HR MIN
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	10/31/25	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	48HR MIN
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall TX1S

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	10/31/25	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	48HR MIN
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	10/31/25	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	48HR MIN
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	10/31/25	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	48HR MIN
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/20	10/31/25	24 Hour Composite	Once per 6 Months

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 0

Outfall TX1S

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit	
Limit Unit Desc	Percent
Statistical Base	48HR MIN
Limit Value	
DMR Values	
12/31/20	NODI=C
6/30/21	NODI=C
12/31/21	NODI=C
6/30/22	NODI=C
12/31/22	NODI=C
6/30/23	NODI=C

Version # 2

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	2.1		30	45
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	Grab	Weekly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	6.2		90	135
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	Grab	Weekly

Limit			
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG	DAILY MX
Limit Value	.0083	.0083	.0083
DMR Values			
1/31/18	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	Grab	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	Grab	Weekly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	126	410
DMR Values		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	65
DMR Values	
1/31/18	NODI=C
2/28/18	NODI=C
3/31/18	NODI=C
4/30/18	NODI=C
5/31/18	NODI=C
6/30/18	NODI=C
7/31/18	NODI=C
8/31/18	NODI=C
9/30/18	NODI=C
10/31/18	NODI=C
11/30/18	NODI=C
12/31/18	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C

Outfall TX1S

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall TX1S

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

DMR Values		
12/31/18	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031038

Version # 2

Outfall TX1S

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/15	10/31/20	24 Hour Composite	Once per 6 Months

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
6/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031097

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
MORA HIGH SCHOOL	0	Minor	6/11/18	7/1/18	6/30/23
MORA HIGH SCHOOL	1	Minor	8/30/12	9/1/12	8/31/17

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	Grab	Monthly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031097

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	318		8.83	
DMR Values				
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031097

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	Measured	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
7/31/18	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031097

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
7/1/18	6/30/23	Grab	Monthly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031097

Version # 0

Outfall 001A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	12970		360	
DMR Values				
7/31/18	NODI=C	NODI=C	NODI=C	NODI=C
8/31/18	NODI=C	NODI=C	NODI=C	NODI=C
9/30/18	NODI=C	NODI=C	NODI=C	NODI=C
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C
11/30/18	NODI=C	NODI=C	NODI=C	NODI=C
12/31/18	NODI=C	NODI=C	NODI=C	NODI=C
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031097

Version # 0

Outfall 001A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values				
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

Version # 1

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/12	8/31/17	Grab	Monthly

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/17	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	318		8.83	
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/12	8/31/17	Measured	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031097

Version # 1

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/18	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
9/1/14	8/31/17	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	12970		360	
DMR Values				
1/31/18	NODI=C	NODI=C	NODI=C	NODI=C
2/28/18	NODI=C	NODI=C	NODI=C	NODI=C
3/31/18	NODI=C	NODI=C	NODI=C	NODI=C
4/30/18	NODI=C	NODI=C	NODI=C	NODI=C
5/31/18	NODI=C	NODI=C	NODI=C	NODI=C
6/30/18	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031135

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expirati Date
FARMINGTON ELECTRIC UTILITY SYSTEM BLUFFVIEW POWER PLANT	0	Minor	6/14/19	8/1/19	7/31/24
FARMINGTON ELECTRIC UTILITY SYSTEM BLUFFVIEW POWER PLANT	1	Minor	6/26/14	8/1/14	7/31/19

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	20.77	69.22	30	100
DMR Values				
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	10.38	13.84	15	20
DMR Values				
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

on

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031135

Version # 0

Outfall 001A

00556 Oil & Grease / Location 1 / Season 0 / Base

DMR Values				
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Record (manual)	Continuous

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	19
DMR Values	
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	12 Hour Composite	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value		2000		4282
DMR Values				
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031135

Version # 0

Outfall 001A

70295 Solids, total dissolved / Location 1 / Season 0 / Base

DMR Values				
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C

Version # 1

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/14	7/31/19	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
10/31/18	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/14	7/31/19	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	17.26	57.55	30	100
DMR Values				
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/14	7/31/19	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	8.63	11.51	15	20
DMR Values				
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/14	7/31/19	Record (manual)	Continuous

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031135

Version # 1

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
10/31/18	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/14	7/31/19	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	19
DMR Values	
10/31/18	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/14	7/31/19	12 Hour Composite	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value		2000		3475
DMR Values				
10/31/18	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031178

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date
CAMINO REAL REGIONAL UTILITY AUTHORITY NORTH WASTEWATER TREATMENT PLANT	0	Major	11/30/18

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	6 Hour Composite	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	250	376	30	45
DMR Values				
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/19	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	6 Hour Composite	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	250	376	30	45
DMR Values				
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C

00999 Boron, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value				
DMR Values				
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C

01000 Arsenic, dissolved [as As] / Location 1 / Season 0 / Base

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Effective Date	Expiration Date
12/30/18	12/29/23

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031178

Version # 0

Outfall 001A

01000 Arsenic, dissolved [as As] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value				
DMR Values				
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Totalizer	Continuous

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/19	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/19	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Weekly

Limit			
Limit Unit Desc	Billion Colony Forming Units per Day	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	30DAVGEO	DAILY MX
Limit Value	2.53	126	410
DMR Values			
1/31/19	NODI=C	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Calculated	Weekly

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031178

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
1/31/19	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Calculated	Weekly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
1/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031194

Permit Name	Version Nmbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
CUTTER LATERAL WATER TREATMENT PLANT	0	Minor	11/30/18	12/30/18	12/29/23

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031194

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Weekly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	20	30	20	30
DMR Values				
1/31/19	NODI=C	NODI=C	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031194

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Totalizer	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
1/31/19	NODI=C	NODI=C
2/28/19	NODI=C	NODI=C
3/31/19	NODI=C	NODI=C
4/30/19	NODI=C	NODI=C
5/31/19	NODI=C	NODI=C
6/30/19	NODI=C	NODI=C
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031194

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031194

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
1/31/19	NODI=C
2/28/19	NODI=C
3/31/19	NODI=C
4/30/19	NODI=C
5/31/19	NODI=C
6/30/19	NODI=C
7/31/19	NODI=C
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031194

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

Outfall 001Q

01055 Manganese, total [as Mn] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Quarterly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
3/31/19	NODI=C
6/30/19	NODI=C
9/30/19	NODI=C
12/31/19	NODI=C
3/31/20	NODI=C
6/30/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Quarterly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
3/31/19	NODI=C
6/30/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031194

Version # 0

Outfall 001Q

01105 Aluminum, total [as Al] / Location 1 / Season 0 / Base

DMR Values	
9/30/19	NODI=C
12/31/19	NODI=C
3/31/20	NODI=C
6/30/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

70295 Solids, total dissolved / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/29/23	Grab	Quarterly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
3/31/19	NODI=C
6/30/19	NODI=C
9/30/19	NODI=C
12/31/19	NODI=C
3/31/20	NODI=C
6/30/20	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
QUAIL RUN SERVICES - HOBBS	0	Minor	11/28/18	12/28/18	12/27/23

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	37.5	56.3	30	45
DMR Values				
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Five per Week

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
7/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Twice per Month

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	37.5	56.3	30	45
DMR Values				
7/31/19	NODI=C	NODI=C	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Totalizer	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Five per Week

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
4/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Twice per Month

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	30DAVGEO	DAILY MX
Limit Value	206	940
DMR Values		
7/31/19	NODI=C	NODI=C
8/31/19	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
4/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
7/31/19	NODI=C
8/31/19	NODI=C
4/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C

Outfall 001Q

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Quarterly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
9/30/20	NODI=C
12/31/20	NODI=C
3/31/21	NODI=C
6/30/21	NODI=C
9/30/21	NODI=C
12/31/21	NODI=C
3/31/22	NODI=C
6/30/22	NODI=C
9/30/22	NODI=C
12/31/22	NODI=C
3/31/23	NODI=C
6/30/23	NODI=C

Outfall TX1T

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	See Permit

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall TX1T

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

51443 Whole Effluent Toxicity - Retest #3 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TGP3B Pass/Fail Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TGP6C Pass/Fail Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season 0 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall TX1T

TLP3B Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Ceriodaphnia dubia /

TLP6C Low Flow Pass/Fail Survival Test Static Renewal 7 Day Chronic Pimephales promelas

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TOP3B NOEC Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TOP6C NOEC Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TPP3B NOEC Sub-Lethal Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall TX1T

TPP6C NOEC Sub-Lethal Static Renewal 7 Day Chronic Pimephales promelas / Location 1 / S

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TQP3B Coef Of Var Static Renewal 7Day Chronic Ceriodaphnia dubia / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TQP6C Coef Of Var Static Renewal 7Day Chronic Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TXP3B LOEC Lethal Survival Static Renewal 7 Day Chronic Ceriodaphnia dubia / Location 1 /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TXP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031208

Version # 0

Outfall TX1T

TYP6C LOEC Lethal Survival Static Renewal 7 Day Chronic Pimephales promelas / Location

TYP3B LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Ceriodaphnia dubia / L

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

TYP6C LOEC Sub-Lethal Reproduction Static Renewal 7 Day Chronic Pimephales promelas /

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/19	12/27/23	Grab	Once per Permit Term

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
12/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Permit Name	Version Nmbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
UNITED STATES KIRTLAND AIR FORCE BASE	0	Minor	9/30/19	11/1/19	10/31/24

Version # 0

Outfall 001A

00010 Temperature, water deg. centigrade / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Daily

Limit		
Limit Unit Desc	Degrees Centigrade	Degrees Centigrade
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00010 Temperature, water deg. centigrade / Location 1 / Season 0 / Base

DMR Values		
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Three per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	26	48
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values		
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00340 Oxygen demand, chem. [high level] [COD] / Location 1 / Season 0 / Base

DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Three per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	21	33
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Three per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00556 Oil & Grease / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	8	15
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00556 Oil & Grease / Location 1 / Season 0 / Base

DMR Values		
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00600 Nitrogen, total [as N] / Location 1 / Season 0 / Base

DMR Values		
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00610 Nitrogen, ammonia total [as N] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Weekly

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

00610 Nitrogen, ammonia total [as N] / Location 1 / Season 0 / Base

DMR Values		
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

39410 Heptachlor / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Three per Week

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

39410 Heptachlor / Location 1 / Season 0 / Base

DMR Values		
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location R / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location R / Season 0 / Base

DMR Values		
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Weekly

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	11
DMR Values	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

52703 PER-AND POLYFLUOROALKYL SUBSTANCES / Location 1 / Season 0 / Base

12/4/23 10:54 AM

Page 3,981 of 4,046

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

52703 PER-AND POLYFLUOROALKYL SUBSTANCES / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Three per Week

Limit		
Limit Unit Desc	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

52703 PER-AND POLYFLUOROALKYL SUBSTANCES / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

77651 Ethylene dibromide / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Micrograms per Liter	Micrograms per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value				
DMR Values				
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall 001A

77651 Ethylene dibromide / Location 1 / Season 0 / Base

DMR Values				
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

Outfall TX1Y

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/20	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	See Permit

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/20	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Annual

Limit		
Limit Unit Desc	Pass=0; Fail=1	Pass=0; Fail=1
Statistical Base	48HR MIN	MO AV MN
Limit Value		

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031216

Version # 0

Outfall TX1Y

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values		
10/31/20	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/20	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
11/1/19	10/31/24	Grab	Annual

Limit		
Limit Unit Desc	Percent	Percent
Statistical Base	48HR MIN	MO AV MN
Limit Value		
DMR Values		
10/31/20	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
TESUQUE CASINO WASTEWATER TREATMENT PLANT	0	Minor	6/17/19	8/1/19	7/31/24

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Monthly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	MINIMUM
Limit Value	5
DMR Values	
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

00300 Oxygen, dissolved [DO] / Location 1 / Season 0 / Base

DMR Values	
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA AVG
Limit Value	20	30	30	45
DMR Values				
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

00310 BOD, 5-day, 20 deg. C / Location 1 / Season 0 / Base

DMR Values				
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Five per Week

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

DMR Values		
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Monthly

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	7 DA AVG	30DA AVG	7 DA GEO
Limit Value	20	30	30	45
DMR Values				
8/31/19	NODI=C	NODI=C	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values				
3/31/20	NODI=C	NODI=C	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Daily

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	7 DA AVG
Limit Value		
DMR Values		
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

50060 Chlorine, total residual / Location A / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Daily

Limit	
Limit Unit Desc	Micrograms per Liter
Statistical Base	INST MAX
Limit Value	3
DMR Values	
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

50060 Chlorine, total residual / Location A / Season 0 / Base

DMR Values	
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

51040 E. coli / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Monthly

Limit		
Limit Unit Desc	Colony Forming Units per 100ml	Colony Forming Units per 100ml
Statistical Base	MOAV GEO	DAILY MX
Limit Value	126	235
DMR Values		
8/31/19	NODI=C	NODI=C
9/30/19	NODI=C	NODI=C
10/31/19	NODI=C	NODI=C
11/30/19	NODI=C	NODI=C
12/31/19	NODI=C	NODI=C
1/31/20	NODI=C	NODI=C
2/29/20	NODI=C	NODI=C
3/31/20	NODI=C	NODI=C
4/30/20	NODI=C	NODI=C
5/31/20	NODI=C	NODI=C
6/30/20	NODI=C	NODI=C
7/31/20	NODI=C	NODI=C
8/31/20	NODI=C	NODI=C
9/30/20	NODI=C	NODI=C
10/31/20	NODI=C	NODI=C
11/30/20	NODI=C	NODI=C
12/31/20	NODI=C	NODI=C
1/31/21	NODI=C	NODI=C
2/28/21	NODI=C	NODI=C
3/31/21	NODI=C	NODI=C
4/30/21	NODI=C	NODI=C
5/31/21	NODI=C	NODI=C
6/30/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

51040 E. coli / Location 1 / Season 0 / Base

DMR Values		
7/31/21	NODI=C	NODI=C
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Calculated	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

81010 BOD, 5-day, percent removal / Location 1 / Season 0 / Base

DMR Values	
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/19	7/31/24	Grab	Monthly

Limit	
Limit Unit Desc	Percent
Statistical Base	MO AV MN
Limit Value	85
DMR Values	
8/31/19	NODI=C
9/30/19	NODI=C
10/31/19	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031224

Version # 0

Outfall 001A

81011 Solids, suspended percent removal / Location 1 / Season 0 / Base

DMR Values	
11/30/19	NODI=C
12/31/19	NODI=C
1/31/20	NODI=C
2/29/20	NODI=C
3/31/20	NODI=C
4/30/20	NODI=C
5/31/20	NODI=C
6/30/20	NODI=C
7/31/20	NODI=C
8/31/20	NODI=C
9/30/20	NODI=C
10/31/20	NODI=C
11/30/20	NODI=C
12/31/20	NODI=C
1/31/21	NODI=C
2/28/21	NODI=C
3/31/21	NODI=C
4/30/21	NODI=C
5/31/21	NODI=C
6/30/21	NODI=C
7/31/21	NODI=C
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
MINERAL ACQUISITIONS, LLC	0	Minor	6/29/21	8/1/21	7/31/26

Version # 0

Outfall 001A

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	9
DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

00530 Solids, total suspended / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	20	30
DMR Values		
8/31/21	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

00530 Solids, total suspended / Location 1 / Season 0 / Base

DMR Values		
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01027 Cadmium, total [as Cd] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.00003	.00003	.00014	.00014
DMR Values				
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

01027 Cadmium, total [as Cd] / Location 1 / Season 0 / Base

DMR Values				
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

01030 Chromium, dissolved [as Cr] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

01030 Chromium, dissolved [as Cr] / Location 1 / Season 0 / Base

DMR Values		
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

01042 Copper, total [as Cu] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.0014	.0014	.006	.006
DMR Values				
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.0005	.0005	.002	.002

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

01051 Lead, total [as Pb] / Location 1 / Season 0 / Base

DMR Values				
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

01056 Manganese, dissolved [as Mn] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.23	.23	.97	.97
DMR Values				
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

01056 Manganese, dissolved [as Mn] / Location 1 / Season 0 / Base

DMR Values				
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

01065 Nickel, dissolved [as Ni] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.007	.007	.013	.013
DMR Values				
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

01065 Nickel, dissolved [as Ni] / Location 1 / Season 0 / Base

DMR Values				
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

01075 Silver, dissolved [as Ag] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.00016	.00016	.0002	.0002
DMR Values				
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

01092 Zinc, total [as Zn] / Location 1 / Season 0 / Base

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.02	.02	.088	.088
DMR Values				
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

Limit				
Limit Unit Desc	Pounds per Day	Pounds per Day	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX	30DA AVG	DAILY MX
Limit Value	.036	.036	.151	.151
DMR Values				
8/31/21	NODI=C	NODI=C	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

01104 Aluminum, total recoverable / Location 1 / Season 0 / Base

DMR Values				
3/31/22	NODI=C	NODI=C	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	30DA AVG	DAILY MX
Limit Value		
DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

52646 Hardness, Dissolved [as CaCO3] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Weekly

Limit	
Limit Unit Desc	Milligrams per Liter
Statistical Base	DAILY MX
Limit Value	
DMR Values	
8/31/21	NODI=C
9/30/21	NODI=C
10/31/21	NODI=C
11/30/21	NODI=C
12/31/21	NODI=C
1/31/22	NODI=C
2/28/22	NODI=C
3/31/22	NODI=C
4/30/22	NODI=C
5/31/22	NODI=C
6/30/22	NODI=C
7/31/22	NODI=C
8/31/22	NODI=C
9/30/22	NODI=C
10/31/22	NODI=C
11/30/22	NODI=C
12/31/22	NODI=C
1/31/23	NODI=C
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
8/1/21	7/31/26	Grab	Three per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031226

Version # 0

Outfall 001A

71900 Mercury, total [as Hg] / Location 1 / Season 0 / Base

Limit		
Limit Unit Desc	Milligrams per Liter	Milligrams per Liter
Statistical Base	30DA AVG	DAILY MX
Limit Value	.001	.002
DMR Values		
8/31/21	NODI=C	NODI=C
9/30/21	NODI=C	NODI=C
10/31/21	NODI=C	NODI=C
11/30/21	NODI=C	NODI=C
12/31/21	NODI=C	NODI=C
1/31/22	NODI=C	NODI=C
2/28/22	NODI=C	NODI=C
3/31/22	NODI=C	NODI=C
4/30/22	NODI=C	NODI=C
5/31/22	NODI=C	NODI=C
6/30/22	NODI=C	NODI=C
7/31/22	NODI=C	NODI=C
8/31/22	NODI=C	NODI=C
9/30/22	NODI=C	NODI=C
10/31/22	NODI=C	NODI=C
11/30/22	NODI=C	NODI=C
12/31/22	NODI=C	NODI=C
1/31/23	NODI=C	NODI=C
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031228

Permit Name	Version Nbr	Curr. Major Minor Status	Issue Date	Effective Date	Expiration Date
U.S. BUREAU OF RECLAMATION	0	Minor	2/10/23	2/10/23	2/9/28

Version # 0

Outfall 001A

00010 Temperature, water deg. centigrade / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/1/23	2/9/28	Grab	Daily

Limit	
Limit Unit Desc	Degrees Centigrade
Statistical Base	MAXIMUM
Limit Value	
DMR Values	
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

00070 Turbidity / Location R / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/1/23	2/9/28	Grab	Three per Week

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

00070 Turbidity / Location SC / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/1/23	2/9/28	Grab	Three per Week

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031228

Version # 0

Outfall 001A

00070 Turbidity / Location SC / Season 0 / Base

Limit	
Limit Unit Desc	Nephelometric Turbidity Units
Statistical Base	DAILY MX
Limit Value	
DMR Values	
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

00400 pH / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/1/23	2/9/28	Grab	Daily

Limit		
Limit Unit Desc	Standard Units	Standard Units
Statistical Base	MINIMUM	MAXIMUM
Limit Value	6.6	8.8
DMR Values		
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/1/23	2/9/28	Estimate	Daily

Limit		
Limit Unit Desc	Million Gallons per Day	Million Gallons per Day
Statistical Base	MO AVG	DAILY MX
Limit Value		
DMR Values		
2/28/23	NODI=C	NODI=C
3/31/23	NODI=C	NODI=C
4/30/23	NODI=C	NODI=C
5/31/23	NODI=C	NODI=C
6/30/23	NODI=C	NODI=C
7/31/23	NODI=C	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary

For Single NPDES Permit

1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031228

Version # 0

Outfall 001A

50050 Flow, in conduit or thru treatment plant / Location 1 / Season 0 / Base

DMR Values		
8/31/23	NODI=C	NODI=C
9/30/23	NODI=C	NODI=C
10/31/23	NODI=C	NODI=C

51517 Turbidity, Test Failures / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/1/23	2/9/28	Calculated	Weekly

Limit	
Limit Unit Desc	Number of Exceedances
Statistical Base	TOTAL
Limit Value	
DMR Values	
2/28/23	NODI=C
3/31/23	NODI=C
4/30/23	NODI=C
5/31/23	NODI=C
6/30/23	NODI=C
7/31/23	NODI=C
8/31/23	NODI=C
9/30/23	NODI=C
10/31/23	NODI=C

Outfall TX1S

22415 Whole effluent toxicity - retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

22416 Whole effluent toxicity - retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

22418 WET, sublethal retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
------------------	----------------	-------------	-----------------------

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031228

Version # 0

Outfall TX1S

22418 WET, sublethal retest #1 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/10/23	2/9/28	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

22419 WET, sublethal retest #2 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/10/23	2/9/28	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

51443 Whole Effluent Toxicity - Retest #3 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

51444 Whole Effluent Toxicity, Sub-Lethal Retest #3 / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
2/10/23	2/9/28	24 Hour Composite	See Permit

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031228

Version # 0

Outfall TX1S

TEM3D Low Flow Pass/Fail Static Renewal 48Hr Acute Daphnia pulex / Location 1 / Season 0

DMR Values	
6/30/23	NODI=C

TEM6C LF Pass/Fail Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Pass=0; Fail=1
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

TOM3D NOAEC Lethal Statis Renewal 48 Hr Acute Daphnia pulex / Location 1 / Season 0 / Ba

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

TOM6C NOAEC Lethal Static Renewal 48Hr acute Pimephales promelas / Location 1 / Season

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

TQM3D Coef Of Var Static Renewal 48Hr Acute D. pulex / Location 1 / Season 0 / Base

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	Once per 6 Months

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit Start Date	Limit End Date	Sample Type	Frequency of Analysis
1/1/23	2/9/28	24 Hour Composite	Once per 6 Months

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM

Permit NM0031228

Version # 0

Outfall TX1S

TQM6C Coef Of Var Static Renewal 48Hr Acute Pimephales promelas / Location 1 / Season 0

Limit	
Limit Unit Desc	Percent
Statistical Base	VALUE
Limit Value	
DMR Values	
6/30/23	NODI=C

DMR Summary
For Single NPDES Permit
1/1/2018 12:00:00 AM to 10/31/2023 12:00:00 AM
