

MERRIMACK RIVER WATERSHED 2004 WATER QUALITY ASSESSMENT REPORT

COMMONWEALTH OF MASSACHUSETTS
EXECUTIVE OFFICE OF ENERGY AND ENVIRONMENTAL AFFAIRS
IAN BOWLES, SECRETARY
MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION
LAURIE BURT, COMMISSIONER
BUREAU OF RESOURCE PROTECTION
ARLEEN O'DONNELL, ASSISTANT COMMISSIONER
DIVISION OF WATERSHED MANAGEMENT
GLENN HAAS, DIRECTOR



NOTICE OF AVAILABILITY

LIMITED COPIES OF THIS REPORT ARE AVAILABLE AT NO COST BY WRITTEN REQUEST TO:

**MASSACHUSETTS DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF WATERSHED MANAGEMENT
627 MAIN STREET
WORCESTER, MA 01608**

This report is also available from the MassDEP's home page on the World Wide Web at:

<http://www.mass.gov/dep/water/resources/wqassess.htm>

Furthermore, electronic copies of each report by this office are submitted to the State Library at the State House in Boston; these copies may be subsequently distributed as follows:

- On shelf; retained at the State Library;
- microfilmed; retained at the State Library;
- delivered to the Boston Public Library at Copley Square;
- delivered to the Worcester Public Library;
- delivered to the Springfield Public Library;
- delivered to the University Library at UMass, Amherst;
- delivered to the Library of Congress in Washington, D.C.

This wide circulation is augmented by inter-library loans from the above-listed libraries. For example, a resident in Needham can apply at their local library for loan of any MA DEP/DWM report from the Worcester Public Library.

A complete list of reports published since 1963 is updated annually and printed in July. This report, entitled, "Publications of the Massachusetts Division of Watershed Management – Watershed Planning Program, 1963-(current year)", is also available by writing to the Division of Watershed Management (DWM) in Worcester.

DISCLAIMER

References to trade names, commercial products, manufacturers, or distributors in this report constituted neither endorsement nor RECOMMENDATIONS: by the Division of Watershed Management for use.

MERRIMACK RIVER WATERSHED
2004-2009 WATER QUALITY ASSESSMENT REPORT

Prepared by:

James Meek and Laurie Kennedy
Massachusetts Department of Environmental Protection
Division of Watershed Management

Report Number:
84-AC-2

DWM Control Number:

CN179.5

Massachusetts Department of Environmental Protection
Division of Watershed Management
Worcester, Massachusetts

January 2010

Acknowledgements

Coordination of local, state and federal agencies and private organizations is fundamental to the success of protecting and restoring water quality in Massachusetts Watersheds. Data and information used in this report was provided in part by the following agencies and organizations:

State

Department of Environmental Protection (MassDEP):

 Bureau of Resource Protection (BRP)

 Division of Watershed Management (DWM)

 Bureau of Strategic Policy and Technology Wall Experiment Station (WES)

Department of Conservation and Recreation (MA DCR)

Department of Fish and Game (MA DFG)

 Division of Fisheries and Wildlife (MDFW)

 Division of Marine Fisheries (DMF)

Department of Public Health (MA DPH)

Massachusetts Water Resources Authority (MWRA)

Federal

United States Environmental Protection Agency (EPA)

United States Geological Survey (USGS)

 Water Resources Division (WRS)

Federal Energy Regulatory Commission (FERC)

Regional

Lake Attitash Association (LAA)

Private

CDM

It is impossible to thank everyone who contributed to the assessment report process: field, laboratory, data management, writing, editing, and graphics, as well as meetings, phone calls, and e-mails. All of these contributions are very much appreciated.

TABLE OF CONTENTS

List of Tables	v
List of Figures	v
Attached Data CD – Compendium of MassDEP DWM Merrimack River Technical Memorandums and Reports	vi
Executive Summary	viii
Introduction.....	1
Massachusetts Integrated List Of Waters	1
Merrimack River Watershed Description	2
Objectives.....	2
Assessment Report Format	3
Special Notes	4
Literature cited	5
South Branch Souhegan (Segment MA84A-31)	6
Martins Pond Brook (Segment MA84A-19).....	7
Joint Grass Brook (Segment MA84A-32).....	8
Salmon Brook (Segment MA84A-33).....	9
Merrimack River (Segment MA84A-01)	10
Bridge Meadow Brook (Segment MA84A-34).....	12
Lawrence Brook (Segment MA84A-20)	13
Deep Brook (Segment MA84A-21)	14
Unnamed Tributary "Reedy Meadow Brook" (Segment MA84B-01)	15
Tadmuck Brook (Segment MA84B-07).....	16
Bennetts Brook (Segment MA84B-06).....	17
Stony Brook (Segment MA84B-04).....	18
Reed Brook (Segment MA84B-08)	19
Black Brook (Segment MA84A-17)	20
Merrimack River (Segment MA84A-02)	22
Peppermint Brook (Segment MA84A-35)	24
Beaver Brook (Segment MA84A-11)	25
Merrimack River (Segment MA84A-03)	26
Richardson Brook (Segment MA84A-12).....	28
Trout Brook (Segment MA84A-13)	29
Trull Brook (Segment MA84A-14).....	30
Bartlett Brook (Segment MA84A-36)	32
Fish Brook (Segment MA84A-40)	33
Merrimack River (Segment MA84A-04)	34
Spicket River (Segment MA84A-10).....	36
Bare Meadow Brook (Segment MA84A-18).....	37
Creek Brook (Segment MA84A-37)	38
Merrimack River (Segment MA84A-05)	39
Little River (Segment MA84A-09)	41
Johnson Creek (Segment MA84A-15)	42
Unnamed Tributary (AKA Argilla Brook) (Segment MA84A-38)	44
East Meadow River (Segment MA84A-39)	45
Cobbler Brook (Segment MA84A-22)	46
Powwow River (Segment MA84A-25).....	47
Unnamed Tributary (Segment MA84A-30)	48
Back River (Segment MA84A-16).....	50
Powwow River (Segment MA84A-08).....	51
Merrimack River (Segment MA84A-06)	52
Merrimack River (Segment MA84A-26)	53
Plum Island River (Segment MA84A-27)	54
Lowell Canals (Segment MA84A-29).....	55

Lake Attitash (Segment MA84002)	56
Chadwicks Pond (Segment MA84006)	57
Lake Cochichewick (Segment MA84008)	57
Crystal Lake (Segment MA84010)	58
Flint Pond (Segment MA84012)	59
Forest Lake (Segment MA84014)	59
Forge Pond (Segment MA84015)	60
Haggetts Pond (Segment MA84022)	61
Hoveys Pond (Segment MA84025)	62
Johnsons Pond (Segment MA84027)	62
Kenoza Lake (Segment MA84028)	63
Knops Pond/Lost Lake (Segment MA84084)	64
Long Pond (Segment MA84032)	65
Lake Mascuppic (Segment MA84037)	66
Massapoag Pond (Segment MA84087)	67
Millvale Reservoir (Segment MA84041)	68
Newfield Pond (Segment MA84046)	69
Lake Pentucket (Segment MA84051)	70
Lake Saltonstall (Segment MA84059)	70
Spectacle Pond (Segment MA84089)	71
Stevens Pond (Segment MA84064)	72
Nabnasset Pond (Segment MA84044)	72
Locust Pond (Segment MA84031)	73
Data Sources	75
Appendix A - Assessment Methodology	77
Appendix B – Summary of NPDES Permitting Information	92
Appendix C – Summary of Monitoring Site Locations	100

LIST OF TABLES

Table 1. Percentage of total river miles (391 miles), lake acreage (5734 acres) and estuarine area (6.7 square miles) in the Merrimack River basin assessed as support, impaired, or not assessed for each use.	viii
Table 2. An example of the table format used to present assessment information in the 2004 Merrimack River Watershed Assessment Report.	3

LIST OF FIGURES

Figure 1. <i>Aquatic Life Use</i> assessment summary for rivers, estuarine, and lake segments in the Merrimack River watershed	x
Figure 2. <i>Fish Consumption Use</i> assessment summary for rivers, estuarine, and lake segments in the Merrimack River watershed	xii
Figure 3. <i>Shellfishing Use</i> assessment summary for estuarine segments in the Merrimack River watershed	xiv
Figure 4. <i>Primary Contact Recreational Use</i> assessment summary for rivers, estuarine, and lake segments in the Merrimack River watershed	xvi
Figure 5. <i>Secondary Contact Recreational Use</i> assessment summary for rivers, estuarine, and lake segments in the Merrimack River watershed	xviii
Figure 6. <i>Aesthetics Use</i> assessment summary for rivers, estuarine, and lake segments in the Merrimack River watershed	xx

ATTACHED DATA CD – COMPENDIUM OF MASSDEP DWM MERRIMACK RIVER TECHNICAL MEMORANDUMS AND REPORTS

Merrimack River Watershed 2004 Water Quality Assessment Report
Technical Memorandum TM-84-5 Merrimack River Watershed 2004 Water Quality
Technical Memorandum TM-84-6 Merrimack River Watershed 2004 Benthic Macroinvertebrate
Assessment
Technical Memorandum 84-7 2004 Merrimack River Watershed Fish Population Assessment
Technical Memorandum 84-7 2004 Merrimack and French & Quinebaug Periphyton Study - Stream
Velocity and Canopy Cover Considerations
Technical Memorandum TM S-16 Baseline Lake Survey 2003 Technical Memorandum (Excerpt)

***Segments not included in the report due to insufficient data to assess any of the uses.**

Beaver Brook (MA84B-05)
Beaver Brook (MA84B-02)
Stony Brook (MA84B-03)
Powwow River (MA84A-28)
Bailey Pond (MA84003)
Mill Pond (MA84038)
Mill Pond (MA84081)
Mill Pond (MA84039)
Uptons Pond (MA84075)
Ward Pond (MA84096)

List of Acronyms and Abbreviations

surface water quality standards	SWQS	Safe Drinking Water Act	SDWA
Waterbody System	WBS	New England Interstate Water Pollution Control Commission	NEIWPCC
Assessment Database	ADB	Massachusetts Department of Public Health	MA DPH
National Hydrography Dataset	NHD	rapid bioassessment protocol	RBP
Clean Water Act	CWA	Massachusetts Department of Fish and Game	MA DFG
U.S. Environmental Protection Agency	EPA	milligrams per liter	mg/L
Massachusetts Department of Environmental Protection	MassDEP	micrograms per liter	ug/L
total maximum daily load	TMDL	milliliter	ml
Division of Watershed Management	DWM	Massachusetts Division of Marine Fisheries	MA DMF
combined sewer overflows	CSO	sanitary sewer overflow	SSO
dissolved oxygen	DO	National Pollutant Discharge Elimination System	NPDES
colony forming units	CFU	water pollution control facility	WPCF
MassDEP Drinking Water Program	DWP	Merrimack River Watershed Assoc.	MRWA

EXECUTIVE SUMMARY

MERRIMACK RIVER WATERSHED 2003 WATER QUALITY ASSESSMENT REPORT

The Massachusetts Surface Water Quality Standards (SWQS) designate the most sensitive uses for which surface waters in the state shall be protected. The assessment of current water quality conditions is a key step in the successful implementation of the Watershed Approach. This critical phase provides an assessment of whether or not the designated uses are supported or impaired, or not assessed, as well as basic information needed to focus resource protection and remediation activities later in the watershed management planning process.

This report presents a summary of current water quality data/information in the Merrimack River watershed used to assess the status of the designated uses as defined in the SWQS. The designated uses, where applicable, include: *Aquatic Life, Fish Consumption, Drinking Water, Primary and Secondary Contact Recreation and Aesthetics*. Each use, within a given assessment segment, is individually assessed as **support** or **impaired**. When too little current data/information exists or no reliable data are available for an assessment segment the use is **not assessed**. However, if there is some indication of water quality impairment, which is not “naturally-occurring”, the use is identified with an “Alert Status”. Some rivers and lakes do not have an assigned assessment segment identification number and the status of their designated uses has never been assessed, investigated, and/or reported to the EPA in the Commonwealth’s Summary of Water Quality Report (305(b) Report) nor is information on these waters maintained in the Assessment Database (ADB). In the interest of reporting on all river miles and lake acres in the Merrimack River watershed, any waters not currently assigned an assessment segment identification number are classified as **not assessed other waters**.

The summary of the assessments for the *Aquatic Life, Fish Consumption, Shellfishing, Primary and Secondary Contact Recreation and Aesthetics* uses in the Merrimack River watershed segments are illustrated in Figures 1 through 6, respectively. The percentage of total river miles, lake acreage and estuarine area classified as impaired, support, and not assessed for each designated use are provided in Table 1.

Table 1. Percentage of total river miles (391 miles), lake acreage (5734 acres) and estuarine area (6.7 square miles) in the Merrimack River basin assessed as support, impaired, or not assessed for each use. (National Hydrography Dataset (NHD) 1:24,000 is the source for the total river miles and lake acreage calculations)

Use	River			Lakes			Estuaries		
	Support	Impaired	Not Assessed ¹	Support	Impaired	Not Assessed ¹	Support	Impaired	Not Assessed
Aquatic Life	15.5%	3.3%	81.2%	0.0%	21.1%	78.9%	94.0%	0.0%	6.0%
Fish Consumption	0.0%	6.6%	93.4%	0.0%	53.9%	46.1%	0.0%	0.0%	100%
Shellfishing	Not Applicable						0.0%	72.0%	28.0%
Drinking Water	Not Assessed in this Report ²						Not Applicable		
Primary Contact	6.3%	20.8%	72.9%	0.0%	0.0%	100%	0.0%	95.5%	4.5%
Secondary Contact	17.1%	10.0%	72.9%	0.0%	0.0%	100%	68.6%	26.9%	4.5%
Aesthetics	19.3%	2.5%	78.4%	0.0%	0.0%	100%	0.04%	0.0%	99.96%

1 - Not Assessed includes river or lakes not assigned assessment segments or not assessed other waters.

2 - While this use is not assessed in this report, information on drinking water source protection and finish water quality is available at <http://www.mass.gov/dep/water/drinking.htm> and from local public water suppliers.

Aesthetics	Support	
<p>In 2004, MassDEP DWM recorded field observations regarding aesthetics at one site (W1206). There were no field observations indicating prolonged or frequent occurrences of objectionable deposits, odors, turbidity or color, floating scum, or overabundant growths of aquatic plants or algae. The <i>Aesthetics Use</i> is assessed as support.</p> <p style="text-align: right;"><i>Data Sources: 9, 17</i></p>		
Monitoring Recommendations		
<p>Conduct additional bacteria monitoring to characterize the impairment and identify unknown sources.</p>		

MERRIMACK RIVER (SEGMENT MA84A-04)

Segment Description: Essex Dam, Lawrence to confluence with Little River, Haverhill.

Segment Length: 10.0 Miles

Segment Classification: B, CSO

2008 Integrated List of Waters: This segment is on the 2008 Integrated List of Waters in Category 5 - Waters Requiring a TMDL (Priority organics, Nutrients, Pathogens).

NPDES Permits: Boott Hydropower, Inc. (MAG250948), Greater Lawrence Sanitary District (MA0100447), City of Haverhill Wastewater Division (MA0101621), Lucent Technologies, Inc. (MA0001261)

Designated Use	Use Assessment	Alert
Aquatic Life	Support	Yes
<p>In 2003, CDM measured dissolved oxygen, temperature, and pH a total of 26 times and collected ten total phosphorus and six chlorophyll-a (phytoplankton) samples at three sites in (M019, M021, M022) (See Special Note 2). None of the dissolved oxygen, temperature, or pH measurements violated water quality criteria. The total phosphorus concentrations ranged from 0.071 to 0.150 mg/L and the chlorophyll-a concentrations ranged from 2.3 to 23.0 ug/L. Water from the Merrimack River was collected at the Route 495 (O'Reilly Bridge) in Lawrence for use as dilution water in the Greater Lawrence Sanitary District's whole effluent toxicity tests. Survival of <i>C. dubia</i> exposed (7-day) to the river water was > 80% with the exception of the August 2002 test event when survival was 60% (n=37). The <i>Aquatic Life Use</i> is assessed as support for this segment of the river based primarily on the good survival of test organisms. An Alert Status is identified for this use due to elevated total phosphorus and occasionally chlorophyll-a concentrations.</p> <p style="text-align: right;"><i>Data Sources: 3, 7</i></p>		
Fish Consumption	Not Assessed	
<p>This waterbody does not have a site-specific fish consumption advisory. All applicable statewide fish consumption advisories issued by MA DPH due to mercury contamination apply to this waterbody (See Special Note 4).</p> <p style="text-align: right;"><i>Data Sources: 10</i></p>		

Primary Contact	Impaired	
<p>In 2008, MRWA collected E.coli samples at five sites (29.1, 28.2, 26.9, 25.6, 22.3). The geometric means of the samples collected during the primary contact season at each site ranged from 93.3 CFU/100ml to 151.9 CFU/100ml. In 2003, CDM collected E. coli samples at three sites (M019, M021, M022) (See Special Note 1). Only two of the sites (M019 and M022) had the minimum number of samples (5) required to determine compliance with the water quality criteria. The geometric means of the samples collected during the primary contact season at these sites were 666 CFU/100ml (M019) and 215 CFU/100ml (M022). Based on the CDM and MRWA results violating the geometric mean criterion (126 CFU/100ml) for E. coli, the <i>Primary Contact Recreational Use</i> is assessed as impaired. Highest counts were representative of wet weather sampling conditions.</p> <p>Cause(s) of Impairment: Escherichia coli Source(s) of Impairment: Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO), Source Unknown</p> <p style="text-align: right;"><i>Data Sources: 3, 25</i></p>		
Secondary Contact	Impaired	
<p>In 2008, MRWA collected E.coli samples at five sites (29.1, 28.2, 26.9, 25.6, 22.3). The geometric means of the samples collected during at each site ranged from 93.3 CFU/100ml to 151.9 CFU/100ml. In 2003, CDM collected E. coli samples at three sites (M019, M021, M022) (See Special Note 1). Only two of the sites (M019 and M022) had the minimum number of samples (5) required to determine compliance with the water quality criteria. The geometric means of the samples collected during the primary contact season at these sites were 666 CFU/100ml (M019) and 215 CFU/100ml (M022). Based on the CDM results violating the geometric mean criterion (630 CFU/100ml) for E. coli, the <i>Secondary Contact Recreational Use</i> is assessed as impaired. Highest counts were representative of wet weather sampling conditions.</p> <p>Cause(s) of Impairment: Escherichia coli Source(s) of Impairment: Wet Weather Discharges (Point Source and Combination of Stormwater, SSO or CSO), Source Unknown</p> <p style="text-align: right;"><i>Data Sources: 3, 25</i></p>		
Aesthetics	Not Assessed	
Insufficient data were available to assess the <i>Aesthetics Use</i> .		
Monitoring Recommendations		
None		