

**Permit Brief Appeal by Genghmun Eng (“Citizen”, “Petitioner”)
to US EPA Environmental Appeals Board (“EAB”)
Regarding Denial of Citizen Petition No. IX-2024-14**

Attachment 4-of-9:

“Doc-13a_Valero-Ultramar-Chemical-Inventory_LAFD-CUPA-pp236-294_of-693pp_12-25-2023a.pdf”



FIRE PREVENTION BUREAU TECHNICAL SECTION
200 NORTH MAIN STREET, RM 1780
LOS ANGELES, CA 90012

LOS ANGELES FIRE DEPARTMENT
Los Angeles Certified Unified Program Agency
(213) 978-3680



Los Angeles Fire Department Data Entry Instruction Form (DEIF)

FOR INTERNAL USE ONLY

Date:	2/1/2013	New Business:	[]
Default Inspector:	STEVENS, GREGORY ANNA OLEKSZYK	Fire Station/Census:	038
Facility ID:	FA0019079	Insp District:	423
Facility Name:	VALERO WILMINGTON REFINERY		
Site Address:	2402 E ANAHEIM ST WILMINGTON, CA 90744		

[] VERIFIED FACILITY PHONE NUMBER
PHONE NO: (562) 491-6877

Account Info

Account Outstanding Balance:
Number of Outstanding Invoices: 0

[] VERIFIED MAILING ADDRESS
MAILING ADDRESS: 2402 E ANAHEIM ST
(INVOICES/PERMITS) WILMINGTON, CA 90744-4081

ACTIVE PROGRAMS:

PE	PE DESCRIPTION	UNITS
MAIN_SITE		
1104	PR0024524 HW GEN, 101-500 EMPLOYEES (RCRA-LQG)	
3001	PR0125669 ABOVE GROUND PETROLEUM STORAGE	23
3500	PR0037182 CALARP ADMINISTRATIVE FEE	
3501	PR0037330 CALARP RISK FACTOR FEE	4488
4506	PR0015187 HAZ MAT INVENTORY 26 OR MORE CHEMICALS	
5000	PR0034704 UST ANNUAL PERMIT PER TANK	1

[] VERIFIED OWNER INFO
OWNER NAME: ULTRAMAR INC A VALERO COMPANY
OWNER MAILING: 2402 E ANAHEIM ST
ADDRESS: WILMINGTON, CA 90744
PHONE:

DATA ENTRY INSTRUCTION(S): Check Appropriate Boxes

- | | |
|--|---|
| ☐ Changes On BP 01 | ☐ Changes On BP 08 |
| ☐ UST Abandon Sheets | ☐ UST Installation Sheets |
| ☐ Changes On Attached CUPA Form(s) | ☐ Enter Inventory on Attached CUPA Forms |
| ☐ Inactive Business <i>Journal Entry should Be Included</i> | |

Reason:

☒ Other Instruction: For Examples: Combine Business Under One BP Number

UPDATE CALARP PROGRAM RV TO: 3581 RV

Data Entry Name: [Signature]

Date: 2/22/13

**FIRE PREVENTION BUREAU TECHNICAL SECTION**

200 NORTH MAIN STREET, RM 1780

LOS ANGELES, CA 90012

LOS ANGELES FIRE DEPARTMENT

Los Angeles Certified Unified Program Agency

(213) 978-3680

**Los Angeles Fire Department
Data Entry Instruction Form (DEIF)**

FOR INTERNAL USE ONLY

Date:	5/31/2011	New Business:	☐
Default Inspector:	GUARDADO, KENNETH ANNA OLEKSZYK	Fire Station/Census:	038
Facility ID:	FA0019079	Insp District:	423
Facility Name:	VALERO WILMINGTON REFINERY		
Site Address:	2402 E ANAHEIM ST WILMINGTON, CA 90744		

☐ VERIFIED FACILITY PHONE NUMBER
PHONE NO: (562) 491-6877

Account Info
Account Outstanding Balance:
Number of Outstanding Invoices: 0

☐ VERIFIED MAILING ADDRESS
MAILING ADDRESS: 2402 E ANAHEIM ST
(INVOICES/PERMITS) WILMINGTON, CA 90744

ACTIVE PROGRAMS:	
PE	PE DESCRIPTION
MAIN_SITE	
1104	PR0024524 HW GEN, 101-500 EMPLOYEES (RCRA-LQG)
3500	PR0037182 CALARP ADMINISTRATIVE FEE
3501	PR0037330 CALARP RISK FACTOR FEE
4502	PR0015187 HAZ MAT INVENTORY 8 OR MORE CHEMICALS
5000	PR0034704 UST ANNUAL PERMIT PER TANK
	UNITS
	4488
	1

☐ VERIFIED OWNER INFO
OWNER NAME: ULTRAMAR INC A VALERO COMPANY
OWNER MAILING: 2402 E ANAHEIM ST
ADDRESS: WILMINGTON, CA 90744
PHONE:

DATA ENTRY INSTRUCTION(S): Check Appropriate Boxes

- | | |
|---|---|
| ☐ Changes On BP 01 | ☐ Changes On BP 08 |
| ☐ UST Abandon Sheets | ☐ UST Installation Sheets |
| ☐ Changes On Attached CUPA Form(s) | ☐ Enter Inventory on Attached CUPA Forms |

- ☐ Inactive Business *Journal Entry should Be Included*
- Reason:

- ☒ Other Instruction: *For Examples: Combine Business Under One BP Number*

APSA TANK FACILITY
STATEMENT VERIFIED

ENTER APSA DATA

Data Entry Name: R YoungDate: 8/19/11

Aboveground Petroleum Storage Tank
Facility Statement Notification

For the Los Angeles Fire Dept
Environmental Unit
200 N. Main St., LA, CA 90012

Facility ID# FA0019079	Facility Name: Valero Wilmington Refinery 2402 E. Anaheim St., Wilmington CA 90744	Owner Name: Ultramar Inc. 2402 E. Anaheim St., Wilmington CA 90744	
Contact Name: Dale Botts dale.botts@valero.com		562.491.6940	Owner Phone: 562.491.6877
			SIC Code: 2911

An updated SPCC plan is in progress and its expected completion date is July 2011

Total facility storage capacity (gallons):

153,273,425

Capacity of largest tank (gallons):

13,881,601

List of tanks storing a substance with at least 5% petroleum

Tank ID#	Contents	Capacity (gallons)	Tank Location	Year Installed	Tank type	Secondary Containment
✓ 21-TK-1000	Wastewater	1 6,394,955	Southwest	1982	Steel	Yes
✓ 48-TK-1	Slop Oil	2 858,582	North	1982	Steel	Yes
✓ 81-TK-1	Decant	3 1,091,406	Middle	1981	Steel	Yes
✓ 81-TK-3	Diesel	4 2,327,835	Middle	1981	Steel	Yes
✓ 81-TK-4	Light Cycle Oil	5 1,164,166	Middle	1981	Steel	Yes
✓ 82-TK-1	Raffinate	6 4,620,355	South	1982	Steel	Yes
✓ 82-TK-2	Alkalate	7 4,620,355	South	1982	Steel	Yes
✓ 82-TK-3	LSR Naph	8 4,620,355	South	1982	Steel	Yes
✓ 82-TK-4	Octane	9 2,353,628	South	1982	Steel	Yes
✓ 82-TK-7	Diesel	4 245,566	Middle	1981	Steel	Yes
✓ 82-TK-8	Diesel	4 245,566	Middle	1981	Steel	Yes
✓ 82-TK-9	Naphtha	10 4,847,763	South	1981	Steel	Yes
✓ 82-TK-11	Un-finished Gasoline	11 7,727,238	South	2003	Steel	Yes
✓ 83-TK-5	Slop Oil	2 230,218	North	1982	Steel	Yes
✓ 94-TK-900	Distillate	12 2,540,282	North	1969	Steel	Yes
✓ 94-TK-901	Slop Water	13 904,193	North	1969	Steel	Yes
✓ 94-TK-902	Un-treated Distillate	14 905,046	North	1969	Steel	Yes
✓ 94-TK-903	Distillate	12 1,552,150	North	1969	Steel	Yes
✓ 94-TK-909A	Slop Water	15 88,819	North	1969	Steel	Yes
✓ 94-TK-909B	Slop Water	15 88,819	North	1969	Steel	Yes
✓ 94-TK-9001	Crude	16 13,881,601	North	1979	Steel	Yes
✓ 94-TK-9002	Crude	16 13,881,601	North	1982	Steel	Yes
✓ 94-TK-9003	Diesel	4 4,620,355	Middle	1980	Steel	Yes
✓ 94-TK-9004	Diesel	4 4,620,355	Middle	1980	Steel	Yes
✓ 94-TK-9005	Raw Gas Oil	17 6,916,784	Middle	1980	Steel	Yes
✓ 94-TK-9006	Light Cycle Oil	5 6,916,784	North	1980	Steel	Yes
✓ 94-TK-9007	Crude	16 11,539,981	North	1980	Steel	Yes
✓ 94-TK-9008	Reformate	18 4,620,355	Middle	1980	Steel	Yes

Tank ID#	Contents	Capacity (gallons)	Tank Location	Year Installed	Tank type	Secondary Containment
✓ 94-TK-9009	Crude	16 12,593,870	North	1980	Steel	Yes
✓ 94-TK-9010	Jet Fuel	19 2,327,835	North	1980	Steel	Yes
✓ 94-TK-9011	Jet Fuel	19 2,327,835	North	1980	Steel	Yes
✓ 94-TK-9012	HTGO	20 4,620,355	Middle	1980	Steel	Yes
✓ 94-TK-9013	Naphtha	10 1,392,679	Middle	1980	Steel	Yes
✓ 94-TK-9030	Naphtha	10 6,499,169	Middle	1996	Steel	Yes
✓ 94-TK-9031	Gasoline	21 6,499,169	Middle	1996	Steel	Yes
✓ 95-TK-950	Emulsion	22 422,920	Middle	1935	Steel	Yes
✓ 95-TK-952	Wastewater	1 422,920	Middle	1935	Steel	Yes
✓ 95-TK-9014	Wastewater	1 1,514,610	North	2005	Steel	Yes
✓ 95-TK-9017	Wastewater	1 127,899	North	1988	Steel	Yes
✓ 95-TK-9018	Slop Sludge	23 10,232	North	1988	Steel	Yes
✓ 95-TK-9019	Slop Sludge	23 88,819	North	1988	Steel	Yes

4 UNITS



Hazardous Materials System

BP-8: Computer Listing of Inventory Submitted

Inspection Responsibility: VIU

Printed on: 7/28/2011

Business Name : VALERO WILMINGTON REFINERY	Business Address: 2402 E ANAHEIM ST,	Next Inspection Date: 06/15/2011
Business Owner : ULTRAMAR INC A VALERO COMPANY	WILMINGTON, CA 90744	SIC Code : 2911
On-Site Manager : JASON LEE	Phone # : (562) 491-6608	# of Employees : 440
Emergency Contact : JOHN BRIONES	Phone # : (562) 495-5460 Ext:	Sq. Ft. of Facility : N/A
Alt Emergency Contact: JASON LEE	Phone # : (562) 491-6608 Ext:	Permit Date : 12/14/2010

LOCATION: AREA 14 69-V-4

NFPA-704: N/A

Products: 2

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CARBON TETRACHLORIDE	PURE	800.00 GALLONS	LIQUID	
<u>Hazard Class:</u>		<u>Storage Type:</u> ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CARBON TETRACHLORIDE		56235		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PERCHLOROETHYLENE	PURE	812.00 GALLONS	LIQUID	
<u>Hazard Class:</u>		<u>Storage Type:</u> ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TETRACHLOROETHYLENE		127184		

LOCATION: AREA 18

NFPA-704: N/A

Products: 5

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DIESEL FUEL	PURE	23,688.00 GALLONS	LIQUID	
<u>Hazard Class:</u>		<u>Storage Type:</u> OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIESEL OIL (C11-21)		68334305		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GAS OIL FULL RANGE	PURE	25,326.00 GALLONS	LIQUID	
<u>Hazard Class:</u>		<u>Storage Type:</u> OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GAS OIL, FULL RANGE		68783084		
HYDROGEN SULFIDE		7783064		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROTREATED NAPHTHA	PURE	6,804.00 GALLONS	LIQUID	
<u>Hazard Class:</u>		<u>Storage Type:</u> OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
NAPHTHA		64741873		
TOLUENE	3.00	108883		

XYLENE	3.00	1330207
N-HEXANE		110543
CYCLOHEXANE		110827

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
RICH AMINE	PURE	15,456.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
WATER		7732185		
TRADE SECRET - HAZARDOUS				
HYDROGEN SULFIDE		7783064		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SOUR WATER	PURE	9,408.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		
AMMONIA, ANHYDROUS		7664417		

LOCATION: PRECESS AREA 11 WHSE

NFPA-704: N/A

Products: 45

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ACETYLENE, ETHYNE	PURE	2,824.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ACETYLENE		74862		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ARGON	PURE	48.00 GALLONS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ARGON, COMPRESSED		7440371		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ARGON, LAR (LIQUID ONLY)	PURE	337.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ARGON, COMPRESSED		7740371		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BETZ 45K	PURE	1,100.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
WATER		7732185		
POTASSIUM HYDROXIDE		1310583		
METHYL-1H-BENZOTRIAZOLE		29385431		
1-HYDROXYETHYLIDENE-1,1-DIPHOSPHONI		2809214		

<u>Chemical Name</u> CALCIUM HYDROXIDE Hazard Class: Ingredients CALCIUM HYDROXIDE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> POUNDS Storage Type: GLASS BOTTLE CAS # 1305620	<u>State</u> SOLID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> CARBON DIOXIDE Hazard Class: Ingredients CARBON DIOXIDE, GAS	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 39.00 POUNDS Storage Type: CYLINDER CAS # 124389	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> CAUSTIC POTASH WALNUT Hazard Class: Ingredients POTASSIUM HYDROXIDE WATER	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 10,000.00 POUNDS Storage Type: STEEL DRUM CAS # 1310583 7732185	<u>State</u> SOLID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> CHEVRON THINNER 350B Hazard Class: Ingredients HYDROTREATED LIGHT DISTILLATE ALKYL (C1-C9) BENZENE 1,2,3-TRIMETHYLBENZENE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 55.00 GALLONS Storage Type: STEEL DRUM CAS # 64742478 68515253 95636	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> COMPRESSED GAS NOS (N.F.) Hazard Class: Ingredients PENTANE OXYGEN LEL CARBON MONOXIDE NITROGEN-PRIMARY GRADE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 300.00 CUBIC FEET Storage Type: CYLINDER CAS #	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> CP-5 (COMBUSTION PROMOTER) Hazard Class: Ingredients ALUMINUM OXIDE TRADE SECRET - HAZARDOUS	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 250.00 GALLONS Storage Type: ABOVEGROUND TANK CAS # 1344281	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> DEHA 2 REAGENT Hazard Class: Ingredients NITRIC ACID	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 1.00 OTHERS Storage Type: PLASTIC BOTTLE CAS # 7697372	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>

WATER
FERRIC NITRATE, NONAHYDRATE

75092
7782618

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DESOX, KD-315, KD-313, KD310	PURE	165.00 GALLONS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
MAGNESIUM OXIDE		1309484		
ALUMINUM OXIDE		1344281		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ETHYL AUTOMATE LIQUID DEY RED	PURE	495.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ETHYL BENZENE		100414		
XYLENE		1330207		
C.I. SOLVENT RED 164		71819517		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FC 600 LIGHT WATER BRAND ATC/A	PURE	150.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLENE GLYCOL MONOBUTYL ETHER		112345		
WATER		7732185		
TRADE SECRET - HAZARDOUS				
TRADE SECRET - HAZARDOUS				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FRYQUEL (R) EHC	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRIPHENYL PHOSPHATE		115866		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FYRQUEL (R) EHC	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRIPHENYL PHOSPHATE		115866		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HELIUM	PURE	1,465.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HELIUM		7440597		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN LIQUID	PURE	29.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN		1333740		

<u>Chemical Name</u> HYDROGEN SULFIDE Hazard Class: <u>Ingredients</u> HYDROGEN SULFIDE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 55.00 POUNDS Storage Type: CYLINDER <u>CAS #</u> 7783064	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> HYDROGEN SULFIDE #1 Hazard Class: <u>Ingredients</u> HYDROGEN SULFIDE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 55.00 POUNDS Storage Type: CYLINDER <u>CAS #</u> 7783064	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> ISOBUTANE Hazard Class: <u>Ingredients</u> ISOBUTANE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 200.00 CUBIC FEET Storage Type: CYLINDER <u>CAS #</u> 75285	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> LEXITE AEROSOL Hazard Class: <u>Ingredients</u> CARBON DIOXIDE, GAS 1,1,,2-TRICHLORO-1,2,2-TRIFLUOROETHA	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 110.00 GALLONS Storage Type: OTHER <u>CAS #</u> 124389 76131	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> LUBE OIL, VANVATA (R) J680 Hazard Class: <u>Ingredients</u> HYDROTREATED BOTTOMS GREASE POLYISOBUTYLENE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 55.00 GALLONS Storage Type: STEEL DRUM <u>CAS #</u> 64742570 68153811 9003274	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> METHANE Hazard Class: <u>Ingredients</u> METHANE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 300.00 CUBIC FEET Storage Type: CYLINDER <u>CAS #</u> 74828	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> ND-150 Hazard Class: <u>Ingredients</u> BUTYL CELLOSOLVE SODIUM METASILICATE, ANHYDROUS TRADE SECRET - NON HAZARDOUS	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 110.00 GALLONS Storage Type: STEEL DRUM <u>CAS #</u> 111762 6834920	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NITROGEN	PURE	915.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
NITROGEN, COMPRESSED GAS		7727379		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NITROGEN (CYLINDERS)	PURE	580.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
NITROGEN, COMPRESSED GAS		7727379		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PURPLE-K	PURE	450.00 POUNDS	SOLID	
Hazard Class:		Storage Type: BOX		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
C.I. PIGMENT RED 49:1		1103384		
MICA		12001262		
POTASSIUM BICARBONATE		298146		
METHYL HYDROGEN POLYSILOXANE		63148572		
PURPLE PIGMENT		68308418		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
REFERENCE FUEL: 80 OCTANE	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HEPTANE		142825		
2,2,4-TRIMETHYLPENTANE		540841		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
REFERENCE FUEL: ISOOCTANE	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HEPTANE		142825		
2,2,4-TRIMETHYLPENTANE		540841		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
REFERENCE FUEL: N-HEPTANE	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HEPTANE		142825		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL ALVANIA(R) EP LF GREASE	PURE	23.00 POUNDS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
OLEOYL SARCOSINE		110258		
ZINC NAPHTHENATE		12001853		
SULFURIZED LARD OIL	5.00	61790496		

HYDROTREATED HEAVY NAPHTHENIC DISTI	70.00	64742525
HYDROTREATED BOTTOMS	15.00	64742570

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL CATALYST SCOT	PURE	10,800.00 POUNDS	SOLID	
Hazard Class:		Storage Type: BAG		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
COBALT(II) OXIDE		1307966		
MOLYBDIC ANHYDRIDE		1313275		
ALUMINUM OXIDE		1344281		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL DONAX(R) TD FLUID	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SOLVENT REFINED HYDROTREATED MIDDLE		64742467		
SEVERELY HYDROTREATED LIGHT NAPHTHE		64742536		
HYDROTREATED HEAVY PARAFFINIC DISTI	60.00	64742547		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL OMAL(R) OIL 680	PURE	270.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED BOTTOMS	95.00	64742570		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL ROTELLA(R) T OIL 30	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI		64742547		
HYDROTREATED BOTTOMS		64742570		
CATALYTIC DEWAXED HEAVY PARAFFINIC		64742707		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL SOL BT-66 EC (WOR)	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
2-METHYLPENTANE	3.00	107835		
TOLUENE		108883		
N-HEXANE	3.00	110543		
LIGHT ALIPHATIC SOLVENT NAPHTHA		64742898		
BENZENE		71432		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL SPIRAX(R) HEAVY DUTY 80W	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
MINERAL OIL, ACED TREATED HEAVY NAP		64742183		
SOLVENT REFINED HYDROTREATED MIDDLE		64742467		
HYDROTREATED HEAVY NAPHTHENIC DISTI		64742525		

SEVERELY HYDROTREATED LIGHT NAPHTHE
HYDROTREATED BOTTOMS

64742536
64742570

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 46	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI 99		64742547		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO(R) T OIL 150	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI		64742547		
HYDROTREATED BOTTOMS	32.00	64742570		
CATALYTIC DEWAXED HEAVY PARAFFINIC		64742707		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO(R) T OIL 68	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI	99.00	64742547		
CATALYTIC DEWAXED HEAVY PARAFFINIC		64742707		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODA ASH	PURE	4,500.00 POUNDS	SOLID	
Hazard Class:		Storage Type: BAG		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM CARBONATE		497198		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SPARY LUBRICANT	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
KEROSENE		8008206		
PARAFFIN OIL		8012951		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SSD -92 SYNTHETIC SOLVENT DEGREE	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PROPYLENE GLYCOL T-BUTYL ETHER	30.00	57018527		
D-LIMONENE	10.00	5989275		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
VISTONE 802	PURE	880.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRADE SECRET - HAZARDOUS				
PHTHALATE ESTER				

LOCATION: PROCESS AREA 08

NFPA-704: N/A

Products: 1

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HITEC (R) 4103 FUEL ADDITIVE 94-TK-9016	PURE	21,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
2-ETHYLHEXYL NITRATE				

LOCATION: PROCESS AREA 09

NFPA-704: N/A

Products: 33

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ACETONE	WASTE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ACETONE			67641	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ARGON	WASTE	2,000.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ARGON, COMPRESSED			7440371	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ARSENIC TRIOXIDE	WASTE	1.00 POUNDS	SOLID	
Hazard Class:		Storage Type: GLASS BOTTLE		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ARSENIC TRIOXIDE			1327533	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BROMINE TITRATION SOLVENT BB80	WASTE	6.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: GLASS BOTTLE		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ACETIC ACID, GLACIAL			64197	
METHYL ALCOHOL			67561	
METHYL CHLOROFORM			71556	
SULFURIC ACID			7664939	
WATER			7732185	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CARBON DIOXIDE	WASTE	200.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
CARBON DIOXIDE, GAS			124389	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CARBON DIOXIDE, DRY ICE	WASTE	200.00 POUNDS	SOLID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
CARBON DIOXIDE			124389	

<u>Chemical Name</u> CARBON DISULFIDE Hazard Class: <u>Ingredients</u> CARBON DISULFIDE	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 1.00 GALLONS Storage Type: GLASS BOTTLE <u>CAS #</u> 75150	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> COMPRESSED AIR Hazard Class: <u>Ingredients</u>	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 500.00 CUBIC FEET Storage Type: CYLINDER <u>CAS #</u>	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> DIESEL FUEL Hazard Class: <u>Ingredients</u> DIESEL OIL (C11-C21)	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 110.00 GALLONS Storage Type: STEEL DRUM <u>CAS #</u> 68334305	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> FORMALDEHYDE SOL 37% Hazard Class: <u>Ingredients</u> FORMALDEHYDE METHYL ALCOHOL WATER	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 5.00 GALLONS Storage Type: PLASTIC BOTTLE <u>CAS #</u> 50000 67561 7732185	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> GASOLINE, AUTOMOTIVE, UNLEADED Hazard Class: <u>Ingredients</u> GASOLINE, AUTOMOTIVE, UNLEADED	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 60.00 GALLONS Storage Type: OTHER <u>CAS #</u> 8006619	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> HELIUM COMPRESSED Hazard Class: <u>Ingredients</u> HELIUM	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 2,037.00 CUBIC FEET Storage Type: CYLINDER <u>CAS #</u> 7440597	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> HYDROFLUORIC ACID Hazard Class: <u>Ingredients</u> HYDROGEN FLUORIDE	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 1.00 GALLONS Storage Type: OTHER <u>CAS #</u> 7664393	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> HYDROGEN SULFIDE Hazard Class: <u>Ingredients</u> HYDROGEN SULFIDE	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 2.00 CUBIC FEET Storage Type: CYLINDER <u>CAS #</u> 7783064	<u>State</u> GAS	<u>Fed Haz Catg.</u>

<u>Chemical Name</u> KEROSENE 450 Hazard Class: <u>Ingredients</u>	<u>HM Type</u> WASTE	<u>Max Quantity on Hand</u> 110.00 GALLONS Storage Type: STEEL DRUM <u>Max %</u>	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> N-HEPTANE Hazard Class: <u>Ingredients</u> HEPTANE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 110.00 GALLONS Storage Type: STEEL DRUM <u>Max %</u>	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> NITRIC ACID (55-70%) Hazard Class: <u>Ingredients</u> NITRIC ACID WATER	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 4.00 GALLONS Storage Type: GLASS BOTTLE <u>Max %</u>	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> NITRO BENZENE Hazard Class: <u>Ingredients</u> NITROBENZENE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 2.00 GALLONS Storage Type: GLASS BOTTLE <u>Max %</u>	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> NITROGEN (CRYOGENIC LIQUID) Hazard Class: <u>Ingredients</u> NITROGEN, COMPRESSED GAS	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 3,000.00 GALLONS Storage Type: ABOVEGROUND TANK <u>Max %</u>	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> NITROGEN (CYLINDERS) Hazard Class: <u>Ingredients</u> NITROGEN, COMPRESSED GAS	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 2,000.00 CUBIC FEET Storage Type: CYLINDER <u>Max %</u>	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> NITROUS OXIDE Hazard Class: <u>Ingredients</u> NITROUS OXIDE	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 1,000.00 CUBIC FEET Storage Type: CYLINDER <u>Max %</u>	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Chemical Name</u> POMEROY #2 Hazard Class: <u>Ingredients</u> SULFURIC ACID SULFURIC ACID	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 2.00 GALLONS Storage Type: GLASS BOTTLE <u>Max %</u>	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
POMERY #1 Hazard Class: Ingredients N,N-DIMETHYL-PHENYLENEDIAMINE OXALA SULFURIC ACID	PURE	2.00 GALLONS Storage Type: GLASS BOTTLE CAS # 62778125 7664939	LIQUID	
POTASSIUM SILVER CYANIDE Hazard Class: Ingredients POTASSIUM SILVER CYANIDE	PURE	1.00 GALLONS Storage Type: GLASS BOTTLE CAS # 506616	SOLID	
REFERENCE FUEL: 80 OCTANE Hazard Class: Ingredients HEPTANE 2,2,4-TRIMETYL PENTANE	PURE	110.00 GALLONS Storage Type: STEEL DRUM CAS # 142825 540841	LIQUID	
REFERENCE FUEL: N-HEPTANE Hazard Class: Ingredients HEPTANE	PURE	110.00 GALLONS Storage Type: STEEL DRUM CAS # 142825	LIQUID	
REFERENCE FUEL: TOLUENE Hazard Class: Ingredients TOLUENE	PURE	110.00 GALLONS Storage Type: STEEL DRUM CAS # 108883	LIQUID	
REFERENCE FUEL: ISOOCTANE Hazard Class: Ingredients 2,2,4-TRIMETHYL PENTANE	PURE	110.00 GALLONS Storage Type: BOX CAS # 540841	LIQUID	
SHELL SOL BT-66 EC (WOR) Hazard Class: Ingredients 2-METHYL PENTANE TOLUENE N-HEXANE LIGHT ALIPHATIC SOLVENT NAPHTHA BENZENE	PURE	110.00 GALLONS Storage Type: STEEL DRUM CAS # 107835 108883 110543 64742898 71432	LIQUID	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL SOL BT-67 EC (WOR)	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
2-METHYLPENTANE	3.00	107835		
TOLUENE		108883		
N-HEXANE	3.00	110543		
LIGHT ALIPHATIC SOLVENT NAPHTHA		64742898		
BENZENE		71432		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFUR DIOXIDE	PURE	10.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFUR DIOXIDE		7446095		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
TOLUENE	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: GLASS BOTTLE		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TOLUENE		108883		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
VANADIUM REFERENCE STANDARD SO	PURE	1.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: GLASS BOTTLE		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
VANADIUM PENTOXIDE		1314621		
HYDROCHLORIC ACID		7647010		
WATER		7732185		

LOCATION: PROCESS AREA 1

NFPA-704: N/A

Products: 15

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASE ST-5	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLAMINOETHANOL		100378		
BUTYL CELLOSOLVE				
WATER		7732185		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9088 ST-5	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLAMINOETHANOL		100378		
BUTYL CELLOSOLVE				
WATER		7732185		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL, BETZ COR-TROL 778P	PURE	1,065.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: UNDERGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRADE SECRET HAZARDOUS				
HYDROQUINONE		123319		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL, BETZ OPTI-MEEN 85401	PURE	2,025.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
METHOXYPROPYLAMINE		5332730		
TRADE SECRET - HAZARDOUS				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL, BTZ BALANCED POLYMER	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRADE SECRET - NON HAZARDOUS				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GAS OIL	PURE	159.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GAS OIL		64741442		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN SULFIDE - UNIT 31/44	PURE	441.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC - 5105 ADDITIVE/30TK-303	PURE	1,300.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
POLYDIMETHYLSILOXANE		63148629		
KEROSENE				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC (TM) 2045 ADDITIVE SC-606	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PROPRIETARY AROMATIC HYDROCARBON		68876824		
NAPHTHALENE				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 2362 ADDITIVE	PURE	3,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLENETRIAMINE		111400		
(2-AMINOETHYL)ETHANOLAMINE		111411		
TRIETHYLENETETRAMINE		112243		
AMINOETHYLPIPERAZINE		140318		
ETHANOLAMINE		141435		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 3210 ADDITIVE	PURE	2,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIOCTYL SODIUM SULFOSUCCINATE		577117		
MIDDLE DISTILLATE SOLVENT EXTRACTS		64742069		
HEAVY AROMATIC SOLVENT NAPHTHA		64742945		
N-BUTYL ALCOHOL		71363		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 5105 ADDITIVE	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
POLYDIMETHYLSILOXANE		63148629		
KEROSENE		8008206		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NAPHTHA MIXTURE	PURE	71.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
THERMOCRACKED NAPHTHA HEAVY COKER	50.00	68333233		
BENZENE		71432		
NAPHTHA	80.00	8030306		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 46 - 44-TK-1	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI		64742547		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
THERMAL CRACKED DISTILLATE LIG	PURE	4,500.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
THERMAL DISTILLATE LIGHT		64741828		

LOCATION: PROCESS AREA 12

NFPA-704: N/A

Products: 15

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-10	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINAETHANOL				
BUTYL CELLOSOLVE				
WATER				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-17	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-18	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL, BETZ AP 400 - TK-930608	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
TRADE SCRET - NON HAZARDOUS				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL, BETZ OPTI-MEEN 85401	PURE	2,005.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
3-METHOXYPROPYLAMINE			5332730	
TRADE SECRET - HAZARDOUS				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DECANT OIL	PURE	18.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DECANT OIL			64741624	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DISTILLATE MIXTURE	PURE	710.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
GAS OIL			64741442	
THERMAL CRACKED DISTILLATE LIGHT			64741828	

KEROSENE

8008206

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FCCU CATALYST FINES	PURE	30.00 TONS	SOLID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
FERRIC OXIDE RED		1309371		
SODIUM OXIDE		1313593		
ALUMINUM OXIDE		1344281		
TITANIUM DIOXIDE		13463677		
DIATOMACEOUS EARTH		61790532		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GAS OIL	PURE	714.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GAS OIL		64741442		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN SULFIDE - UNIT 61/63	PURE	1,295.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 1745 ADDITIVE	PURE	500.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFONIC ACIDS, PETROLEUM, MAGNESIUM		61789875		
1-DECENE, SULFURIZED		72162153		
KEROSENE		8008206		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
LIGHT CYCLE OIL	PURE	118.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: GLASS BOTTLE		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
LIGHT CATALYTIC CRACKED DISTILLATE		64741599		
SULFUR		7704349		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NAPHTHA MIXTURE	PURE	310.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
THERMOCRACKED NAPHTHA HEAVY COKER	50.00	68333233		
BENZENE		71432		
NAPHTHA	80.00	8030306		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 32	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI 61-TJ-1		64742547		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 46	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI 63-TK-1		64742547		

LOCATION: PROCESS AREA 13

NFPA-704: N/A

Products: 3

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN SULFIDE	PURE	340.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>CAS #</u>		
HYDROGEN SULFIDE				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 68 13-TK-2	PURE	360.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTILLATE				
CATALYTIC DEWAXED HEAVY PARAFFINIC OIL				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
VISTONE 802 13-TK	PURE	360.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>CAS #</u>		
TRADE SECRET				
PYTHALATE ESTER				
SYNTHETIC HYDROCARBON				

LOCATION: PROCESS AREA 14

NFPA-704: N/A

Products: 21

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BETZ 35A	PURE	3,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>CAS #</u>		
TRADE SECRET - NON HAZARDOUS				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BUTANE MIXED	PURE	364.00 OTHERS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>CAS #</u>		
N-BUTANE		106978		
ISOBUTANE		75285		

<u>Chemical Name</u> BUTANE, LIQUID Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 85.00 OTHERS Storage Type: CYLINDER	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> N-BUTANE	<u>Max %</u>	<u>CAS #</u> 106978		
<u>Chemical Name</u> CATALYST, ACTIVATED ALUMINA Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 6,800.00 POUNDS Storage Type: STEEL DRUM	<u>State</u> SOLID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> ALUMINUM OXIDE WATER SODIUM OXIDE SILICON DIOXIDE FERRIC OXIDE RED	<u>Max %</u> 97.00 7.00	<u>CAS #</u> 1344281 7732185 1313593 1309371 1309371		
<u>Chemical Name</u> CAUSTIC SODA Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 3,600.00 GALLONS Storage Type: ABOVEGROUND TANK	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> SODIUM HYDROXIDE WATER SODIUM CHLORIDE SODIUM CARBONATE	<u>Max %</u> 50.00	<u>CAS #</u> 1310732 7732185 7647145 497198		
<u>Chemical Name</u> DISTILLATE MIXTURE Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 560.00 OTHERS Storage Type: OTHER	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> GAS OIL THERMAL CRACKED DISTILLATE LIGHT KEROSENE	<u>Max %</u>	<u>CAS #</u> 64741442 64741828 8008206		
<u>Chemical Name</u> F-600 LIGHT WATER BRAND ATC/A Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 55.00 GALLONS Storage Type: ABOVEGROUND TANK	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> DIETHYLENE GLYCOL MONOBUTYL ETHER WATER TRADE SECRET - HAZARDOUS	<u>Max %</u>	<u>CAS #</u> 112345 7732185		
<u>Chemical Name</u> GAS OIL Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 1.00 OTHERS Storage Type: ABOVEGROUND TANK	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> GAS OIL	<u>Max %</u>	<u>CAS #</u> 64741442		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GASOLINE, AUTOMOTIVE, UNLEADED	PURE	40.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GASOLINE, AUTOMOTIVE, UNLEADED		8006619		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN SULFIDE	PURE	281.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 4677 ADDITIVE	PURE	2,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
KEROSENE		8008206		
TRADE SECRET - HAZARDOUS				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ISOBUTANE	PURE	290.00 OTHERS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ISOBUTANE		75285		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
LIGHT CYCLE OIL	PURE	90.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: GLASS BOTTLE		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
LIGHT CATALYTIC CRACKED DISTILLATE		64741599		
SULFUR		7704349		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
MEROX (R) REAGENT	PURE	70.00 GALLONS	SOLID	
Hazard Class:		Storage Type: BOX		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE		1310732		
COBALT PHTHALOCYANINESULFONATE		30638085		
ISOPROPYL ALCOHOL		67630		
WATER		7732185		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NAPHTHA MIXTURE	PURE	529.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
THERMOCRACKED NAPHTHA HEAVY COKER	50.00	68333233		
BENZENE		71432		
NAPHTHA	80.00	8030306		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PERCHLOROETHYLENE	PURE	812.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TETRACHLOROETHYLENE		127184		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PROPANE	PURE	162.00 OTHERS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PROPANE		74986		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODIUM HYDROXIDE	PURE	500.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE		1310732		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SPENT MOLECULAR SIEVE	PURE	18,000.00 POUNDS	SOLID	
Hazard Class:		Storage Type: RAIL CAR		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFURIC ACID 93-98.5%	PURE	250.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFURIC ACID		7664939		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
UOP TYPE I-8 CATALYST	PURE	23,400.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ALUMINUM OXIDE	100.00	1344281		
PLATINUM		7440064		
ALUMINUM CHLORIDE, ANHYDROUS	7.00	7446700		

LOCATION: PROCESS AREA 15
NFPA-704: N/A
Products: 27

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ACETYLENE	PURE	3,600.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ACETYLENE		74862		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ARGON	PURE	4,032.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BUTANE MIXED	PURE	14,000.00 OTHERS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
N-BUTANE			106978	
ISOBUTANE			75285	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BUTANE, COMMERCIAL	PURE	4,975.00 OTHERS	GAS	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
N-BUTANE			106978	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BUTANE, LIQUID	PURE	4,050.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
N-BUTANE			106978	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEVRON RPM UNIVERSAL GEAR LUB	PURE	165.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SOLVENT-REFINED HEAVY PARAFFINIC DI			64741884	
SOLVENT-REFINED LIGHT PARAFFINIC DI			64741895	
SOLVENT-REFINED HEAVY NAPHTHENIC DI			64741964	
SOLVENT-REFINED LIGHT NAPHTHENIC DI			64741975	
SOLVENT-REFINED RESIDUUM			64742014	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
COMPRESSED AIR	PURE	622.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CP-5 (COMBUSTION POMOTER)	PURE	200.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ALUMINUM OXIDE			1344281	
TRADE SECRET - HAZARDOUS				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DESOX, KD-315, KD310	PURE	110.00 GALLONS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
CERIC OXIDE			1306383	
MAGNESIUM OXIDE			1309484	
ALUMINUM OXIDE			1344281	

<u>Chemical Name</u> FORAY DRY CHEMICAL EXTINGUISHI Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 900.00 POUNDS Storage Type: BOX	<u>State</u> SOLID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> MICA C.I. PIGMENT YELLOW 14 METHYL HYDROGEN POLYSILOXANE AMMONIUM PHOSPHATE AMMONIUM SULFATE	<u>Max %</u>	<u>CAS #</u> 12001262 5468757 63148572 7722761 7783202		
<u>Chemical Name</u> HELIUM Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 3,732.00 CUBIC FEET Storage Type: CYLINDER	<u>State</u> GAS	<u>Fed Haz Catg.</u>
<u>Ingredients</u> HELIUM	<u>Max %</u>	<u>CAS #</u> 7440597		
<u>Chemical Name</u> INSULATER Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 55.00 GALLONS Storage Type: OTHER	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> TOLUENE ACETONE PROPANE	<u>Max %</u>	<u>CAS #</u> 108883 67641 74986		
<u>Chemical Name</u> IPC 8970 ADDITIVE SC-183 Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 350.00 GALLONS Storage Type: ABOVEGROUND TANK	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> GLUTARALDEHYDE	<u>Max %</u>	<u>CAS #</u>		
<u>Chemical Name</u> ISOOCTANE Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 110.00 GALLONS Storage Type: STEEL DRUM	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> 2-METHYLHEPTANE	<u>Max %</u>	<u>CAS #</u> 592278		
<u>Chemical Name</u> KEROSENE Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 165.00 GALLONS Storage Type: STEEL DRUM	<u>State</u> LIQUID	<u>Fed Haz Catg.</u>
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
<u>Chemical Name</u> LIME Hazard Class:	<u>HM Type</u> PURE	<u>Max Quantity on Hand</u> 30.00 TONS Storage Type: BAG	<u>State</u> SOLID	<u>Fed Haz Catg.</u>
<u>Ingredients</u> CALCIUM OXIDE	<u>Max %</u>	<u>CAS #</u> 1305788		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NITROGEN	PURE	3,060.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
NITROGEN, COMPRESSED GAS			7727379	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
OXYGEN	PURE	10,998.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
OXYGEN, COMPRESSED GAS			7782447	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
REFERENCE	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
TOLUENE			108883	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
REFERENCE FUEL: 80 OCTANE	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
HEPTANE			142825	
2,2,4-TRIMETHYLPENTANE			540841	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
REFERENCE FUEL: ISOOCTANE	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
2,2,4-TRIMETHYLPENTANE			540841	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
REFERENCE FUEL: N-HEMPTANE	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
HEPTANE			142825	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 150	PURE	385.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
HYDROTREATED HEAVY PARAFFINIC DISTI		80.00	64742547	
HYDROTREATED BOTTOMS		32.00	64742570	
CATALYTIC DEWAXED HEAVY PARAFFINIC		70.00	64742707	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 46	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODIUM HYPOCHLORITE	PURE	1,100.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SODIUM HYPOCHLORITE			7681529	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFURIC ACID 93-98.5%	PURE	500.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SULFURIC ACID			7664939	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
UOP TYPES R-30, R-30(L), R-32	PURE	2,000.00 POUNDS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ALUMINUM OXIDE			1344281	
PLATINUM			7440064	

LOCATION: PROCESS AREA 16

NFPA-704: N/A

Products: 14

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ALKYLATE	PURE	408.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ALKYLATE (C7-C12)			64741646	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BUTANE MIXED	PURE	1,257.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
N-BUTANE			106978	
ISOBUTANE			75285	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CAUSTIC POTASH WALNUT	PURE	40,000.00 POUNDS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
POTASSIUM HYDROXIDE		90.00	1310583	
WATER			7732185	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9099 ST-24	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
COMPRESSED AIR	PURE	80,000.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN FLUORIDE, ANHYDROUS	PURE	POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
HYDROGEN FLUORIDE		100.00	7664393	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 6677C ADDITIVE SC-1043	PURE	240.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ACRYLAMIDE				
TRADE SECRET-HAZARDOUS				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 9315 CM ADDITIVE SC-221	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SODIUM HYDROXIDE				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 9395B ADDITIVE SC-222	PURE	525.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLHYDROXYLAMINE				
HYDROQUINONE				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 9470 ADDITIVE SC-220	PURE	2,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
N,N-DIMETHYLISOPROPANOLAMINE				
2-AMINO-2-METHYL-1-PROPANOL				
CYCLOHEXYLAMINE				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
POTASSIUM HYDROXIDE(68V-15)	PURE	10,000.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
POTASSIUM HYDROXIDE			1310583	
WATER			7732185	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
POTASSIUM HYDROXIDE(BT 1126)	PURE	2,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
POTASSIUM HYDROXIDE		1310583		
WATER		7732185		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
POTASSIUM HYDROXIDE, LIQUID(68 TK-100)	PURE	2,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: PLASTIC BOTTLE		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
WATER		7732185		
POTASSIUM HYDROXIDE		1310583		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PROPANE	PURE	POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PROPANE	100.00	74986		

LOCATION: PROCESS AREA 19

NFPA-704: N/A

Products: 5

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CAUSTIC SODA	PURE	250.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
WATER	52.00	7732185		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN SULFIDE - UNIT 46/48/55	PURE	750.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODIUM HYDROXIDE	PURE	12,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE		1310732		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
UCARSOL HS SOLVENT 103	PURE	12,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRADE SECRET - HAZARDOUS				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
UCRSOL HS SOLVENT 103	PURE	12,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
TRADE SECRET - HAZARDOUS				

LOCATION: PROCESS AREA 2

NFPA-704: N/A

Products: 16

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CATALYST PLATINUM	PURE	72,000.00 POUNDS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SILICA GEL				
PLATINUM				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CAUSTIC SODA	PURE	17,400.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SODIUM HYDROXIDE		50.00	1310732	
WATER			7732185	
SODIUM CHLORIDE			7647145	
SODIUM CARBONATE			497198	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-14	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-19	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-9	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER			7732185	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER ST-8 AND ST-20	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLENE GLYCOL MONOBUTYL ETHER		112345		
DIRECT BLUE 86		1330387		
FAST WOOD YELLOW		6359906		
POTASSIUM PYROPHOSPHATE, ANHYDROUS		7320345		
WATER		7732185		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DIMETHYL DISULFIDE	PURE	10,000.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
METHYL DISULFIDE		624920		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ETHYLENE GLYCOL	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CHLOROTRIFLUOROMETHANE		75729		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FUEL GAS, REFINERY	PURE	426.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
FUEL GAS, REFINERY		68476299		
HYDROGEN		1333740		
ETHYLENE		74851		
NITROGEN, COMPRESSED GAS		7727379		
PROPYLENE		21962243		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN SULFIDE - UNIT 60/70	PURE	22.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		
HYDROGEN SULFIDE		7783064		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NAPHTHA MIXTURE	PURE	GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
THERMOCRACKED NAPHTHA HEAVY COKER	50.00	68333233		
BENZENE		71432		
NAPHTHA	80.00	8030306		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PERCHLOROETHYLENE	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TETRACHLOROETHYLENE		127184		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PROPANE	PURE	180.00 OTHERS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PROPANE		74986		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
REFORMATE	PURE	585.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
REFORMATE (C5-C12)		68955351		
XYLENE		1330207		
TOLUENE		108883		
BENZENE		71432		
ETHYL BENZENE		100414		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 46	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED PARAFFINIC DISTI		64742547		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
VISTONE 802	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		

LOCATION: PROCESS AREA 21

NFPA-704: N/A

Products: 17

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ALKY FEED	PURE	1,500.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ALKY FEED (C3-C5)		68477838		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ALYLATE	PURE	38,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ALKYLATE (C7-C12)		64741646		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BUTANE MIXED	PURE	1,800.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
N-BUTANE		106978		
ISOBUTANE		75285		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
CHEVRON AUTOMATIC TRANSMISSION	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SOLVENT-REFINED HEAVY PARAFFINIC DI		64741884		
SOLVENT-REFINED LIGHT PARAFFINIC DI		64741895		
SOLVENT-REFINED HEAVY NAPHTHENIC DI		64741964		
SOLVENT-REFINED LIGHT NAPHTHENIC DI		64741975		
SOLVENT-REFINED RESIDUUM		64742014		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
ETHYL AUTOMATE LIQUID DYE RED	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ETHYL BENZENE		100414		
XYLENE		1330207		
C.I. SOLVENT RED 164		71819517		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
ETHYL MERCAPTAN	PURE	220.00 GALLONS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ETHYL MERCAPTAN		75081		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
GASOLINE, AUTOMOTIVE, UNLEADED	PURE	OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GASOLINE, AUTOMOTIVE, UNLEADED		8006619		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
GASOLINE, NATURAL	PURE	14,000.00 OTHERS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GASOLINE, NATURAL		68425310		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
METAL DEACTIVATOR NO. 2	PURE	4,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ETHYL BENZENE	10.00	100414		
2,4-XYLENOL		105679		

P-CRESOL	106445
M-CRESOL	108394
3,5-XYLENOL	108689

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
METHYL TERTIARY BUTYL ETHER	PURE	OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
METHYL TERT-BUTYL ETHER		1634044		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NATURAL GAS LIQUIDS (DEMETHANI	PURE	1,800.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
NATURAL GAS LIQUIDS (DEMETHANIZED,		64741486		
BENZENE		71432		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NITROGEN	PURE	2,400.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
NITROGEN, COMPRESSED GAS		7727379		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PROPANE	PURE	1,285.00 OTHERS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PROPANE		74986		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL ALVANIA(R) EP LF GREASE	PURE	120.00 POUNDS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
OLEOYLSARCOSINE		110258		
ZINC NAPHTHENATE		12001853		
SULFURIZED LARD OIL	5.00	61790496		
HYDROTREATED HAVY NAPHTHENIC DISTI	70.00	64742525		
HYDROTREATED BOTTOMS	15.00	64742570		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL SOL BT-66 EC (WOR)	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
2-METHYLPENTANE	3.00	107835		
TOLUENE		108883		
N-HEXANE	3.00	110543		
LIGHT ALIPHATIC SOLVENT NAPHTHA		64742898		
BENZENE		71432		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODIUM BICARBONATE	PURE	2,150.00 POUNDS	SOLID	
Hazard Class:		Storage Type: BAG		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SODIUM BICARBONATE			144558	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFURIC ACID 93%	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SULFURIC ACID			7664939	

LOCATION: PROCESS AREA 3

NFPA-704: N/A

Products: 19

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
AQUEOUS AMMONIA - UNIT 45/49	PURE	259.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
AMMONIUM HYDROXIDE				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-7	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CRITERION 324 CATALYST	PURE	POUNDS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
MOLYBDIC ANHYDRIDE			1313275	
NICKEL OXIDE			1313991	
PHOSPHORUS PENTOXIDE			1314563	
ALUMINUM OXIDE			1344281	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DIESEL FUEL	PURE	28.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIESEL OIL (C11-C21)			68334305	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DISTILLATE MIXTURE	PURE	342.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
GAS OIL			64741442	
THERMAL CRACKED DISTILLATE LIGHT			64741828	

KEROSENE

8008206

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.**FUEL GAS REFINERY**

PURE

31.00 POUNDS

LIQUID

Hazard Class:

Storage Type: OTHER

IngredientsMax %CAS #

FUEL GAS REFINERY

68476299

HYDROGEN

1333740

ETHYLENE

74851

NITROGEN, COMPRESSED GAS

7727379

PROPYLENE

21962243

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.**GAS OIL**

PURE

46.00 OTHERS

LIQUID

Hazard Class:

Storage Type: ABOVEGROUND TANK

IngredientsMax %CAS #

GAS OIL

64741442

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.**HYDROGEN SULFIDE**

PURE

6,135.00 POUNDS

GAS

Hazard Class:

Storage Type: OTHER

IngredientsMax %CAS #

HYDROGEN SULFIDE

7783064

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.**IPC 4677 ADDITIVE**

PURE

120.00 GALLONS

LIQUID

Hazard Class:

Storage Type: ABOVEGROUND TANK

IngredientsMax %CAS #

KEROSENE

8008206

TRADE SECRET

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.**IPC 4870 ADDITIVES**

PURE

562.00 GALLONS

LIQUID

Hazard Class:

Storage Type: ABOVEGROUND TANK

IngredientsMax %CAS #

TOLUENE

108883

ISOPROPYL ALCOHOL

67630

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.**JET FUEL A**

PURE

36.00 OTHERS

LIQUID

Hazard Class:

Storage Type: ABOVEGROUND TANK

IngredientsMax %CAS #

KEROSENE

8008206

NAPHTHALENE

91203

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.**NAPHTHA MIXTURE**

PURE

145.00 OTHERS

LIQUID

Hazard Class:

Storage Type: OTHER

IngredientsMax %CAS #

THERMOCRACKED NAPHTHA HEAVY COKER

68333233

BENZENE
NAPHTHA

80.00 71432
8030306

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PROPANE	PURE	61.00 OTHERS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PROPANE		74986		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R) T OIL 32	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI		64742547		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODIUM HYDROXIDE	PURE	4,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE		1310732		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODIUM HYDROXIDE SOLUTIONS, 1N	PURE	5,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: PLASTIC BOTTLE		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE	40.00	1310732		
WATER	96.00	7732185		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFURIC ACID 93-98. 5%	PURE	830.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFURIC ACID		7664939		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
UCARSOL HS SOLVENT 101	PURE	8,400.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRADE SECRET- HAZARDOUS				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
UCARSOL HS SOLVENT 104	PURE	30,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRADE SECRET - HAZARDOUS				

LOCATION: PROCESS AREA 4

NFPA-704: N/A

Products: 9

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
AQUEOUS AMMONIA - UNIT 40/41	PURE	163.00 GALLONS	SOLID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
AMMONIUM HYDROXIDE				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CAUSTIC SODA	PURE	760.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE	50.00	1310732		
WATER		7732185		
SODIUM CHLORIDE		7647145		
SODIUM CARBONATE		497198		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CRITERION 534 CATALYST	PURE	50,000.00 POUNDS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ALUMINUM OXIDE		1344281		
MOLYBDIC ANHYDRIDE		1313275		
COBALT(II) OXIDE		1307966		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ELVADA	PURE	50.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
ANTHRAQUINONE DISULFONIC ACID DISOD		60553459		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NITROGEN OR LIN (IN CRYOGENIC	PURE	10,000.00 GALLONS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
NITROGEN, COMPRESSED GAS		7727379		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
OXYGEN	PURE	1,400.00 CUBIC FEET	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
OXYGEN COMPRESSED GAS		7782447		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SAVAN SODIUM AMMONIUM DECAVANA 40-TK-51B	PURE	20,914.00 POUNDS	SOLID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM AMMONIUM DECAVANADATE		12055093		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
STRETFORD SOLUTION	PURE	5,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE	2.00	1310732		
ANTHRAQUINONE DISULFONIC ACID DISOD		60553459		
VANADIUM		7440622		
SULFUR	6.00	7732185		
WATER	99.00			
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFUR	PURE	2,003.00 OTHERS	SOLID	
Hazard Class:		Storage Type: PLASTIC BOTTLE		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFUR		7704349		

LOCATION: PROCESS AREA 5 NTL
NFPA-704: N/A
Products: 2

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PETROLEUM COKE	PURE	1,236.00 TONS	SOLID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PETROLEUM COKE (UNCALCINED)		64741793		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SPECTRAFLOC (R) 719 ADDITIVE	PURE	120.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SORBITAN MONOLEATE		1338438		
N,N-DIMETHYLOLEAMIDE		2664428		
HYDROTREATED LIGHT DISTILLATE		64742478		
ALCOHOLS, C12-14, ETHOXYLATED		68439509		
WATER		7732185		

LOCATION: PROCESS AREA 5NBL
NFPA-704: N/A
Products: 10

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-7	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER		7732185		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 TK-4	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				

WATER

7732185

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-3	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER				

7732185

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FUEL GAS, REFINERY	PURE	37.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
FUEL GAS, REFINERY		68476299		
HYDROGEN		1333740		
ETHYLENE		74851		
NITROGEN, COMPRESSED GAS		7727379		
PROPYLENE		21962243		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GAS OIL	PURE	141.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GAS OIL		64741442		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 2035 ADDITIVE	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
AMIDES, FROM C16-C22 FATTY ACIDS		68876824		
KEROSENE		8008206		
TRADE SECRET - HAZARDOUS				
XYLENE		1330207		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 2362 ADDITIVE	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLENETRIAMINE		111400		
(2-AMINOETHYL)ETHANOLAMINE		111411		
TRIETHYLENETETRAMINE		112243		
AMINOETHYLPYPERAZINE		140318		
ETHANOLAMINE		141435		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NAPHTHA MIXTURE	PURE	26.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
THERMOCRACKED NAPHTHA HEAVY COKER	50.00	68333233		

BENZENE
NAPHTHA

80.00

71432
8030306

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO(R) T OIL 150 93-TK-3	PURE	550.00 GALLONS	LIQUID	
Hazard Class:				
		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI		64742547		
HYDROTREATED BOTTOMS	32.00	64742570		
CATALYTIC DEWAXED HEAVY PARAFFINIC		64742707		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
VACUUM DISTILLATES	PURE	4.00 OTHERS	LIQUID	
Hazard Class:				
		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
VACUUM DISTILLATES		70592788		

LOCATION: PROCESS AREA 5NBR

NFPA-704: N/A

Products: 13

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
BUTANE MIXED	PURE	49.00 OTHERS	GAS	
Hazard Class:				
		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
N-BUTANE		106978		
ISOBUTANE		75285		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER 9098 ST-2	PURE	560.00 GALLONS	LIQUID	
Hazard Class:				
		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER		7732185		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CRUDE OIL (SOUR)	PURE	1,287.00 OTHERS	LIQUID	
Hazard Class:				
		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CRUDE OIL		8002059		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DISTILLATE MIXTURE	PURE	60.00 OTHERS	LIQUID	
Hazard Class:				
		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GAS OIL		64741442		
THERMAL CRACKED DISTILLATE LIGHT		64741828		
KEROSENE		8008206		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FUEL GAS REFINERY	PURE	24.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
FUEL GAS, REFINERY		68476299		
HYDROGEN		1333740		
ETHYLENE		74851		
NITROGEN COMPRESS GAS		7727379		
PROPYLENE		21962243		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN SULFIDE	PURE	471.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 3835 ADDITIVE SC-1008	PURE	120.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: STEEL DRUM		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
WATER				
TRADE SECRET-HAZARDOUS ULT-0010				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NAPHTHA MIXTURE	PURE	62.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
THERMOCRACKED NAPHTHA HEAVY COKER	50.00	68333233		
BENZENE		71432		
NAPHTHA	80.00	8030306		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PROPANE	PURE	13.00 OTHERS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PROPANE		74986		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODIUM HYPOCHLORITE	PURE	1,102.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFURIC HYPOCHLORITE		7681529		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFURIC ACID 93-98.5%	PURE	150.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFURIC ACID		7664939		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
THERMAL CRACKED DISTILLATED LIG	PURE	4,596.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
THERMAL CRACKED DISTILLATE LIGHT			64741828	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
UCARSOL HS SOLVENT 104 42-TK-1	PURE	4,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
TRADE SECRET-HAZARDOUS				

LOCATION: PROCESS AREA 5NTR

NFPA-704: N/A

Products: 18

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ANHYDROUS AMMONIA(88V 904)	PURE	48,000.00 POUNDS	GAS	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
AMMONIA, ANHYDROUS		100.00	7664417	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
AQUA AMMONIA	PURE	18,916.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
AMMONIUM HYDROXIDE		30.00	1336216	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMCO II DETERGENT DEGREASER ST-25	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL BETZ COR-TROL 778P	PURE	525.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: UNDERGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
TRADE SECRET - HAZARDOUS		98.00		
HYDROQUINONE		5.00	123319	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL BTZ APR 400 TK-930602	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SODIUM NITRATE				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL, BETZ OPTI-MEEN 85401	PURE	2,005.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
3-METHOXYPROPYLAMINE		5332730		
TRADE SECRET - HAZARDOUS				
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
ETHYLENE GLYCOL	PURE	1,065.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CHLOROTRIFLUOROMETHANE		75729		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
FUEL GAS, REFINERY	PURE	65.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
FUEL GAS, REFINERY		68476299		
HYDROGEN		1333740		
ETHYLENE		74851		
NITROGEN, COMPRESSED GAS		7727379		
PROPYLENE		21962243		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
HYDROGEN SULFIDE	PURE	3.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
IPC 1358 ADDITIVE	PURE	135.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
PHOSPHORIC ACID, ISOCTYL ESTER		12645533		
MIDDLE DISTILLATE SOLVENT EXTRACTS		64742069		
BRANCHED DODOCYLBENZENE SULFONIC ACID		68411325		
AMIDES, FROM C16-C22 FATTY ACIDS AN		68876824		
C12-14-TERT-ALKYL AMINES		68955533		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
IPC 3210 ADDITIVE	PURE	2,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIOCTYL SODIUM SULFOSUCCINATE		577117		
MIDDLE DISTILLATE SOLVENT EXTRACTS		64742069		
HEAVY AROMATIC SOLVENT NAPHTHA		64742945		
N-BUTYL ALCOHOL		71363		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 6677C ADDITIVE SC-1043	PURE	240.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ACRYLAMIDE				
TRADE SECRET-HAZARDOUS				
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
PROPANE	PURE	22.00 OTHERS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
PROPANE			74986	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SODIUM CHLORIDE (SALT)	PURE	32.00 TONS	SOLID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SODIUM CHLORIDE			7647145	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SODIUM HYDROXIDE	PURE	1,500.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SODIUM HYDROXIDE			1310732	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SODIUM HYDROXIDE(10 TK-908)	PURE	1,500.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SODIUM HYDROXIDE		10.00	1310732	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SULFURIC ACID 93-98.5%	PURE	4,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
SULFURIC ACID			7664939	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
UCAROSOL HS SOLVENT 104	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
TRADE SECRET - HAZARDOUS				

LOCATION: PROCESS AREA 5SOUTH

NFPA-704: N/A

Products: 14

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL, BETZ AP400 TK-930605	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	

SODIUM NITRATE

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMICAL, BETZ OPTI-MEEN 85401	PURE	2,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
3-METHOXYPROPYLAMINE		5332730		
TRADE SECRET - HAZARDOUS				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CHEMO II DETERGENT DEGREASER ST-12	PURE	560.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLAMINOETHANOL				
BUTYL CELLOSOLVE				
WATER		7732185		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FUEL GAS, REFINERY	PURE	258.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
FUEL GAS, REFINERY		64476299		
HYDROGEN		1333740		
ETHYLENE		74851		
NITROGEN, COMPRESSED GAS		7727379		
PROPYLENE		21962243		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HYDROGEN SULFIDE	PURE	4.00 POUNDS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 9315 CM ADDITIVE SC-201	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 9315 CM ADDITIVE SC-211	PURE	1,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
IPC 4677 ADDITIVE SC-683	PURE	120.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
KEROSENE				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL MORLINA OIL 220	PURE	555.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI	65.00	64742547		
HYDROTREATED BOTTOMS	55.00	64742570		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO(R) T OIL 150 93-TK-1	PURE	250.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTI	99.00	64742547		
CATALYTIC DEWAXED HEAVY PARAFFINIC		64742707		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO(R) T OIL 68 5-TK-2	PURE	250.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGTREATED HEAVY PARAFFINIC DISTI		64742547		
CATALYTIC DEWAXED HEAVY PARAFFINIC		64742707		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SODIUM HYPOCHLORITE(TK-9010)	MIXTURE	1,102.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYPOCHLORITE	13.00	7681529		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFURIC ACID 93-98.5%	PURE	200.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFURIC ACID		7664939		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ULTRA DETERGENT	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DITHYLENE GLYCOL MONOBUTYL ETHER		112345		
DIRECT BLUE 86		1330387		
FAST WOOD YELLOW		6359906		
POTASSIUM PYROPHOSPHATE, ANHYDROUS		7320345		
WATER		7732185		

LOCATION: PROCESS AREA 6E

NFPA-704: N/A

Products: 40

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CLEAN DIESEL 81-TK-3	PURE	GALLONS	LIQUID	
Hazard Class:		Storage Type: GLASS BOTTLE		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIESEL OIL (C11-C21)				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
CRUDE OIL (SOUR)	PURE	50,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CRUDE OIL		8002059		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DECANT OIL	PURE	9,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DECANT OIL		64741624		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DIESEL FUEL	PURE	5,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIESEL OIL (C11-C21)		68334305		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DIESEL FUEL'	PURE	OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIESEL OIL (C11-C21)		68334305		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DIESEL FUEL NO. 2 GRADE	PURE	84,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIESEL FUEL NO. 2		68476346		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
DOMESTIC CRUDE 94-TK-9003	PURE	GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CRUDE OIL				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FC-600 LIGHT WATER GRAND ATC/A	PURE	6,500.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLENE GLYCOL MONOBUTYL ETHER		112345		
WATER		7732185		
TRADE SECRET - HAZARDOUS				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FUEL GAS, REFINERY	PURE	457.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
FUEL GAS, REFINERY		67476299		
HYDROGEN		1333740		
ETHYLENE		74851		
NITROGEN, COMPRESSED GAS		7727379		
PROPYLENE		21962243		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GAS OIL, DESULFURIZED	PURE	OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GAS OIL		64741442		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GAS OIL, LIGHT	PURE	28,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GAS OIL		64741442		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GASOLINE UNLEADED SUPER	PURE	76,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
GASOLINE, AUTOMOTIVE, UNLEADED		8006619		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HEAVY CAT NAPHTHA 902	PURE	756.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
O-XYLENE				
NAPHTHALENE				
TOLUENE				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HEAVY SOUR CRUDE 9007	PURE	GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CRUDE OIL				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HEAVY SOUR CURDE 9009	PURE	GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CURDE OIL				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
HITEC (R) 4103 FUEL ADDITIVE	PURE	20,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
2-ETHYLHEXYL NITRATE			27247967	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
HYDROGEN PEROXIDE 50%	PURE	7,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
HYDROGEN PEROXIDE		50.00	7722841	
WATER		60.00	7732185	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
HYDROGEN SULFIDE - UNIT 48/59/83/94	PURE	59,316.00 POUNDS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
HYDROGEN SULFIDE			7783064	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
IPC 3025 ADDITIVE SC-1005	PURE	550.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ISOPROPYL ALCOHOL				
XYLENE			1330207	
HEAVY AROMATIC SOLVENT NAPHTHA				
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
IPC 5838	PURE	7,235.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
WATER			7732185	
SODIUM HYPOCHLORITE			7681529	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
IPC 6025 ADDITIVE	PURE	850.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
ALUMINUM CHLOROHYDRATE 50% W/W SOLU			1327419	
DIALLYLDIMETHYLAMMONIUM CHLORIDE HO			26062793	
WATER			7732185	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
JET FUEL A	PURE	47,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
KEROSENE			8008206	
NAPHTHALENE			91203	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
LIGHT CYCLE OIL	PURE	5,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: GLASS BOTTLE		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
LIGHT CATALYTIC CRACKED DISTILLATE			64741599	
SULFUR			7704349	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
LIGHT CYCLE OIL 81-TK-4	PURE	GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
LIGHT CATALYTIC CRACKED DISTILLATE				
SULFUR				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
NAPHTHA MIXTURE	PURE	46.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
THERMOCRACKED NAPHTHA HEAVY COKER		50.00	68333233	
BENZENE			71432	
NAPHTHA		80.00	8030306	
NAPHTHA		80.00	8030306	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PETROTECH 7140 SC-681	PURE	2,000.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
UN 2049				
LIGHT AROMATIC SOLVENT NAPHTHA				
1,2, 4-TRIMETHYLBENZENE				
O-XYLENEALCOHOL				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
PROPANE	PURE	1,143.00 OTHERS	GAS	
Hazard Class:		Storage Type: CYLINDER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
PROPANE			74986	
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
RAW GAS OIL	PURE	35,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
GAS OIL, FULL RANGE			68783084	
HYDROGEN SULFIDE			7783064	
NAPHTHALENE			91203	

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
RECLAIMED OIL/SLOP	PURE	9,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
WATER		7732185		
SUSPENDED SOLIDS				
OILS AND GREASE				
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
REFORMATE	PURE	95,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
REFORMATE (C5-C12)		68955351		
XYLENE		1330207		
TOLUENE		108883		
BENZENE		71432		
ETHYL BENZENE		100414		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SODIUM CHLORIDE	PURE	25.00 TONS	SOLID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM CHLORIDE		7647145		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SODIUM CHLORIDE (SALT)	PURE	25.00 TONS	SOLID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM CHLORIDE		7647145		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SODIUM HYDROXIDE	PURE	250.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM HYDROXIDE		1310732		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SODIUM METABISULFITE	PURE	55.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SODIUM METABISULFITE		7681574		
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
SOUR WATER	PURE	20,000.00 OTHERS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		
AMMONIA, ANHYDROUS		7664417		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SULFURIC ACID 93-98.5	PURE	1,350.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SULFURIC ACID		7664939		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SWEET CRUDE 9001	PURE	OTHERS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CRUDE OIL		8002059		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SWEET CRUDE 9002	PURE	GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
CRUDE OIL				
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
TRIETHYLENE GLYCOL	PURE	110.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRIETHYLENE GLYCOL		112276		
<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
ULTRA DETERGENT	PURE	165.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
DIETHYLENE GLYCOL MONOBUTYL ETHER		112345		
DIRECT BLUE 86		1330387		
FAST WOOL YELLOW		3659906		
POTASSIUM PYROPHOSPHATE, ANHYDROUS		7320345		
WATER		7732185		

LOCATION: PROCESS AREA 7

NFPA-704: N/A

Products: 14

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
FUEL GAS REFINERY	PURE	12,260.00 GALLONS	GAS	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
FUEL GAS, REFINERY		68476299		
HYDROGEN		1333740		
ETHYLENE		74851		
NITROGEN, COMPRESSED GAS		7727379		
PROPYLENE		21962243		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
GAS OIL	PURE	12,260.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
HAS OIL, FULL RAGE			68783084	
HYDROGEN SULFIDE			7783064	
NAPHTHALENE			91203	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
HEARTCUT NAPHTHA	PURE	10,400.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
NAPHTHA		80.00	8030306	
THERMOCRACKED NAPHTHA HEAVY COKER		50.00	68333233	
BENZENE			71432	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
HYDROGEN SULFIDE - UNIT 56	PURE	984.00 POUNDS	SOLID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
HYDROGEN SULFIDE				
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
JET FUEL A	PURE	55,770.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
KEROSENE			8008206	
NAPHTHALENE			7664417	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
LIGHT NAPHTHA	PURE	13,290.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
NAPHTHA		80.00	8030306	
THERMOCRACKED NAPHTHA HEAVY COKER		50.00	68333233	
BENZENE			71432	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
LIGHT NPHTHA	PURE	80,340.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: OTHER		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	
NAPHTHA		80.00	8030306	
THERMOCRACKED NAPHTHA HEAVY COKER		50.00	68333233	
BENZENE			71432	
 <u>Chemical Name</u>	 <u>HM Type</u>	 <u>Max Quantity on Hand</u>	 <u>State</u>	 <u>Fed Haz Catg.</u>
NATURAL GAS LIQUIDS (DEMETHANI	PURE	34,060.00 GALLONS	LIQUID	
Hazard Class:		Storage Type: ABOVEGROUND TANK		
<u>Ingredients</u>		<u>Max %</u>	<u>CAS #</u>	

NATURAL GAS LIQUIDS (DEMETHANIZED)
BENZENE

64741486
71432

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
RAW NAPHTHA	PURE	96,700.00 POUNDS	GAS	
Hazard Class:				
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
NAPHTHA	80.00	8030306		
THERMOCRACKED NAPHTHA HEAVY COKER	50.00	68333233		
BENZENE		71432		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
RECYCLE GAS	PURE	93,600.00 POUNDS	GAS	
Hazard Class:				
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN	100.00	1333740		
N-HEXANE		110543		
BENZENE		71432		
AMMONIA, ANHYDROUS		7664417		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SHELL TURBO (R)T OIL 07-TK-2	PURE	360.00 GALLONS	LIQUID	
Hazard Class:				
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROTREATED HEAVY PARAFFINIC DISTILLATE				
CATALYTIC DEWAXED HEAVY PARAFFINIC OIL				

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SOUR GAS	PURE	6,510.00 GALLONS	GAS	
Hazard Class:				
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
SOUR FUEL GAS		68514318		
HYDROGEN SULFIDE		7783064		
HYDROGEN		1333740		
NITROGEN, COMPRESSED GAS		7727379		
BENZENE		71432		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
SOUR WATER	PURE	13,290.00 GALLONS	LIQUID	
Hazard Class:				
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
HYDROGEN SULFIDE		7783064		
AMMONIA, ANHYDROUS		7664417		

<u>Chemical Name</u>	<u>HM Type</u>	<u>Max Quantity on Hand</u>	<u>State</u>	<u>Fed Haz Catg.</u>
VISTONE 802 07-TK-1	PURE	360.00 GALLONS	LIQUID	
Hazard Class:				
<u>Ingredients</u>	<u>Max %</u>	<u>CAS #</u>		
TRADE SECRET-HAZARDOUS				
PHthalate ester				

LOCATION: REF-AR 5NTOP 33-V-1

NFPA-704: N/A

Products: 1

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

AQUA AMMONIA

PURE

10,000.00 GALLONS

LIQUID

Hazard Class:

Storage Type: ABOVEGROUND TANK

IngredientsMax %CAS #

AMMONIUM HYDROXIDE

1336216

LOCATION: REFINERY- AREA 6

NFPA-704: N/A

Products: 1

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

HITEC 4103 FUEL ADDITIVE

PURE

20,000.00 GALLONS

LIQUID

Hazard Class:

Storage Type: OTHER

IngredientsMax %CAS #

2-ETHYLHEXYL NITRATE

27247967

LOCATION: REFINERY-TK-930606

NFPA-704: N/A

Products: 1

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

CHEMICAL, BETZ OPTI-MEEN 85401

PURE

2,025.00 GALLONS

LIQUID

Hazard Class:

Storage Type: ABOVEGROUND TANK

IngredientsMax %CAS #

3-METHOXYPROPYLAMINE

5332730

TRADE SECRET-HAZARDOUS

LOCATION: REFINERY-TK-930607

NFPA-704: N/A

Products: 1

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

CHEMICAL, BETZ COR-TROL 778P

PURE

1,065.00 GALLONS

LIQUID

Hazard Class:

Storage Type: UNDERGROUND TANK

IngredientsMax %CAS #

TRADE SECRET- HAZARDOUS

98.00

HYDROQUINONE

5.00

123319

LOCATION: REFINERY-VISTONE TK

NFPA-704: N/A

Products: 1

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

VISTONE 802

PURE

1,000.00 GALLONS

LIQUID

Hazard Class:

Storage Type: UNDERGROUND TANK

IngredientsMax %CAS #

LOCATION: REFNRV SC-681 AR 6B

NFPA-704: N/A

Products: 1

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

IPC 3210 ADDITIVE CHEMLINK

PURE

2,000.00 GALLONS

LIQUID

Hazard Class:

Storage Type: ABOVEGROUND TANK

IngredientsMax %CAS #

N- BUTYL ALCOHOL

71363

DIOCTYL SODIUM SULFOSUCCINATE

577117

MIDDLE DISTILLATE SOLVENT EXTRACTS

64742069

HEAVY AROMATIC SOLVENT NAPHTHA

64742945

LOCATION: UNDERGROUND TANK

NFPA-704: N/A

Products: 2

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

CHEMICAL BETZ COR-TROL 778P

PURE

1,065.00 GALLONS

LIQUID

Hazard Class:

Storage Type: UNDERGROUND TANK

IngredientsMax %CAS #

TRADE SECRET

HYDROQUINONE

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

CHEMICAL, BETZ COR-TROL 778P

PURE

1,065.00 GALLONS

LIQUID

Hazard Class:

Storage Type: UNDERGROUND TANK

IngredientsMax %CAS #

TRADE SECRET - HAZARDOUS

HYDROQUINONE

123319

LOCATION: UT PROCESS AREA 12

NFPA-704: N/A

Products: 1

Chemical NameHM TypeMax Quantity on HandStateFed Haz Catg.

CHEMICAL, BETZ COR-TROL 778P

PURE

1,000.00 GALLONS

LIQUID

Hazard Class:

Storage Type: UNDERGROUND TANK

IngredientsMax %CAS #

TRADE SECRET - HAZARDOUS


HYDROQUINONE

123319

06/15/2011

My signature indicates that I have verified and agreed with the types and quantities of hazardous materials at this address

INSP SIG: _____ INSP. DATE: _____ BUS. REP. SIG: _____ DATE: _____ DE. SIG: _____ DATE: _____



LOS ANGELES FIRE DEPARTMENT
Los Angeles Certified Unified Program Agency
(213) 978-3680



Los Angeles Fire Department
Data Entry Instruction Form (DEIF)
FOR INTERNAL USE ONLY

Date:	10/18/2010	New Business:	[]
Default Inspector:	GUARDADO, KENNETH OLEKSZYK, ANNA	Fire Station/Census:	038
Facility ID;	FA0019079	Insp District:	423
Facility Name:	VALERO WILMINGTON REFINERY		
Site Address:	2402 E ANAHEIM ST WILMINGTON, CA 90744		

[] VERIFIED FACILITY PHONE NUMBER
PHONE NO: (662) 491-6805

Account Info	
Account Outstanding Balance:	\$30,817.00
Number of Outstanding Invoices:	1

[] VERIFIED MAILING ADDRESS
MAILING ADDRESS: 2402 E ANAHEIM ST
(INVOICES/PERMITS) WILMINGTON, CA 90744

ACTIVE PROGRAMS:		
PE	PE DESCRIPTION	UNITS
MAIN SITE		
1104	PR0024524 HW GEN, 101-500 EMPLOYEES (RCRA-LQG)	
3500	PR0037182 CALARP ADMINISTRATIVE FEE	
3501	PR0037330 CALARP RISK FACTOR FEE	4488
4502	PR0015187 HAZ MAT INVENTORY 8 OR MORE CHEMICALS	
5000	PR0034704 UST ANNUAL PERMIT PER TANK	1

[] VERIFIED OWNER INFO	
OWNER NAME:	ULTRAMAR INC A VALERO COMPANY
OWNER MAILING	2402 E ANAHEIM ST
ADDRESS:	WILMINGTON, CA 90744
PHONE:	

DATA ENTRY INSTRUCTION(S): Check Appropriate Boxes

- ☒ **Changes On BP 01**
☐ **Changes On BP 08**
- ☐ **UST Abandon Sheets**
☐ **UST Installation Sheets**
- ☐ **Changes On Attached CUPA Form(s)**
☐ **Enter Inventory on Attached CUPA Forms**
- ☐ **Inactive Business** *Journal Entry should Be Included*
- Reason:
- ☐ **Other Instruction:** *For Examples: Combine Business Under One BP Number*

Data Entry Name: [Signature]

Date: 10/11/20



BUSINESS INFORMATION

Printed on: 10/18/2010

INSTRUCTIONS : Please complete and sign this form; your signature indicates that the information, as supplied, is accurate.

Business Number: FA0019079 This is your current business plan number. This number must appear on all business plan forms!
Business Name : VALERO WILMINGTON REFINERY

Address Where Business is Conducted : 2402 E ANAHEIM ST,
WILMINGTON, CA 90744
Mailing Address : 2402 E ANAHEIM ST
WILMINGTON, CA 90744

Other On-Site Addresses:

Briefly describe the nature of the hazardous materials operations:

Number of Employees: 450 440
SIC Code : 2911

Dun & Bradstreet Number: 009174921

CONTACT	WORK #	24 HOUR #	PAGER #	OTHER #
Owner Name: ULTRAMAR INC A VALERO COMPANY	(562) 491-6805 6877			
On-Site Manager: SAL VISCONTINI JASON LEE	(562) 491-6637 6608	866- (562) 491-6637 428-6537	(562) 491-6637	(562) 491-6637
Emergency Contact: SHIFT SUPERVISOR JOHN BRIONES	(562) 437-6795 495-5460	866 (562) 437-6795 428-6537		(562) 437-6795
2nd Emergency Contact: HERMAN PINTO JASON LEE	(562) 495-5457 491-6608	866 (562) 491-6705 428-6537	(562) 394-7026	(562) 495-5457

Signature of Legal Business Owner/Authorized Representative

Title

Date

Business Plan has been reviewed and approved: _____

Office Use Only Insp. ID: _____ Date: _____ D/E ID: _____ Date: _____ TS: _____

BUSINESS OWNER/OPERATOR IDENTIFICATION

Page 1 of 1

I. IDENTIFICATION

FACILITY ID#	F A - 0 0 1 9 0 7 9	BEGINNING DATE	March 2009	ENDING DATE	March 2010
BUSINESS NAME (Same as FACILITY NAME or DBA Doing Business As)				BUSINESS PHONE	
Ultramar Inc., DBA Valero Wilmington Refinery				562 491-6877	
BUSINESS SITE ADDRESS					
2402 East Anaheim Street					
CITY			CA	ZIP CODE	
Wilmington				90744	
DUN & BRADSTREET			SIC CODE (4 digit #)		
00-917-4921			2911		
COUNTY					
Los Angeles					
BUSINESS OPERATOR NAME				BUSINESS OPERATOR PHONE	
David Sanders				562 491-6639	

II. BUSINESS OWNER

OWNER NAME	OWNER PHONE
Ultramar Inc., DBA Valero Wilmington Refinery	1 866-428-6537
OWNER MAILING ADDRESS	
P.O. Box 93102	
CITY	STATE ZIP CODE
Long Beach	CA 90809-3102

III. ENVIRONMENTAL CONTACT

CONTACT NAME	CONTACT PHONE
Wesley Waida	562 491-6890
CONTACT MAILING ADDRESS	
P.O. Box 93102	
CITY	STATE ZIP CODE
Long Beach	CA 90809-3102

-PRIMARY-

IV. EMERGENCY CONTACTS

-SECONDARY-

NAME	NAME
John Briones	Jason Lee
TITLE	TITLE
Superintendent Emergency Services	Director Environmental Health & Safety
BUSINESS PHONE	BUSINESS PHONE
562 495-5460	562 491-6608
24-HOUR PHONE	24-HOUR PHONE
1 866 428-6537	1 866 428-6537
PAGER #	PAGER #
562 394-7015	562 394-7020

ADDITIONAL LOCALLY COLLECTED INFORMATION:

Certification: Based on my inquiry of those individuals responsible for obtaining the information, I certify under penalty of law that I have personally examined and am familiar with the information submitted and believe the information is true, accurate, and complete.

SIGNATURE OF OWNER/OPERATOR OR DESIGNATED REPRESENTATIVE	DATE	NAME OF DOCUMENT PREPARER
	3/29/10	M. Gee-Olson
NAME OF SIGNER (print)	TITLE OF SIGNER	
Jason Lee	Director Environmental Health & Safety	



WILMINGTON REFINERY • Ultramar Inc., a Valero Company • 2402 E. Anaheim • Wilmington, CA 90744 • Telephone (562) 491-6877

FA 0019079

March 27, 2009

L.A. CITY FIRE DEPARTMENT
Anna Olekszyk
Manager, CUPA Unified Program
Room 1718
200 N. Main Street
Los Angeles, CA 90012

Ref: Business Plan Ultramar, Inc., DBA Valero Wilmington Refinery

Dear Ms. Olekszyk:

Enclosed please find the fully revised Business Plan update for the Valero Wilmington Refinery owned by Ultramar Inc., a Valero Company. Due to the many turnaround projects during this reporting period we are providing a replacement copy of our Hazardous Chemical Inventory for your file.

Please contact our Industrial Hygienist Melainie Gee-Olson (562) 491-6792 me at (562) 495-5457 if you have any questions.

Sincerely,

A handwritten signature in black ink, appearing to read 'Herman Pinto', written over a horizontal line.

Herman Pinto
Manager, Valero Safety