

MATT GABLER

Member

75th Legislative District

150-B EAST WING
P.O. BOX 202075
HARRISBURG, PA 17120-2075
PHONE: (717) 260-6142
FAX: (717) 782-2906

DUBOIS AREA PLAZA, SUITE 10
1221 EAST DUBOIS AVENUE
DUBOIS, PA 15801
PHONE: (814) 375-4688
FAX: (814) 375-5955

53 SOUTH ST. MARYS STREET, SUITE 2
ST. MARYS, PA 15857
PHONE: (814) 781-6301
FAX: (814) 781-7213



House of Representatives
COMMONWEALTH OF PENNSYLVANIA
HARRISBURG

COMMITTEES:

POLICY COMMITTEE
DEPUTY CHAIRMAN

ENVIRONMENTAL RESOURCES & ENERGY
CHAIRMAN, SUBCOMMITTEE ON PARKS
AND FORESTS

STATE GOVERNMENT
CHAIRMAN, SUBCOMMITTEE
ON FEDERAL-STATE RELATIONS

FINANCE

TOURISM AND RECREATIONAL
DEVELOPMENT

WWW.REPGABLER.COM

November 26, 2014

Clerk of the Board
U.S. Environmental Protection Agency
Environmental Appeals Board
1200 Pennsylvania Avenue, NW
Mail Code 1103M
Washington, DC 20460-0001

**RE: Petition for Review (Appeal) Permit for Windfall Oil & Gas, Inc.
PERMIT #: PAS2D020BCLE
PERMITTED FACILITY: Class II-D injection well, Zelman #1**

RECEIVED
U.S.E.P.A.
2014 NOV 28 PM 1:08
ENVIR. APPEALS BOARD

Dear Environmental Appeals Board,

As a member of the Pennsylvania House of Representatives elected to represent the citizens of Brady Township, Clearfield County, Pennsylvania, I am writing to request review by the Environmental Appeals Board of the Class II-D Injection Well permit that was issued by the Environmental Protection Agency for the Zelman # 1 well. I previously testified that I believed that it would be irresponsible to approve a permit in this location, and I remain convinced that the proper decision in this matter would be to deny this permit application.

In my verbal testimony at the EPA's public hearing held in Luthersburg, PA on December 10, 2012, I expressed concern that nearly two dozen nearby homes rely on drinking water wells within ¼ mile of the proposed injection site. Four of these residences are within 1,000 feet, which constitutes the presumptive liability radius under Title 58, Section 3218 of Pennsylvania law. The drinking water wells within this radius are significant cause for concern as to the potential impacts of this injection well.

Aside from the aforementioned concerns, additional flaws in the permit application remain unaddressed by the EPA in their Response Summary. One notable error is the inaccurate statement on page 3, item 5 that asserts that a one-mile topographic map was

RE: Petition for Review (Appeal) Permit for Windfall Oil & Gas, Inc.

PERMIT #: PAS2D020BCLE

PERMITTED FACILITY: Class II-D injection well, Zelman #1

November 26, 2014

Page 2


filed with the application. The maps on file do not depict a full one-mile radius and do not meet the application criteria set forth in the EPA's Underground Injection Control (UIC) program.

An additional item that has not been adequately addressed is the question of fractures that may extend into the $\frac{1}{4}$ mile area of review. The EPA Response Summary inaccurately asserts that nearby Oriskany gas wells are further away than they actually are located. The $\frac{1}{4}$ mile area of review extends to within feet of some of these Oriskany wells. No evidence has been presented to indicate that the fractures that were created in the initial development of these wells do not extend within the $\frac{1}{4}$ mile area of review radius.

I strongly believe that the proposed site for the Zelman #1 Class II-D injection well is unsuitable for this purpose and should be denied. However, if this permit issuance is allowed to stand, then the safety of the surrounding residences should be fully monitored and ensured. The five nearby Oriskany wells provide opportunity for monitoring wells. However, the EPA made no mention of monitoring wells in issuing their permit. I would ask that, in the unfortunate circumstance that the permit issuance is allowed to stand, that monitoring of surrounding wells be required. Anything less would be irresponsible.

Thank you in advance for your consideration of this request for review, which I submit in compliance with 40 C.F.R. §124.19. If you have any questions, or if I may provide further information, please feel free to contact me anytime.

Regards,



Matt Gabler

Member, 75th District

Pennsylvania House of Representatives

Certificate of Service

I hereby certify that copies of the above appeal were sent to the following persons in the manner indicated:

By First Class U.S. mail:

Windfall Oil and Gas
63 Hill Street
Falls Creek, PA 15840

Shawn M. Garvin
Regional Administrator of EPA Region III
USA EPA Region 3
1650 Arch Street
Philadelphia, PA 19103-2029

RECEIVED
U.S. E.P.A.
2014 NOV 28 PM 1:09
ENVIR. APPEALS BOARD

By Electronic Mail (e-mail)

Shawn M. Garvin, Regional Administrator of EPA Region III
R3 RA@epa.gov

On November 25, 2014 by:

Name: Matt Gabler, Member, 75th District, Pennsylvania House of Representatives

Address: 150-B East Wing, House Box 202075

City, State, Zip: Harrisburg, PA 17120-2075

Email: mgabler@pahousegop.com

Phone: 717-260-6142