

1 NPDES Permit No. ID-002042-7 issued to the City of Homedale Wastewater
2 Treatment Plant.

3 2. Pursuant to 40 C.F.R. § 124.19(c)(2), “a petitioner may file a reply within 15days
4 after service of the response.” Therefore, the ICL reply is currently due on
5 December 23, 2013.

6 1. This due date falls in the middle of the Christmas Holiday period and key ICL
7 staff needed to prepare and review the reply brief will be out of the office for the
8 Holidays.

9 2. On December 5, 2013, in a email to the EPA regional attorney, ICL asked if EPA
10 Region 10 would object to an extension of time for ICL to file its reply. EPA
11 stated that it did not object to ICL filing a motion for an extension. There are no
12 other parties to the proceedings.

13 3. As such, ICL requests that the EAB grant an extension on the time to file a reply
14 to January 24, 2014.

15
16
17 DATED: December 16, 2013

Respectfully Submitted

18
19 

20 _____
Justin Hayes
21 Program Director
Idaho Conservation League
22 PO Box 844
Boise, ID 83702

1 **CERTIFICATE OF SERVICE**

2
3 I certify that the foregoing "ICL Motion for Extension of Time to File Reply to EPA's
4 Response Brief" was sent to the following persons, in the manner specified, on the date below:

5 By email to:

6 Eurika Durr
7 Clerk of the Environmental Appeals Board
8 U.S. Environmental Protection Agency
9 1341 G Street NW, Suite 600
10 Washington, DC 20005

11 Durr.Eurika@epa.gov

12 By email to:

13 Courtney Weber
14 Office of Regional Counsel
15 EPA Region 10
16 1200 Sixth Ave., Ste. 900, MS ORC-158
17 Seattle, WA 98101

18 Weber.Courtney@epa.gov

19 DATED: December 16, 2013

20
21
22
23
24
25


Justin Hayes
Program Director
Idaho Conservation League