

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-15 (D11-F - Product)					Sampled: 05/30/08				RL3
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F06015	0.40	ND	20	0.5	6/4/2008	6/10/2008	
Bromobenzene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
Bromochloromethane	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
Bromodichloromethane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
Bromoform	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
Bromomethane	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
2-Butanone (MEK)	8260B-TCLP	8F06015	2.0	ND	20	200.0	6/4/2008	6/10/2008	
n-Butylbenzene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
tert-Butylbenzene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
sec-Butylbenzene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
Carbon tetrachloride	8260B-TCLP	8F06015	1.0	ND	20	0.5	6/4/2008	6/10/2008	
Chlorobenzene	8260B-TCLP	8F06015	0.40	ND	20	100.0	6/4/2008	6/10/2008	
Chloroethane	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
Chloroform	8260B-TCLP	8F06015	0.40	ND	20	6.0	6/4/2008	6/10/2008	
Chloromethane	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
4-Chlorotoluene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
2-Chlorotoluene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
Dibromochloromethane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
Dibromomethane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F06015	0.40	ND	20	7.5	6/4/2008	6/10/2008	
Dichlorodifluoromethane	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
1,1-Dichloroethane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,1-Dichloroethene	8260B-TCLP	8F06015	1.0	ND	20	0.7	6/4/2008	6/10/2008	
1,3-Dichloropropane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
2,2-Dichloropropane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,2-Dichloropropane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,1-Dichloropropene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 116 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-15 (D11-F - Product) - cont.					Sampled: 05/30/08				RL3
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,2-Dichloroethane	8260B-TCLP	8F06015	0.40	ND	20	0.5	6/4/2008	6/10/2008	
Hexachlorobutadiene	8260B-TCLP	8F06015	1.0	ND	20	0.5	6/4/2008	6/10/2008	
Isopropylbenzene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
p-Isopropyltoluene	8260B-TCLP	8F06015	0.40	0.86	20	NA	6/4/2008	6/10/2008	
Methylene chloride	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
Naphthalene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
n-Propylbenzene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
Styrene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
Tetrachloroethene	8260B-TCLP	8F06015	0.40	ND	20	0.7	6/4/2008	6/10/2008	
Toluene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
Trichloroethene	8260B-TCLP	8F06015	0.40	ND	20	0.5	6/4/2008	6/10/2008	
Trichlorofluoromethane	8260B-TCLP	8F06015	1.0	ND	20	NA	6/4/2008	6/10/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F06015	2.0	ND	20	NA	6/4/2008	6/10/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
Vinyl chloride	8260B-TCLP	8F06015	1.0	ND	20	0.2	6/4/2008	6/10/2008	
m,p-Xylenes	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
o-Xylene	8260B-TCLP	8F06015	0.40	ND	20	NA	6/4/2008	6/10/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				88 %					
Surrogate: Dibromofluoromethane (80-120%)				95 %					
Surrogate: Toluene-d8 (80-120%)				102 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 117 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-16 (D12-F - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F06015	5.0	5.5	250	0.5	6/4/2008	6/11/2008	
Bromobenzene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
Bromochloromethane	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
Bromodichloromethane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
Bromoform	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
Bromomethane	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
2-Butanone (MEK)	8260B-TCLP	8F06015	25	350	250	200.0	6/4/2008	6/11/2008	
n-Butylbenzene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
tert-Butylbenzene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
sec-Butylbenzene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
Carbon tetrachloride	8260B-TCLP	8F06015	12	ND	250	0.5	6/4/2008	6/11/2008	
Chlorobenzene	8260B-TCLP	8F06015	5.0	ND	250	100.0	6/4/2008	6/11/2008	
Chloroethane	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
Chloroform	8260B-TCLP	8F06015	5.0	28	250	6.0	6/4/2008	6/11/2008	
Chloromethane	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
4-Chlorotoluene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
2-Chlorotoluene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
Dibromochloromethane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
Dibromomethane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	C
1,4-Dichlorobenzene	8260B-TCLP	8F06015	5.0	ND	250	7.5	6/4/2008	6/11/2008	
Dichlorodifluoromethane	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
1,1-Dichloroethane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
1,1-Dichloroethene	8260B-TCLP	8F06015	12	ND	250	0.7	6/4/2008	6/11/2008	
1,3-Dichloropropane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
2,2-Dichloropropane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
1,2-Dichloropropane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
1,1-Dichloropropene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 118 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-16 (D12-F - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F06015	5.0	46	250	NA	6/4/2008	6/11/2008	
1,2-Dichloroethane	8260B-TCLP	8F06015	5.0	ND	250	0.5	6/4/2008	6/11/2008	
Hexachlorobutadiene	8260B-TCLP	8F06015	12	ND	250	0.5	6/4/2008	6/11/2008	
Isopropylbenzene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
p-Isopropyltoluene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
Methylene chloride	8260B-TCLP	8F06015	12	100	250	NA	6/4/2008	6/11/2008	
Naphthalene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
n-Propylbenzene	8260B-TCLP	8F06015	5.0	13	250	NA	6/4/2008	6/11/2008	
Styrene	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
Tetrachloroethene	8260B-TCLP	8F06015	5.0	77	250	0.7	6/4/2008	6/11/2008	
Toluene	8260B-TCLP	8F06015	5.0	89	250	NA	6/4/2008	6/11/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F06015	5.0	ND	250	NA	6/4/2008	6/11/2008	
Trichloroethene	8260B-TCLP	8F06015	5.0	34	250	0.5	6/4/2008	6/11/2008	
Trichlorofluoromethane	8260B-TCLP	8F06015	12	ND	250	NA	6/4/2008	6/11/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F06015	25	ND	250	NA	6/4/2008	6/11/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F06015	5.0	74	250	NA	6/4/2008	6/11/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F06015	5.0	22	250	NA	6/4/2008	6/11/2008	
Vinyl chloride	8260B-TCLP	8F06015	12	ND	250	0.2	6/4/2008	6/11/2008	
m,p-Xylenes	8260B-TCLP	8F06015	5.0	200	250	NA	6/4/2008	6/11/2008	
o-Xylene	8260B-TCLP	8F06015	5.0	75	250	NA	6/4/2008	6/11/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				91 %					
Surrogate: Dibromofluoromethane (80-120%)				87 %					
Surrogate: Toluene-d8 (80-120%)				99 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 119 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-17 (D13-F - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	2.0	ND	100	0.5	6/5/2008	6/10/2008	
Bromobenzene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
Bromochloromethane	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
Bromodichloromethane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
Bromoform	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
Bromomethane	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	10	ND	100	200.0	6/5/2008	6/10/2008	
n-Butylbenzene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	M1
tert-Butylbenzene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	M1
Carbon tetrachloride	8260B-TCLP	8F07019	5.0	ND	100	0.5	6/5/2008	6/10/2008	
Chlorobenzene	8260B-TCLP	8F07019	2.0	ND	100	100.0	6/5/2008	6/10/2008	
Chloroethane	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
Chloroform	8260B-TCLP	8F07019	2.0	25	100	6.0	6/5/2008	6/10/2008	M1
Chloromethane	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	M1
2-Chlorotoluene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	M1
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
Dibromochloromethane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
Dibromomethane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F07019	2.0	ND	100	7.5	6/5/2008	6/10/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	5.0	ND	100	0.7	6/5/2008	6/10/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 120 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-17 (D13-F - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	2.0	ND	100	0.5	6/5/2008	6/10/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	5.0	ND	100	0.5	6/5/2008	6/10/2008	
Isopropylbenzene	8260B-TCLP	8F07019	2.0	5.8	100	NA	6/5/2008	6/10/2008	M1
p-Isopropyltoluene	8260B-TCLP	8F07019	2.0	130	100	NA	6/5/2008	6/10/2008	M1
Methylene chloride	8260B-TCLP	8F07019	5.0	19	100	NA	6/5/2008	6/10/2008	
Naphthalene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
n-Propylbenzene	8260B-TCLP	8F07019	2.0	44	100	NA	6/5/2008	6/10/2008	M1
Styrene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
Tetrachloroethene	8260B-TCLP	8F07019	2.0	76	100	0.7	6/5/2008	6/10/2008	M1
Toluene	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	
Trichloroethene	8260B-TCLP	8F07019	2.0	ND	100	0.5	6/5/2008	6/10/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	5.0	ND	100	NA	6/5/2008	6/10/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	10	ND	100	NA	6/5/2008	6/10/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	2.0	180	100	NA	6/5/2008	6/10/2008	M1
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	2.0	58	100	NA	6/5/2008	6/10/2008	M1
Vinyl chloride	8260B-TCLP	8F07019	5.0	ND	100	0.2	6/5/2008	6/10/2008	
m,p-Xylenes	8260B-TCLP	8F07019	2.0	ND	100	NA	6/5/2008	6/10/2008	M1
o-Xylene	8260B-TCLP	8F07019	2.0	4.7	100	NA	6/5/2008	6/10/2008	M1
Surrogate: 4-Bromofluorobenzene (80-120%)				92 %					
Surrogate: Dibromofluoromethane (80-120%)				90 %					
Surrogate: Toluene-d8 (80-120%)				102 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 121 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-18 (D14-F - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	4.0	ND	200	0.5	6/5/2008	6/11/2008	
Bromobenzene	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
Bromochloromethane	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
Bromodichloromethane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
Bromoform	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
Bromomethane	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	20	72	200	200.0	6/5/2008	6/11/2008	
n-Butylbenzene	8260B-TCLP	8F07019	10	29	200	NA	6/5/2008	6/11/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	10	ND	200	0.5	6/5/2008	6/11/2008	
Chlorobenzene	8260B-TCLP	8F07019	4.0	ND	200	100.0	6/5/2008	6/11/2008	
Chloroethane	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
Chloroform	8260B-TCLP	8F07019	4.0	ND	200	6.0	6/5/2008	6/11/2008	
Chloromethane	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
Dibromochloromethane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
Dibromomethane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F07019	4.0	ND	200	7.5	6/5/2008	6/11/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	10	ND	200	0.7	6/5/2008	6/11/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 122 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-18 (D14-F - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	4.0	ND	200	0.5	6/5/2008	6/11/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	10	ND	200	0.5	6/5/2008	6/11/2008	
Isopropylbenzene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
Methylene chloride	8260B-TCLP	8F07019	10	37	200	NA	6/5/2008	6/11/2008	
Naphthalene	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
n-Propylbenzene	8260B-TCLP	8F07019	4.0	8.0	200	NA	6/5/2008	6/11/2008	
Styrene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
Tetrachloroethene	8260B-TCLP	8F07019	4.0	180	200	0.7	6/5/2008	6/11/2008	
Toluene	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	C
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	4.0	ND	200	NA	6/5/2008	6/11/2008	
Trichloroethene	8260B-TCLP	8F07019	4.0	ND	200	0.5	6/5/2008	6/11/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	10	ND	200	NA	6/5/2008	6/11/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	20	ND	200	NA	6/5/2008	6/11/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	4.0	57	200	NA	6/5/2008	6/11/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	4.0	19	200	NA	6/5/2008	6/11/2008	
Vinyl chloride	8260B-TCLP	8F07019	10	ND	200	0.2	6/5/2008	6/11/2008	
m,p-Xylenes	8260B-TCLP	8F07019	4.0	11	200	NA	6/5/2008	6/11/2008	
o-Xylene	8260B-TCLP	8F07019	4.0	5.6	200	NA	6/5/2008	6/11/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				96 %					
Surrogate: Dibromofluoromethane (80-120%)				93 %					
Surrogate: Toluene-d8 (80-120%)				94 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 123 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-19 (D15-F - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	1.0	ND	50	0.5	6/5/2008	6/10/2008	
Bromobenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
Bromochloromethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
Bromodichloromethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
Bromoform	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
Bromomethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	5.0	ND	50	200.0	6/5/2008	6/10/2008	
n-Butylbenzene	8260B-TCLP	8F07019	2.5	7.0	50	NA	6/5/2008	6/10/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	2.5	ND	50	0.5	6/5/2008	6/10/2008	
Chlorobenzene	8260B-TCLP	8F07019	1.0	ND	50	100.0	6/5/2008	6/10/2008	
Chloroethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
Chloroform	8260B-TCLP	8F07019	1.0	ND	50	6.0	6/5/2008	6/10/2008	
Chloromethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
Dibromochloromethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
Dibromomethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F07019	1.0	ND	50	7.5	6/5/2008	6/10/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	2.5	ND	50	0.7	6/5/2008	6/10/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 124 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-19 (D15-F - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	1.0	5.4	50	NA	6/5/2008	6/10/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	1.0	ND	50	0.5	6/5/2008	6/10/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	2.5	ND	50	0.5	6/5/2008	6/10/2008	
Isopropylbenzene	8260B-TCLP	8F07019	1.0	1.1	50	NA	6/5/2008	6/10/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
Methylene chloride	8260B-TCLP	8F07019	2.5	13	50	NA	6/5/2008	6/10/2008	
Naphthalene	8260B-TCLP	8F07019	2.5	3.7	50	NA	6/5/2008	6/10/2008	
n-Propylbenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
Styrene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
Tetrachloroethene	8260B-TCLP	8F07019	1.0	49	50	0.7	6/5/2008	6/10/2008	
Toluene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/10/2008	
Trichloroethene	8260B-TCLP	8F07019	1.0	ND	50	0.5	6/5/2008	6/10/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/10/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	5.0	ND	50	NA	6/5/2008	6/10/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	1.0	35	50	NA	6/5/2008	6/10/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	1.0	12	50	NA	6/5/2008	6/10/2008	
Vinyl chloride	8260B-TCLP	8F07019	2.5	ND	50	0.2	6/5/2008	6/10/2008	
m,p-Xylenes	8260B-TCLP	8F07019	1.0	23	50	NA	6/5/2008	6/10/2008	
o-Xylene	8260B-TCLP	8F07019	1.0	6.7	50	NA	6/5/2008	6/10/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				97 %					
Surrogate: Dibromofluoromethane (80-120%)				85 %					
Surrogate: Toluene-d8 (80-120%)				100 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 125 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-20 (D16-F - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	0.10	ND	5	0.5	6/5/2008	6/10/2008	
Bromobenzene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
Bromochloromethane	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
Bromodichloromethane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
Bromoform	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
Bromomethane	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	0.50	ND	5	200.0	6/5/2008	6/10/2008	
n-Butylbenzene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	0.25	ND	5	0.5	6/5/2008	6/10/2008	
Chlorobenzene	8260B-TCLP	8F07019	0.10	ND	5	100.0	6/5/2008	6/10/2008	
Chloroethane	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
Chloroform	8260B-TCLP	8F07019	0.10	ND	5	6.0	6/5/2008	6/10/2008	
Chloromethane	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
Dibromochloromethane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
Dibromomethane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F07019	0.10	ND	5	7.5	6/5/2008	6/10/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	0.25	ND	5	0.7	6/5/2008	6/10/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 126 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-20 (D16-F - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	0.10	ND	5	0.5	6/5/2008	6/10/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	0.25	ND	5	0.5	6/5/2008	6/10/2008	
Isopropylbenzene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
Methylene chloride	8260B-TCLP	8F07019	0.25	3.5	5	NA	6/5/2008	6/10/2008	
Naphthalene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
n-Propylbenzene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
Styrene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
Tetrachloroethene	8260B-TCLP	8F07019	0.10	0.29	5	0.7	6/5/2008	6/10/2008	
Toluene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
Trichloroethene	8260B-TCLP	8F07019	0.10	ND	5	0.5	6/5/2008	6/10/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	0.25	ND	5	NA	6/5/2008	6/10/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	0.50	ND	5	NA	6/5/2008	6/10/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
Vinyl chloride	8260B-TCLP	8F07019	0.25	ND	5	0.2	6/5/2008	6/10/2008	
m,p-Xylenes	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
o-Xylene	8260B-TCLP	8F07019	0.10	ND	5	NA	6/5/2008	6/10/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				95 %					
Surrogate: Dibromofluoromethane (80-120%)				97 %					
Surrogate: Toluene-d8 (80-120%)				100 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 127 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-21 (D17-F - Product)					Sampled: 05/30/08				RL3
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	1.0	ND	50	0.5	6/5/2008	6/11/2008	
Bromobenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
Bromochloromethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
Bromodichloromethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
Bromoform	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
Bromomethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	5.0	ND	50	200.0	6/5/2008	6/11/2008	
n-Butylbenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	2.5	ND	50	0.5	6/5/2008	6/11/2008	
Chlorobenzene	8260B-TCLP	8F07019	1.0	ND	50	100.0	6/5/2008	6/11/2008	
Chloroethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
Chloroform	8260B-TCLP	8F07019	1.0	ND	50	6.0	6/5/2008	6/11/2008	
Chloromethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
Dibromochloromethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
Dibromomethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	C
1,4-Dichlorobenzene	8260B-TCLP	8F07019	1.0	ND	50	7.5	6/5/2008	6/11/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	2.5	ND	50	0.7	6/5/2008	6/11/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 128 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-21 (D17-F - Product) - cont.					Sampled: 05/30/08				RL3
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	1.0	ND	50	0.5	6/5/2008	6/11/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	2.5	ND	50	0.5	6/5/2008	6/11/2008	
Isopropylbenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
Methylene chloride	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
Naphthalene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
n-Propylbenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
Styrene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
Tetrachloroethene	8260B-TCLP	8F07019	1.0	ND	50	0.7	6/5/2008	6/11/2008	
Toluene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
Trichloroethene	8260B-TCLP	8F07019	1.0	ND	50	0.5	6/5/2008	6/11/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	2.5	ND	50	NA	6/5/2008	6/11/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	5.0	ND	50	NA	6/5/2008	6/11/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
Vinyl chloride	8260B-TCLP	8F07019	2.5	ND	50	0.2	6/5/2008	6/11/2008	
m,p-Xylenes	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
o-Xylene	8260B-TCLP	8F07019	1.0	ND	50	NA	6/5/2008	6/11/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				82 %					
Surrogate: Dibromofluoromethane (80-120%)				86 %					
Surrogate: Toluene-d8 (80-120%)				102 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 129 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-22 (D19-F - Product)			Sampled: 05/30/08						
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	20	ND	1000	0.5	6/5/2008	6/11/2008	
Bromobenzene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
Bromochloromethane	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
Bromodichloromethane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
Bromoform	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
Bromomethane	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	100	ND	1000	200.0	6/5/2008	6/11/2008	
n-Butylbenzene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	50	ND	1000	0.5	6/5/2008	6/11/2008	
Chlorobenzene	8260B-TCLP	8F07019	20	ND	1000	100.0	6/5/2008	6/11/2008	
Chloroethane	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
Chloroform	8260B-TCLP	8F07019	20	ND	1000	6.0	6/5/2008	6/11/2008	
Chloromethane	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
Dibromochloromethane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
Dibromomethane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	C
1,4-Dichlorobenzene	8260B-TCLP	8F07019	20	ND	1000	7.5	6/5/2008	6/11/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	50	ND	1000	0.7	6/5/2008	6/11/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 130 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-22 (D19-F - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	20	ND	1000	0.5	6/5/2008	6/11/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	50	ND	1000	0.5	6/5/2008	6/11/2008	
Isopropylbenzene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
Methylene chloride	8260B-TCLP	8F07019	50	2000	1000	NA	6/5/2008	6/11/2008	
Naphthalene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
n-Propylbenzene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
Styrene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
Tetrachloroethene	8260B-TCLP	8F07019	20	ND	1000	0.7	6/5/2008	6/11/2008	
Toluene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
Trichloroethene	8260B-TCLP	8F07019	20	ND	1000	0.5	6/5/2008	6/11/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	50	ND	1000	NA	6/5/2008	6/11/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	100	ND	1000	NA	6/5/2008	6/11/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
Vinyl chloride	8260B-TCLP	8F07019	50	ND	1000	0.2	6/5/2008	6/11/2008	
m,p-Xylenes	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
o-Xylene	8260B-TCLP	8F07019	20	ND	1000	NA	6/5/2008	6/11/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				84 %					
Surrogate: Dibromofluoromethane (80-120%)				88 %					
Surrogate: Toluene-d8 (80-120%)				98 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 131 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-23 (D20-F - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	200	ND	10000	0.5	6/5/2008	6/12/2008	
Bromobenzene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
Bromochloromethane	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
Bromodichloromethane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
Bromoform	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
Bromomethane	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	1000	ND	10000	200.0	6/5/2008	6/12/2008	
n-Butylbenzene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	500	ND	10000	0.5	6/5/2008	6/12/2008	
Chlorobenzene	8260B-TCLP	8F07019	200	ND	10000	100.0	6/5/2008	6/12/2008	
Chloroethane	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
Chloroform	8260B-TCLP	8F07019	200	ND	10000	6.0	6/5/2008	6/12/2008	
Chloromethane	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
Dibromochloromethane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
Dibromomethane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F07019	200	ND	10000	7.5	6/5/2008	6/12/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	500	ND	10000	0.7	6/5/2008	6/12/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 132 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-23 (D20-F - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	200	ND	10000	0.5	6/5/2008	6/12/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	500	ND	10000	0.5	6/5/2008	6/12/2008	
Isopropylbenzene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
Methylene chloride	8260B-TCLP	8F07019	500	18000	10000	NA	6/5/2008	6/12/2008	
Naphthalene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
n-Propylbenzene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
Styrene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
Tetrachloroethene	8260B-TCLP	8F07019	200	ND	10000	0.7	6/5/2008	6/12/2008	
Toluene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
Trichloroethene	8260B-TCLP	8F07019	200	ND	10000	0.5	6/5/2008	6/12/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	500	ND	10000	NA	6/5/2008	6/12/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	1000	ND	10000	NA	6/5/2008	6/12/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
Vinyl chloride	8260B-TCLP	8F07019	500	ND	10000	0.2	6/5/2008	6/12/2008	
m,p-Xylenes	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
o-Xylene	8260B-TCLP	8F07019	200	ND	10000	NA	6/5/2008	6/12/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				91 %					
Surrogate: Dibromofluoromethane (80-120%)				91 %					
Surrogate: Toluene-d8 (80-120%)				96 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 133 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-24 (D40-O - Product)				Sampled: 05/30/08					
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	0.020	ND	1	0.5	6/5/2008	6/11/2008	
Bromobenzene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
Bromochloromethane	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
Bromodichloromethane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
Bromoform	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
Bromomethane	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	0.10	ND	1	200.0	6/5/2008	6/11/2008	
n-Butylbenzene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	0.050	ND	1	0.5	6/5/2008	6/11/2008	
Chlorobenzene	8260B-TCLP	8F07019	0.020	ND	1	100.0	6/5/2008	6/11/2008	
Chloroethane	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
Chloroform	8260B-TCLP	8F07019	0.020	ND	1	6.0	6/5/2008	6/11/2008	
Chloromethane	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
Dibromochloromethane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
Dibromomethane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F07019	0.020	ND	1	7.5	6/5/2008	6/11/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	0.050	ND	1	0.7	6/5/2008	6/11/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 134 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-24 (D40-O - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	C
1,2-Dichloroethane	8260B-TCLP	8F07019	0.020	ND	1	0.5	6/5/2008	6/11/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	0.050	ND	1	0.5	6/5/2008	6/11/2008	
Isopropylbenzene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
Methylene chloride	8260B-TCLP	8F07019	0.050	0.050	1	NA	6/5/2008	6/11/2008	
Naphthalene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
n-Propylbenzene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
Styrene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
Tetrachloroethene	8260B-TCLP	8F07019	0.020	ND	1	0.7	6/5/2008	6/11/2008	
Toluene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
Trichloroethene	8260B-TCLP	8F07019	0.020	ND	1	0.5	6/5/2008	6/11/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	0.050	ND	1	NA	6/5/2008	6/11/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	0.10	ND	1	NA	6/5/2008	6/11/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
Vinyl chloride	8260B-TCLP	8F07019	0.050	ND	1	0.2	6/5/2008	6/11/2008	
m,p-Xylenes	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
o-Xylene	8260B-TCLP	8F07019	0.020	ND	1	NA	6/5/2008	6/11/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				87 %					
Surrogate: Dibromofluoromethane (80-120%)				83 %					
Surrogate: Toluene-d8 (80-120%)				93 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product)					Sampled: 05/30/08				RL1
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	0.20	ND	10	0.5	6/5/2008	6/10/2008	
Bromobenzene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
Bromochloromethane	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
Bromodichloromethane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
Bromoform	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
Bromomethane	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	1.0	ND	10	200.0	6/5/2008	6/10/2008	
n-Butylbenzene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	0.50	ND	10	0.5	6/5/2008	6/10/2008	
Chlorobenzene	8260B-TCLP	8F07019	0.20	ND	10	100.0	6/5/2008	6/10/2008	
Chloroethane	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
Chloroform	8260B-TCLP	8F07019	0.20	ND	10	6.0	6/5/2008	6/10/2008	
Chloromethane	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
Dibromochloromethane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
Dibromomethane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F07019	0.20	ND	10	7.5	6/5/2008	6/10/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	0.50	ND	10	0.7	6/5/2008	6/10/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 136 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-25 (D37-O - Product) - cont.					Sampled: 05/30/08				RL1
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	0.20	ND	10	0.5	6/5/2008	6/10/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	0.50	ND	10	0.5	6/5/2008	6/10/2008	
Isopropylbenzene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
Methylene chloride	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
Naphthalene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
n-Propylbenzene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
Styrene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
Tetrachloroethene	8260B-TCLP	8F07019	0.20	ND	10	0.7	6/5/2008	6/10/2008	
Toluene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
Trichloroethene	8260B-TCLP	8F07019	0.20	ND	10	0.5	6/5/2008	6/10/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	0.50	ND	10	NA	6/5/2008	6/10/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	1.0	ND	10	NA	6/5/2008	6/10/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
Vinyl chloride	8260B-TCLP	8F07019	0.50	ND	10	0.2	6/5/2008	6/10/2008	
m,p-Xylenes	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
o-Xylene	8260B-TCLP	8F07019	0.20	ND	10	NA	6/5/2008	6/10/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				86 %					
Surrogate: Dibromofluoromethane (80-120%)				94 %					
Surrogate: Toluene-d8 (80-120%)				96 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-26 (D30-B - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
Benzene	8260B-TCLP	8F07019	0.40	ND	20	0.5	6/5/2008	6/10/2008	
Bromobenzene	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
Bromochloromethane	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
Bromodichloromethane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
Bromoform	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
Bromomethane	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
2-Butanone (MEK)	8260B-TCLP	8F07019	2.0	ND	20	200.0	6/5/2008	6/10/2008	
n-Butylbenzene	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
tert-Butylbenzene	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
sec-Butylbenzene	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
Carbon tetrachloride	8260B-TCLP	8F07019	1.0	ND	20	0.5	6/5/2008	6/10/2008	
Chlorobenzene	8260B-TCLP	8F07019	0.40	ND	20	100.0	6/5/2008	6/10/2008	
Chloroethane	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
Chloroform	8260B-TCLP	8F07019	0.40	ND	20	6.0	6/5/2008	6/10/2008	
Chloromethane	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
4-Chlorotoluene	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
2-Chlorotoluene	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
1,2-Dibromo-3-chloropropane	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
Dibromochloromethane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,2-Dibromoethane (EDB)	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
Dibromomethane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,2-Dichlorobenzene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,3-Dichlorobenzene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,4-Dichlorobenzene	8260B-TCLP	8F07019	0.40	ND	20	7.5	6/5/2008	6/10/2008	
Dichlorodifluoromethane	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
1,1-Dichloroethane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
cis-1,2-Dichloroethene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
trans-1,2-Dichloroethene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,1-Dichloroethene	8260B-TCLP	8F07019	1.0	ND	20	0.7	6/5/2008	6/10/2008	
1,3-Dichloropropane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
2,2-Dichloropropane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,2-Dichloropropane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
cis-1,3-Dichloropropene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
trans-1,3-Dichloropropene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,1-Dichloropropene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 138 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP VOLATILE ORGANIC COMPOUNDS (EPA 1311/8260B)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-26 (D30-B - Product) - cont.					Sampled: 05/30/08				
Reporting Units: mg/l									
Ethylbenzene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,2-Dichloroethane	8260B-TCLP	8F07019	0.40	ND	20	0.5	6/5/2008	6/10/2008	
Hexachlorobutadiene	8260B-TCLP	8F07019	1.0	ND	20	0.5	6/5/2008	6/10/2008	
Isopropylbenzene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
p-Isopropyltoluene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
Methylene chloride	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
Naphthalene	8260B-TCLP	8F07019	1.0	3.3	20	NA	6/5/2008	6/10/2008	
n-Propylbenzene	8260B-TCLP	8F07019	0.40	1.1	20	NA	6/5/2008	6/10/2008	
Styrene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,1,1,2-Tetrachloroethane	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
1,1,2,2-Tetrachloroethane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
Tetrachloroethene	8260B-TCLP	8F07019	0.40	ND	20	0.7	6/5/2008	6/10/2008	
Toluene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,2,3-Trichlorobenzene	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
1,2,4-Trichlorobenzene	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
1,1,1-Trichloroethane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
1,1,2-Trichloroethane	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
Trichloroethene	8260B-TCLP	8F07019	0.40	ND	20	0.5	6/5/2008	6/10/2008	
Trichlorofluoromethane	8260B-TCLP	8F07019	1.0	ND	20	NA	6/5/2008	6/10/2008	
1,2,3-Trichloropropane	8260B-TCLP	8F07019	2.0	ND	20	NA	6/5/2008	6/10/2008	
1,2,4-Trimethylbenzene	8260B-TCLP	8F07019	0.40	14	20	NA	6/5/2008	6/10/2008	
1,3,5-Trimethylbenzene	8260B-TCLP	8F07019	0.40	4.2	20	NA	6/5/2008	6/10/2008	
Vinyl chloride	8260B-TCLP	8F07019	1.0	ND	20	0.2	6/5/2008	6/10/2008	
m,p-Xylenes	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
o-Xylene	8260B-TCLP	8F07019	0.40	ND	20	NA	6/5/2008	6/10/2008	
Surrogate: 4-Bromofluorobenzene (80-120%)				82 %					
Surrogate: Dibromofluoromethane (80-120%)				90 %					
Surrogate: Toluene-d8 (80-120%)				103 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 139 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers	
Sample ID: IRE2681-01 (BULK - Product)					Sampled: 05/29/08					
Reporting Units: mg/l										
gamma-BHC (Lindane)	EPA 1311/8081A	8F05077	0.00050	ND	1	0.4	6/5/2008	6/6/2008	M2	
Chlordane	EPA 1311/8081A	8F05077	0.010	ND	1	0.03	6/5/2008	6/6/2008		
Endrin	EPA 1311/8081A	8F05077	0.00050	ND	1	0.02	6/5/2008	6/6/2008	M2	
Heptachlor	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/6/2008		
Heptachlor epoxide	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/6/2008	M2	
Methoxychlor	EPA 1311/8081A	8F05077	0.00050	ND	1	10.0	6/5/2008	6/6/2008	C-2, M2	
Toxaphene	EPA 1311/8081A	8F05077	0.020	ND	1	0.5	6/5/2008	6/6/2008		
Surrogate: Tetrachloro-m-xylene (35-115%)				26 %					Z	
Surrogate: Decachlorobiphenyl (45-120%)				21 %					Z	
Sample ID: IRE2681-02 (D60-NH - Product)					Sampled: 05/30/08					
Reporting Units: mg/l										
gamma-BHC (Lindane)	EPA 1311/8081A	8F05077	0.00050	ND	1	0.4	6/5/2008	6/5/2008		
Chlordane	EPA 1311/8081A	8F05077	0.010	ND	1	0.03	6/5/2008	6/5/2008		
Endrin	EPA 1311/8081A	8F05077	0.00050	ND	1	0.02	6/5/2008	6/5/2008		
Heptachlor	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/5/2008		
Heptachlor epoxide	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/5/2008		
Methoxychlor	EPA 1311/8081A	8F05077	0.00050	ND	1	10.0	6/5/2008	6/5/2008	C-2	
Toxaphene	EPA 1311/8081A	8F05077	0.020	ND	1	0.5	6/5/2008	6/5/2008		
Surrogate: Tetrachloro-m-xylene (35-115%)				57 %						
Surrogate: Decachlorobiphenyl (45-120%)				61 %						
Sample ID: IRE2681-03 (D67-NH - Product)					Sampled: 05/30/08					RL3
Reporting Units: mg/l										
gamma-BHC (Lindane)	EPA 1311/8081A	8F05077	0.025	ND	50	0.4	6/5/2008	6/6/2008		
Chlordane	EPA 1311/8081A	8F05077	0.50	ND	50	0.03	6/5/2008	6/6/2008		
Endrin	EPA 1311/8081A	8F05077	0.025	ND	50	0.02	6/5/2008	6/6/2008		
Heptachlor	EPA 1311/8081A	8F05077	0.025	ND	50	0.008	6/5/2008	6/6/2008		
Heptachlor epoxide	EPA 1311/8081A	8F05077	0.025	ND	50	0.008	6/5/2008	6/6/2008		
Methoxychlor	EPA 1311/8081A	8F05077	0.025	ND	50	10.0	6/5/2008	6/6/2008	C-2	
Toxaphene	EPA 1311/8081A	8F05077	1.0	ND	50	0.5	6/5/2008	6/6/2008		
Surrogate: Tetrachloro-m-xylene (35-115%)				130 %					Z3	
Surrogate: Decachlorobiphenyl (45-120%)				212 %					Z3	

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 140 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-04 (D73-NH - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F05077	0.00050	ND	1	0.4	6/5/2008	6/5/2008	C-2
Chlordane	EPA 1311/8081A	8F05077	0.010	ND	1	0.03	6/5/2008	6/5/2008	
Endrin	EPA 1311/8081A	8F05077	0.00050	ND	1	0.02	6/5/2008	6/5/2008	
Heptachlor	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/5/2008	
Heptachlor epoxide	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/5/2008	
Methoxychlor	EPA 1311/8081A	8F05077	0.00050	ND	1	10.0	6/5/2008	6/5/2008	
Toxaphene	EPA 1311/8081A	8F05077	0.020	ND	1	0.5	6/5/2008	6/5/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				49 %					
Surrogate: Decachlorobiphenyl (45-120%)				35 %	Z				
Sample ID: IRE2681-05 (D72-NH - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F05077	0.00050	ND	1	0.4	6/5/2008	6/5/2008	C-2
Chlordane	EPA 1311/8081A	8F05077	0.010	ND	1	0.03	6/5/2008	6/5/2008	
Endrin	EPA 1311/8081A	8F05077	0.00050	ND	1	0.02	6/5/2008	6/5/2008	
Heptachlor	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/5/2008	
Heptachlor epoxide	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/5/2008	
Methoxychlor	EPA 1311/8081A	8F05077	0.00050	ND	1	10.0	6/5/2008	6/5/2008	
Toxaphene	EPA 1311/8081A	8F05077	0.020	ND	1	0.5	6/5/2008	6/5/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				59 %					
Surrogate: Decachlorobiphenyl (45-120%)				46 %					
Sample ID: IRE2681-06 (D27-B - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F05077	0.00050	ND	1	0.4	6/5/2008	6/6/2008	C-2
Chlordane	EPA 1311/8081A	8F05077	0.010	ND	1	0.03	6/5/2008	6/6/2008	
Endrin	EPA 1311/8081A	8F05077	0.00050	ND	1	0.02	6/5/2008	6/6/2008	
Heptachlor	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/6/2008	
Heptachlor epoxide	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/6/2008	
Methoxychlor	EPA 1311/8081A	8F05077	0.00050	ND	1	10.0	6/5/2008	6/6/2008	
Toxaphene	EPA 1311/8081A	8F05077	0.020	ND	1	0.5	6/5/2008	6/6/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				45 %					
Surrogate: Decachlorobiphenyl (45-120%)				72 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 141 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers	
Sample ID: IRE2681-07 (D28-B - Product)					Sampled: 05/30/08					
Reporting Units: mg/l										
gamma-BHC (Lindane)	EPA 1311/8081A	8F05077	0.00050	ND	1	0.4	6/5/2008	6/6/2008	C-2	
Chlordane	EPA 1311/8081A	8F05077	0.010	ND	1	0.03	6/5/2008	6/6/2008		
Endrin	EPA 1311/8081A	8F05077	0.00050	ND	1	0.02	6/5/2008	6/6/2008		
Heptachlor	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/6/2008		
Heptachlor epoxide	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/6/2008		
Methoxychlor	EPA 1311/8081A	8F05077	0.00050	ND	1	10.0	6/5/2008	6/6/2008		
Toxaphene	EPA 1311/8081A	8F05077	0.020	ND	1	0.5	6/5/2008	6/6/2008		
Surrogate: Tetrachloro-m-xylene (35-115%)				82 %						
Surrogate: Decachlorobiphenyl (45-120%)				74 %						
Sample ID: IRE2681-08 (D29-B - Product)					Sampled: 05/30/08					
Reporting Units: mg/l										
gamma-BHC (Lindane)	EPA 1311/8081A	8F05077	0.00050	ND	1	0.4	6/5/2008	6/5/2008	C-2	
Chlordane	EPA 1311/8081A	8F05077	0.010	ND	1	0.03	6/5/2008	6/5/2008		
Endrin	EPA 1311/8081A	8F05077	0.00050	ND	1	0.02	6/5/2008	6/5/2008		
Heptachlor	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/5/2008		
Heptachlor epoxide	EPA 1311/8081A	8F05077	0.00050	ND	1	0.008	6/5/2008	6/5/2008		
Methoxychlor	EPA 1311/8081A	8F05077	0.00050	ND	1	10.0	6/5/2008	6/5/2008		
Toxaphene	EPA 1311/8081A	8F05077	0.020	ND	1	0.5	6/5/2008	6/5/2008		
Surrogate: Tetrachloro-m-xylene (35-115%)				38 %						
Surrogate: Decachlorobiphenyl (45-120%)				20 %						
Sample ID: IRE2681-09 (D49-B - Product)					Sampled: 05/30/08					
Reporting Units: mg/l										
gamma-BHC (Lindane)	EPA 1311/8081A	8F06061	0.00050	ND	1	0.4	6/6/2008	6/6/2008	M2 C-2, M2	
Chlordane	EPA 1311/8081A	8F06061	0.010	ND	1	0.03	6/6/2008	6/6/2008		
Endrin	EPA 1311/8081A	8F06061	0.00050	ND	1	0.02	6/6/2008	6/6/2008		
Heptachlor	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008		
Heptachlor epoxide	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008		
Methoxychlor	EPA 1311/8081A	8F06061	0.00050	ND	1	10.0	6/6/2008	6/6/2008		
Toxaphene	EPA 1311/8081A	8F06061	0.020	ND	1	0.5	6/6/2008	6/6/2008		
Surrogate: Tetrachloro-m-xylene (35-115%)				60 %						
Surrogate: Decachlorobiphenyl (45-120%)				19 %						

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-10 (D50-B - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F06061	0.00050	ND	1	0.4	6/6/2008	6/6/2008	C-2
Chlordane	EPA 1311/8081A	8F06061	0.010	ND	1	0.03	6/6/2008	6/6/2008	
Endrin	EPA 1311/8081A	8F06061	0.00050	ND	1	0.02	6/6/2008	6/6/2008	
Heptachlor	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Heptachlor epoxide	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Methoxychlor	EPA 1311/8081A	8F06061	0.00050	ND	1	10.0	6/6/2008	6/6/2008	
Toxaphene	EPA 1311/8081A	8F06061	0.020	ND	1	0.5	6/6/2008	6/6/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				34 %					
Surrogate: Decachlorobiphenyl (45-120%)				49 %					
Sample ID: IRE2681-11 (D56-B - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F06061	0.00050	ND	1	0.4	6/6/2008	6/6/2008	C-2
Chlordane	EPA 1311/8081A	8F06061	0.010	ND	1	0.03	6/6/2008	6/6/2008	
Endrin	EPA 1311/8081A	8F06061	0.00050	ND	1	0.02	6/6/2008	6/6/2008	
Heptachlor	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Heptachlor epoxide	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Methoxychlor	EPA 1311/8081A	8F06061	0.00050	ND	1	10.0	6/6/2008	6/6/2008	
Toxaphene	EPA 1311/8081A	8F06061	0.020	ND	1	0.5	6/6/2008	6/6/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				15 %					
Surrogate: Decachlorobiphenyl (45-120%)				11 %					Z
Sample ID: IRE2681-12 (D51-A - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F06061	0.00050	ND	1	0.4	6/6/2008	6/6/2008	C-2
Chlordane	EPA 1311/8081A	8F06061	0.010	ND	1	0.03	6/6/2008	6/6/2008	
Endrin	EPA 1311/8081A	8F06061	0.00050	ND	1	0.02	6/6/2008	6/6/2008	
Heptachlor	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Heptachlor epoxide	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Methoxychlor	EPA 1311/8081A	8F06061	0.00050	ND	1	10.0	6/6/2008	6/6/2008	
Toxaphene	EPA 1311/8081A	8F06061	0.020	ND	1	0.5	6/6/2008	6/6/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				27 %					
Surrogate: Decachlorobiphenyl (45-120%)				22 %					Z

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-13 (D4-A - Product)					Sampled: 05/30/08				RL3
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F06061	0.010	ND	20	0.4	6/6/2008	6/6/2008	
Chlordane	EPA 1311/8081A	8F06061	0.20	ND	20	0.03	6/6/2008	6/6/2008	
Endrin	EPA 1311/8081A	8F06061	0.010	ND	20	0.02	6/6/2008	6/6/2008	
Heptachlor	EPA 1311/8081A	8F06061	0.010	ND	20	0.008	6/6/2008	6/6/2008	
Heptachlor epoxide	EPA 1311/8081A	8F06061	0.010	ND	20	0.008	6/6/2008	6/6/2008	
Methoxychlor	EPA 1311/8081A	8F06061	0.010	ND	20	10.0	6/6/2008	6/6/2008	C-2
Toxaphene	EPA 1311/8081A	8F06061	0.40	ND	20	0.5	6/6/2008	6/6/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				27 %					Z3
Surrogate: Decachlorobiphenyl (45-120%)				57 %					Z3
Sample ID: IRE2681-14 (D5-A - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F06061	0.00050	ND	1	0.4	6/6/2008	6/6/2008	
Chlordane	EPA 1311/8081A	8F06061	0.010	ND	1	0.03	6/6/2008	6/6/2008	
Endrin	EPA 1311/8081A	8F06061	0.00050	ND	1	0.02	6/6/2008	6/6/2008	
Heptachlor	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Heptachlor epoxide	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Methoxychlor	EPA 1311/8081A	8F06061	0.00050	ND	1	10.0	6/6/2008	6/6/2008	C-2
Toxaphene	EPA 1311/8081A	8F06061	0.020	ND	1	0.5	6/6/2008	6/6/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				16 %					Z
Surrogate: Decachlorobiphenyl (45-120%)				41 %					Z
Sample ID: IRE2681-15 (D11-F - Product)					Sampled: 05/30/08				
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F06061	0.00050	ND	1	0.4	6/6/2008	6/6/2008	
Chlordane	EPA 1311/8081A	8F06061	0.010	ND	1	0.03	6/6/2008	6/6/2008	
Endrin	EPA 1311/8081A	8F06061	0.00050	ND	1	0.02	6/6/2008	6/6/2008	
Heptachlor	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Heptachlor epoxide	EPA 1311/8081A	8F06061	0.00050	ND	1	0.008	6/6/2008	6/6/2008	
Methoxychlor	EPA 1311/8081A	8F06061	0.00050	ND	1	10.0	6/6/2008	6/6/2008	C-2
Toxaphene	EPA 1311/8081A	8F06061	0.020	ND	1	0.5	6/6/2008	6/6/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				12 %					Z
Surrogate: Decachlorobiphenyl (45-120%)				11 %					Z

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 144 of 227>

Kemron Environmental Services-Atlanta
1359-A Ellsworth Industrial Blvd
Atlanta, GA 30318
Attention: Kris Spikes

Project ID: TCLP Samples
U.S. Colloidal
Report Number: IRE2681

Sampled: 05/29/08-05/30/08
Received: 05/30/08

TCLP ORGANOCHLORINE PESTICIDES (EPA 1311/3510/8081A)

Analyte	Method	Batch	Reporting Limit	Sample Result	Dilution Factor	TCLP Limit	Date Extracted	Date Analyzed	Data Qualifiers
Sample ID: IRE2681-16 (D12-F - Product)					Sampled: 05/30/08				RL3
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F06061	0.010	ND	20	0.4	6/6/2008	6/7/2008	
Chlordane	EPA 1311/8081A	8F06061	0.20	ND	20	0.03	6/6/2008	6/7/2008	
Endrin	EPA 1311/8081A	8F06061	0.010	ND	20	0.02	6/6/2008	6/7/2008	
Heptachlor	EPA 1311/8081A	8F06061	0.010	ND	20	0.008	6/6/2008	6/7/2008	
Heptachlor epoxide	EPA 1311/8081A	8F06061	0.010	ND	20	0.008	6/6/2008	6/7/2008	
Methoxychlor	EPA 1311/8081A	8F06061	0.010	ND	20	10.0	6/6/2008	6/7/2008	C-2
Toxaphene	EPA 1311/8081A	8F06061	0.40	ND	20	0.5	6/6/2008	6/7/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				54 %	Z3				
Surrogate: Decachlorobiphenyl (45-120%)				64 %	Z3				
Sample ID: IRE2681-17 (D13-F - Product)					Sampled: 05/30/08				RL3
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.0050	ND	10	0.4	6/7/2008	6/9/2008	
Chlordane	EPA 1311/8081A	8F07044	0.10	ND	10	0.03	6/7/2008	6/9/2008	
Endrin	EPA 1311/8081A	8F07044	0.0050	ND	10	0.02	6/7/2008	6/9/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.0050	ND	10	0.008	6/7/2008	6/9/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.0050	ND	10	0.008	6/7/2008	6/9/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.0050	ND	10	10.0	6/7/2008	6/9/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.20	ND	10	0.5	6/7/2008	6/9/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				204 %	Z3				
Surrogate: Decachlorobiphenyl (45-120%)				407 %	Z3				
Sample ID: IRE2681-18 (D14-F - Product)					Sampled: 05/30/08				RL3
Reporting Units: mg/l									
gamma-BHC (Lindane)	EPA 1311/8081A	8F07044	0.0025	ND	5	0.4	6/7/2008	6/10/2008	
Chlordane	EPA 1311/8081A	8F07044	0.050	ND	5	0.03	6/7/2008	6/10/2008	
Endrin	EPA 1311/8081A	8F07044	0.0025	ND	5	0.02	6/7/2008	6/10/2008	
Heptachlor	EPA 1311/8081A	8F07044	0.0025	ND	5	0.008	6/7/2008	6/10/2008	
Heptachlor epoxide	EPA 1311/8081A	8F07044	0.0025	ND	5	0.008	6/7/2008	6/10/2008	
Methoxychlor	EPA 1311/8081A	8F07044	0.0025	ND	5	10.0	6/7/2008	6/10/2008	
Toxaphene	EPA 1311/8081A	8F07044	0.10	ND	5	0.5	6/7/2008	6/10/2008	
Surrogate: Tetrachloro-m-xylene (35-115%)				63 %					
Surrogate: Decachlorobiphenyl (45-120%)				59 %					

TestAmerica Irvine

Joseph Doak For Trupti Mistry
Project Manager

The results pertain only to the samples tested in the laboratory. This report shall not be reproduced, except in full, without written permission from TestAmerica.

IRE2681 <Page 145 of 227>