

- (c) An identification of the position at each Refinery responsible for LDAR performance as required by Paragraph 225(f);
- (d) A certification of the development of a tracking program for new valves and pumps added during maintenance and construction as required by Paragraph 225(g);
- (e) A certification of the implementation of the calibration drift assessment procedures of Paragraphs 245 - 246;
- (f) A certification of the implementation of the "delay of repair" procedures of Paragraphs 247 - 248.

253. Progress Report for the First Calendar Quarter of Each Year: Reporting on

Audits. COPC will report on the audits and corrective actions (Paragraphs 227 - 232) in the first progress report due under Section IX (Reporting and Recordkeeping) that COPC submits in a new year. In that report, COPC will identify which refineries were audited in the previous year, the identity of the auditors, a summary of the audit findings, a summary of the corrective actions taken for any deficiencies identified, and the schedule for implementation of the corrective actions. In lieu of including this information in the progress reports, COPC may submit the audit reports themselves in January of each year for the previous year's audits.

254. Reporting: Progress Reports due under Section IX. Commencing with the first progress report due in 2006, and annually thereafter in the progress reports due in January under Section IX of this Decree, COPC will report on the following:

- (a) Training. Information identifying the measures that COPC took to comply with the provisions of Paragraph 226; and
- (b) Monitoring. The following information on LDAR monitoring for each quarter of the prior year: (i) a list of the process units monitored; (ii) the number of valves and pumps monitored in each process unit; (iii) the number of valves and pumps found leaking; (iv) the number of "difficult to monitor" pieces of equipment monitored; (v) a list of all equipment currently on the "delay of repair" list and the date each valve or pump was placed on the list; (vi) the number of initial attempts to repair valves which were not completed within one day as required under

Paragraph 238; (vii) the number of first attempts not completed within five (5) days as required under Paragraph 237; (viii) the number of valves and pumps not repaired or placed on the Refinery's delay of repair list within thirty (30) days as required under Paragraph 237; (ix) the number of first "drill and tap" repair attempts not completed within thirty (30) days as required under Paragraph 248; and (x) the number of valve chronic leakers not repaired as required under Paragraph 250.

255. Certifications Required in this Section V.O. Certifications required under this

Section V.O will be made in accordance with the provisions of Section IX.

P. Incorporation of Consent Decree Requirements into Federally Enforceable Permits

256. Obtaining Permit Limits for Consent Decree Emission Limits That Are Effective

Upon the Date of Lodging. By no later than June 30, 2005, COPC will submit complete applications to the applicable state/local agency to incorporate the emission limits and standards required by the Consent Decree that are effective as of the Date of Lodging of the Consent Decree into federally enforceable minor or major new source review permits or other permits that will ensure that the underlying emission limit or standard survives the termination of this Consent Decree. In light of the permitting program in the State of Louisiana, COPC will submit to LDEQ's consolidated permitting program, under the same time frame as that of the previous sentence, appropriate applications, amendments, and/or supplements to ensure that the emission limits and standards required by this Consent Decree that are effective as of the Date of Lodging survive termination of this Consent Decree. Following submission of the complete permit applications (or, for the Alliance Refinery, following submission of the appropriate applications, amendments and/or supplements), COPC will cooperate with the applicable state/local agency by promptly submitting to the applicable state/local agency all information that the applicable state/local agency seeks following its receipt of the permit materials. Upon issuance of such

permits or in conjunction with such permitting, COPC will file any applications necessary to incorporate the requirements of those permits into the Title V permit for the relevant COPC Refinery. COPC does not waive its right to appeal more stringent emission limits or standards than those required by this Consent Decree.

257. Obtaining Permit Limits For Consent Decree Emission Limits That Become Effective After the Date of Lodging/Date of Entry. As soon as practicable, but in no event later than ninety days after the effective date or establishment of any emission limits and standards under this Consent Decree, COPC will submit complete applications to the applicable state/local agency to incorporate those emission limits and standards into federally enforceable minor or major new source review permits or other permits that will ensure that the underlying emission limit or standard survives the termination of this Consent Decree. In light of the permitting program in the State of Louisiana, COPC will submit to LDEQ's consolidated permitting program, under the same time frame as that of the previous sentence, appropriate applications, amendments, and/or supplements so as to ensure that the emission limits and standards required by this Consent Decree survive termination of this Consent Decree. Following submission of the complete permit application (or, for the Alliance Refinery, following submission of the appropriate applications, amendments and/or supplements), COPC will cooperate with the applicable state/local agency by promptly submitting to the applicable state/local agency all information that the applicable state/local agency seeks following its receipt of the permit materials. Upon issuance of such permit or in conjunction with such permitting, COPC will file any applications necessary to incorporate the requirements of that permit into the Title V permit of the appropriate COPC Refinery. COPC does not waive its right to appeal more stringent emission limits or standards than those required by this Consent Decree.

258. Mechanism for Title V Incorporation. The Parties agree that the incorporation of any emission limits or other standards into the Title V permits for COPC's Covered Refineries as required by Paragraphs 256 and 257 will be in accordance with the applicable state or local Title V rules. The Parties agree that incorporation of the requirements of this Decree may be by "amendment" under 40 C.F.R. § 70.7(d) and analogous state Title V rules, where allowed by state law.

259. Construction Permits. COPC agrees to use best efforts to obtain all required, federally enforceable permits and state/local agency permits for the construction of the pollution control technology and/or the installation of equipment necessary to implement the affirmative relief and environmental projects set forth in this Section V and in Section VIII. To the extent that COPC must submit permit applications for this construction or installation to the applicable state/local agency, COPC will cooperate with the applicable state/local agency by promptly submitting to the applicable state/local agency all information that the applicable state/local agency seeks following its receipt of the permit application. This Paragraph is not intended to prevent COPC from applying to the applicable state/local agency for or otherwise using an available pollution control project exemption.

VI. EMISSION CREDIT GENERATION

260. Objectives. The intent of this Section generally is to prohibit COPC from using the emissions reductions ("CD Emissions Reductions") that will result from the installation and operation of the controls required by this Consent Decree, including the controls required in Section VIII, for the purpose of netting reductions or emission offset credits, but also to describe the circumstances which are not prohibited.

261. Prohibition. COPC will not generate or use any NO_x, SO₂, PM, VOC, or CO emissions reductions that result from any projects conducted or controls utilized to comply with this Consent Decree (including the controls required by Section VIII) as netting reductions or emission offset credits in any PSD, major non-attainment and/or minor New Source Review ("NSR") permit or permit proceeding.

262. Outside the Scope of the Prohibition. Nothing in this Section VI is intended to prohibit COPC from seeking to:

- (a) utilize or generate netting reductions or emission offset credits from refinery units that are covered by this Consent Decree to the extent that the proposed netting reductions or emission offset credits represent the difference between the emissions limitations set forth in this Consent Decree for these refinery units and the more stringent emissions limitations that COPC may elect to accept for these refinery units in a permitting process;
- (b) utilize or generate netting reductions or emission offset credits for refinery units that are not subject to an emission limitation pursuant to this Consent Decree;
- (c) utilize or generate netting reductions or emission offset credits for Combustion Units on which Qualifying Controls, as defined in Paragraph 94, have been installed, provided that such reductions are not included in COPC's demonstration of compliance with the requirements of Paragraphs 95 and 98 of this Consent Decree;
- (d) utilize emissions reductions from the installation of controls required by this Consent Decree in determining whether a project that includes both the installation of controls under this Consent Decree and other construction that occurs at the same time and is permitted as a single project triggers major New Source Review requirements;
- (e) utilize CD Emission Reductions for a particular Covered Refinery's compliance with any rules or regulations designed to address regional haze or the non-attainment status of any area (excluding PSD and Non-Attainment New Source Review rules, but including, for example, NO_x or VOC RACT Rules, RECLAIM, the Northeast Ozone Transport Region NO_x Budget Program, and the Houston/Galveston Area NO_x SIP) that apply to the particular Covered Refinery. Notwithstanding the preceding sentence, and except as between the LAR Carson Plant and the LAR Wilmington Plant (for which trading and selling as between

the two Plants is allowed), COPC will not trade or sell any CD Emissions Reductions;

- (f) generate, sell or trade NO_x or SO₂ credits that are not CD Emission Reductions for purposes of the RECLAIM program at the LAR Wilmington or Carson Plants. CD Emissions Reductions do not include any of the emissions reductions generated at the LAR Wilmington FCCU by the use of: (i) NO_x Additives from the Date of Lodging to June 30, 2006; and/or (ii) SO₂ Reducing Catalyst Additives from the Date of Lodging until December 31, 2008. Between June 30, 2006, and the date of the establishment of a NO_x limit pursuant to Paragraphs 50 - 51, and between December 31, 2008, and the date of the establishment of a SO₂ limit pursuant to Paragraphs 69 - 70, reductions from the LAR Wilmington FCCU in NO_x and SO₂ emissions, respectively, achieved through the use of the additives required by this Consent Decree are CD Emissions Reductions. After the dates that NO_x and SO₂ limits are established for the LAR Wilmington FCCU pursuant to Paragraphs 50 - 51 and Paragraphs 69 - 70, reductions beyond those limits are not CD Emissions Reductions and may be sold or traded.

263. Distilling West. Notwithstanding any other provision in this Section VI, COPC may not use any credits resulting from the emissions reductions at Distilling West required in this Consent Decree in any emissions banking, trading or netting program for PSD, major non-attainment New Source Review ("NSR") or minor NSR, or in any comparable state or local regulatory program.

VII. MODIFICATIONS TO IMPLEMENTATION SCHEDULES

264. Modifications Relating to Securing Permits or Approvals (in states where permits are characterized as "Approvals").

- (a) Timely Submitting Complete Permit Applications and Exercising Best Efforts.

For any work under Sections V or VIII of this Consent Decree that requires a federal, state, regional and/or local permit or approval (including but not limited to air or wastewater permits or approvals), COPC will be responsible for submitting in a timely fashion complete applications for federal, state, regional and local permits and approvals for work and activities required so that permit or approval decisions can be made in a timely fashion. COPC will use its best efforts to:

(i) submit permit applications (e.g., applications for permits to construct, operate, or their equivalent) that comply with all applicable requirements; and (ii) secure permits after filing the applications, including timely provision of additional information, if requested.

(b) Notification. If it appears that the failure of a governmental entity to act upon a timely-submitted, complete permit application may delay COPC's performance of work according to an applicable implementation schedule, COPC will notify EPA and the Applicable Co-Plaintiff of any such delays as soon as COPC reasonably concludes that the delay could affect its ability to comply with the implementation schedule set forth in this Consent Decree. COPC will propose for approval by EPA a modification to the applicable schedule of implementation. EPA, in consultation with the Applicable Co-Plaintiff, will not unreasonably withhold its consent to requests for modifications of schedules of implementation if the requirements of Paragraph 264(a) are met.

(c) Procedures for Modifying Dates. The provisions of Paragraph 437 will govern modifications under this Paragraph 264.

(d) Stipulated Penalties Inapplicable. Stipulated penalties will not accrue nor be due and owing during any period between a scheduled implementation date and an approved modification to such date; provided however, that EPA and the Applicable Co-Plaintiff will retain the right to seek stipulated penalties if EPA does not approve a modification to a date or dates.

(e) Force Majeure Inapplicable. The failure of a governmental entity to act upon a timely-submitted, complete permit application will not constitute a force majeure event triggering the requirements of Section XIV; instead, Paragraph 264 will apply.

265. Modifications Relating to Securing EPA Approval under this Consent Decree.

(a) For requirements of this Decree where COPC is prohibited from commencing an action prior to receiving EPA approval, COPC will use its best efforts to submit materials that comply with all applicable requirements of this Consent Decree and to ensure EPA's timely response to the applicable submission. If it appears that the failure by EPA to timely provide an approval that is a condition precedent to subsequent action(s) will delay COPC's performance of subsequent action(s), COPC and EPA will modify all relevant deadlines as appropriate in light of the delay. The provisions of Paragraph 437 will govern modifications under this Paragraph 265. If EPA fails to timely act on a modification(s) required by this Subparagraph, stipulated penalties will not accrue for the period up to and including the earlier of: (i) the modified date(s) that EPA eventually determines; or (ii) the modified date(s) that this Court establishes if COPC pursues dispute resolution under Section XV.

(b) For requirements of this Consent Decree that are subject to EPA approval but for which COPC's subsequent actions are not expressly conditioned upon receipt of EPA approval, COPC will commence and continue with such subsequent actions even without receipt of EPA approval. If, during the course of such continuing COPC actions, EPA disapproves in whole or in part of the manner in which COPC has proceeded, extensions of all relevant deadlines may result by agreement of the parties. The provisions of Paragraph 437 will govern modifications under this Paragraph 265. Stipulated penalties will not accrue nor be due and owing during any period between a scheduled implementation date and an approved modification to such date; provided however, that EPA and the Applicable Co-Plaintiff will retain the right to seek stipulated penalties if EPA does not approve a modification to a date or dates.

(c) Force Majeure Inapplicable. The failure of EPA to provide a required approval in a timely manner will not constitute a force majeure event triggering the requirements of Section XIV; instead Paragraph 265 will apply.

266. Modifications Relating to Commercial Unavailability of Control Equipment and/or Additives.

(a) COPC's General Obligation. COPC will be solely responsible for compliance with any deadline or the performance of any work described in Sections V and VIII of this Consent Decree that requires the acquisition and installation of control equipment, including NOx Reducing and SO₂ Reducing Catalyst Additives.

(b) Notification. If it appears that the commercial unavailability of any control equipment may delay COPC's performance of work according to an applicable implementation schedule, COPC will notify EPA and the Applicable Co-Plaintiff of any such delays as soon as COPC reasonably concludes that the delay could affect its/their ability to comply with the implementation schedule set forth in this Consent Decree. COPC will propose for approval by EPA, after consultation with the Applicable Co-Plaintiff, a modification to the applicable schedule of implementation.

(c) Additional Notice Requirements and Requirements relating to Contacting Vendors. Prior to the notice required by Paragraph 266(b), COPC must have contacted a reasonable number of vendors of such equipment or additive and obtained a written representation (or equivalent communication to EPA) from the vendor that the equipment or additive is commercially unavailable. In the notice, COPC will reference Paragraph 266 of this Consent Decree, identify the milestone date(s) it/they contend it/they will not be able to meet, provide the EPA and the Applicable Co-Plaintiff with written correspondence to the vendor

identifying efforts made to secure the control equipment, and describe the specific efforts COPC has taken and will continue to take to find such equipment or additive.

(d) Dispute Resolution. Section XV ("Retention of Jurisdiction/Dispute Resolution") will govern the resolution of any claim of commercial unavailability. EPA, in consultation with the Applicable Co-Plaintiff, will not unreasonably withhold its consent to requests for modifications of schedules of implementation if the requirements of Paragraph 266 are met.

(e) Procedures for Modifying Dates. The provisions of Paragraph 437 will govern modifications under this Paragraph 266.

(f) Stipulated Penalties Inapplicable. Stipulated penalties will not accrue nor be due and owing during any period between an originally scheduled implementation date and an approved modification to such date; provided however, that EPA and the Applicable Co-Plaintiff will retain the right to seek stipulated penalties if EPA does not approve a modification to a date or dates.

(g) Force Majeure Inapplicable. The failure by COPC to secure control equipment or additives will not constitute a force majeure event triggering the requirements of Section XIV; instead, Paragraph 266 will apply.

VIII. SUPPLEMENTAL/BENEFICIAL ENVIRONMENTAL PROJECTS

267. In accordance with the requirements set forth in this Section VIII, and with the schedules set forth in this Section VIII and/or the applicable Appendices, COPC will spend no less than Ten Million One-Hundred Thousand Dollars (\$10,100,000) to implement the Supplemental/Beneficial Environmental Projects ("SEPs/BEPs") described in Paragraphs 268 - 272. COPC may carry out its responsibilities for the SEPs/BEPs identified in Paragraphs 268 - 272 directly or through contractors selected by COPC.

268. Controlling Emissions from the API Separator at the Bayway Refinery.

(a) By no later than April 1, 2006, COPC will submit to NJDEP, with respect to the Bayway Refinery, all applicable permit applications necessary to implement a project to control volatile organic compound emissions from (i) the preflumes associated with Channels 3 through 7 of the API separator ("Preflumes"); (ii) Channels 3 through 7 of the API separator ("Channels 3 through 7"); and (iii) the Corrugated Plate Separator ("CPS"). As part of those permit applications, COPC will include a list of all waste streams that are directed to the API Separator and all waste streams that are directed elsewhere, including an identification of the destination of the waste streams that are not directed to the API. In the list of waste streams, COPC will include VOC composition, VOC concentration, and stream flow rates.

(b) By no later than December 31, 2008, COPC will have completed implementation of the control project required in Subparagraph (a). The equipment installed to meet the requirement of Subparagraph (a) will have a VOC control/removal efficiency of at least 95%. The equipment installed either (i) will cover the currently-existing Preflumes, Channels 3 through 7, and the CPS; or (ii) will replace these structures with a controlled system that is covered or enclosed.

(c) COPC will spend no less than Eight Million Dollars (\$8,000,000) for the project identified in this Paragraph.

269. Project Relating to the Wood River Refinery. By no later than December 31, 2006, COPC will purchase a foam aerial apparatus to be located at the Wood River Refinery at a cost of no less than Nine-Hundred Thousand Dollars (\$900,000). COPC will maintain this apparatus, will train its personnel on its use, and will make it available for incidents within its

own facilities and also for mutual aid response for facilities and communities within the vicinity of the Wood River Refinery.

270. Project Relating to the Trainer Refinery. By no later than June 30, 2005, COPC will donate funds in the amount of Four-Hundred Thousand Dollars (\$400,000) to the Delaware County, Pennsylvania, Local Emergency Planning Committee ("LEPC"). The LEPC will expend these funds by no later than December 31, 2006. The funds will be used to: (i) purchase radio systems; and (ii) develop training and educational materials for the establishment of an Emergency Broadcast System AM and or FM radio channel. The channel will be activated by the LEPC and will broadcast emergency information to Delaware County residents.

271. Project Relating to the Alliance Refinery. COPC will donate funds in the total amount of Four-Hundred Thousand Dollars (\$400,000) to the LDEQ to support the collection and recycling or disposal of household hazardous waste materials at selected locations throughout the State of Louisiana. COPC will donate Two-Hundred Thousand Dollars (\$200,000) by no later than June 30, 2005; One-Hundred Thousand Dollars (\$100,000) by no later than June 30, 2006; and One-Hundred Thousand Dollars (\$100,000) by no later than June 30, 2007. LDEQ will hold no less than two (2) household hazardous materials collection events in Plaquemines Parish.

272. Projects Relating to the Ferndale Refinery.

(a) By no later than June 30, 2005, COPC will purchase a new fire truck to be located at the Ferndale Refinery at a cost of no less than One-Hundred Fifty-Thousand Dollars (\$150,000). COPC will maintain the fire truck, will train its personnel on its use, and will make it available for incidents within COPC's own facilities and also for mutual aid response for facilities and communities within the vicinity of the Ferndale Refinery.

(b) By no later than December 31, 2005, COPC will enter into a contractual arrangement with the Building Performance Center of the Whatcom County Opportunity Council/Skagit County Housing Authority so as to provide for the replacement of approximately forty (40) old, fireplaces/wood stoves with new, clean-burning fireplaces or certified wood stoves. The stoves will be provided free of charge to low-income households that could otherwise not afford the units. By no later than December 31, 2006, COPC will have spent One-Hundred, Twenty-Five Thousand Dollars (\$125,000) on this project, and the number of wood stoves replaced will be adjusted upward or downward, as appropriate, so as to limit to \$125,000 the amount that COPC will be required to spend.

(c) By no later than December 31, 2005, COPC will enter into a contractual arrangement with the International Council for Local Environmental Initiatives so as to provide for the development of baseline emissions inventories and emissions reductions targets for participating cities, towns, and counties within NWCAA's jurisdiction for the purpose of developing local action plans to save energy and reduce emissions. The project will result in an evaluation of quantifiable emission reductions and a projection of future emission reductions. By no later than December 31, 2006, COPC will have spent One-Hundred, Twenty-Five Thousand Dollars (\$125,000) on this project, and the number of participating municipalities/counties will be calculated so as to limit to \$125,000 the amount that COPC will be required to spend.

273. Reductions in Sulfur Dioxide Emissions Relating to the Bayway Refinery.

(a) During each calendar year from the Date of Lodging through December 31, 2013, that the Bayway Refinery has a Scheduled Turnaround of its TGU and does not also take a full plant shutdown, COPC will secure reductions in sulfur dioxide emissions in that calendar year. COPC will use best efforts to secure such reductions first from units at its Bayway Refinery;

second, from sources operating within the State of New Jersey; and, as a last option, from the open market. If COPC secures reductions outside the Bayway Refinery, COPC must ensure that those emissions reductions are not otherwise required by law and are permanently retired.

Provided that COPC complies with its obligation to use best efforts in the manner set forth in this Paragraph, COPC may obtain part of the reductions from the Bayway Refinery, part from other New Jersey sources, and/or part from the open market.

(b) COPC must secure the following reductions in sulfur dioxide emissions, depending upon the source from which the reductions arise:

<u>Source</u>	<u>Number of Tons of Reductions in the Calendar Year</u>
Bayway Refinery	110
Other New Jersey Source(s)	330
Open Market	880

If COPC secures reductions from any combination of the three options, COPC will satisfy the following inequality:

$$x + y/3 + z/8 \geq 110$$

Where: x = SO_2 TPY reductions from the Bayway Refinery

y = SO_2 TPY reductions from other New Jersey sources

z = SO_2 TPY reductions from the open market

(c) To the extent that COPC secures some or all of the required SO_2 reductions from the Bayway Refinery, the baseline will be the facility-wide SO_2 emissions in the calendar year immediately preceding the year of the Scheduled TGU Turnaround or such other twelve (12) month period as is representative of normal operating conditions.

(d) To the extent that COPC secures some or all of the required SO₂ reductions from other New Jersey sources, the reductions will be calculated on a baseline-actual to future-allowable for each unit from which such reductions are secured. The new lower allowable limit(s) will be incorporated into a federally-enforceable permit that meets the requirements of Paragraph 256.

(e) In the applicable SEP progress reports required in Paragraph 277, COPC will include information that identifies the year in which COPC expects to take and/or has taken a Scheduled Turnaround of the Bayway TGU; the baseline facility-wide SO₂ emissions, including the dates of the baseline and the basis for the calculations; the sources from which COPC secured the necessary reductions, including a description of the best efforts that COPC used to comply with the requirements of Subparagraph 273(a); and the amounts secured from each source, including any necessary calculations.

274. Reductions in Sulfur Dioxide Emissions from the Wood River Refinery.

(a) During each calendar year from the Date of Lodging through December 31, 2013, that the Wood River Refinery has a Scheduled Turnaround of its TGU, COPC will reduce actual facility-wide SO₂ emissions, exclusive of SO₂ emissions from the SRP and TGU, by 400 tons from the previous calendar year's total facility-wide SO₂ emissions. If COPC obtains the reductions through the use of SO₂ Reducing Catalyst Additives, the reductions will be calculated as the difference between the combined actual emissions of Wood River FCCUs 1 and 2 (as measured by the use of a CEMS and exclusive of any startup, shutdown, or Malfunction emissions) from the calendar year preceding the Scheduled TGU Turnaround and the calendar year in which the Scheduled TGU Turnaround occurs. Use of SO₂ Reducing Catalyst Additives for this purpose is not subject to the restrictions contained in the catalyst additive program in

Section V. COPC may not use for purposes of the 400 ton reduction required by this Paragraph reductions resulting from the implementation of projects required by this Consent Decree, including the installation of wet gas scrubbers on Wood River FCCUs 1 and/or 2, except as allowed by Paragraph 274(b).

(b) If COPC installs and begins operation of a wet gas scrubber on Wood River FCCU 2 on or before December 31, 2010, then COPC will not be required to obtain the 400 ton reduction set forth in Paragraph 274(a) for any Scheduled Turnarounds of the TGU following December 31, 2010.

(c) In the applicable SEP/BEP progress reports required in Paragraph 277, COPC will include information that identifies the year in which COPC expects to take and/or has taken a Scheduled Turnaround of the Wood River TGU; the baseline facility-wide SO₂ emissions, including the basis for the calculations; and the facility-wide SO₂ emissions in the year of the Scheduled TGU Turnaround, including the basis for the calculations.

275. COPC is responsible for the satisfactory completion of the SEPs/BEPs required under this Consent Decree in accordance with this Section VIII. Upon completion of the SEPs/BEPs set forth in Paragraphs 268 - 272, COPC will submit to EPA and the Applicable State/Local Co-Plaintiff a cost report certified as accurate under penalty of perjury by a responsible corporate official. If COPC does not expend the entire projected cost of the applicable SEP/BEP as set forth in this Section VIII, COPC will pay a stipulated penalty equal to the difference between the amount expended as demonstrated in the certified cost report(s) and the projected cost. The stipulated penalty will be paid as provided in Paragraph 377 (Payment of Stipulated Penalties) of the Consent Decree.

276. By signing this Consent Decree, COPC certifies that it is not required, and has no liability under any federal, state, regional or local law or regulation or pursuant to any agreements or orders of any court, to perform or develop any of the projects identified in Paragraphs 268 - 274. COPC further certifies that it has not applied for or received, and will not in the future apply for or receive: (1) credit as a Supplemental Environmental Project or other penalty offset in any other enforcement action for the projects set forth in Paragraphs 268 - 274; (2) credit for any emissions reductions resulting from the projects set forth in Paragraphs 268 - 274 in any federal, state, regional or local emissions trading or early reduction program; or (3) a deduction from any federal, state, regional, or local tax based on its participation in, performance of, or incurrence of costs related to the projects set forth in Paragraphs 268 - 272.

277. COPC will include in each report required by Paragraph 279 a progress report for each SEP/BEP being performed pursuant to this Section-VIII. In addition, the report required by Paragraph 279 of this Consent Decree for the period in which each project identified in Paragraphs 268 - 274 is completed will contain the following information with respect to such projects:

- (a) A detailed description of each project as implemented;
- (b) A brief description of any significant operating problems encountered, including any that had an impact on the environment, and the solutions for each problem;
- (c) Certification that each project has been fully implemented pursuant to the provisions of this Consent Decree; and
- (d) A description of the environmental and public health benefits resulting from implementation of each project (including quantification of the benefits and pollutant reductions, if feasible).

278. COPC agrees that in any public statements regarding these SEPs/BEPs, COPC must clearly indicate that these projects are being undertaken as part of the settlement of an enforcement action for alleged violations of the Clean Air Act and corollary state statutes.

IX. REPORTING AND RECORDKEEPING

279. Beginning with the first full calendar quarter after the Date of Entry of the Consent Decree, COPC will submit to EPA and the Applicable Co-Plaintiffs within thirty (30) days after the end of each calendar quarter through 2005, and semi-annually on January 31 and July 31 thereafter until termination of this Consent Decree a progress report for each of the Covered Refineries. Each report will contain, for the relevant Covered Refinery, the following:

- (a) progress report on the implementation of the requirements of Section V (Affirmative Relief/Environmental Projects) at the relevant Covered Refinery;
- (b) a summary of the emissions data for the relevant Covered Refinery that is specifically required by the reporting requirements of Section V of this Consent Decree for the period covered by the report;
- (c) a description of any problems anticipated with respect to meeting the requirements of Section V of this Consent Decree at the relevant Covered Refinery;
- (d) a description of the status of all SEPs/BEPs (if any) being conducted at the Covered Refinery;
- (e) any such additional matters as COPC believes should be brought to the attention of EPA and the Applicable Co-Plaintiff.

The report will be certified by either the person responsible for environmental management at the appropriate Covered Refinery or by a person responsible for overseeing implementation of this Decree across COPC as follows:

I certify under penalty of law that this information was prepared under my direction or supervision by personnel qualified to properly gather and evaluate the information submitted. Based on my directions and after reasonable inquiry of the person(s) directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

X. CIVIL PENALTY

280. In satisfaction of the civil claims asserted by the United States and the Co-Plaintiffs in the complaint filed in this matter, within thirty (30) days of the Date of Entry of the Consent Decree, COPC will pay a civil penalty of Four Million, Five-Hundred Twenty-Five Thousand Dollars (\$4,525,000) as follows: (1) Three Million Dollars (\$3,000,000) to the United States; (2) Two-Hundred Thousand Dollars (\$200,000) to the State of Illinois; (3) Six-Hundred Twenty-Five Thousand Dollars (\$625,000) to the State of Louisiana; (4) One-Hundred Thousand Dollars (\$100,000) to the Commonwealth of Pennsylvania; and (5) Six-Hundred Thousand Dollars (\$600,000) to the Northwest Clean Air Agency.

281. Payment of monies to the United States will be made by Electronic Funds Transfer ("EFT") to the United States Department of Justice, in accordance with current EFT procedures, referencing USAO File Number 2004 V 02117, DOJ Case Number 90-5-2-1-06722/1, and the civil action case name and case number of this action in the Southern District of Texas. The costs of such EFT will be the responsibility of COPC. Payment will be made in accordance with instructions provided to COPC by the Financial Litigation Unit of the U.S. Attorney's Office for the Southern District of Texas. Of the total amount paid to the United States, \$100,000 will be directed to EPA's Hazardous Substance Superfund. Any funds received after 11:00 a.m. (EST) will be credited on the next business day. COPC will provide notice of payment, referencing USAO File Number 2004 V 02117, DOJ Case Number 90-5-2-1-06722/1, and the civil action case name and case number to the Department of Justice and to EPA, as provided in Paragraph 433 (Notice).

282. Payment of the civil penalty owed to the State of Illinois under Paragraph 280 will be made by certified or corporate check made payable to the "Illinois Environmental Protection

Agency," designated to the Illinois Environmental Protection Trust Fund, and sent to the following address:

Illinois Environmental Protection Agency
Fiscal Services Section
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

The name and number of the case and the COPC Wood River Refinery Federal Employer Identification Number (FEIN) 73-0400345, shall appear on the check. A copy of the certified or corporate check and the transmittal letter will be sent to:

James L. Morgan
Assistant Attorney General
Environmental Bureau
500 South Second Street
Springfield, Illinois 62706

283. Payment of the civil penalty owed to the State of Louisiana under Paragraph 280 will be made by certified or corporate check made payable to the "Louisiana Department of Environmental Quality" and sent to the following address:

Darryl Serio
Fiscal Director
Office of Management and Finance
LDEQ
P.O. Box 4303
Baton Rouge, Louisiana 70821-4303

284. Payment of the civil penalty owed to the Commonwealth of Pennsylvania under Paragraph 280 will be made by certified or corporate check made payable to the "Commonwealth of Pennsylvania, Clean Air Fund" and sent to the following address:

Air Quality Compliance Specialist
Pennsylvania Department of Environmental Protection
2 East Main Street
Norristown, PA 19401

285. Payment of the civil penalty owed to the "Northwest Clean Air Agency" under Paragraph 280 will be made by certified or corporate check made payable to the Northwest Clean Air Agency and sent to the following address:

Director
Northwest Clean Air Agency
1600 South Second St.
Mount Vernon, WA 98273-5202

286. The civil penalty set forth herein is a penalty within the meaning of Section 162(f) of the Internal Revenue Code, 26 U.S.C. § 162(f), and, therefore, COPC will not treat these penalty payments as tax deductible for purposes of federal, state, regional, or local law.

287. Upon the Date of Entry of the Consent Decree, the Consent Decree will constitute an enforceable judgment for purposes of post-judgment collection in accordance with Federal Rule of Civil Procedure 69, the Federal Debt Collection Procedure Act, 28 U.S.C. §§ 3001-3308, and other applicable federal authority. The United States and the Co-Plaintiffs will be deemed judgment creditors for purposes of collecting any unpaid amounts of the civil and stipulated penalties and interest.

XI. STIPULATED PENALTIES

288. COPC will pay stipulated penalties to the United States and to the Applicable Co-Plaintiff for each failure by COPC to comply with the terms of this Consent Decree as provided herein. Stipulated penalties will be calculated in the amounts specified in Paragraphs 289 through 375. Stipulated penalties under Paragraphs 289, 296, 301, 305 will not start to accrue until there is non-compliance with the concentration-based, rolling average emission limits identified in those Paragraphs for five percent (5%) or more of the applicable unit's operating time during any calendar quarter. For those provisions where a stipulated

penalty of either a fixed amount or 1.2 times the economic benefit of delayed compliance is available, the decision of which alternative to seek will rest exclusively within the discretion of the United States or the Applicable Co-Plaintiff. Where a single event triggers more than one stipulated penalty provision in this Consent Decree, only the provision containing the higher stipulated penalty will apply.

A. Non-Compliance with Requirements for NO_x Emissions Reductions from FCCUs

289. For failure to meet any emissions limit for NO_x set forth in Paragraph 13, or any emissions-limit proposed by COPC or established by EPA (final or interim) for NO_x pursuant to Paragraphs 50 - 51, per day, per unit: \$750 for each calendar day in a calendar quarter on which the short-term rolling average exceeds the applicable limit; and \$2,500 for each calendar day in a calendar quarter on which the specified 365-day rolling average exceeds the applicable limit.

290. For failure to timely commence, complete, or comply with the SNERT or Enhanced SNCR: (i) design requirements (Paragraphs 15 - 20; 29 - 30); (ii) optimization study requirements (Paragraphs 21 - 22; 31 - 33); or (iii) demonstration requirements (Paragraphs 23 - 26; 34 - 36), including the submission of the Optimization and Demonstration Reports, per unit, per day:

<u>Period of Delay or Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$1,000
31 st through 60 th day after deadline	\$1,500
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

291. For failure to timely surrender the operating permit for the Distilling West FCCU pursuant to Paragraphs 40, 60, and 81:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$200
31 st through 60 th day after deadline	\$500
Beyond 60 th day after deadline	\$1,000

292. For restarting the Distilling West FCCU in violation of the requirements of Paragraphs 40, 60, and 81: \$27,500 per day.

293. For failure to comply with any requirements of the Low NO_x Combustion Promoter and NO_x Reducing Catalyst Additive protocol, as set forth in Paragraphs 41 - 47 and Appendix D, including submission of the Optimization and Demonstration Reports, per unit, per day:

<u>Period of Delay or Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$1,000
31 st through 60 th day after deadline	\$1,500
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

294. For failure to prepare and/or submit written deliverables required by Subsection V.A per day (except that, where deliverables are specifically identified in those paragraphs covered by the stipulated penalty provisions of Paragraphs 290 or 293, this Paragraph will apply in lieu of Paragraphs 290 or 293 where more than one provision is potentially applicable):

<u>Period of Delay</u>	<u>Penalty per day</u>
------------------------	------------------------

1 st through 30 th day after deadline	\$200
---	-------

31 st through 60 th day after deadline	\$500
--	-------

Beyond 60 th day after deadline	\$1,000
--	---------

295. For failure to install, certify, calibrate, maintain, and/or operate a NO_x CEMS as required by Paragraph 54, per unit per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
------------------------	------------------------

1 st through 30 th day after deadline	\$500
---	-------

31 st through 60 th day after deadline	\$1,000
--	---------

Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater
--	--

B. Non-Compliance with Requirements for SO₂ Emissions Reductions from FCCUs

296. For each failure to meet SO₂ emission limits (final or interim) set forth in Paragraphs 56 or 57, or SO₂ emissions limits proposed by COPC or established by EPA (final or interim) pursuant to Paragraphs 69 - 70, per unit, per day: \$750 for each calendar day in a calendar quarter on which the specified 7-day rolling average exceeds the applicable limit; \$2,500 for each calendar day in a calendar quarter on which the specified 365-day rolling average exceeds the applicable limit.

297. For failure to comply with any requirement of the SO₂ Reducing Catalyst Additives protocol, as set forth in Paragraphs 61 - 66 and Appendix D, including submission of the Optimization and Demonstration Reports, per unit, per day:

Period of Delay or Non-Compliance Penalty per day

1 st through 30 th day after deadline	\$1,000
31 st through 60 th day after deadline	\$1,500
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of the delayed compliance, whichever is greater

298. For failure to prepare and/or submit written deliverables required by Subsection V.B, per day (except that, where deliverables are specifically identified in those paragraphs covered by Paragraph 297, this Paragraph will apply in lieu of Paragraph 297 where both provisions are potentially applicable):

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$200
31 st through 60 th day after deadline	\$500
Beyond 60 th day after deadline	\$1,000

299. For failure to install, certify, calibrate, maintain, and/or operate a SO₂ CEMS as required by Paragraph 73, per unit, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$500
31 st through 60 th day after deadline	\$1,000
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

300. For failure to comply with the plan required by Paragraph 74 for operating the FCCUs in the event of a Hydrotreater Outage, per unit, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$250
31 st through 60 th day after deadline	\$1,000
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

C. Non-Compliance with Requirements for PM Emissions Reductions from FCCUs

301. For each failure to meet applicable PM emission limits for the COPC FCCUs as set forth in Paragraphs 77, 78, and 80 per day, per unit: \$3,000 for each calendar day in a calendar quarter on which the Covered Refinery exceeds the emission limit.

302. For each failure to comply with the PM emission limits, performance standards, or performance tests at the Ferndale FCCU as set forth in Paragraph 79(a) and (b): \$3,000 for each calendar day.

303. For failure to submit an application to amend the PSD permit for the Ferndale FCCU to the Washington Department of Ecology as required in Paragraph 79(c):

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$200
31 st through 60 th day after deadline	\$1,000
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

304. For failure to submit written deliverables, or to conduct required stack tests, pursuant to Paragraph 83:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$200
31 st through 60 th day after deadline	\$500
Beyond 60 th day after deadline	\$1,000

D. Non-Compliance with Requirements for CO Emissions Reductions from FCCUs

305. For each failure to meet the applicable CO emission limits for the COPC FCCUs as set forth in Paragraph 84: \$750 for each calendar day in a calendar quarter on which the specified 1-hour rolling average exceeds the applicable limit; and \$2,500 for each calendar day in a calendar quarter on which the specified 365-day rolling average exceeds the applicable limit.

306. For failure to install, certify, calibrate, maintain, and/or operate a CO CEMS as required by Paragraph 86, per unit, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$500
31 st through 60 th day after deadline	\$1,000
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

E. Non-Compliance with Requirements for NSPS Applicability of FCCU Catalyst Regenerators

307. For failure to comply with NSPS Subparts A and J limits for at each of COPC's FCCU regenerators as required by Paragraph 87, per pollutant per day:

Period of Non-Compliance

Penalty per day

1st through 30th day

\$1,000

31st through 60th day

\$2,000

Beyond 60th day

\$3,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

308. For failure to install, certify, calibrate, maintain, and/or operate a COMS to monitor Opacity as required by Paragraph 90 per unit, per day:

Period of Delay

Penalty per day

1st through 30th day after deadline

\$500

31st through 60th day after deadline

\$1,000

Beyond 60th day after deadline

\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

F. Non-Compliance with Requirements for NO_x Emissions Reductions from Combustion Units

309. For failure to install Qualifying Controls on Combustion Units and/or to submit permit applications sufficient to comply with the requirements of Paragraphs 95 and 98, per day:

Period of Delay

Penalty per day

1st through 30th day after deadline

\$2,500

31st through 60th day after deadline

\$6,000

Beyond 60th day after deadline

\$10,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

310. For failure to install Qualifying Controls on Combustion Units as required by Paragraph 99 by the dates set forth in that Paragraph, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$2,500
31 st through 60 th day after deadline	\$6,000
Beyond 60 th day after deadline	\$10,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

311. For failure to comply with the applicable monitoring requirements as set forth in Paragraphs 100 and 101, per unit, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$500
31 st through 60 th day after deadline	\$1,000
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater.

312. For failure to submit any written deliverable required by Subsection V.F, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$200
31 st through 60 th day after deadline	\$500
Beyond 60 th day	\$1,000

313. For each failure to meet NO_x emission limits proposed by COPC pursuant to Paragraph 95, per day, per unit: \$500 for each calendar day in a calendar quarter on which the emissions exceed the applicable limit.

314. For failure to install all of the required control devices on the Distilling West Combustion Units by the applicable deadline as required by Paragraph 105: \$75,000 per quarter.

315. For failure to conduct emissions tests at the Distilling West Combustion Units under Paragraph 108, or to submit information required pursuant to Paragraphs 106 and 107, \$5000 per month per unit. (This Paragraph will apply in lieu of Paragraph 312, where both provisions are potentially applicable.)

316. For failure to meet the emission limits established pursuant to Paragraph 108: \$1600 per day for each Distilling West Combustion Unit with a capacity of 150 mmBTU/hr (HHV) or greater; \$800 per day for each Distilling West Combustion Unit with a capacity of less than 150 mmBTU/hr (HHV).

317. For failure to submit the required permit applications or amendments to incorporate the emissions limits established pursuant to Paragraph 108: \$2,000 per permit application or amendment per month.

318. For each failure to meet any emission limit for NO_x from the Bayway Crude Stillheater pursuant to Paragraph 109:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$1,000
31 st through 60 th day after deadline	\$2,000
Beyond 60 th day after deadline	\$5,000

319. For failure to install, certify, calibrate, maintain, and/or operate a NO_x CEMS as required by Paragraph 109 per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$500
31 st through 60 th day after deadline	\$1,000
Beyond 60 th day after deadline	\$2,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

G. Non-Compliance with Requirements for SO₂ Emissions Reductions from Heaters and Boilers

320. For burning any fuel gas that contains H₂S in excess of the applicable requirements of NSPS Subparts A and J in one or more heaters or boilers at the Covered Refineries after the date set forth in this Decree on which the respective heater or boiler becomes an "affected facility" subject to NSPS Subparts A & J, per event, per day in a calendar quarter:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day	\$2,500
Beyond 31 st day	\$5,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

321. For burning Fuel Oil in a manner inconsistent with the requirements of Paragraphs 117 and 118, per unit, per day:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day	\$1,750
Beyond 31 st day	\$5,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

H. Non-Compliance with Requirements for NSPS Applicability of Sulfur Recovery Plants

322. For failure to comply with the NSPS Subpart J emission limits at the Covered SRPs pursuant to Paragraph 120, per unit, per day in a calendar quarter:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day	\$1,000
31 st through 60 th day	\$2,000
Over 60 days	\$3,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

323. For failure to eliminate, control, and/or include and monitor all sulfur pit emissions in accordance with the requirements of Paragraph 123, per unit, per day:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day	\$1,000
31 st through 60 th day	\$1,750
Beyond 60 th day	\$4,000 or an amount equal to 1.2 times the economic benefit of delayed compliance whichever is greater

324. For failure to comply with the monitoring requirements of Paragraph 124, per unit, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$500
31 st through 60 th day after deadline	\$1,500
Beyond 60 th day after deadline	\$2,000

325. For failure to develop and comply with the Preventive Maintenance and Operation Plan as specified in Paragraph 125, per Refinery, per day:

<u>Period of Delay or Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$500
31 st through 60 th day	\$1,500
Over 60 days	\$2,000

326. For failure to complete optimization studies and reports at the Alliance, Bayway, Santa Maria, and Wood River SRPs as specified in Paragraphs 127 - 128, or for failure to complete the optimization studies and reports at the Bayway and Santa Maria TGU's as specified in Paragraphs 130 - 132, per Refinery, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$500
31 st through 60 th day	\$1,500
Over 60 days	\$2,000

327. For failure to comply with the performance standards under the terms and conditions of Paragraph 129 during the second or third Scheduled Turnaround of the TGU at the Alliance, Bayway, Santa Maria, or Wood River Refineries, per Refinery, per day: \$2,500.

Stipulated penalties will not apply during the first Scheduled Turnaround of the TGU's at the Alliance, Bayway, Santa Maria, or Wood River Refineries occurring after the Date of Lodging.

328. For failure to provide any written deliverable required by Section V.H., other than the Optimization Studies and the PMO Plans, per deliverable, per day (except as specified in this Paragraph, this Paragraph will apply in lieu of any other potentially applicable stipulated penalties for late deliverables required by Section V.H.):

<u>Period of Delay</u>	<u>Penalty per day</u>
------------------------	------------------------

1 st through 30 th day after deadline	\$200
---	-------

31 st through 60 th day	\$500
---	-------

Over 60 days	\$1,000
--------------	---------

I. Non-Compliance with Requirements for NSPS Applicability of the Sulfuric Acid Plant at LAR Wilmington

329. For failure to comply with the NSPS Subpart H emission limits at the Sulfuric Acid Plant at LAR Wilmington pursuant to Paragraph 136, per day in a calendar quarter:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
---------------------------------	------------------------

1 st through 30 th day	\$1,000
--	---------

31 st through 60 th day	\$2,000
---	---------

Over 60 days	\$3,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater
--------------	--

J. Non-Compliance with Requirements for NSPS Applicability of Flaring Devices

330. For failure to submit the Compliance Plan for Flaring Devices as required by Paragraph 141:

<u>Period of Delay</u>	<u>Penalty per day</u>
------------------------	------------------------

1 st through 30 th day after deadline	\$500
---	-------

31 st through 60 th day	\$1,500
---	---------

Over 60 days	\$2,000
--------------	---------

331. For failure to comply with the compliance method selected by COPC for the Flaring Devices listed on Appendix A after the date on which COPC has certified compliance pursuant to Paragraphs 142 or 143:

<u>Period of Delay</u>	<u>Penalty per day</u>
------------------------	------------------------

1 st through 30 th day after deadline	\$500
31 st through 60 th day	\$1,500
Over 60 days	\$2,000

Provided, however, that if stipulated penalties could be assessed under both this Paragraph and

Paragraph 332, Paragraph 332 will apply.

K. CERCLA/EPCRA - None applicable.

L. Non-Compliance with Requirements for Control of Acid Gas Flaring Incidents and Tail Gas Incidents

332. For AG Flaring Incidents and/or Tail Gas Incidents for which Section V.L makes

COPC liable for stipulated penalties:

Tons Emitted in Acid Gas Flaring Incident or Tail Gas Incident	Length of Time from Commencement of Flaring within the Acid Gas Flaring Incident to Termination of Flaring within the Acid Gas Flaring Incident is 3 hours or less; Length of Time of the Tail Gas Incident is 3 hours or less	Length of Time from Commencement of Flaring within the Acid Gas Flaring Incident to Termination of Flaring within the Acid Gas Flaring Incident is greater than 3 hours but less than or equal to 24 hours; Length of Time of the Tail Gas Incident is greater than 3 hours but less than or equal to 24 hours	Length of Time of Flaring within the Acid Gas Flaring Incident is greater than 24 hours; Length of Time of the Tail Gas Incident is greater than 24 hours
5 Tons or less	\$500 per Ton	\$750 per Ton	\$1,000 per Ton
Greater than 5 Tons, but less than or equal to 15 Tons	\$1,200 per Ton	\$1,800 per Ton	\$2,300 per Ton, up to, but not exceeding, \$27,500 in any one calendar day

Greater than 15 Tons	\$1,800 per Ton, up to, but not exceeding, \$27,500 in any one calendar day	\$2,300 per Ton, up to, but not exceeding, \$27,500 in any one calendar day	\$27,500 per calendar day for each calendar day over which the Acid Gas Flaring Incident or Tail Gas Incident lasts
----------------------	---	---	---

For purposes of calculating stipulated penalties pursuant to this Paragraph 332, only one cell within the matrix will apply. Thus, for example, for a Flaring Incident in which the flaring starts at 1:00 p.m. and ends at 3:00 p.m., and for which 14.5 tons of sulfur dioxide are emitted, the penalty would be \$17,400 ($14.5 \times \$1,200$); the penalty would not be \$13,900 [$(5 \times \$500) + (9.5 \times \$1,200)$]. For purposes of determining which column in the table set forth in this Paragraph applies under circumstances in which flaring occurs intermittently during a Flaring Incident, the flaring will be deemed to commence at the time that the flaring that triggers the initiation of a Flaring Incident commences, and will be deemed to terminate at the time of the termination of the last episode of flaring within the Flaring Incident. Thus, for example, for flaring within a Flaring Incident that (i) starts at 1:00 p.m. on Day 1 and ends at 1:30 p.m. on Day 1; (ii) recommences at 4:00 p.m. on Day 1 and ends at 4:30 p.m. on Day 1; (iii) recommences at 1:00 a.m. on Day 2 and ends at 1:30 a.m. on Day 2; and (iv) no further flaring occurs within the Flaring Incident, the flaring within the Flaring Incident will be deemed to last 12.5 hours -- not 1.5 hours -- and the column for flaring of "greater than 3 hours but less than or equal to 24 hours" will apply.

333. For failure to timely submit any report required by Section V.L or for submitting any report that does not substantially conform to its requirements:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$750
31 st through 60 th day after deadline	\$1,500
Beyond 60 th day after deadline	\$3,000

334. For those corrective action(s) with respect to Acid Gas Flaring, Tail Gas Incidents, or Hydrocarbon Flaring which COPC: (i) agrees to undertake following receipt of an objection by EPA pursuant to Paragraph 156; or (ii) is required to undertake following dispute resolution, then, from the date of EPA's receipt of COPC's report under Paragraph 153 of this Consent Decree until the date that either: (i) a final agreement is reached between EPA and COPC regarding the corrective action; or (ii) a court order regarding the corrective action is entered, COPC will be liable for stipulated penalties as follows:

(a)	<u>Period of Delay</u>	<u>Penalty per day</u>
	1 st through 120 th day after deadline	\$50
	121 st through 180 th day after deadline	\$100
	181 st through 365 th day after deadline	\$300
	Beyond 365 th day	\$3,000

or

- (b) 1.2 times the economic benefit resulting from COPC's failure to implement the corrective action(s)

335. For failure to complete any corrective action with respect to Acid Gas Flaring or Tail Gas Incidents under Paragraphs 154 - 157 of this Decree in accordance with the schedule for such corrective action agreed to by COPC or imposed on COPC pursuant to the dispute

resolution provisions of this Decree (with any such extensions thereto as to which EPA and COPC may agree in writing):

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$1,000
31 st through 60 th day after deadline	\$2,000
Beyond 60 th day after deadline	\$5,000

M. Non-Compliance with Requirements for Control of Hydrocarbon Flaring Incidents

336. For each failure to perform a Root Cause Analysis or submit a written report or perform corrective actions as required by Paragraph 167 for a Hydrocarbon Flaring Incident:

<u>Period of Delay or Non-Compliance</u>	<u>Penalty per day per Incident</u>
1st through 30th day	\$500
31st through 60th day	\$1,500
Beyond 60th day	\$3,000

N. Non-Compliance with Requirements for Benzene Waste Operations NESHAP Program Enhancements

337. For failure to comply with the requirements of Paragraph 174 relating to Ferndale's compliance with the benzene waste operations NESHAP, per day:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30th day	\$1,000
31 st through 60 th day	\$2,000
Beyond 60th day	\$3,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

338. For failure to complete the BWON Compliance Review and Verification Reports as required by Paragraphs 176 and, if necessary, 177:

\$7,500 per month, per refinery.

339. For failure to submit a plan that provides for actions necessary to correct non-compliance as required by Paragraphs 179 or 180 or for failure to implement the actions necessary to correct non-compliance and to certify compliance as required by Paragraph 182, per refinery:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$1,250
31 st through 60 th day after deadline	\$3,000
Beyond 60 th day	\$5,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

340. For failure to comply with the requirements set forth in Paragraphs 183 - 193 for use, monitoring and replacement of carbon canisters: \$1,000 per incident of non-compliance, per day.

341. For failure to submit or maintain any records or materials required by Paragraphs 183 - 194 of this Consent Decree: \$2,000 per record or submission.

342. For failure to establish an annual review program to identify new benzene waste streams as required by Paragraph 195: \$2,500 per month, per refinery.

343. For failure to perform laboratory audits as required by Paragraphs 196 - 200: \$5,000 per month, per audit.

344. For failure to implement the training requirements as set forth in Paragraph 202 - 205: \$10,000 per quarter, per Refinery.

345. For failure to meet the applicable control standards of Subpart FF for waste management units handling non-exempt, non-aqueous wastes as required by Paragraph 207: \$10,000 per month per waste management unit.

346. For failure to submit any plans or other deliverables required by Paragraphs 209 - 217, or for failure to comply with the requirements of Paragraph 218, when applicable, for retaining third-party assistance: \$10,000 per month, per refinery.

347. For failure to conduct sampling in accordance with the sampling plans required by Paragraphs 209 - 211: \$5,000 per week, per stream, or \$30,000 per quarter, per stream, whichever is greater, but not to exceed \$150,000 per quarter, per refinery.

348. For failure to conduct monthly visual inspections of all Subpart FF water traps as required by Paragraph 219(a): \$500 per drain not inspected.

349. For failure to identify/mark segregated stormwater drains as required in Paragraph 219(b): \$1,000 per week, per drain.

350. For failure to monitor Subpart FF conservation vents as required by Paragraph 219(c): \$500 per vent not monitored.

351. For failure to conduct monitoring of the controlled oil-water separators in benzene service as required by Paragraph 219(d): \$1,000 per month, per unit.

352. For failure to submit the written deliverables required by Subsection V.N (except that, where a more specific stipulated penalty applies pursuant to any of the Paragraphs of this Subsection XI.N, then that specific stipulated penalty will apply in lieu of this Paragraph): \$1,000 per week, per deliverable.

353. If it is determined through federal, state, regional, or local investigation that any Covered Refinery has failed to include all benzene waste streams in its TAB calculation submitted pursuant to Paragraph 176, COPC will pay the following, per waste stream:

<u>Waste Stream</u>	<u>Penalty</u>
for waste streams < 0.03 Mg/yr	\$250
for waste streams between 0.03 and 0.1 Mg/yr	\$1,000
for waste streams between 0.1 and 0.5 Mg/yr	\$5,000
for waste streams > 0.5 Mg/yr	\$10,000

O. Non-Compliance with Requirements for Leak Detection and Repair Program Enhancements

354. For failure to develop an LDAR Program as required by Paragraph 225: \$3,500 per week, per refinery.

355. For failure to implement the training programs specified in Paragraph 226: \$10,000 per month, per program, per refinery.

356. For failure to conduct any of the audits required by Paragraphs 227 - 231: \$5,000 per month, per audit.

357. For failure to implement any actions necessary to correct non-compliance as required by Paragraph 232:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$1,250
31 st through 60 th day after deadline	\$3,000
Beyond 60 th day	\$5,000 or an amount equal to 1.2 times the economic benefit of delayed compliance, whichever is greater

358. For failure to perform monitoring utilizing the lower internal leak rate definitions as specified in Paragraph 234 - 235: \$100 per component, but not greater than \$10,000 per month, per process unit.

359. For failure to repair and re-monitor leaks, as required by Paragraph 237, in excess of the lower leak definitions specified in Paragraphs 234 - 235: \$500 per component, but not greater than \$10,000 per month, per refinery.

360. For failure to implement the "initial attempt" repair program in Paragraph 238: \$100 per valve, but not greater than \$10,000 per month, per refinery.

361. For failure to implement and comply with the LDAR monitoring program as required by Paragraphs 239 - 241: \$100 per component, but not greater than \$10,000 per month, per unit.

362. For failure to use dataloggers or maintain electronic data as required by Paragraph 242 - 243: \$5,000 per month, per refinery.

363. For failure to implement the QA/QC procedures described in Paragraph 244: \$10,000 per month, per refinery.

364. For failure to designate and/or maintain an individual as accountable for LDAR performance as required in Paragraph 225(f), or for failure to implement the maintenance tracking program in Paragraph 225(g): \$3,750 per week, per refinery.

365. For failure to conduct the calibration drift assessments or remonitor valves and pumps based on calibration drift assessments in Paragraphs 245 - 246: \$100 per missed event, per refinery.

366. For failure to comply with the requirements for repair set forth at Paragraphs 247 - 248: \$5,000 per valve or pump, per incident of non-compliance.

367. For failure to comply with the requirement for chronic leakers set forth in Paragraph 250: \$5,000 per valve.

368. For failure to submit any written deliverables required by Subsection V.O (except that, where a more specific stipulated penalty applies pursuant to any of the Paragraphs of this Subsection XI.O, then that specific stipulated penalty will apply in lieu of this Paragraph): \$1,000 per week, per report.

369. If it is determined through a federal, state, regional, or local investigation that COPC has failed to include any valves or pumps in its LDAR program, COPC will pay \$175 per component that it failed to include.

P. Non-Compliance with Requirements Related to Incorporating Consent Decree Requirements into Federally-Enforceable Permits

370. For each failure to submit an application as required by Paragraphs 256 or 257:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$800
31 st through 60 th day after deadline	\$1,500
Beyond 60 th day	\$3,000

Q. Non-Compliance with Requirements Related to Supplemental/Beneficial Environmental Projects

371. For failure to comply with any of the requirements of Paragraph 268:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$1,000
31 st through 60 th day after deadline	\$2,000
Beyond 60 th day after deadline	\$5,000

372. For failure to timely complete implementation of the SEPs/BEPs required by Paragraphs 269 - 272:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$1,000
31 st through 60 th day after deadline	\$1,500
Beyond 60 th day after deadline	\$2,000

373. For failure to comply with the requirements for SO₂ emissions reductions at the Bayway and Wood River Refineries in Paragraphs 273 - 274:

<u>Period of Non-Compliance</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$ 500
31 st through 60 th day after deadline	\$1,000
Beyond 60 th day after deadline	\$1,500

R. Non-Compliance with Requirements for Reporting and Recordkeeping

374. For failure to submit reports as required by Section IX, per report, per day:

<u>Period of Delay</u>	<u>Penalty per day</u>
1 st through 30 th day after deadline	\$300
31 st through 60 th day after deadline	\$1,000
Beyond 60 th day	\$2,000

S. Non-Compliance with Requirements for Payment of Civil Penalties

375. For COPC's failure to pay the civil penalties as specified in Section X of this Consent Decree, COPC will be liable for \$15,000 per day plus interest on the amount overdue at the rate specified in 28 U.S.C. § 1961(a).

T. General Provisions Related to Stipulated Penalties

376. Demand for Stipulated Penalties. COPC will pay stipulated penalties upon written demand by the United States or the Applicable Co-Plaintiff by no later than sixty (60) days after COPC receives such demand. Demand from one agency will be deemed a demand from all applicable agencies, but the agencies will consult with each other prior to making a demand. A demand for the payment of stipulated penalties will identify the particular violation(s) to which the stipulated penalty relates, the stipulated penalty amount that EPA or the Applicable Co-Plaintiff is demanding for each violation (as can be best estimated), the calculation method underlying the demand, and the grounds upon which the demand is based. After consultation with each other, the United States and the Applicable Co-Plaintiff may, in their unreviewable discretion, waive payment of any portion of stipulated penalties that may accrue under this Consent Decree.

377. Payment of Stipulated Penalties. Stipulated penalties owed by COPC will be paid 50% to the United States and 50% to the Applicable Co-Plaintiff. Stipulated penalties owing to the United States of under \$10,000 will be paid by check and made payable to "U.S. Department of Justice," referencing DOJ Number 90-5-2-1-06722/1 and USAO File Number 2004 V 02117, and delivered to the U.S. Attorney's Office in the Southern District of Texas, 910 Travis St., Suite 1500, Houston, Texas 77208. Stipulated penalties owing to the United States of \$10,000 or more and stipulated penalties owing to Co-Plaintiff Illinois, Louisiana, New Jersey, or NWCAA will be paid in the manner set forth in Section X (Civil Penalty) of this Consent Decree. Stipulated penalties owing to Co-Plaintiff New Jersey will be paid by corporate check made payable to "Treasurer, State of New Jersey," and sent to the Administrator, Air Compliance and Enforcement, NJDEP, at the address set forth in Paragraph 433.

378. Stipulated Penalties Dispute. Stipulated penalties will begin to accrue on the day after performance is due or the day a violation occurs, whichever is applicable, and will continue to accrue until performance is satisfactorily completed or until the violation ceases. However, in the event of a dispute over stipulated penalties, stipulated penalties will not accrue commencing upon the date that COPC files a petition with the Court under Paragraph 395 of this Decree if COPC has placed the disputed amount demanded in a commercial escrow account with interest. If the dispute thereafter is resolved in COPC's favor, the escrowed amount plus accrued interest will be returned to COPC; otherwise, EPA and the Applicable Co-Plaintiff will be entitled to the amount that was determined to be due by the Court, plus the interest that has accrued in the escrow account on such amount.

379. The United States and the Co-Plaintiffs reserve the right to pursue any other non-monetary remedies to which they are legally entitled, including but not limited to, injunctive relief, for COPC's violations of this Consent Decree. Where a violation of this Consent Decree is also a violation of the Clean Air Act, its regulations, or a federally-enforceable state law, regulation, or permit, the United States will not seek civil penalties where it already has demanded and secured stipulated penalties from COPC for the same violations nor will the United States demand stipulated penalties from COPC for a Consent Decree violation if the United States has commenced litigation under the Clean Air Act for the same violations. Where a violation of this Consent Decree is also a violation of state law, regulation, or a permit, the Applicable Co-Plaintiff will not seek civil penalties where it already has demanded and secured stipulated penalties from COPC for the same violations, nor will the Applicable Co-Plaintiff demand stipulated penalties from COPC for a Consent Decree violation if the Applicable Co-Plaintiff has commenced litigation under the Clean Air Act for the same violations.

XII. INTEREST

380. COPC will be liable for interest on the unpaid balance of the civil penalty specified in Section X, and for interest on any unpaid balance of stipulated penalties to be paid in accordance with Section XI. All such interest will accrue at the rate established pursuant to 28 U.S.C. § 1961(a) -- i.e., a rate equal to the coupon issue yield equivalent (as determined by the Secretary of Treasury) of the average accepted auction price for the last auction of 52-week U.S. Treasury bills settled prior to the Date of Lodging of the Consent Decree. Interest will be computed daily and compounded annually. Interest will be calculated from the date payment is due under the Consent Decree through the date of actual payment. For purposes of this Paragraph 380, interest pursuant to this Paragraph will cease to accrue on the amount of any stipulated penalty payment made into an interest bearing escrow account as contemplated by Paragraph 378 of the Consent Decree. Monies timely paid into escrow will not be considered to be an unpaid balance under this Section.

XIII. RIGHT OF ENTRY

381. Any authorized representative of EPA or the Applicable Co-Plaintiff, upon presentation of credentials, will have a right of entry upon the premises of the facilities of the Covered Refineries at any reasonable time for the purpose of monitoring compliance with the provisions of this Consent Decree, including inspecting plant equipment and systems, and inspecting all records maintained by COPC required by this Consent Decree or deemed necessary by EPA or the Applicable Co-Plaintiff to verify compliance with this Consent Decree. Except where other time periods specifically are noted, COPC will retain such records for the period of the Consent Decree. Nothing in this Consent Decree will limit the authority of EPA or the

Applicable Co-Plaintiff to conduct tests, inspections, or other activities under any statutory or regulatory provision.

XIV. FORCE MAJEURE

382. If any event occurs or fails to occur which causes or may cause a delay or impediment to performance in complying with any provision of this Consent Decree, COPC will notify EPA and the Applicable Co-Plaintiff in writing as soon as practicable, but in any event within twenty (20) business days of the date when COPC first knew of the event or should have known of the event by the exercise of due diligence. In this notice, COPC will specifically reference this Paragraph 382 of this Consent Decree and describe the anticipated length of time the delay may persist, the cause or causes of the delay, and the measures taken or to be taken by COPC to prevent or minimize the delay and the schedule by which those measures will be implemented. COPC will take all reasonable steps to avoid or minimize such delays. The notice required by this Section will be effective upon the mailing of the same by overnight mail or by certified mail, return receipt requested, to the Applicable EPA Regional Office as specified in Paragraph 433 (Notice).

383. Failure by COPC to substantially comply with the notice requirements of Paragraph 382 as specified above will render this Section XIV (Force Majeure) voidable by the United States, in consultation with the Applicable Co-Plaintiff, as to the specific event for which COPC has failed to comply with such notice requirement, and, if voided, is of no effect as to the particular event involved.

384. The United States, after consultation with the Applicable Co-Plaintiff, will notify COPC in writing regarding its claim of a delay or impediment to performance within forty-five (45) days of receipt of the force majeure notice provided under Paragraph 382.

385. If the United States, after consultation with the Applicable Co-Plaintiff, agrees that the delay or impediment to performance has been or will be caused by circumstances beyond the control of COPC including any entity controlled by COPC and that COPC could not have prevented the delay by the exercise of due diligence, the appropriate Parties will stipulate in writing to an extension of the required deadline(s) for all requirement(s) affected by the delay by a period equivalent to the delay actually caused by such circumstances. Such stipulation will be treated as a non-material modification to the Consent Decree pursuant to Paragraph 437 (Modification) of this Consent Decree. COPC will not be liable for stipulated penalties for the period of any such delay.

386. If the United States, after consultation with the Applicable Co-Plaintiff, does not accept COPC's claim of a delay or impediment to performance, COPC must submit the matter to the Court for resolution to avoid payment of stipulated penalties, by filing a petition for determination with the Court by no later than forty-five (45) days after receipt of the notice in Paragraph 384. Once COPC has submitted this matter to the Court, the United States and the Applicable Co-Plaintiff will have forty-five (45) business days to file their responses to the petition. If the Court determines that the delay or impediment to performance has been or will be caused by circumstances beyond the control of COPC including any entity controlled by COPC and that the delay could not have been prevented by COPC by the exercise of due diligence, COPC will be excused as to that event(s) and delay (including stipulated penalties), for a period of time equivalent to the delay caused by such circumstances.

387. COPC will bear the burden of proving that any delay of any requirement(s) of this Consent Decree was caused by or will be caused by circumstances beyond its/their control, including any entity controlled by it, and that it could not have prevented the delay by the

exercise of due diligence. COPC will also bear the burden of proving the duration and extent of any delay(s) attributable to such circumstances. An extension of one compliance date based on a particular event may, but will not necessarily, result in an extension of a subsequent compliance date or dates.

388. Unanticipated or increased costs or expenses associated with the performance of COPC's obligations under this Consent Decree will not constitute circumstances beyond its control, or serve as the basis for an extension of time under this Section XIV.

389. Notwithstanding any other provision of this Consent Decree, the Parties do not intend that COPC's serving of a force majeure notice or the Parties' inability to reach agreement will cause this Court to draw any inferences nor establish any presumptions adverse to any Party.

390. As part of the resolution of any matter submitted to this Court under this Section XIV, the appropriate Parties by agreement, or the Court, by order, may in appropriate circumstances extend or modify the schedule for completion of work under the Consent Decree to account for the delay in the work that occurred as a result of any delay or impediment to performance agreed to by the United States or approved by this Court. COPC will be liable for stipulated penalties for their failure thereafter to complete the work in accordance with the extended or modified schedule.

XV. RETENTION OF JURISDICTION/DISPUTE RESOLUTION

391. This Court will retain jurisdiction of this matter for the purposes of implementing and enforcing the terms and conditions of the Consent Decree and for the purpose of adjudicating all disputes of the Consent Decree between the United States and the Co-Plaintiffs and COPC that may arise under the provisions of the Consent Decree, until the Consent Decree terminates in accordance with Section XVIII of this Consent Decree (Termination).

392. The dispute resolution procedure set forth in this Section XV will be available to resolve any and all disputes arising under this Consent Decree, including assertion of commercial unavailability under Paragraph 266 of this Consent Decree, provided that the Party making such application has made a good faith attempt to resolve the matter with the other Party.

393. The dispute resolution procedure required herein will be invoked upon the giving of written notice by one of the Parties to this Consent Decree to another advising the other appropriate Party(ies) of a dispute pursuant to this Section XV. The notice will describe the nature of the dispute, and will state the noticing Party's position with regard to such dispute. The Party or Parties receiving such notice will acknowledge receipt of the notice and the Parties will expeditiously schedule a meeting to discuss the dispute informally.

394. Disputes submitted to dispute resolution will, in the first instance, be the subject of informal negotiations between the Parties. Such period of informal negotiations will not extend beyond ninety (90) calendar days from the date of the first meeting between representatives of the Parties, unless the Parties agree in writing that this period should be extended. Failure by the parties to extend the informal negotiation period in writing will not terminate the informal negotiation period provided that the parties are continuing to negotiate in good faith.

395. (a) Informal negotiations will cease upon either: (i) COPC's submission of a request to the United States and the Applicable Co-Plaintiff of a written summary of its/their position regarding the dispute; or (ii) the United States' and/or the Applicable Co-Plaintiff's submission to COPC of a written summary of its/their position.

(b) Under the circumstances of Subparagraph 395(a)(i), if the United States and/or the Applicable Co-Plaintiff respond to COPC's request within sixty (60) days of receipt, then the

position advanced by the United States and/or the Applicable Co-Plaintiff, as applicable, will be considered binding unless, within sixty (60) calendar days of COPC's receipt of the written summary, COPC files with the Court a petition which describes the nature of the dispute. The United States or the Applicable Co-Plaintiff will respond to the petition within sixty (60) days of filing. In resolving a dispute between the parties under these circumstances, the position of the United States and the Applicable Co-Plaintiff will be upheld if supported by substantial evidence in the administrative record, which may be supplemented for good cause shown.

(c) Under the circumstances of Subparagraph 395(a)(i), if the United States and/or the Applicable Co-Plaintiff do not respond to COPC's request for a written summary within sixty (60) days of receipt, then COPC will file with the Court a petition which describes the nature of the dispute within one-hundred five (105) days after submitting the initial request to the United States and the Applicable Co-Plaintiff. Applicable principles of law will govern the resolution of the dispute.

(d) Under the circumstances of Subparagraph 395(a)(ii), the position advanced by the United States and/or the Applicable Co-Plaintiff, as applicable, will be considered binding unless, within sixty (60) calendar days of COPC's receipt of the written summary, COPC files with the Court a petition which describes the nature of the dispute. The United States or the Applicable Co-Plaintiff will respond to the petition within sixty (60) days of filing. In resolving a dispute between the parties under these circumstances, the position of the United States and the Applicable Co-Plaintiff will be upheld if supported by substantial evidence in the administrative record, which may be supplemented for good cause shown.

396. In the event that the United States and the Applicable Co-Plaintiff make differing determinations or take differing actions that affect COPC's rights or obligations under this Consent Decree, the final decisions of the United States will take precedence.

397. Where the nature of the dispute is such that a more timely resolution of the issue is required, the time periods set forth in this Section XV may be shortened upon motion of one of the Parties to the dispute.

398. The Parties do not intend that the invocation of this Section XV by a Party cause the Court to draw any inferences nor establish any presumptions adverse to either Party as a result of invocation of this Section.

399. As part of the resolution of any dispute submitted to dispute resolution, the Parties, by agreement, or this Court, by order, may, in appropriate circumstances, extend or modify the schedule for completion of work under this Consent Decree to account for the delay in the work that occurred as a result of dispute resolution. COPC will be liable for stipulated penalties for its failure thereafter to complete the work in accordance with the extended or modified schedule.

XVI. EFFECT OF SETTLEMENT

400. Definitions. For purposes of Section XVI (Effect of Settlement), the following definitions apply:

- (a) "Applicable NSR/PSD Requirements" will mean: PSD requirements at Part C of Subchapter I of the Act, 42 U.S.C. § 7475, and the regulations promulgated thereunder at 40 C.F.R. §§ 52.21 and 51.166; the portions of the applicable SIPs and related rules adopted as required by 40 C.F.R. §§ 51.165 and 51.166; "Plan Requirements for Non-Attainment Areas" at Part D of Subchapter I of the Act, 42 U.S.C. §§ 7502-7503, and the regulations promulgated thereunder at 40 C.F.R. §§ 51.165 (a) and (b), 40 C.F.R. Part 51, Appendix S, and 40 C.F.R. § 52.24, and any Title V regulations that implement, adopt or incorporate the specific regulatory requirements identified above; any applicable, federally-enforceable

state or local regulations that implement, adopt, or incorporate the specific federal regulatory requirements identified above; any Title V permit provisions that implement, adopt or incorporate the specific regulatory requirements identified above; any applicable state or local regulations enforceable by Co-Plaintiffs that implement, adopt, or incorporate the specific federal regulatory requirements identified above.

- (b) "Applicable NSPS Subparts A and J Requirements" will mean the standards, monitoring, testing, reporting and recordkeeping requirements, found at 40 C.F.R. §§ 60.100 through 60.109 (Subpart J), relating to a particular pollutant and a particular affected facility, and the corollary general requirements found at 40 C.F.R. §§ 60.1 through 60.19 (Subpart A) that are applicable to any affected facility covered by Subpart J; and any applicable, federally-enforceable state or local regulations that implement, adopt, or incorporate the specific federal regulatory requirements identified above.
- (c) "Post-Lodging Compliance Dates" will mean any dates in this Section XVI (Effect of Settlement) after the Date of Lodging. Post-Lodging Compliance Dates include dates certain (e.g., "December 31, 2006"), dates after Lodging represented in terms of "months after Lodging" (e.g., "Twelve Months after the Date of Lodging"), and dates after Lodging represented by actions taken (e.g., "Date of Certification"). The Post-Lodging Compliance Dates represent the dates by which work is required to be completed or an emission limit is required to be met under the applicable provisions of this Consent Decree.

401. Resolution of Liability Regarding the Applicable NSR/PSD Requirements. With

respect to emissions of the following pollutants from the following units, entry of this Consent Decree will resolve all civil liability of COPC to the United States and the Co-Plaintiffs for violations of the Applicable NSR/PSD Requirements resulting from pre-Lodging construction or modification up to the following dates.

<u>Refinery/Unit</u>	<u>Pollutant</u>	<u>Date</u>	<u>Date for NO_x if COPC takes hard limits under ¶¶ 27, 38, or 48</u>	<u>Date if COPC acts under the ¶ No. in the parenthesis</u>
Alliance FCCU	NO _x	3/31/15	12/31/14 (¶ 27)	6/30/10(¶ 59)
	SO ₂	12/31/09		12/31/09(¶ 59)
	PM	12/31/09		12/31/09(¶ 59)
	CO	9/30/05		

Bayway FCCU	NO _x SO ₂ PM CO	5/31/09 DOL DOL DOL	no change	
Borger 29 FCCU	NO _x SO ₂	5/31/09 12/31/06	5/31/12 (¶ 48)	5/31/12 (¶ 39) 12/31/07 (¶ 58)
Borger 40 FCCU	NO _x SO ₂	5/31/15 12/31/15	5/31/12 (¶ 48)	5/31/12 (¶ 39) 12/31/07 (¶ 58)
Ferndale FCCU	NO _x SO ₂ PM CO	5/31/13 (But see ¶ 402) DOL 12/31/06 DOL	no change	
LAR Wilmington FCCU	NO _x SO ₂ PM	3/1/11 3/1/11 12/31/08	no change	
Sweeny 3 FCCU	NO _x SO ₂	3/1/12 3/1/12	no change	
Sweeny 27 FCCU	NO _x SO ₂	6/30/10 5/31/10	N/A	
Trainer FCCU	NO _x SO ₂ PM	5/31/09 12/31/06 12/31/06	no change	
Wood River 1 FCCU	NO _x SO ₂ PM	3/31/13 12/31/08 12/31/08	12/31/12 (¶ 27)	
Wood River 2 FCCU	NO _x SO ₂ PM	5/31/15 12/31/12 12/31/12	no change	
Combustion Units on which Qualifying Controls are installed and which are used to satisfy the requirements of ¶ 95	NO _x	Later of DOL or date of installation of Qualifying Controls		

Bayway Crude Pipestill Heater	NO _x	6/30/11
All other heaters and boilers at the Covered Refineries	NO _x	DOL
All heaters and boilers at the Borger, Ferndale, Rodeo, and Santa Maria Refineries and Distilling West	SO ₂	DOL
All heaters and boilers at the Alliance Refinery except heater 191-H-1	SO ₂	DOL
Alliance Heater 191-H-1	SO ₂	12/31/06
All heaters and boilers at LAR Carson and LAR Wilmington Plants	SO ₂	Date of EPA AMP approval
All heaters and boilers at Sweeny, Trainer, and Wood River (excluding Distilling West)	SO ₂	Earlier of 6/30/08 or the date of COPC acceptance of NSPS
All Bayway heaters and boilers except those in ¶ 114(b)	SO ₂	DOL
Bayway heaters and boilers listed in ¶ 114(b)	SO ₂	6/30/11

402. Resolution of Liability Regarding NO_x Emissions at the Ferndale Refinery.

Notwithstanding the provisions of Paragraph 401, COPC is required to comply with the NO_x emission limits and other requirements relating to NO_x emissions found in Washington

Department of Ecology Permit PSD-00-02, its amendments, and COPC's Title V permit that incorporates these NO_x limits and requirements. Except with respect to the PM and PM-10 limits

found in NWCAA Order of Approval to Construct #733a, to the extent that COPC is subject to emissions limitations found in pre-Lodging permits issued under PSD or Non-Attainment New Source Review programs, nothing in this Consent Decree shall be construed to relieve COPC from its obligations to comply with those permits.

403. Resolution of Liability for PM Emissions Under the Applicable NSR/PSD

Requirements. With respect to emissions of PM from Borger FCCUs 29 and 40 and Sweeny FCCUs 3 and 27, if and when COPC accepts an emission limit of 0.5 pound PM per 1000 pounds of coke burned on a 3-hour average basis and demonstrates compliance by conducting a 3-hour performance test representative of normal operating conditions for PM emissions at one or more of these FCCUs, then all civil liability of COPC to the United States and the Co-Plaintiffs will be resolved for violations of the Applicable NSR/PSD Requirements relating to PM emissions at that particular FCCU resulting from pre-Lodging construction or modification of that FCCU.

404. Resolution of Liability for CO Emissions Under the Applicable NSR/PSD

Requirements. With respect to emissions of CO from Borger FCCUs 29 and 40, the LAR Wilmington FCCU, Sweeny FCCUs 3 and 27, the Trainer FCCU, and Wood River FCCUs 1 and 2, if and when COPC accepts an emission limit of 100 ppmvd of CO at 0% O₂ on a 365-day rolling average basis and demonstrates compliance using CEMS at one or more of these FCCUs, then all civil liability of COPC to the United States and the Co-Plaintiffs will be resolved for violations of the Applicable NSR/PSD Requirements relating to CO emissions at that particular FCCU resulting from pre-Lodging construction or modification of that FCCU.

405. Resolution of Liability regarding the Distilling West FCCU. This Consent Decree resolves all civil liability of COPC to the United States and the State of Illinois under the

Prevention of Significant Deterioration requirements of Part C of the Clean Air Act and the implementing regulations at 40 C.F.R. § 52.21, and the Illinois regulations which incorporate those rules, for any increase in PM and SO₂ resulting from the construction, modification and operation of the Distilling West FCCU occurring prior to July 31, 2003. During the life of this Decree, any major modification to the Distilling West FCCU, as defined in 40 C.F.R. § 52.21, occurring after July 31, 2003, is beyond the scope of this release.

406. Reservation of Rights Regarding Applicable NSR/PSD Requirements: Release for Violations Continuing After the Date of Lodging Can Be Rendered Void. Notwithstanding the resolution of liability in Paragraph 401, the releases of liability by the United States and the Co-Plaintiffs to COPC for pre-Lodging violations of the Applicable NSR/PSD Requirements continuing during the period between the Date of Lodging of the Consent Decree and the Post-Lodging Compliance Dates will be rendered void if COPC materially fails to comply with any of the obligations and requirements of Section V.A to V.D (relating to FCCUs), Section V.F (relating to NO_x reductions from Combustion Units), or Section V.G (relating to SO₂ reductions from heaters and boilers) of this Consent Decree; provided, however, that the releases in Paragraph 401 will not be rendered void if COPC timely remedies such material failure and pays any stipulated penalties due as a result of such material failure.

407. Exclusions from Release Coverage Regarding Applicable NSR/PSD Requirements: Construction and/or Modification Not Covered by Paragraph 401. Notwithstanding the resolution of liability in Paragraph 401, nothing in this Consent Decree precludes the United States and/or the Co-Plaintiffs from seeking from COPC injunctive relief, penalties, or other appropriate relief for violations by COPC of the Applicable NSR/PSD Requirements resulting from: (1) construction or modification that commenced prior to the Date

of Lodging of the Consent Decree, if the resulting violations relate to pollutants or units not covered by the Consent Decree; or (2) any construction or modification that commences after the Date of Lodging of the Consent Decree.

408. Evaluation of Applicable PSD/NSR Requirements Must Occur. Increases in emissions from units covered by this Consent Decree, where the increases result from the Post-Lodging construction or modification of any units within the Covered Refineries, are beyond the scope of the release in Paragraph 401, and COPC is not relieved of any obligation to evaluate any such increases in accordance with the Applicable PSD/NSR Requirements.

409. Resolution of Liability Regarding Applicable NSPS Subparts A and J Requirements. With respect to emissions of the following pollutants from the following units, entry of this Consent Decree will resolve all civil liability of COPC to the United States and the Co-Plaintiffs for violations of the Applicable NSPS Subparts A and J Requirements from the date that the Pre-Lodging claims of the United States and the Co-Plaintiffs accrued up to the following dates:

(a) FCCUs

<u>FCCU</u>	<u>SO₂</u>	<u>PM</u>	<u>CO</u>
Alliance	12/31/09	DOL	9/30/05
Bayway	DOL	DOL	DOL
Borger 29	12/31/06 (or 12/31/07 if COPC uses ¶ 58)	12/31/06	DOL
Borger 40	12/31/15 (or 12/31/07 if COPC uses ¶ 58)	4/11/05	DOL
Ferndale	DOL	DOL	DOL

LAR Wilmington	6/1/05	4/11/05	4/11/05
Sweeny 3	6/30/06	4/11/06	4/11/05
Sweeny 27	6/30/06	4/11/06	DOL
Trainer	12/31/06	12/31/06	12/31/06
Wood River 1	12/31/08	DOL	4/11/05
Wood River 2	12/31/12	DOL	4/11/05

(b) Sulfur Recovery Plants

<u>SRP</u>	<u>SO₂</u>
Alliance	DOL
Bayway	4/11/05
Borger	DOL
Ferndale	DOL
LAR Carson	DOL
LAR Wilmington	4/11/05
Rodeo	4/11/05
Santa Maria	4/11/05
Sweeny	DOL
Trainer	4/11/05
Wood River	DOL

(c) Heaters and Boilers

<u>Heater and Boiler</u>	<u>SO₂</u>
All heaters and boilers at the Borger, Ferndale, Rodeo, and Santa Maria Refineries and at Distilling West	DOL
All heaters and boilers at the Alliance Refinery except heater 191-H-1	DOL
Alliance Heater 191-H-1	12/31/06
All heaters and boilers at LAR Carson and LAR Wilmington Plants	Date of EPA AMP approval
All heaters and boilers at Sweeny, Trainer, and Wood River	Earlier of 6/30/08 or the date of COPC acceptance of NSPS
All Bayway heaters and boilers except those in ¶ 114(b)	DOL
Bayway heaters and boilers listed in ¶ 114(b)	6/30/11

(d) Flaring Devices

<u>Flaring Device</u>	<u>SO₂</u>
All listed in Appendix A	Date on which COPC certifies compliance with a compliance method for the Flaring Device pursuant to Paragraphs 142 and 143

410. Reservation of Rights Regarding Applicable NSPS Subparts A and J

Requirements: Release for NSPS Violations Can Be Rendered Void. Notwithstanding the resolution of liability in Paragraph 409, the release of liability by the United States and the Co-Plaintiffs to COPC set forth in Paragraph 409 will be rendered void if COPC materially fails

to comply with the obligations and requirements of Sections V.G through V.I of this Consent Decree; provided, however, that the release in Paragraph 409 will not be rendered void if COPC timely remedies such material failure and pays any stipulated penalties due as a result of such material failure.

411. Prior NSPS Applicability Determinations. Nothing in this Consent Decree will affect the status of any FCCU, heater or boiler, fuel gas combustion device, or sulfur recovery plant currently subject to NSPS as previously determined by any federal, state, regional, or local authority or any applicable permit.

412. Resolution of Liability Regarding Benzene Waste Operations NESHAP Requirements. Entry of this Consent Decree will resolve all civil liability of COPC to the United States and the Co-Plaintiffs for violations of the statutory and regulatory requirements set forth below in subparagraphs (a) through (c) (the "BWON Requirements") that (1) commenced and ceased prior to the Date of Entry of the Consent Decree; and (2) commenced prior to the Date of Entry of the Consent Decree and/or continued past the Date of Entry, provided that the events giving rise to such post-Entry violations are identified by COPC in its BWON Compliance Review and Verification Report(s) submitted pursuant to Paragraph 176 and corrected by COPC as required under Paragraphs 179 - 180:

- (a) Benzene Waste Operations NESHAP. The National Emission Standard for Benzene Waste Operations, 40 C.F.R. Part 61, Subpart FF, promulgated pursuant to Section 112(e) of the Act, 42 U.S.C. § 7412(e), including any federal regulation that adopts or incorporates the requirements of Subpart FF by express reference, but only to the extent of such adoption or incorporation; and
- (b) Any applicable, federally-enforceable state or local regulations that implement, adopt, or incorporate the specific federal regulatory requirements identified in Paragraph 412(a).

- (c) Any applicable state or local regulations enforceable by the Co-Plaintiffs that implement, adopt, or incorporate the specific federal regulatory requirements identified in Paragraph 412(a).

413. Resolution of Liability Regarding LDAR Requirements. Entry of this Consent Decree will resolve all civil liability of COPC to the United States and the Co-Plaintiffs for violations of the statutory and regulatory requirements set forth below in Subparagraphs 413(a) through 413(c) that (1) commenced and ceased prior to the Date of Entry of the Consent Decree; and (2) commenced prior to the Date of Entry of the Consent Decree and continued past the Date of Entry, provided that the events giving rise to such post-Entry violations are identified by COPC in its Initial Third-Party Audit Report(s) submitted pursuant to Paragraph 229 and corrected by COPC as required under Paragraph 232:

- (a) LDAR Requirements. For all equipment in light liquid service and gas and/or vapor service, the LDAR requirements of Co-Plaintiffs under state implementation plans adopted pursuant to the Clean Air Act or promulgated by EPA pursuant to Sections 111 and 112 of the Clean Air Act, and codified at 40 C.F.R. Part 60, Subparts VV and GGG; 40 C.F.R. Part 61, Subparts J and V; and 40 C.F.R. Part 63, Subparts F, H, and CC;
- (b) Any applicable, federally-enforceable state or local regulations or permits that implement, adopt, or incorporate the specific regulatory requirements identified in Paragraph 413(a).
- (c) Any applicable state or local regulations or permits enforceable by the Co-Plaintiffs that implement, adopt, or incorporate the specific regulatory requirements identified in Paragraph 413(a).

414. Reservation of Rights Regarding Benzene Waste Operations NESHAP and LDAR Requirements. Notwithstanding the resolution of liability in Paragraphs 412 - 413, nothing in this Consent Decree precludes the United States and/or the Co-Plaintiffs from seeking from COPC injunctive and/or other equitable relief or civil penalties for violations by COPC of Benzene Waste Operations NESHAP and/or LDAR requirements that (1) commenced prior to

the Date of Entry of this Consent Decree and continued after the Date of Entry if COPC fails to identify and address such violations as required by Paragraphs 176 and Paragraphs 179 - 180 and Paragraphs 229 and 232 of this Consent Decree; or (2) commenced after the Date of Entry of the Consent Decree.

415. Entry of the Consent Decree will resolve all liability of COPC to the United States and the Applicable Co-Plaintiff for civil penalties for violations of VOC permit limits for fugitive emissions at a Covered Refinery (where such permit limits exist) resulting from the identification of new LDAR components at the Covered Refinery, provided that COPC:

(i) identifies the new LDAR components in the initial third-party LDAR audit required under Paragraph 229 at that Covered Refinery; (ii) incorporates the new LDAR components into its enhanced LDAR program under Subsection V.O of this Decree; and (iii) timely seeks to incorporate the estimated VOC emissions from the new LDAR components in permits applications COPC submits under Paragraph 257. This resolution of liability will extend up to the date that COPC is required to submit a permit application under Paragraph 257. The United States and the Applicable Co-Plaintiff expressly reserve its/their right to assert violations of the Applicable NSR/PSD Requirements with respect to VOC emissions at the Covered Refinery and to consider the implications of revised VOC emission estimates on past compliance with the Applicable NSR/PSD Requirements.

416. Entry of the Consent Decree will resolve all liability of COPC to the United States and the Applicable Co-Plaintiff for civil penalties for violations of SO₂ permit limits for Flaring Device(s) at a Covered Refinery (where such permit limits exist) resulting from COPC's discovery of previously-unidentified or unknown SO₂ emissions from the Flaring Device(s) in question, provided that COPC (i) discovers such increased SO₂ emissions in the course of the

development of an NSPS Compliance Plan for Flaring Devices under Paragraph 141; and

(ii) complies with the requirements of Subsections V.J, V.L, and V.M. This resolution of liability will extend up to the date of the completion of the implementation of the NSPS Compliance Plan for Flaring Devices as relates to the particular Flaring Device(s) at issue. The United States and the Applicable Co-Plaintiff expressly reserve its/their right to assert violations of the Applicable NSR/PSD Requirements with respect to SO₂ emissions from Flaring Devices at the Covered Refinery and to consider the implications of revised SO₂ emission estimates on past compliance with the Applicable NSR/PSD Requirements.

417. Resolution of Liability under Sections 304 and 313 of EPCRA and Section 103(a) of CERCLA for Certain Acid Gas Flaring Incidents. Entry of this Consent Decree will resolve all civil liability of COPC to the United States and the Co-Plaintiffs for violations of Sections 304 and 313 of the Emergency Planning and Community Right-to-Know Act ("EPCRA"), 42 U.S.C. § 11004, and Section 103(a) of Comprehensive Environmental Response, Compensation and Liability Act ("CERCLA"), 42 U.S.C. § 9603(a), relating to Acid Gas Flaring Incidents that occurred between January 1, 1999, and September 30, 2004, provided that COPC has identified such incidents and potential violations in a report submitted to EPA dated September 30, 2004, and now maintained in EPA's files.

418. Other. Entry of this Consent Decree will resolve all civil liability of COPC to the United States and the Co-Plaintiffs for the following:

- (a) Violations up to the Date of Lodging of NSPS Subparts A and H at the LAR Wilmington Sulfuric Acid Plant;
- (b) Violations alleged in EPA NOV File No. AED/MSEB - 7024 (6/25/04) and EPA NOV. File No. AED/MSEB - 7015 (11/12/03);

(c) The following violations on or before June 30, 2007, in the Order of Approval to Construct #733a ("Order of Approval") issued by the NWCAA relating to the Ferndale FCCU:

(i) the PM and PM-10 limits in Condition D-4; (ii) the requirement to assess compliance with those limits in Condition D-4; (iii) the requirement to establish and operate within specific operating parameters in Condition D-4; (iv) the requirement to establish, monitor and operate within specific operating parameters in Condition D-1(b) for SO₂ emissions; and (v) the reporting requirements of Condition E-10(f).

(d) Violations on or before December 31, 2005, of 40 C.F.R. Part 61, Subpart FF, arising from COPC's failure to demonstrate that the roughing filter at the Ferndale Refinery is equivalent in performance capability to an enhanced biodegradation unit under 40 C.F.R. § 61.348(b)(2)(ii)(B);

(e) Violations of 40 C.F.R. Part 61, Subpart FF, 40 C.F.R. Part 63, Subpart H, and Special Condition 41E of Permit 9868A (requirement to equip each open-ended valve or line in Unit 11 with a cap, blind flange, plug, or second valve), arising from information disclosed by COPC to EPA during EPA's September 29 - October 3, 1997 inspection and related investigation of the Borger Refinery, including the specific violations that are the subject of a litigation referral from EPA to the Department of Justice;

(f) Violations of 40 C.F.R. Part 61, Subpart FF; 40 C.F.R. Part 60, Subparts VV and GGG; 40 C.F.R. Part 61, Subparts J and V; and 40 C.F.R. Part 63, Subparts F, H, and CC arising from information disclosed by COPC to EPA during EPA's July 12-16, 1999, August 17, 1999, and October 1, 1999 inspection and related investigation of the Sweeny Refinery;

(g) Violations of 40 C.F.R. Part 60, Subparts VV and GGG; 40 C.F.R. Part 61, Subparts J and V; and 40 C.F.R. Part 63, Subparts F, H, and CC, and associated LDEQ regulations regarding LDAR arising from information disclosed by COPC during LDEQ inspections of the Alliance Refinery on the following dates:

<u>1997</u>	<u>1998</u>	<u>2000</u>	<u>2001</u>	<u>2002</u>	<u>2003</u>
11/4	1/5	5/31	5/17 - 5/22	3/22	8/26 - 9/9
11/13					
12/2 - 12/3					
12/17 - 12/18					

(h) Violations of 40 C.F.R. Part 60, Subparts VV and GGG; 40 C.F.R. Part 61, Subparts J and V; and 40 C.F.R. Part 63, Subparts F, H, and CC, and associated LDEQ regulations regarding LDAR arising from information disclosed by COPC during a joint EPA-LDEQ inspection of the Alliance Refinery on March 29, 1999 through April 1, 1999, and April 19, 1999, through April 22, 1999;

(i) Violations set forth in Appendix H of this Consent Decree;

(j) Violations of Section 103(a) of CERCLA, as amended, 42 U.S.C. § 9603(a), and Sections 304(b) and (c) of EPCRA, 42 U.S.C. § 11004(b) and (c), alleged in the Administrative Complaint issued to COPC on August 25, 2004 (U.S. Docket No. CERCLA-03-2004-0356 and U.S. Docket No. EPCRA-03-2004-0356), to have arisen from a release on July 30, 2002, from the Trainer Refinery.

419. The resolutions of liability and reservations of rights set forth in this Section XVI extend only to COPC and do not extend to any other person; provided, however, that these resolutions and reservations also apply to COPC's officers, directors, and employees, but only to the extent that the alleged liability of such person is based on that person's status as an officer,

director, or employee of COPC, and not to the extent that the alleged liability arose independently of the alleged liability of COPC.

420. Audit Policy. Nothing in this Consent Decree is intended to limit or disqualify COPC, on the grounds that information was not discovered and supplied voluntarily, from seeking to apply EPA's Audit Policy or any state or local audit policy to any violations or non-compliance that COPC discovers during the course of any investigation, audit, or enhanced monitoring that COPC is required to undertake pursuant to this Consent Decree.

421. Claim/Issue Preclusion. In any subsequent administrative or judicial proceeding initiated by the United States or the Co-Plaintiffs for injunctive relief, penalties, or other appropriate relief relating to COPC for violations of the PSD/NSR, NSPS, NESHAP, and/or LDAR requirements, not identified in Section XVI (Effect of Settlement) of the Consent Decree and/or the Complaint:

- (a) COPC will not assert, and may not maintain, any defense or claim based upon the principles of waiver, res judicata, collateral estoppel, issue preclusion, or claim-splitting. Nor may COPC assert, or maintain, any other defenses based upon any contention that the claims raised by the United States or the Co-Plaintiffs in the subsequent proceeding were or should have been brought in the instant case. Nothing in the preceding sentences is intended to affect the ability of COPC to assert that the claims are deemed resolved by virtue of Section XVI of the Consent Decree.
- (b) Except as set forth in Subparagraph (a), above, the United States and the Co-Plaintiffs may not assert or maintain that this Consent Decree constitutes a waiver or determination of, or otherwise obviates, any claim or defense whatsoever, or that this Consent Decree constitutes acceptance by COPC of any interpretation or guidance issued by EPA related to the matters addressed in this Consent Decree.

422. Other Reservations. Nothing in this Consent Decree will be construed to limit the authority of the United States and the Co-Plaintiffs to undertake any action against any person, including COPC, to abate or correct conditions which may present an imminent and substantial

endangerment to the public health, welfare, or the environment. Nothing in this Consent Decree will limit the authority of any Co-Plaintiff to take any action under a state statute or common law necessary to protect public health, safety, welfare and the environment. Nothing in the Consent Decree affects any aspect of an employer/employee relationship as to health and safety hazards. Nothing in this Consent Decree is intended to affect the case of New Jersey Department of Environmental Protection and Administrator, New Jersey Spill Compensation Fund v. Exxon Mobil Corporation, Docket No. UNNL 3026 04 (Law Div. Union County), and no party to this Consent Decree makes any representations about that action. Nothing in this Consent Decree is intended to affect the ability of New Jersey or the United States to collect natural resource damages as a result of operations at the Bayway Refinery.

XVII. GENERAL PROVISIONS

423. Other Laws. Except as specifically provided by this Consent Decree, nothing in this Consent Decree will relieve COPC of its obligations to comply with all applicable federal, state, regional and local laws and regulations, including but not limited to more stringent standards. In addition, nothing in this Consent Decree will be construed to prohibit or prevent the United States or Co-Plaintiffs from developing, implementing, and enforcing more stringent standards subsequent to the Date of Lodging of this Consent Decree through rulemaking, the permit process, or as otherwise authorized or required under federal, state, regional, or local laws and regulations. Subject to Section XVI (Effect of Settlement), Paragraph 379, and Paragraph 425 of this Consent Decree, nothing contained in this Consent Decree will be construed to prevent or limit the rights of the United States or the Co-Plaintiffs to seek or obtain other remedies or sanctions available under other federal, state, regional or local statutes or regulations, by virtue of COPC's violation of the Consent Decree or of the statutes and

regulations upon which the Consent Decree is based, or for COPC's violations of any applicable provision of law. This will include the right of the United States or the Co-Plaintiffs to invoke the authority of the Court to order COPC's compliance with this Consent Decree in a subsequent contempt action. The requirements of this Consent Decree do not exempt COPC from complying with any and all new or modified federal, state, regional and/or local statutory or regulatory requirements that may require technology, equipment, monitoring, or other upgrades after the Date of Lodging of this Consent Decree.

424. Startup, Shutdown, Malfunction. Notwithstanding the provisions of this Consent Decree regarding startup, shutdown, and Malfunction, this Consent Decree does not exempt COPC from the requirements of state laws and regulations or from the requirements of any permits or plan approvals issued to COPC, as these laws, regulations, permits, and/or plan approvals may apply to startups, shutdowns, and Malfunctions at the Covered Refineries.

425. Permit Violations. Nothing in this Consent Decree will be construed to prevent or limit the right of the United States or the Co-Plaintiffs to seek injunctive or monetary relief for violations of permits; provided, however, that with respect to monetary relief, the United States and the Co-Plaintiffs must elect between filing a new action for such monetary relief or seeking stipulated penalties under this Consent Decree, if stipulated penalties also are available for the alleged violation(s).

426. Failure of Compliance. The United States and the Co-Plaintiffs do not, by their consent to the entry of Consent Decree, warrant or aver in any manner that COPC's complete compliance with the Consent Decree will result in compliance with the provisions of the CAA or the corollary state and local statutes. Notwithstanding the review or approval by EPA or the Co-Plaintiffs of any plans, reports, policies or procedures formulated pursuant to the Consent

Decree, COPC will remain solely responsible for compliance with the terms of the Consent Decree, all applicable permits, and all applicable federal, state, regional, and local laws and regulations, except as provided in Section XIV (Force Majeure) and Paragraphs 264, 265, and 266.

427. Alternative Monitoring Plans. Except as otherwise specifically provided in Paragraph 124, wherever this Consent Decree requires or permits COPC to submit an AMP to EPA for approval, COPC will submit a complete AMP application. If an AMP is not approved, then within ninety (90) days of COPC's receipt of disapproval, COPC will submit to EPA for approval, with a copy to the Applicable Co-Plaintiff, a plan and schedule that provide for compliance with the applicable monitoring requirements as soon as practicable. Such plan may include a revised AMP application, physical or operational changes to the equipment, or additional or different monitoring.

428. Service of Process. COPC hereby agrees to accept service of process by mail with respect to all matters arising under or relating to the Consent Decree and to waive the formal service requirements set forth in Rule 4 of the Federal Rules of Civil Procedure and any applicable local rules of this Court, including but not limited to, service of a summons. The persons identified by COPC at Paragraph 433 (Notice) are authorized to accept service of process with respect to all matters arising under or relating to the Consent Decree.

429. Post-Lodging/Pre-Entry Obligations. Obligations of COPC under this Consent Decree to perform duties scheduled to occur after the Date of Lodging of the Consent Decree, but prior to the Date of Entry of the Consent Decree, will be legally enforceable only on and after the Date of Entry of the Consent Decree. Liability for stipulated penalties, if applicable, will accrue for violation of such obligations and payment of such stipulated penalties may be demanded by

the United States or the Co-Plaintiffs as provided in this Consent Decree, provided that the stipulated penalties that may have accrued between the Date of Lodging of the Consent Decree and the Date of Entry of the Consent Decree may not be collected unless and until this Consent Decree is entered by the Court.

430. Costs. Each Party to this action will bear its own costs and attorneys' fees.

431. Public Documents. All information and documents submitted by COPC to EPA and the Co-Plaintiffs pursuant to this Consent Decree will be subject to public inspection in accordance with the respective statutes and regulations that are applicable to EPA and the Co-Plaintiffs, unless subject to legal privileges or protection or identified and supported as trade secrets or business confidential in accordance with the respective state or federal statutes or regulations.

432. Public Notice and Comment. The Parties agree to the Consent Decree and agree that the Consent Decree may be entered upon compliance with the public notice procedures set forth at 28 C.F.R. § 50.7, and upon notice to this Court from the United States Department of Justice requesting entry of the Consent Decree. The United States and Co-Plaintiffs reserve the right to withdraw or withhold its consent to the Consent Decree if public comments disclose facts or considerations indicating that the Consent Decree is inappropriate, improper, or inadequate. Additionally, the Parties agree and acknowledge that final approval by Co-Plaintiff, the State of Louisiana, Department of Environmental Quality, and entry of this Consent Decree is subject to the requirements of La. R.S. 30:2050.7, which provides for public notice of this Consent Decree in newspapers of general circulation and the official journals of the parishes in which COPC facilities are located, an opportunity for public comment, consideration of any comments, and concurrence by the State Attorney General.

433. Notice. Unless otherwise provided herein, notifications to or communications between the Parties will be deemed submitted on the date they are postmarked and sent by U.S. Mail, postage pre-paid, except for notices under Section XIV (Force Majeure) and Section XV (Retention Jurisdiction/Dispute Resolution) which will be sent either by overnight mail or by certified or registered mail, return receipt requested. Each report, study, notification or other communication of COPC will be submitted as specified in this Consent Decree, with copies to EPA Headquarters, the applicable EPA Region, and the Applicable Co-Plaintiff. If the date for submission of a report, study, notification or other communication falls on a Saturday, Sunday or legal holiday, the report, study, notification or other communication will be deemed timely if it is submitted the next business day. Except as otherwise provided herein, all reports, notifications, certifications, or other communications required or allowed under this Consent Decree to be submitted or delivered to the United States, EPA, the Co-Plaintiffs, and COPC will be addressed as follows:

As to the United States:

Chief
Environmental Enforcement Section
Environment and Natural Resources Division
U.S. Department of Justice
P.O. Box 7611, Ben Franklin Station
Washington, DC 20044-7611
Reference Case No. 90-5-2-1-06722/1

As to EPA:

Director, Air Enforcement Division
Office of Regulatory Enforcement
U.S. Environmental Protection Agency
Mail Code 22452-A
1200 Pennsylvania Avenue, N.W.
Washington, DC 20460-0001

with a hard copy to
Director, Air Enforcement Division
Office of Regulatory Enforcement
c/o Matrix Environmental & Geotechnical Services
215 Ridgedale Avenue
Florham Park, NJ 07932

and an electronic copy to
neichlin@matrixengineering.com
Jackson.james@epa.gov
foley.patrick@epa.gov

EPA Regions:

Region 2:

Chief
Air Compliance Branch
US EPA Region 2
Ted Weiss Federal Building
290 Broadway, 21st Floor
New York, New York 10007-1866

Region 3:

Chief
Air Enforcement Branch (3AP12)
EPA Region III
1650 Arch Street
Philadelphia, PA, 19103

Region 5:

Air and Radiation Division
U.S. EPA, Region 5
77 West Jackson Blvd. (AE-17J)
Chicago, IL 60604
Attn: Compliance Tracker

and

Office of Regional Counsel
U.S. EPA, Region 5
77 West Jackson Blvd. (C-14J)
Chicago, IL 60604

Region 6:

Chief
Air, Toxics, and Inspections Coordination Branch
Environmental Protection Agency, Region 6
1445 Ross Avenue
Dallas, Texas 75202-2733

Region 9:

Director
Air Division
Mail Code AIR-1
USEPA Region 9
75 Hawthorne Street
San Francisco, CA 94105

Region 10:

Director, Office of Compliance and Enforcement
U.S. Environmental Protection Agency, Region 10
Mail Code: OCE-164
1200 Sixth Avenue
Seattle, WA 98101

As to Co-Plaintiffs:

As to Co-Plaintiff the State of Illinois

Maureen Wozniak
Assistant Counsel
Illinois Environmental Protection Agency
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

and

Manager
Compliance and Enforcement Section
Illinois Environmental Protection Agency
1021 North Grand Avenue East
P.O. Box 19276
Springfield, IL 62794-9276

As to Co-Plaintiff the State of Louisiana, through the Department of Environmental Quality:

Peggy M. Hatch
Administrator, Enforcement Division
Office of Environmental Compliance
Louisiana Department of Environmental Quality
P.O. Box 4312
Baton Rouge, Louisiana 70821-4312

As to Co-Plaintiff the State of New Jersey:

Administrator, Air Compliance & Enforcement
New Jersey Department of Environmental Protection
Post Office Box 422
401 East State Street
Trenton, New Jersey 08625-0422

and

Manager, Central Air Compliance & Enforcement Office
New Jersey Department of Environmental Protection
Horizon Center, P.O. Box 407
Robbinsville, New Jersey 08625-0407

and

Deputy Attorney General, Section Chief
Environmental Enforcement
Division of Law
P.O. Box 093
25 Market Street
Trenton, New Jersey 08625-0093

As to Co-Plaintiff the Commonwealth of Pennsylvania

Regional Manager, Air Quality
Pennsylvania Department of Environmental Protection
2 East Main St.
Norristown, PA 19401

As to Co-Plaintiff the Northwest Clean Air Agency

Director
Northwest Clean Air Agency
1600 South Second St.
Mount Vernon, WA 98273-5202

As to COPC:

Cully Farhar, Program Manager
ConocoPhillips Company
600 North Dairy Ashford
Room TA3134
Houston, TX 77079
Telephone: (281) 293-4152

Thomas J. Myers, HSE Manager, U.S. Refining
ConocoPhillips Company
600 North Dairy Ashford
Room TA3138
Houston, TX 77079
Telephone: (281) 293-4851

Managing Environmental Counsel
Legal Department
ConocoPhillips Company
600 North Dairy Ashford
Houston, TX 77079

With a copy to each Applicable Refinery as shown below:

As to Alliance:

Refinery Manager
ConocoPhillips Company
Alliance Refinery
P.O. Box 176
Belle Chasse, LA 70037

As to Bayway:

Refinery Manager
ConocoPhillips Company
Bayway Refinery
1400 Park Avenue
Linden, NJ 07036

As to Borger:

Refinery Manager
ConocoPhillips Company
Borger Refinery
P. O. Box 271
Borger TX 79008

As to Ferndale:

Refinery Manager
ConocoPhillips Company
Ferndale Refinery
PO Box 8
Ferndale, WA 98248

As to the Los Angeles Carson and/or Los Angeles Wilmington Refineries:

Refinery Manager
ConocoPhillips Company
Los Angeles Refinery (Carson and Wilmington)
1660 W. Anaheim St.
Wilmington, CA 90744

As to the Rodeo and Santa Maria Refineries:

Refinery Manager
ConocoPhillips Company
San Francisco Refinery
1380 San Pablo Ave.
Rodeo, CA 94572

As to the Santa Maria Refinery:

Plant Manager
ConocoPhillips Company
Santa Maria Refinery
2555 Willow Road
Arroyo Grande, CA 93420

As to the Sweeny Refinery:

Refinery Manager
ConocoPhillips Company
Sweeny Refinery
P.O. Box 866
Sweeny, TX 77480

As to the Trainer Refinery:

Refinery Manager
ConocoPhillips Company
Trainer Refinery
4101 Post Road
Trainer, PA 19061

As to the Wood River Refinery (including Distilling West)

Refinery Manager
ConocoPhillips Company
Wood River Refinery
P.O. Box 76
Roxana, IL 62084

Any party may change either the notice recipient or the address for providing notices to it by serving all other parties with a notice setting forth such new notice recipient or address. In addition, the nature and frequency of reports required by the Consent Decree may be modified by mutual consent of the Parties. The consent of the United States to such modification must be in the form of a written notification from EPA, but need not be filed with the Court to be effective.

434. Approvals. All EPA approvals will be made in writing. All Co-Plaintiff approvals will be sent from the offices identified in Paragraph 433.

435. Opportunity for Comment by Applicable Co-Plaintiff. For all provisions of Section V where EPA approval is required, the Applicable Co-Plaintiff is entitled to provide comments to EPA and to consult with EPA regarding the issue in question.

436. Paperwork Reduction Act. The information required to be maintained or submitted pursuant to this Consent Decree is not subject to the Paperwork Reduction Act of 1980, 44 U.S.C. §§ 3501 *et seq.*

437. Modification. This Consent Decree contains the entire agreement of the Parties and will not be modified by any prior oral or written agreement, representation or understanding. Prior drafts of the Consent Decree will not be used in any action involving the interpretation or enforcement of the Consent Decree. Non-material modifications to this Consent Decree will be effective when signed in writing by EPA and COPC. The United States will file non-material modifications with the Court on a periodic basis. For purposes of this Paragraph, non-material modifications include but are not limited to modifications to the frequency of reporting obligations and modifications to schedules that do not extend the date for compliance with emissions limitations following the installation of control equipment or the completion of a catalyst additive program, provided that such changes are agreed upon in writing between EPA and COPC. Material modifications to this Consent Decree will be in writing, signed by EPA, the Applicable Co-Plaintiff, and COPC, and will be effective upon approval by the Court.

438. Effect of Shutdown. Except as provided in Subsection V.F, the permanent shutdown of a unit and the surrender of all permits for that unit will be deemed to satisfy all requirements of this Consent Decree applicable to that unit on and after the later of: (i) the date of the shutdown of the unit; or (ii) the date of the surrender of all permits. The permanent shutdown of a Refinery and the surrender of all air permits for that Refinery will be deemed to

satisfy all requirements of this Consent Decree applicable to that Refinery on and after the later of: (i) the date of the shutdown of the Refinery; or (ii) the date of the surrender of all permits.

XVIII. TERMINATION

439. Certification of Completion: Applicable Subsections. Prior to moving for termination under Paragraphs 443 - 444, COPC may seek to certify, as to a particular Covered Refinery, completion of one or more of the following Sections/Subsections of the Consent Decree applicable to that Refinery:

- (a) Subsection V.A - Fluid Catalytic Cracking Units (including operation of the unit for one year after completion in compliance with the emission limits established pursuant to the Consent Decree);
- (b) Subsections V.B through V.E - Fluid Catalytic Cracking Units (including operation of the unit for one year after completion in compliance with the emission limits established pursuant to this Consent Decree);
- (c) Subsections V.F and V.G - Combustion Units (including operation of the relevant units for one year after completion in compliance with the emission limit set pursuant to the Consent Decree);
- (d) Section VIII - Supplemental Environmental Projects.

440. Certification of Completion: COPC Actions. If COPC concludes that any of the Subsections of the Consent Decree identified in Paragraph 439 have been completed for any one of the Covered Refineries, COPC may submit a written report to EPA and the Applicable Co-Plaintiff describing the activities undertaken and certifying that the applicable Subsection(s) have been completed in full satisfaction of the requirements of this Consent Decree, and that COPC is in substantial and material compliance with all of the other requirements of the Consent Decree. The report will contain the following statement, signed by a responsible corporate official of COPC:

To the best of my knowledge, after appropriate investigation, I certify that the information contained in or accompanying this submission is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

441. Certification of Completion: EPA Actions. Upon receipt of COPC's certification, EPA, after opportunity for comment by the Applicable Co-Plaintiff, will notify COPC whether the requirements set forth in the applicable Subsection have been completed in accordance with this Consent Decree. The parties recognize that ongoing obligations under such Subsections remain and necessarily continue (e.g., reporting, recordkeeping, training, auditing requirements), and that COPC's certification is that it is in current compliance with all such obligations.

- (a) If EPA concludes that the requirements have not been fully complied with, EPA will notify COPC as to the activities that must be undertaken to complete the applicable Subsection of the Consent Decree. COPC will perform all activities described in the notice, subject to its right to invoke the dispute resolution procedures set forth in Section XV (Dispute Resolution).
- (b) If EPA concludes that the requirements of the applicable Subsection have been completed in accordance with this Consent Decree, EPA will so certify in writing to COPC. This certification will constitute the certification of completion of the applicable Subsection for purposes of this Consent Decree.

442. Certification of Completion: No Impediment to Stipulated Penalty Demand.

Nothing in Paragraphs 439 - 441 will preclude the United States or the Co-Plaintiffs from seeking stipulated penalties for a violation of any of the requirements of the Consent Decree regardless of whether a Certification of Completion has been issued under Paragraph 441(b) of the Consent Decree. In addition, nothing in Paragraph 441 will permit COPC to fail to implement any ongoing obligations under the Consent decree regardless of whether a Certification of Completion has been issued under Paragraph 441(b) of the Consent Decree.

443. Termination: Conditions Precedent. This Consent Decree will be subject to termination as to the requirements applicable to any one Covered Refinery or as to the entire Consent Decree upon motion by the applicable Parties or upon motion by COPC acting alone under the conditions identified in Paragraph 444. Prior to seeking termination as to the requirements applicable to any one Refinery or as to the entire Decree, COPC must have completed and satisfied all of the following requirements of this Consent Decree:

- (a) installation of control technology systems as specified in this Consent Decree with respect to the Refinery in question or with respect to all Refineries (if COPC is moving for termination of the entire Decree);
- (b) compliance with all provisions contained in this Consent Decree with respect to the Refinery in question or with respect to all Refineries (if COPC is moving for termination of the entire Decree), which compliance may be established for specific parts of the Consent Decree in accordance with Paragraphs 439 - 441;
- (c) payment of all penalties and other monetary obligations due under the terms of the Consent Decree; COPC may not move for termination of the requirements applicable to any one Refinery or as to the entire Decree unless all penalties and/or other monetary obligations owed to the United States or the Co-Plaintiffs are fully paid as of the time of the Motion;
- (d) completion of the Supplemental/Beneficial Environmental Projects in Section VIII that pertain to the Refinery for which termination is sought or, if COPC is moving for termination of the entire Decree, completion of all Section VIII projects;
- (e) application for and receipt of permits incorporating the surviving emission limits and standards established under this Consent Decree as to the Refinery for which termination is sought or as to all Refineries (if COPC is moving for termination of the entire Decree); and
- (f) operation for at least one year of each unit in compliance with the emission limits established herein as to the Refinery for which termination is sought or as to all Refineries (if COPC is moving for termination of the entire Decree), and certification of such compliance for each unit within the first progress report following the conclusion of the compliance period.

444. Termination: Procedure. At such time as COPC believes that it has satisfied the requirements for termination set forth in Paragraph 443 as to one or more Covered Refineries or as to the entire Decree, COPC will certify such compliance and completion, in accordance with the certification language of Paragraph 440, to the United States and the Co-Plaintiffs in writing. Unless, within one-hundred twenty (120) days of receipt of COPC's certification under this Paragraph 444, either the United States or any Co-Plaintiff objects in writing with specific reasons, the Court may upon motion by COPC order that this Consent Decree be terminated as to such Covered Refinery(ies). If either the United States or any Co-Plaintiff objects to the certification by COPC then the matter will be submitted to the Court for resolution under Section XV (Retention of Jurisdiction/Dispute Resolution) of this Consent Decree. In such case, COPC will bear the burden of proving that this Consent Decree should be terminated.

XIX. SIGNATORIES

445. Each of the undersigned representatives certify that they are fully authorized to enter into the Consent Decree on behalf of such Parties, and to execute and to bind such Parties to the Consent Decree.

Dated this 2nd day of December, 2005.



UNITED STATES DISTRICT JUDGE

Consent Decree in the matter of United States et al. v. ConocoPhillips Company, Southern District of Texas (2005).

FOR THE UNITED STATES OF AMERICA

1.25.05

Date

Tom Sansonetti

THOMAS L. SANSONETTI
Assistant Attorney General
Environment and Natural Resources Division
U.S. Department of Justice
Washington, D.C. 20530

1/25/05

Date

Annette M. Lang

ANNETTE M. LANG
Trial Attorney
Environmental Enforcement Section
Environment and Natural Resources Division
U.S. Department of Justice
P.O. Box 7611
Ben Franklin Station
Washington, D.C. 20044-7611
Telephone: (202) 514-4213
Facsimile: (202) 616-6584

MICHAEL T. SHELBY
United States Attorney
Southern District of Texas

1/26/05

Date

Kevin C. Aiman

KEVIN C. AIMAN
Assistant United States Attorney
Southern District of Texas
Texas Bar No. 00797884
Fed. Bar No. 30329
910 Travis St., Suite 1500
P.O. Box 61129
Houston, TX 77208
Telephone: (713) 567-9516
Facsimile: (713) 718-3407

Consent Decree in the matter of United States et al. v. ConocoPhillips Company, Southern District of Texas (2005).

FOR THE ENVIRONMENTAL PROTECTION AGENCY

1/25/05 ^{all}
Date



THOMAS V. SKINNER
Acting Assistant Administrator for the
Office of Enforcement and Compliance Assurance
United States Environmental Protection Agency
1200 Pennsylvania Ave., Mail Code 2201A
Washington, DC 20460

Consent Decree in the matter of United States et al. v. ConocoPhillips Company, Southern District of Texas (2005).


**FOR CO-PLAINTIFF
THE PEOPLE OF THE STATE OF ILLINOIS**

LISA M. MADIGAN
Attorney General
State of Illinois

MATTHEW J. DUNN, Chief
Environmental Enforcement/Asbestos Litigation Division

1/21/05
Date


BY:


THOMAS DAVIS, Chief
Environmental Bureau
Assistant Attorney General
500 S. Second St.
Springfield, IL 62706
(217) 782-9031


Consent Decree in the matter of United States et al. v. ConocoPhillips Company, Southern District of Texas (2005).

**PRELIMINARY APPROVAL BY CO-PLAINTIFF, THE STATE OF LOUISIANA,
THROUGH THE DEPARTMENT OF ENVIRONMENTAL QUALITY:**

1-18-05
Date


HAROLD LEGGETT, PhD
Assistant Secretary
Office of Environmental Compliance
Louisiana Department of Environmental
Quality

1-18-05
Date


TED R. BROYLES, II
Trial Attorney
(La. Bar Roll #20456)
Legal Affairs Division
Louisiana Department of Environmental
Quality
P.O. Box 4302
Baton Rouge, Louisiana 70821-4302
(225) 219-3985

Consent Decree in the matter of United States et al. v. ConocoPhillips Company, Southern District of Texas (2005).

**FOR CO-PLAINTIFF
STATE OF NEW JERSEY**

**PETER C. HARVEY
ATTORNEY GENERAL OF NEW JERSEY**

January 18, 2005
Date

By:




SCOTT B. DUBIN
Deputy Attorney General
New Jersey Department of Law and Public Safety
Division of Law
RJ Hughes Justice Complex
25 Market Street
~~P.O. Box 093~~
Trenton, NJ 08625-0093
(609) 984-7141

**BRADLEY M. CAMPBELL
COMMISSIONER
NEW JERSEY DEPARTMENT OF
ENVIRONMENTAL PROTECTION**

Dec. 28, 2004
Date

By:




LISA P. JACKSON
Assistant Commissioner
Compliance and Enforcement
401 East State Street
P.O. Box 422
Trenton, NJ 08625

Consent Decree in the matter of United States et al. v. ConocoPhillips Company, Southern District of Texas (2005).

**FOR CO-PLAINTIFF
COMMONWEALTH OF PENNSYLVANIA**

1/14/05
Date


FRANCINE CARLINI
Regional Manager, Air Quality
Pennsylvania Department of Environmental
Protection
2 East Main Street
Norristown, PA 19401
(484) 250-5920


Consent Decree in the matter of United States et al. v. ConocoPhillips Company, Southern District of Texas (2005).

FOR CO-PLAINTIFF

NORTHWEST CLEAN AIR AGENCY

A Municipal Corporation of the State of
Washington

1/18/05
Date



LAUGHLAN H. CLARK, WSBA # 10996

Zender Thurston P.S.

1700 D St.

P.O. Box 5226

Bellingham, WA 98227

(360) 647-1500 - Phone

(360) 647-1501 - Fax

Attorney-in-Charge for the Northwest Clean
Air Agency, a municipal corporation
of the State of Washington

Consent Decree in the matter of United States et al. v. ConocoPhillips Company, Southern District of Texas (2005).

FOR CONOCOPHILLIPS COMPANY

1-10-05
Date

LM Ziemba

L.M. ZIEMBA
President, Central/West Refining
ConocoPhillips
600 N. Dairy Ashford
Houston, Texas 77079
(281) 293-1000

APPENDIX A

LIST OF FLARING DEVICES AT THE COVERED REFINERIES

Refinery	Name of Flare
Alliance	Low Pressure Flare (coker) High Pressure Flare Marine Vapor Recovery Flare – 406 D-15 Marine Vapor Recovery Flare – 406 D-16
Bayway	Poly Flare CLEU Flare ABW Flare Eastside Flare
Borger	East Refinery Flare West Refinery Flare ARDS Flare Cat Flare NGL Non-Corrosive Flare NGL Corrosive Flare Acid Gas Flare Derrick Flare
Ferndale	ZTOF
LAR Carson	LAR Carson East LAR Carson West
LAR Wilmington	LAR Wilmington North LAR Wilmington South LAR Wilmington Unicracker LPG Flare
Rodeo	19C-1 19C-602
Santa Maria	Flare

Sweeny

Unit 7 Flare
Units 11/14 Flare
Units 7/10D/18 Flare
Units 10abc/12/51 LP Flare
Units 10abc/12/68 HP Flare
Units 15/17/19 Flare
Expansion LP Flare
Expansion HP Flare
Unit 5 Flare
Unit 30 Flare
VDU/DCU Flare
DEA Stripper Flare
SW Stripper Flare

Trainer

Main Yard Flare
Old Yard Flare
Acid Gas Flare
SWS Gas Flare

Wood River

Alkylation Flare
Aromatics North Flare
Aromatics South Flare
Distilling West Flare
North Property Ground Flare
Lube (HCNHT) Flare
Distilling Flare
Benzene Loading Flare
VOC Flare (and Spare)

CONOCOPHILLIPS BORGER REFINERY

APPENDIX B

SOURCE	Available Annual Heat Input Capacity (MMBtu/hr)	Maximum Physical Heat Input Capacity (if different) (MMBtu/hr)	Fuel Source	2004 Utilization Rate (MMBtu/hr)	2004 NOx Emissions Rate (lb/MMBtu)	2004 NOx Emissions (ton/year)	2004 Utilization Rate (MMBtu/hr)	2004 NOx Emissions Rate (lb/MMBtu)	2004 NOx Emissions (ton/year)	2001 NOx Emissions Rate (lb/MMBtu)	2001 NOx Emissions (ton/year)	2001-2004 Average NOx Emissions (TPV)	Emissions Factor Basis (emission factor, stack test, or CEMS data)
Crude Charge Heater	86	N/A	RFG	70.0	0.070	21.5	78.0	0.070	24.2	0.070	24.2	22.8	Stack Tests
Rx Charge Reboiler	68	N/A	RFG	43.9	0.065	16.9	48.4	0.065	17.2	0.065	17.2	14.6	portable analyzer
Crude Charge Heater	103	N/A	RFG	126.0	0.128	70.2	143.0	0.084	40.1	0.084	40.1	55.1	CEM
Crude Charge Heater	113	120	RFG	120.0	0.080	42.1	137.0	0.200	102.6	0.200	102.6	72.3	portable analyzer/stack test
#1 Reheater	80	N/A	RFG	46.0	0.094	19.7	28.0	0.150	17.1	0.150	17.1	19.4	portable analyzer/stack test
#2 and #3 Reheater	91	N/A	RFG	30.0	0.078	10.4	18.7	0.160	11.0	0.160	11.0	10.7	portable analyzer
Reformer Charge	142	N/A	RFG	83.0	0.069	16.4	32.0	0.059	21.0	0.059	21.0	16.7	portable analyzer
Naphtha HDS Charge	108	118	RFG	68.0	0.066	14.8	48.9	0.090	13.3	0.090	13.3	13.2	portable analyzer
Dist Rx Feed/Frac Feed	139	N/A	RFG	61.0	0.040	10.7	36.0	0.088	22.3	0.088	22.3	22.7	Stack Test
Debutanizer Reboiler	91	N/A	RFG	69.4	0.068	23.2	56.7	0.050	116.0	0.050	116.0	147.1	portable analyzer
Steam Methane Reformer	897	N/A	RFG	806.0	0.050	176.1	639.0	0.120	12.6	0.120	12.6	18.9	CEM
ARDS Chp. East	79	100	NG	48.0	0.120	25.2	24.0	0.110	7.7	0.110	7.7	11.4	Stack Tests
ARDS Chp. West	72	100	NG	43.0	0.080	16.1	18.0	0.120	44.2	0.120	44.2	38.3	portable analyzer
Ethane Unit Superheater	44	N/A	NG	39.0	0.100	32.6	84.0	0.113	10.8	0.113	10.8	11.3	Stack Tests
HDS Charge	44	N/A	RFG	30.8	0.067	11.7	21.9	0.069	5.2	0.069	5.2	4.3	Stack Tests
Col 46 Reboiler	91	N/A	RFG	58.1	0.053	3.3	12.1	0.074	19.3	0.074	19.3	19.0	portable analyzer
Debutanizer Reboiler	480	N/A	RFG	194.0	0.074	18.8	59.6	0.120	24.3	0.120	24.3	39.6	portable analyzer
Boiler	362	N/A	RFG	10.0	0.126	54.7	46.2	0.126	4.2	0.126	4.2	2.1	portable analyzer
Boiler	150	N/A	RFG	15.0	0.090	5.9	6.8	0.090	2.2	0.090	2.2	4.1	portable analyzer
Total	3359			1135		588.0	1417.6		529.9		529.9	588.3	

APPENDIX B

CONOCOPHILLIPS BORGER REFINERY - (INTERNAL COMBUSTION ENGINES)

SOURCE	Maximum of Allowable Annual Heat Input Capacity (MMBtu/hr)	Engine Service	2000 Utilization Rate (MMBtu/hr)	2000 NOx Emission Rate (lb/MMBtu)	2000 NOx Emissions (tons/year)	2001 Utilization Rate (MMBtu/hr)	2001 NOx Emission Rate (lb/MMBtu)	2001 NOx Emissions (tons/year)	E (Actual) 2000-2001 Average NOx Emissions TPD	Emissions Factor Basis (emission factor, stack test, or CEMS data)
Unit 12 Engine #48	3.3	4-cylinder	3.8	4.267	71.0	3.8	2.093	33.1	82.1	avg. of other I.C.E. stack test data
Unit 65 Engine #1 (east)	6.0	2-cylinder	5.2	2.500	57.3	5.5	2.500	60.1	58.7	stack test
Unit 65 Engine #2	6.0	2-cylinder	5.2	0.320	7.3	5.5	0.320	7.7	7.6	stack test
Unit 65 Engine #3 (west)	6.0	2-cylinder	5.2	3.429	78.5	5.5	3.429	82.5	80.5	stack test
Unit 83 Engine #37	8.8	2-cylinder	3.6	2.170	33.1	3.8	2.170	38.3	34.7	stack test
Unit 83 Engine #39	8.8	2-cylinder	3.6	4.830	70.6	3.8	2.753	48.1	58.3	avg. of other I.C.E. stack test data
Unit 83 Engine #40	4.5	4-cylinder	2.7	4.287	50.5	3.0	2.753	35.7	43.1	avg. of other I.C.E. stack test data
Total	43.4		29.1		386.3	30.7		301.4	334.9	

APPENDIX B

SOURCE	Automatic Annual Heat Input Capacity (MMBtu/hr)	Maximum Physical Heat Input Capacity (if different)	Fuel Service	2000 Utilization		2000 NOx Emissions		2001 Utilization		2001 NOx Emissions		2004-2007 Average NOx Emissions		Emissions Factor, stack test, or CEMS data	Emissions Factor, Btu/lb
				Rate (MMBtu/hr)	MMBtu/yr	Rate (MMBtu/hr)	MMBtu/yr	Rate (MMBtu/hr)	MMBtu/yr	Rate (MMBtu/hr)	MMBtu/yr	g (stack)/MMBtu	g (stack)/MMBtu		
Crude Charge	1F-1A	191	N/A	RFG	164.0	0.230	165.2	165.5	0.230	165.7	165.0	165.0	portable analyzer	AP 42	
	1F-1A	96	N/A	RFG	76.1	0.063	77.6	70.3	0.078	24.1	25.9	25.9	Source Test	AP 42	
	1F-1A	102	N/A	RFG	28.5	0.050	5.8	35.2	0.050	6.9	6.9	6.9	portable analyzer	AP 42	
	4F-2	189	N/A	RFG	163.4	0.240	171.8	162.8	0.240	171.2	171.5	171.5	Source Test	AP 42	
	14F-1,2	72	N/A	RFG	27.8	0.063	10.1	18.1	0.078	6.2	8.1	8.1	portable analyzer	AP 42	
	18-F1	41	N/A	RFG	14.1	0.162	8.4	13.9	0.158	9.8	9.8	9.8	portable analyzer	AP 42	
	18-F21	47	N/A	RFG	40.0	0.100	17.4	40.7	0.100	17.7	17.7	17.7	portable analyzer	AP 42	
	18-F22	47	N/A	RFG	40.0	0.100	17.3	40.7	0.100	17.8	17.8	17.8	portable analyzer	AP 42	
	18-F23	47	N/A	RFG	40.0	0.120	21.0	40.7	0.120	21.4	21.4	21.2	portable analyzer	AP 42	
	18-F24	47	N/A	RFG	40.0	0.120	21.0	40.7	0.120	21.4	21.4	21.2	portable analyzer	AP 42	
Alky Refebiler	17F-1	108	N/A	RFG	80.3	0.128	34.1	88.7	0.128	37.8	36.0	36.0	portable analyzer	AP 42	
	33F-1	48	N/A	RFG	20.3	0.064	8.7	21.4	0.064	8.0	5.8	5.8	Source Test	AP 42	
	22-F1C	182	N/A	N2	41.3	0.039	7.0	26.8	0.039	4.9	4.0	4.0	CEMS	AP 42	
	22-F1A	81	N/A	RFG	48.5	0.063	18.0	60.8	0.078	20.9	19.4	19.4	Source Test	AP 42	
Boiler #3	108	N/A	RFG	51.8	0.063	18.8	51.4	0.078	21.1	19.9	19.9	Source Test	AP 42		
Total	1386				859.1		659.5	867.8		664.6	832.8	832.8			

CONOCOPHILLIPS LOS ANGELES REFINERY - CARSON PLANT

APPENDIX B

SOURCE	Allowable Annual Heat Input Capacity (MMBtu/hr)	Maximum Physical Heat Input Capacity (if different) (MMBtu/hr)	Fuel Service	2000 Utilization Rate (MMBtu/hr)	2000 NOx Emission Rate (lb/MMBtu)	2000 NOx Emissions (tons/year)	2001 Utilization Rate (MMBtu/hr)	2001 NOx Emission Rate (lb/MMBtu)	2001 NOx Emissions (tons/year)	2000-2001 Average NOx Emissions (tons/year)	Emissions Factor, stack test, or CEMS data)
Boiler 10	352	N/A	RFG, NG	207.7	0.071	84.8	187.0	0.089	98.6	60.8	CEM
Boiler 11	352	N/A	RFG, NG	207.4	0.078	70.9	166.1	0.078	55.3	63.1	CEM
Crude Heater	350	N/A	RFG, NG	328.8	0.068	85.3	254.3	0.063	70.2	82.8	CEM
Heater 31	175	N/A	RFG, NG, Mercos Offgas	125.5	0.058	31.8	43.9	0.068	13.0	22.4	CEM
Heater 22	175	N/A	RFG, NG, Mercos Offgas	161.9	0.052	38.9	48.8	0.068	13.5	25.2	CEM
Heater 23	154	N/A	RFG, NG	139.1	0.080	46.7	92.0	0.047	18.9	33.8	CEM
Heater 34	154	N/A	RFG, NG	137.3	0.110	85.2	94.3	0.038	14.9	40.5	CEM
Heater 28	340	N/A	RFG, NG	210.5	0.135	124.5	209.1	0.068	78.8	101.8	CEM
Heater 40	70	N/A	RFG, NG	38.3	0.070	11.1	48.6	0.072	14.7	12.9	CEM
Total	2121			1555.8		560.0	1139.8		338.8	442.9	

APPENDIX B

CONOCOPHILLIPS LOS ANGELES REFINERY - WILMINGTON PLANT

SOURCE	Allowable Annual Heat Input Capacity (MMBtu/hr)	Maximum Physical Heat Input Capacity (if different) (MMBtu/hr)	Fuel Service	2000 Utilization Rate (MMBtu/hr)	2000 NOx Emissions Rate (lb/MMBtu (HHV))	2000 NOx Emissions tons/year	2001 Utilization Rate (MMBtu/hr)	2001 NOx Emissions Rate (lb/MMBtu (HHV))	2001 NOx Emissions tons/year	2000-2001 Average NOx Emissions TPY	Emissions Factor Basis (emission factor, stack test, or CEMS data)
118	480	N/A	RFG, NG, PSA Wastegases	254.6	0.008	8.7	266.5	0.005	5.8	8.3	CEM
Boiler 4	142	N/A	RFG, NG	18.8	0.350	25.8	18.8	0.278	24.1	24.9	CEM
Boiler 6	250	N/A	RFG, NG	90.7	0.088	34.2	120.1	0.091	47.8	41.0	CEM
Boiler 7	304	N/A	RFG, NG	108.2	0.237	112.3	70.2	0.185	58.8	84.6	CEM
Boiler 8	178	N/A	RFG, NG	57.0	0.189	42.2	70.1	0.132	40.5	41.4	CEM
Cogen Unit	648	N/A	RFG/NG mix, NG, C4	472.5	0.025	51.7	502.2	0.022	48.2	50.0	CEM
Duct burner	88	N/A	RFG or NG	38.6	0.031	5.2	6.8	0.035	1.0	3.1	CEM
B-101	80	N/A	RFG, NG	26.2	0.238	30.2	37.5	0.150	24.3	27.5	CEM
B-101	116	N/A	RFG, NG	48.3	0.172	34.9	48.5	0.089	14.7	24.8	CEM
B-102	88	N/A	RFG, NG	38.8	0.179	27.7	44.8	0.083	12.4	20.0	CEM
B-103	71	N/A	RFG, NG	23.7	0.152	15.8	23.5	0.095	9.8	12.8	CEM
B-104	55	N/A	RFG, NG	22.4	0.147	14.4	31.8	0.094	8.9	11.7	CEM
B-202	78	N/A	RFG, NG	50.8	0.182	33.8	38.4	0.088	11.4	22.8	CEM
H-100	110	N/A	RFG, NG	71.1	0.083	25.8	63.7	0.082	22.9	24.4	CEM
H-101	100	N/A	RFG, NG	48.2	0.084	17.0	30.4	0.083	11.1	14.0	CEM
H-102	70	N/A	RFG, NG	23.3	0.078	7.8	30.8	0.084	11.3	9.5	CEM
H-103	42	N/A	RFG, NG	20.9	0.078	6.9	21.0	0.084	7.7	7.3	CEM
B-101	350	N/A	RFG, NG	190.1	0.030	25.0	149.0	0.018	11.7	18.3	CEM
B-204	135	N/A	RFG, NG	74.9	0.284	88.8	77.0	0.080	30.4	58.6	CEM
B-201	51	N/A	RFG, NG	22.8	0.120	11.9	20.7	0.118	10.7	11.3	CEM
Total	2385			1685.5		818.9	1873.9		412.1	814.0	

CONOCOPHILLIPS RODEO REFINERY

APPENDIX B

SOURCE	Advertised Annual Heat Input Capacity (MMBtu/hr)	Maximum Physical Heat Input Capacity (if different) (MMBtu/hr)	Fuel Service	2000 Utilization Rate		2000 NOx Emissions		2001 Utilization Rate		2001 NOx Emissions		2000-2001 Average NOx Emissions		Emissions Factor, sheet test, or CEMs data)
				mmBtu/hr (MMBtu)	mmBtu/hr (MMBtu)	lb/mmBtu (MMBtu)	lb/year	mmBtu/hr (MMBtu)	mmBtu/hr (MMBtu)	lb/mmBtu (MMBtu)	lb/year	lb/mmBtu (MMBtu)	lb/year	
110 M-1	210	N/A	RFG	133.8	133.8	0.010	5.6	129.8	0.010	5.7	5.7	129.8	5.7	CEM
200 B-5	100	N/A	RFG	73.1	73.1	0.080	25.9	85.7	0.031	11.6	11.6	85.7	11.6	Semi Annual Test
200 B-101	50	N/A	RFG	40.5	40.5	0.074	13.1	47.5	0.039	8.1	8.1	47.5	8.1	Semi Annual Test
200 B-201	46	N/A	RFG	30.8	30.8	0.042	5.8	29.9	0.042	5.6	5.6	29.9	5.6	CEM
200 B-202	230	N/A	RFG	187.0	187.0	0.028	22.9	172.2	0.015	11.3	11.3	172.2	11.3	CEM
228 B-520/621	55	N/A	RFG	29.5	29.5	0.016	2.1	29.7	0.016	2.1	2.1	29.7	2.1	CEM
230 B-103	84	N/A	RFG	34.3	34.3	0.055	8.3	32.2	0.055	7.8	7.8	32.2	7.8	Semi Annual Test
230 B-201	82	N/A	RFG	34.8	34.8	0.042	6.4	32.8	0.042	6.0	6.0	32.8	6.0	Semi Annual Test
231 B-101	96	N/A	RFG	53.4	53.4	0.075	17.4	50.2	0.039	8.6	8.6	50.2	8.6	Semi Annual Test
231 B-102	104	N/A	RFG	58.4	58.4	0.082	21.0	58.0	0.047	11.3	11.3	58.0	11.3	Semi Annual Test
231 B-104	111	N/A	RFG	58.4	58.4	0.085	24.2	58.3	0.032	8.2	8.2	58.3	8.2	Semi Annual Test
240 B-101	223	N/A	RFG	127.6	127.6	0.124	89.3	155.1	0.124	84.3	84.3	155.1	84.3	Semi Annual Test
240 B-201	106	N/A	RFG	32.3	32.3	0.085	12.0	44.2	0.052	6.2	6.2	44.2	6.2	Semi Annual Test
240 B-202	42	N/A	RFG	22.3	22.3	0.168	16.4	22.8	0.168	16.6	16.6	22.8	16.6	Semi Annual Test
240 B-301	194	N/A	RFG	136.9	136.9	0.173	103.5	152.1	0.012	8.0	8.0	152.1	8.0	Semi Annual Test
240 B-401	558	N/A	RFG	305.8	305.8	0.088	115.2	331.5	0.065	124.9	124.9	331.5	124.9	CEM
244 B-501 to 505	239	N/A	RFG	85.8	85.8	0.109	45.8	114.3	0.109	54.7	54.7	114.3	54.7	CEM
31 B-1	256	N/A	RFG	97.0	97.0	0.178	75.8	103.7	0.178	80.8	80.8	103.7	80.8	Semi Annual Test
31 B-2	51	N/A	RFG	32.3	32.3	0.168	23.8	34.4	0.168	25.3	25.3	34.4	25.3	Semi Annual Test
267 B-601/602	101	N/A	RFG	59.9	59.9	0.030	7.9	64.7	0.030	8.5	8.5	64.7	8.5	CEM
Total	2914			1643.8	1643.8		621.6	1740.2		485.6	485.6		358.6	

CONOCOPHILLIPS SANTA MARIA REFINERY

APPENDIX B

SOURCE	Allowable		Maximum		Fuel	Service	2000 Utilization Rate (MMBtu/hr (MMV)	2000 NOx Emission Rate (lb/MMBtu (MMV)	2000 NOx Emissions Tons/year	2001 Utilization Rate (MMBtu/hr (MMV)	2001 NOx Emission Rate (lb/MMBtu (MMV)	2001 NOx Emissions Tons/year	2000-2001 Average NOx Emissions TPY	Emission Factor Basis (emission factor, stack test, or CEMS data)
	Actual Heat Input Capacity	Physical Heat Input Capacity (if different)	Actual Heat Input Capacity	Physical Heat Input Capacity (if different)										
Cr'd A	77	N/A	77	N/A	RFG	RFG	71.7	0.034	10.8	75.8	0.031	10.3	10.4	Stack Test
Cr'd B	78	N/A	78	N/A	RFG	RFG	73.8	0.035	11.2	70.7	0.031	9.8	10.4	Stack Test
Cok A	81	N/A	81	N/A	RFG	RFG	81.6	0.032	8.5	68.1	0.030	8.9	8.7	Stack Test
Cok B	81	N/A	81	N/A	RFG	RFG	84.0	0.031	8.6	64.2	0.034	9.8	9.1	Stack Test
UHI	125	N/A	125	N/A	RFG+NG	RFG+NG	104.8	0.034	15.8	97.3	0.029	12.4	14.1	Stack Test
UHI	127	N/A	127	N/A	RFG+NG	RFG+NG	93.2	0.033	13.9	87.1	0.028	10.7	12.2	Stack Test
UHI	100	N/A	100	N/A	RFG+NG	RFG+NG	77.3	0.032	10.8	77.0	0.031	10.6	10.8	Stack Test
Total	668		668				545.3		78.2	540.5		71.9	73.6	

CONOCOPHILLIPS SWEENEY REFINERY

APPENDIX B

Source	Allowable Annual Heat Input Capacity (MMBtu/hr)	Maximum Physical Heat Input Capacity (if different) (MMBtu/hr)	Fuel Service	2000 Utilization Rate (MMBtu/hr)	2000 NOx Emissions Rate (lb/MMBtu)	2000 NOx Emissions (ton/year)	2001 Utilization Rate (MMBtu/hr)	2001 NOx Emissions Rate (lb/MMBtu)	2001 NOx Emissions (ton/year)	2000-2001 Average NOx Emissions (ton/year)	Emissions Factor, stack test, or CEBS data
BOILER											
3-36-4 FCC Charge Heater	121	N/A	RFG	64.4	0.077	18.3	25.2	0.077	8.8	13.4	Stack Test
9-36-4 Crude Charge Heater	211	N/A	RFG	193.1	0.047	38.8	187.2	0.047	38.5	38.1	Stack Test
11-36-1 Prefrac Reboiler Heater	87	N/A	RFG	37.7	0.085	15.7	42.8	0.085	17.7	16.7	Stack Test
11-36-8 Reformer HDS Heater	70	N/A	RFG	42.0	0.040	7.3	41.1	0.040	7.2	7.3	Stack Test
14-36-3 Reboiler Heater	88	N/A	RFG	48.3	0.072	14.8	56.4	0.072	17.8	16.2	Stack Test
14-36-4 HDS Charge Heater	53	N/A	RFG	38.0	0.111	18.5	21.0	0.111	10.2	14.4	Stack Test
25.1-36-1 Crude Charge Heater	407	N/A	RFG	322.7	0.170	240.3	349.3	0.170	280.1	250.2	Stack Test
25.2-36-31 HDS Charge Heater	46	N/A	RFG	25.9	0.180	16.1	24.3	0.282	27.9	23.0	Stack Test
25.3-36-32 HDS Reboiler	82	N/A	RFG	33.8	0.180	23.9	33.0	0.282	37.9	30.7	Stack Test
26-36-1 Charge Heater	101	N/A	RFG	58.7	0.186	48.5	68.2	0.186	58.2	53.3	Stack Test
26-36-1.1 Charge Heater	101	N/A	RFG	57.3	0.110	27.8	78.4	0.110	38.3	32.8	Stack Test
28-36-2 Recycle Gas Heater	41	N/A	RFG	20.2	0.088	7.8	25.2	0.152	16.8	12.3	Stack Test
28.36-2.1 Recycle Gas Heater	41	N/A	RFG	22.0	0.091	8.7	28.6	0.152	16.7	14.2	Stack Test
28.1-36-1 Vacuum Charge Heater	277	N/A	RFG	42.3	0.040	7.4	242.3	0.040	42.4	24.8	Stack Test
25.2-36-1 Coker Charge Heater	202	N/A	RFG	25.2	0.025	2.8	162.9	0.025	17.8	10.3	Stack Test
28.2-36-2 Coker Charge Heater	202	N/A	RFG	28.5	0.025	3.1	167.9	0.025	18.3	10.7	Stack Test
30-36-1 Isomerizer Heater	81	N/A	RFG	85.0	0.038	10.3	36.4	0.038	5.7	8.0	Stack Test
35-36-1 CCR Charge Heater	507	N/A	RFG	94.8	0.032	13.3	268.0	0.032	40.4	28.8	Stack Test
Total	2887			1706.4		825.6	1879.4		883.0	604.5	

CONOCOPHILLIPS TRAINER REFINERY

APPENDIX B

Source	Allocation Actual Heat Input Capacity MMBtu/hr	Baseline Physical Test Input Capacity (if different) MMBtu/hr	Fuel Service	1998 Utilization Rate (MMBtu/hr)	1998 NOx Emission Rate (lb/MMBtu)	1998 NOx Emissions ton/year	2000 Utilization Rate (MMBtu/hr)	2000 NOx Emission Rate (lb/MMBtu)	2000 NOx Emissions ton/year	1998-2000 Average NOx Emissions TPY	Emissions Factor, stack test, or CEM data)
Boilerhouse	160	N/A	RFG/Oil	99.0	0.240	104.1	105.4	0.240	110.8	107.4	02/94 Stack Test
Boilerhouse	336	N/A	RFG/Oil	265.4	0.420	377.9	185.3	0.350	253.4	315.6	CEM
Boilerhouse	336	N/A	RFG/Oil	137.8	0.360	222.4	190.8	0.400	334.3	278.3	CEM
FCC Unit	100	N/A	RFG	74.8	0.600	530.4	73.7	1.650	532.6	641.6	02/94 Stack Test
Naphtha HDS Unit	95	N/A	RFG	85.2	0.100	25.9	67.7	0.100	26.7	27.8	02/94 Stack Test
Platformer Unit	917	N/A	RFG	613.4	0.130	372.0	610.1	0.130	398.6	370.4	CEM
Isocracker Unit	58	N/A	RFG	17.9	0.100	7.8	23.4	0.140	15.8	11.7	AP-42
Isoc Tst Suga Htr	78	N/A	RFG	57.5	0.100	25.2	62.0	0.100	27.2	26.2	AP-42
VGO HDS Unit	56	N/A	RFG	41.1	0.100	18.0	52.3	0.100	22.9	20.5	AP-42
641 Vacuum Unit	68	N/A	RFG	37.0	0.130	21.1	39.8	0.130	22.7	21.9	02/94 Stack Test
643 Vacuum Unit	72	N/A	RFG	38.8	0.077	13.0	42.0	0.077	14.2	13.6	06/98 Stack Test
643 Crude Unit	380	N/A	RFG	228.6	0.038	38.0	280.4	0.038	43.3	40.7	CEM
544 Crude Unit	360	N/A	RFG	227.1	0.050	48.7	261.8	0.050	87.3	83.6	CEM
544 Vao Htr	160	N/A	RFG	67.3	0.420	123.8	77.7	0.420	142.9	153.4	02/94 Stack Test
Total	3158			1908.4		1848.3	2034.8		1975.7	1992.5	

APPENDIX B

CONOCOPHILLIPS WOOD RIVER REFINERY (EXCEPT DISTILLING WEST)

SOURCE	Allowable Annual Heat Input Capacity (MMBTU/hr)	Maximum Physical Heat Input Capacity (if different) (MMBTU/hr)	Fuel Service	2000 Utilization Rate (MMBTU/hr)	2000 NOx Emission Rate (lb/MMBTU (MMV))	2000 NOx Emissions (tons/year)	2001 Utilization Rate (MMBTU/hr)	2001 NOx Emission Rate (lb/MMBTU (MMV))	2001 NOx Emissions (tons/year)	E (Actual) 2000-2001 Average NOx Emissions (TPY)	Emissions Factor, stack test, or CEMS data (Emission factor, stack test, or CEMS data)
ALKY	110	N/A	RFG	69.4	0.290	88.2	67.9	0.290	88.3	87.2	AP-42
BEU	110	N/A	RFG	84.4	0.280	107.3	70.3	0.280	89.3	88.3	AP-42
BEU	110	N/A	RFG	44.1	0.280	88.0	46.7	0.280	88.1	87.1	AP-42
Boiler	360	N/A	RFG	213.0	0.190	177.3	202.1	0.180	188.2	172.7	stack test
Boiler 16	360	N/A	RFG	225.4	0.190	187.8	208.4	0.180	179.7	179.7	stack test
Boiler	700	N/A	RFG	368.7	0.180	271.0	349.8	0.180	245.0	259.0	stack test
Boiler 17		N/A	RFG	0.0	0.210	0.0	11.5	0.210	10.8	5.3	stack test
Boiler 18	248	N/A	NG	82.8	0.198	71.1	93.3	0.188	80.2	75.6	stack test
CAU	85	115	RFG	84.8	0.104	29.3	83.8	0.104	28.9	29.1	AP-42
CR-1	185	N/A	RFG	131.3	0.045	25.9	92.9	0.048	18.3	22.1	Portable Analyzer
CR-1	182	N/A	RFG	128.9	0.144	81.3	91.2	0.144	87.5	89.4	Portable Analyzer
CR-1	78	88	RFG	62.1	0.054	14.7	43.9	0.054	10.4	12.5	Portable Analyzer
CR-1	40	N/A	RFG	31.8	0.121	18.9	22.5	0.121	11.9	14.4	Portable Analyzer
CR-1	100	128	RFG	79.8	0.192	88.9	58.3	0.182	47.3	57.1	Portable Analyzer
CR-2	275	N/A	RFG	123.9	0.280	157.5	132.4	0.280	188.3	183.9	AP-42
CR-2		N/A	RFG	88.3	0.298	111.9	81.4	0.288	105.5	108.7	Portable Analyzer
CR-3	145	N/A	OIL	58.0	0.800	203.2	55.8	0.800	184.8	199.0	AP-42
CR-3	141	N/A	RFG	84.1	0.359	132.2	79.3	0.359	124.7	128.5	Portable Analyzer
CR-3	74	N/A	OIL	58.5	0.800	188.0	54.2	0.800	185.9	183.9	AP-42
CR-3	74	N/A	RFG	44.1	0.215	41.8	41.8	0.215	39.2	40.4	Portable Analyzer
DHT	108	N/A	OIL	29.7	0.800	104.1	28.4	0.800	99.5	101.8	AP-42
DU-1	120	N/A	RFG	55.7	0.083	15.4	45.1	0.083	12.4	13.9	mt estimate
DU-1	200	N/A	RFG	108.1	0.069	33.0	92.5	0.089	28.0	30.5	Portable Analyzer
DU-2	151	N/A	RFG	160.8	0.085	89.8	138.9	0.085	51.0	55.4	Portable Analyzer
DU-2	231	N/A	RFG	114.4	0.166	83.2	117.9	0.166	85.7	84.8	Portable Analyzer
DU-2	231	N/A	RFG	165.8	0.074	53.7	180.0	0.074	51.9	52.8	Portable Analyzer
DU-2	81	N/A	RFG	160.8	0.088	82.7	141.8	0.088	55.2	58.8	Portable Analyzer
DU-2	81	N/A	RFG	31.8	0.144	19.9	28.4	0.144	17.9	18.9	Portable Analyzer
HCU	70	N/A	RFG	29.9	0.130	17.0	32.1	0.130	18.3	17.7	Portable Analyzer
HCU	70	88	RFG	38.7	0.041	6.9	39.3	0.041	7.1	7.0	Portable Analyzer
HCU	70	88	RFG	80.9	0.083	26.3	78.1	0.083	28.4	28.8	Portable Analyzer
HCU	235	N/A	RFG	198.7	0.165	133.5	185.7	0.165	128.1	128.8	Portable Analyzer
HCU-1	57	N/A	RFG	48.8	0.104	21.2	49.8	0.104	22.5	21.9	AP-42
HCU-2	81	N/A	RFG	58.8	0.254	85.2	55.4	0.254	81.8	83.4	AP-42
KRT-1	103	N/A	RFG	80.9	0.280	115.5	79.8	0.280	101.2	108.3	Portable Analyzer
RAU	89	N/A	RFG	53.9	0.104	24.5	43.2	0.104	19.8	22.0	AP-42
RAU	85	N/A	RFG	47.3	0.104	21.5	30.3	0.104	13.8	17.7	AP-42
SMR	480	N/A	RFG	189.8	0.192	158.8	183.4	0.192	182.8	180.7	Portable Analyzer
VF-1	100	N/A	NG	87.1	0.087	24.2	40.2	0.087	17.0	20.6	AP-42
VF-1	100	N/A	NG	87.1	0.087	24.2	40.2	0.087	17.0	20.6	AP-42
Total	5877			3852.5		3188.3	3511.6		3014.4	3100.4	

APPENDIX C

LIST OF ASSETS CONOCOPHILLIPS PURCHASED FROM THE PREMCOR REFINING GROUP IN HARTFORD, ILLINOIS

1. Process Units.

(a) The crude/vacuum unit and saturate gas plant, with major equipment consisting of the crude heater, vacuum heater, heat medium heater H-25, 2 desalters, atmospheric column and vacuum column, including all associated pumps, compressors, vessels, exchangers, columns, piping, instruments, and other associated equipment.

(b) The coker, coker gas plant and coker naphtha hydrotreater (No. 2 unifiner), with major equipment consisting of the 3 coke drums with 3 K-Rays per drum with radioactive sources, 2 coker heaters, fractionator, sour water stripper system, boiler, hydrotreater heater, and hydrotreater reactor, including all associated pumps, compressors, vessels, exchangers, columns, piping, instruments and other associated equipment, and equipment needed for coke handling, including the coke crusher, truck wash, truck scale and computer hardware/software, coker maze with clarifier and jet pump tank and coke laydown yard. This also includes the centrifuge and Alternative Coker Feed Material (ACFM) unit (also known as the coker sludge injection system or MOSC unit) with feed system including tanks.

(c) The fluidized catalytic cracking (FCC) unit and gas plant, with major equipment consisting of the reactor, regenerator, wet gas compressor, air blower and fractionator, including all associated pumps, compressors, vessels, exchangers, columns, piping, instruments and other associated equipment, catalyst handling equipment, propylene driers, C3/C4 splitter system, summer blend system (including iC4/nC4 splitter and debutanizer), and the Merox unit.

(d) The HF alkylation unit and feed preparation, with major equipment consisting of the reactor, mixer settler and fractionator, including all associated pumps, compressors, vessels, exchangers, columns, heaters, dryers, treaters, piping, instruments and other associated equipment, acid handling equipment, caustic system, HF acid detection system, and rapid acid de-inventorying system.

(e) The total isomerization process (TIP) unit, with major equipment consisting of the hydrotreater heater, hydrotreater reactor, steam methane reformer (SMR) heater, pressure swing absorption (PSA) unit, reactors and isosieves, including all associated pumps, compressors, vessels, exchangers, columns, piping, instruments and other associated equipment.

2. Utilities.

(a) Steam system, including #5 boiler, #4 boiler, distribution system, condensate system, and associated pumps, fans, vessels, exchangers, piping, instruments and other associated equipment. It excludes that portion of the steam and condensate system not on the Premises, except for the steam distribution piping and condensate headers necessary to connect the various parcels comprising the Premises.

(b) Boiler feedwater (BFW) system, including the hot lime softener system, BFW chemical injection systems, lime handling system, lime sludge handling system, distribution system and associated pumps, fans, vessels, tanks, exchangers, piping, instruments and other associated equipment.

(c) Filter press system and building, including associated pumps, compressors, fans, vessels, tanks, exchangers, piping, instruments and other associated equipment. This includes the piping and equipment used to transfer lime sludge from the hot and cold lime softeners to the filter press.

(d) Cooling water system, including the cold lime softener system, cooling water tower #3, cooling water tower #4, cooling water tower #5, cooling water chemical injection systems, lime handling system, lime sludge handling system, distribution system and associated pumps, fans, vessels, tanks, exchangers, piping, instruments and other associated equipment. It excludes that portion of the cooling water system not on the Premises, except for the cooling water distribution piping and headers necessary to connect the various parcels comprising the Premises.

(e) Firewater system, including the pumphouse and firewater pumps (but not the firewater supply pond), distribution piping, hydrants/monitors, firewater isolation valves, and other associated equipment at the Refinery. It excludes that portion of the firewater system that extends south of Hawthorne Avenue from the point it leaves that portion of the Refinery north of Hawthorne Avenue.

(f) Flare systems, including the main flare and backup ground flare, pumps, fans, vessels, piping, instruments, monitors/cameras and other associated equipment. It excludes that portion of the flare system not on the Premises. This also includes the new flare tip that has yet to be installed.

(g) Electrical systems, including the four electrical substations, the #3 incoming line transformer (flare backup power supply), meters, load management program (including any software necessary to operate this system) as well as the switchgear, backup instrument power supply generators, motor control centers and distribution system associated with the Assets. It excludes any portion of the electrical system from the point where it exclusively supplies a Seller load. Drawings more fully describing this system are attached to this Agreement as Attachment 1 (not attached).

(h) Nitrogen system, including the system supply lines and meter from third-party suppliers currently owned by Seller, instruments, distribution system and other associated equipment associated with operating the Assets. It excludes that portion of the nitrogen distribution system not on the Premises, except for the nitrogen piping necessary to connect the various parcels comprising the Premises and except for the supply lines from third-party suppliers currently owned by Seller.

(i) Air system, including the plant and instrument air systems, air compressors, dryers and plant air moisture analyzer. This includes the instruments, distribution system and other associated equipment associated with operating the Assets. It excludes that portion of the air system not on the Premises except for the distribution piping and headers necessary to connect the various parcels comprising the Premises.

(j) Fuel systems, including natural gas system, refinery fuel gas system, amine treating system, vessel PV206 and associated pumps, and fuel gas H₂S analyzer. This includes the pumps, vessels, contactors, piping, instruments and other associated equipment servicing the Assets. It excludes that portion of the fuel gas supply and distribution piping not on the Premises, except for the

fuel distribution piping necessary to connect the various parcels comprising the Premises and except for the natural gas supply line from a third-party supplier to the fuel gas mix drum.

(k) The rail car loading and unloading rack, including the LPG, propylene and butylene loading and unloading piping and hoses, the rail tracks, pumps, vessels, piping, instruments and other associated equipment.

(l) Heat medium heater H-35, pumps, vessels, filters, supply piping, circulating piping, instrumentation and other associated equipment. It excludes that portion of the heating medium system not on the Premises, except for the supply and return piping headers necessary to connect the various parcels comprising the Premises and except for the filter and connecting piping.

3. Tankage.

(a) Atmospheric storage tanks consisting of 10-21, 20-2, 35-1, 35-2, 35-3, 55-1, 55-2, 55-3, 80-1, 80-2, 80-6, 80-9, 120-6, and 200-1. This includes all associated instruments (including levels, secondary level alarms, pressures and temperatures), instrument transmission wires/cables from the tank to the field junction boxes, tank strapping tables, and other associated equipment. Piping and pumps included with this tankage is shown on Attachment 4 (not attached).

(b) Butane spheres 15-1 and 15-2.

(c) Isobutane spheres 10-24 and 10-25.

(d) Propane bullets T-1-3, T-1-4, T-1-5, T-1-6, T-1-7, T-1-8, T-1-10, T-1-11, T-1-12 and T-1-13.

(e) This includes all associated pumps, piping, instruments (including levels, secondary level alarms, pressures and temperatures), instrument transmission wires/cables from the tank to the field junction boxes, tank strapping tables, and other associated equipment in connection with (b) through (d) above. This includes the field junction box and instrument transmission wires/cables from the field junction box to the #2 pump pit control room for (b) through (d) above.

4. Piping, Pipe Racks and Pumps.

(a) All pipe racks and piping on the Premises, except for (i) the piping noted in Attachment 2 (not attached) and not sold to Buyer, (ii) any underground gaseous or liquid hydrocarbon piping except as otherwise noted, and (iii) the piping in Attachment 4 (not attached) not sold to Buyer.

(b) The pipe rack and piping that traverses from the Refinery north tank farm area (southeast corner of Tank 80-5 tankyard) through Buyer's sulfur plant and wastewater treating plant area and bridge over Buyer's wastewater treating plant road and Rand Avenue, including the six-inch Amoco line and three (3) four-inch propylene lines and pipe rack, to the Amoco terminal, except for the piping described in Attachment 3 (not attached).

(c) The transfer piping and pumps in the Refinery north tank farm area as described more fully in Attachment 4 (not attached), tank farm piping and instrument drawings.

The oily water sewer system on and beneath the Premises.

(e) Tank 20-2 pumps P-1204, P-938 and P-501 that do not reside in 20-2 tank yard.

(f) Pump P-712 in tank 80-3 tank yard to be removed from 80-3 tank yard by Buyer at Buyer's expense.

5. Buildings. Those buildings described in Attachment 5 (not attached).

6. Documents.

(a) Refinery Records.

(b) Documentation and electronic data/models consisting of all engineering, maintenance and inspection records, equipment records, management of change records, process safety management documentation, PHA/HazOp reports, P&IDs, process models and data, operating and training manuals and design manuals and LP model including any existing documentation. The LP model transferred may exclude any crude data and any contemplated refinery configuration changes (e.g. new processing units) where disclosure of the data is limited by agreement with other parties.

(c) Design data and detailed process and mechanical drawings for FCC scrubber if part of the Refinery Records.

7. Other.

(a) All spare parts and supplies specifically associated with the items described in Paragraphs 1 through 5 of this Appendix C, including:

- (i) Big coker jet pump spare motor
- (ii) Coker combination drill bits from Port Arthur refinery*
- (iii) Coker gas compressor surge control system and program
- (iv) Coker gas compressor spare motor
- (v) Coker gas compressor spare element
- (vi) Coker 12" switching spare valve
- (vii) Coker spare wedge plug valves
- (viii) Coker spare drum driller rotary joint
- (ix) Coker spare drum driller hoist/winch
- (x) Crude overhead water pH analyzer
- (xi) New vacuum tower bottoms spare pump
- (xii) Two new vacuum LVGO pumps
- (xiii) Two new vacuum HVGO pumps
- (xiv) FCC WGC spare element
- (xv) FCC spare air blower element
- (xvi) FCC spare air blower motor coils
- (xvii) FCC spare double disk and spent slide valves
- (xviii) Flare spare fan
- (xix) New flare tip
- (xx) New flare pilots

(xxi) Old coker NHT reactor

(xxii) All electrical equipment, electrical spares, instrumentation spares and burner management system equipment in the Litwin (B-94) and Sales (B-75) buildings and the Asphalt building (B-29) associated with the units described in this Appendix C, Sections 1 and 2.

* Note: Seller will separately invoice Buyer for disassembly costs (if any) and transportation costs necessary to move these drill bits from Port Arthur to Hartford.

(b) DHDS rundown air coolers.

(c) The fiber optics cables labeled as #14, #15, #16, #17 and #22 on Attachment 6 (not attached). 50% of the fibers in the remaining fiber optics cables throughout the Refinery on Attachment 6 (not attached).

(d) Emergency response equipment associated with the purchased units.

(e) One foam tanker fire truck.

(f) Two coke loaders equivalent or better than the two coke loaders at the Refinery prior to Seller's shutdown.

(g) Maintenance equipment at the Refinery not currently being used by Seller for its terminaling operations at the Refinery.

APPENDIX D

DETERMINING THE OPTIMIZED ADDITION RATES OF CATALYST ADDITIVES AT THE FCCUs

I. PURPOSE

This Appendix defines a process for the applicable FCCUs by which COPC will replace conventional combustion promoter with Low NO_x Combustion promoter, if combustion promoter is needed and if Low NO_x Combustion Promoter is effective. It also defines a process by which COPC will determine for the applicable FCCUs the Optimized Addition Rates for NO_x Reducing Catalyst Additives and SO₂ Reducing Catalyst Additives during the optimization periods.

II. REPLACING CONVENTIONAL NO_x COMBUSTION PROMOTER WITH LOW NO_x COMBUSTION PROMOTER

A. **Overview.** Replacing conventional combustion promoter with Low NO_x Combustion Promoter is a two-step process: (1) replacing the conventional combustion promoter with Low NO_x Combustion Promoter at an addition rate that is the functional equivalent of the addition rate used by COPC for conventional combustion promoter during the baseline period; and (2) increasing the addition rate up to two times the functional equivalent rate if the functional equivalent rate is not effective.

B. **"Effectiveness" Determination.** The criteria for determining the effectiveness of Low NO_x Combustion Promoter are: (1) afterburn is controlled adequately and regenerator temperature and combustion levels are adequately maintained; (2) temperature excursions are brought under control adequately; (3) carbon monoxide (CO) control is adequately maintained; and (4) a measureable reduction in NO_x emissions occurs.

C. Establishing the Functional Equivalent Rate for Low NO_x Combustion Promoter.

(1) COPC will replace conventional combustion promoter with Low NO_x Combustion Promoter at a rate that is the functional equivalent in promotion activity of the addition rate used by COPC for conventional combustion promoter during the baseline period.

(2) COPC will propose to EPA for approval, with a copy to the Applicable Co-Plaintiff, a Low NO_x Combustion Promoter functional equivalent rate based on: (i) vendor recommendations; (ii) information available to COPC regarding the performance of the Low NO_x Combustion Promoter in other FCCUs; (iii) unit-specific considerations; and (iv) any other available and relevant information. As set forth in Paragraph 44 of the Consent Decree, COPC will submit its proposed functional equivalent rate at least six (6) months prior to the completion of the baseline period.

(3) Regardless of whether or not, prior to the completion of the baseline period, EPA has approved COPC's proposed functional equivalent rate, COPC will commence the replacement of conventional combustion promoter with Low NO_x Combustion Promoter by no later than the dates set forth in Paragraph 44 of the Decree. COPC will add Low NO_x Combustion Promoter at the functional equivalent rate that it proposes under Subparagraph LC.(2). COPC will continue to add Low NO_x Combustion Promoter at this rate unless EPA approves a different rate.

D. Doubling the Low NO_x Combustion Promoter Functional Equivalent Rate.

If the Low NO_x Combustion Promoter is not effective at the functional equivalent rate, COPC will double the rate. If, at two times the functional equivalent rate, the Low NO_x Combustion Promoter is not effective, COPC may discontinue the use of Low NO_x Combustion Promoter.

III. ESTABLISHING AN OPTIMIZED NO_x REDUCING CATALYST ADDITIVE ADDITION RATE

A. Overview. The Optimized NO_x Reducing Catalyst Additive Addition Rate will be determined by evaluating NO_x emissions reductions and annualized costs at three different addition rates.

B. The Increments. The three addition rates or "increments" will be:

- 1.0 Weight % NO_x Reducing Catalyst Additive
- 1.5 Weight % NO_x Reducing Catalyst Additive
- 2.0 Weight % NO_x Reducing Catalyst Additive

C. The Procedure. COPC will successively add NO_x Reducing Catalyst Additive at each increment set forth above. Once a steady state has been achieved at each increment, COPC will evaluate the performance of the NO_x Reducing Catalyst Additive in terms of NO_x emissions reductions and projected annualized costs. The final Optimized NO_x Reducing Catalyst Additive Addition Rate, in pounds per day, will occur at the addition rate where either:

- (1) the FCCU meets 20 ppmvd NO_x (corrected to 0% O₂) on a 365-day rolling average, in which case COPC will agree to accept limits of 20 ppmvd NO_x (corrected to 0% O₂) on a 365-day rolling average basis at the conclusion of the Demonstration Period; or
- (2) the total annualized cost-effectiveness of the NO_x Reducing Catalyst Additive used exceeds \$10,000 per ton of NO_x removed as measured from an uncontrolled baseline (as estimated based on current operating parameters as compared to operating parameters during the baseline period); or
- (3) the Incremental NO_x Reduction Factor is less than 1.8, where the Incremental NO_x Reduction Factor is defined as:

$$\frac{PR_i - PR_{i-1}}{CAR_i - CAR_{i-1}} \quad \text{where:}$$

PR_i = Pollutant (NO_x) reduction rate at increment i in pounds per day from the baseline model

PR_{i-1}	=	Pollutant (NO_x) reduction rate at the increment prior to increment i in pounds per day from the baseline model
CAR_i	=	Total Catalyst Additive Rate at increment i in pounds per day
CAR_{i-1}	=	Total Catalyst Additive Rate at the increment prior to increment i in pounds per day

If the conditions of either (1), (2), or (3) above are not met at any addition rate less than 2.0

Weight % NO_x Reducing Catalyst Additive, then the Optimized Addition Rate will be 2.0

Weight % NO_x Reducing Catalyst Additive, in pounds per day. The Optimized Addition Rate will not be calculated by interpolation between the increments; it will occur at one of the increments.

If an additive limits (i) the FCCU's ability to control CO emissions to below 500 ppmvd CO corrected to 0% O_2 on an 1-hour basis; and/or (ii) the processing rate and/or (iii) the conversion capability, and this (these) effect(s) cannot be reasonably compensated for by adjusting other parameters, then the additive rate will be reduced to a level at which the additive no longer causes such effects.

IV. **ESTABLISHING AN OPTIMIZED SO_2 REDUCING CATALYST ADDITIVE ADDITION RATE**

A. **Overview.** The Optimized SO_2 Reducing Catalyst Additive Addition Rate will be determined by evaluating SO_2 emissions reductions at four different addition rates.

B. **The Increments.** The four addition rates or "increments" will be:

- 5.0 Weight % SO_2 Reducing Catalyst Additive
- 6.7 Weight % SO_2 Reducing Catalyst Additive
- 8.4 Weight % SO_2 Reducing Catalyst Additive
- 10.0 Weight % SO_2 Reducing Catalyst Additive

C. **The Procedure.** COPC will successively add SO₂ Reducing Catalyst Additive at each increment set forth above. Once a steady state has been achieved at each increment, COPC will evaluate the performance of the SO₂ Reducing Catalyst Additive in terms of SO₂ emissions reductions. The final Optimized SO₂ Reducing Catalyst Additive Addition Rate will occur at the addition rate, in pounds per day, where either:

- (1) the FCCU meets 25 ppmvd SO₂ (corrected to 0% O₂) on a 365-day rolling average and 50 ppmvd SO₂ (corrected to 0% O₂) on a 7-day rolling average, in which case COPC will agree to accept limits of 25 ppmvd SO₂ (corrected to 0% O₂) on a 365-day rolling average and 50 ppmvd SO₂ (corrected to 0% O₂) on a 7-day rolling average at the conclusion of the Demonstration Period;
- (2) the addition of SO₂ adsorbing catalyst additive limits the FCCU feedstock processing rate or conversion capability in a manner that cannot be reasonably compensated for by the adjustment of other parameters, the maximum addition rate will be reduced to a level at which the additive no longer interferes with the FCCU processing or conversion rate; provided, however, that in no case, will the maximum addition rate be less than 5.0 weight %; or
- (3) the Incremental SO₂ Pick-up Factor is less than 2.0, where the Incremental SO₂ Pick-up Factor is defined as:

$$\frac{PR_i - PR_{i-1}}{CAR_i - CAR_{i-1}} \quad \text{where:}$$

PR_i = Pollutant (SO₂) reduction rate at increment i in pounds per day from the baseline model

PR_{i-1} = Pollutant (SO₂) reduction rate at the increment prior to increment i in pounds per day from the baseline model

CAR_i = Total Catalyst Additive Rate at increment i in pounds per day

CAR_{i-1} = Total Catalyst Additive Rate at the increment prior to increment i in pounds per day

If the conditions of either (1), (2), or (3) above are not met at any addition rate less than 10.0 weight % SO₂ Reducing Catalyst Additive, then the Optimized Addition Rate will be 10.0

weight % SO₂ Reducing Catalyst Additive, in pounds per day. In no case will the Optimized Addition Rate will be less than 5.0 weight % SO₂ Reducing Catalyst Additive. The Optimized Addition Rate will not be calculated by interpolation between the increments; it will occur at one of the increments.

If an additive limits the processing rate or the conversion capability in a manner that cannot be reasonably compensated for by adjustment of other parameters, the additive level will be reduced to a level at which the additive no longer causes such limits or effects.

APPENDIX E

PREDICTIVE EMISSIONS MONITORING SYSTEMS FOR HEATERS AND BOILERS WITH CAPACITIES BETWEEN 150 AND 100 mmBTU/HR

A Predictive Emissions Monitoring Systems ("PEMS") is a mathematical model that predicts the gas concentration of NO_x in the stack based on a set of operating data. Consistent with the CEMS data frequency requirements of 40 C.F.R. Part 60, the PEMS shall calculate a pound per million BTU value at least once every 15 minutes, and all of the data produced in a calendar hour shall be averaged to produce a calendar hourly average value in pounds per million BTU.

The types of information needed for a PEMS are described below. The list of instruments and data sources shown below represent an ideal case. However at a minimum, each PEMS shall include continuous monitoring for at least items 3-5 below. COPC will identify and use existing instruments and refinery data sources to provide sufficient data for the development and implementation of the PEMS.

Instrumentation:

1. Absolute Humidity reading (one instrument per refinery, if available)
2. Fuel Density, Composition and/or specific gravity - On line readings (it may be possible if the fuel gas does not vary widely, that a grab sample and analysis may be substituted)
3. Fuel flow rate
4. Firebox temperature
5. Percent excess oxygen
6. Airflow to the firebox (if known or possibly estimated)
7. Process variable data - steam flow rate, temperature and pressure - process stream flow rate, temperature & pressure, etc.

Computers & Software:

Relevant data will be collected and stored electronically, using computers and software.

The hardware and software specifications will be specified in the source-specific PEMS.

Calibration and Setup:

1. Data will be collected for a period of 7 to 10 days of all the data that is to be used to construct the mathematical model. The data will be collected over an operating range that represents 80% to 100% of the normal operating range of the heater/boiler;
2. A "Validation" analysis shall be conducted to make sure the system is collecting data properly;
3. Stack Testing to develop the actual emissions data for comparison to the collected parameter data; and
4. Development of the mathematical models and installation of the model into the computer.

The elements of a monitoring protocol for a PEMS will include:

1. Applicability
 - a. Identify source name, location, and emission unit number(s);
 - b. Provide expected dates of monitor compliance demonstration testing.
2. Source Description
 - a. Provide a simplified block flow diagram with parameter monitoring points and emission sampling points identified (e.g., sampling ports in the stack);
 - b. Provide a discussion of process or equipment operations that are known to significantly affect emissions or monitoring procedures (e.g., batch operations, plant schedules, product changes).

3. Control Equipment Description

- a. Provide a simplified block flow diagram with parameter monitoring points and emission sampling points identified (e.g., sampling ports in the stack);
- b. List monitored operating parameters and normal operating ranges;
- c. Provide a discussion of operating procedures that are known to significantly affect emissions (e.g., catalytic bed replacement schedules).

4. Monitoring System Design

- a. Install, calibrate, operate, and maintain a continuous PEMS;
- b. Provide a general description of the software and hardware components of the PEMS, including manufacturer, type of computer, name(s) of software product(s), monitoring technique (e.g., method of emission correlation). Manufacturer literature and other similar information shall also be submitted, as appropriate;
- c. List all elements used in the PEMS to be measured (e.g., pollutant(s), other exhaust constituent(s) such as O₂ for correction purposes, process parameter(s), and/or emission control device parameter(s));
- d. List all measurement or sampling locations (e.g., vent or stack location, process parameter measurement location, fuel sampling location, work stations);
- e. Provide a simplified block flow diagram of the monitoring system overlaying process or control device diagram (could be included in Source Description and Control Equipment Description);
- f. Provide a description of sensors and analytical devices (e.g., thermocouple for temperature, pressure diaphragm for flow rate);
- g. Provide a description of the data acquisition and handling system operation including sample calculations (e.g., parameters to be recorded, frequency of measurement, data averaging time, reporting units, recording process);
- h. Provide checklists, data sheets, and report format as necessary for compliance determination (e.g., forms for record keeping).

5. Support Testing and Data for Protocol Design

- a. Provide a description of field and/or laboratory testing conducted in developing the correlation (e.g., measurement interference check, parameter/emission correlation test plan, instrument range calibrations);
- b. Provide graphs showing the correlation, and supporting data (e.g., correlation test results, predicted versus measured plots, sensitivity plots, computer modeling development data).

6. Initial Verification Test Procedures

- a. Perform an initial relative accuracy test (RA test) to verify the performance of the PEMS for the equipment's operating range. The PEMS must meet the relative accuracy requirement of the applicable Performance Specification in 40 C.F.R. Part 60, Appendix B. The test shall utilize the test methods of 40 C.F.R. Part 60, Appendix A;
- b. Identify the most significant independently modifiable parameter affecting the emissions. Within the limits of safe unit operation, and typical of the anticipated range of operation, test the selected parameter for three RA test data sets at the low range, three at the normal operating range and three at the high operating range of that parameter, for a total of nine RA test data sets. Each RA test data set should be between 21 and 60 minutes in duration;
- c. Maintain a log or sampling report for each required stack test listing the emission rate;
- d. Demonstrate the ability of the PEMS to detect excessive sensor failure modes that would adversely affect PEMS emission determination. These failure modes include gross sensor failure or sensor drift;
- e. Demonstrate the ability to detect sensor failures that would cause the PEMS emissions determination to drift significantly from the original PEMS value;
- f. The PEMS may use calculated sensor values based upon the mathematical relationships established with the other sensors used in the PEMS. Establish and demonstrate the number and combination of calculated sensor values which would cause PEMS emission determination to drift significantly from the original PEMS value.

7. Quality Assurance Plan

- a. Provide a list of the input parameters to the PEMS (e.g., transducers, sensors, gas chromatograph, periodic laboratory analysis), and a description of the sensor validation procedure (e.g., manual or automatic check);
- b. Provide a description of routine control checks to be performed during operating periods (e.g., preventive maintenance schedule, daily manual or automatic sensor drift determinations, periodic instrument calibrations);
- c. Provide minimum data availability requirements and procedures for supplying missing data (including specifications for equipment outages for QA/QC checks);
- d. List corrective action triggers (e.g., response time deterioration limit on pressure sensor, use of statistical process control (SPC) determinations of problems, sensor validation alarms);
- e. List trouble-shooting procedures and potential corrective actions;
- f. Provide an inventory of replacement and repair supplies for the sensors;
- g. Specify, for each input parameter to the PEMS, the drift criteria for excessive error (e.g., the drift limit of each input sensor that would cause the PEMS to exceed relative accuracy requirements);
- h. Conduct a quarterly electronic data accuracy assessment tests of the PEMS;
- i. Conduct semiannual RA tests of the PEMS. Annual RA tests may be conducted if the most recent RA test result is less than or equal to 7.5%. Identify the most significant independently modifiable parameter affecting the emissions. Within the limits of safe unit operation and typical of the anticipated range of operation, test the selected parameter for three RA test data pairs at the low range, three at the normal operating range, and three at the high operating range of that parameter for a total of nine RA test data sets. Each RA test data set should be between 21 and 60 minutes in duration.

8. PEMS Tuning

- a. Perform tuning of the PEMS provided that the fundamental mathematical relationships in the PEMS model are not changed.

- b. Perform tuning of the PEMS in case of sensor recalibration or sensor replacement provided that the fundamental mathematical relationships in the PEMS model are not changed.

APPENDIX F

FCCU NO_x CONTROL TECHNOLOGY **DESIGN AND OPERATING PARAMETERS**

All air pollution control equipment designed pursuant to this Appendix will be designed and built in accordance with accepted engineering practice and any regulatory requirements that may apply.

I. Selective Catalytic Reduction (SCR)

A. Design Considerations

1. Catalyst

- a. Type
- b. Size/Pitch
- c. Volume of Initial Charge
- c. Operating Life
- d. Catalyst Module Replacement Strategy to Maintain Efficiency
- e. Minimum Design Inlet Temperature
- f. Disposal of Spent Catalyst Module

2. Reactor

- a. Reactor Volume
- b. Internal Configuration
- c. Location in Process Train
- d. Soot Blowers
- e. Pressure Drop
- f. Flow Orientation

3. Reductant Addition

- a. Type (Anhydrous Ammonia, Aqueous Ammonia, or Urea)
- b. Reductant Addition Rates
- c. Diluent Type and Rate
- d. Flow Distribution Manifold
- e. Injection Grid / Nozzles
 - i. Number
 - ii. Size
 - iii. Location
 - iv. Controls
- f. Ammonia Slip

4. Flue Gas Characteristics

- a. Inlet/Outlet NO_x Concentration
- b. Flue Gas Volumetric Flow
- c. Inlet/Outlet Temperature Range
- d. Inlet/Outlet SO₂/SO₃ Concentrations
- e. Inlet/Outlet CO/H₂O/O₂ Concentrations
- f. Inlet/Outlet Particulate/Ash Loading and Characteristics

5. Efficiency

- a. Designed to Outlet NO_x Concentration
- b. Designed to Efficiency

6. Safety Considerations

7. Startup and Shutdown Considerations

8. Compliance with Applicable Laws and Regulations

B. Operating Considerations

1. Catalyst

- a. Catalyst Module Replacement Strategy to Maintain Efficiency

2. Reactor

- a. Operation of Soot Blowers
- b. Pressure Drop

3. Reductant Addition

- a. Reductant Addition Rates
- b. Ammonia Slip

4. Flue Gas Characteristics

- a. Outlet NO_x Concentration
- b. Flue Gas Volumetric Flow
- c. Inlet/Outlet Temperature Range
- d. Outlet SO₂ Concentrations
- e. Outlet CO/O₂ Concentrations
- f. Stack Opacity (where applicable)

5. Efficiency

a. Actual Outlet NO_x Concentration

6. Safety Considerations

7. Startup and Shutdown Considerations

8. Compliance with Applicable Laws and Regulations

II. Lo Tox System

A. Design Considerations

1. Quench Vessel and Capacity

- a. Dimensions
 - i. Internal or External to wet gas scrubber
- b. Quench Water Capacity
- c. Initial and Final Temperatures
- d. Quench Water Composition
- e. WGS Parameters (if applicable)
 - i. Number of quench nozzles in service
 - ii. Quench rate
 - iii. Quench water composition
 - iv. Make up water rate
 - v. Temperature and Pressure
 - vi. Pressure drop

2. Reaction Temperature Profile

- a. Location and Number of Sensors

3. Reaction Residence Time

- a. Reaction Vessel Temperature and Pressure
- b. Gas Flow Rates and Residence Time

4. Oxygen Supply

- a. Type of Supply and Purity
- b. Capacity of Oxygen Supply

5. Ozone Generators and Injection

- a. Number and Capacity
- b. Electricity Demand
- c. Concentration Ozone and Volume Oxygen/Ozone Produced and Injected
- d. Flow Distribution Manifold
- e. Injection Grid / Nozzles
 - i. Number
 - ii. Size
 - iii. Location
 - iv. Controls
- g. Ozone Slip
- h. Cooling water supply rates for ozone generators

6. Flue Gas Characteristics

- a. Inlet/Outlet NO_x Concentration
- b. Flue Gas Volumetric Flow
- c. Inlet/Outlet Temperature Range
- d. Inlet/Outlet SO_2/SO_3 Concentrations
- e. Inlet/Outlet $\text{CO}/\text{H}_2\text{O}/\text{O}_2$ Concentrations
- f. Inlet/Outlet Particulate/Ash Loading and Characteristics

7. Efficiency

- a. Designed to Outlet NO_x Concentration
- b. Designed to Efficiency

8. Safety Considerations

9. Compliance with Applicable Laws and Regulations

B. Operating Considerations

- 1. Reaction Temperature Profile
- 2. Reaction Residence Time
 - a. Residence Time at Temperature and Pressure
 - b. Gas Flow Rates
- 3. Ozone Addition
 - a. Ozone Addition Rates

b. Ozone Slip

4. Flue Gas Characteristics

- a. Outlet NO_x Concentration
- b. Flue Gas Volumetric Flow
- c. Inlet/Outlet Temperature Range
- d. Outlet SO₂ Concentrations
- e. Outlet CO/O₂ Concentrations

5. WGS Operating Parameters

- a. Number of quench nozzles in service
- b. Quench rate
- c. Quench water composition
- d. Make up water rate
- e. Temperature and Pressure
- f. Pressure drop

6. Efficiency

- a. Actual Outlet NO_x Concentration

7. Compliance with Applicable Laws and Regulations

III. Enhanced Selective Non-Catalytic Reduction

A. Design Considerations

1. Reductant Addition

- a. Type (Anhydrous Ammonia, or Aqueous Ammonia)
- b. Primary and Enhanced Reductant Addition Rates
- c. Composition of Enhanced Reductant
- d. Diluent Type and Rate
- e. Flow Distribution Manifold
- f. Injection Grid / Nozzles
 - i. Number
 - ii. Size
 - iii. Location
 - iv. Controls
- f. Ammonia Slip

2. Flue Gas Characteristics

- a. Outlet NO_x Concentration
- b. Flue Gas Volumetric Flow
- c. Inlet/Outlet Temperature Range
- d. Inlet/Outlet SO₂/SO₃ Concentrations
- e. Inlet/Outlet CO/H₂O/O₂ Concentrations

3. Efficiency

- a. Designed to Outlet NO_x Concentration

4. Safety Considerations

5. Startup and Shutdown Considerations

6. Compliance with Applicable Laws and Regulations

B. Operating Considerations

1. Reductant Addition

- a. Reductant Addition Rates
- b. Ammonia Slip
- c. Enhanced Reductant Composition

2. Flue Gas Characteristics

- a. Outlet NO_x Concentration
- b. Flue Gas Volumetric Flow
- c. Inlet/Outlet Temperature Range
- d. Outlet SO₂ Concentrations
- e. Outlet COO₂ Concentrations

3. Efficiency

- a. Actual Outlet NO_x Concentration

4. Safety Considerations

5. Startup and Shutdown Considerations

6. Compliance with Applicable Laws and Regulations

APPENDIX G

STUDY OF BREAKTHROUGH IN DUAL CARBON CANISTERS

1. COPC's study of dual carbon canisters will be designed to determine the concentration of VOCs or benzene that may be emitted from the primary (lead) carbon canister in a dual series before VOCs and/or benzene above background are emitted from the secondary (tail) carbon canister.

2. COPC will select a total of ten dual carbon canisters from any Refinery for which COPC may seek a change in the definition of "breakthrough" pursuant to Paragraph 187. In making the selection, COPC will review the frequency with which each primary carbon canister historically has been changed out and include in the study, to the extent possible, dual canister systems in which the life expectancy of the primary canisters vary. COPC will include, if possible, at least five dual carbon canisters where the life expectancy of the primary canister is approximately one month or less.

3. COPC will submit to EPA and the Applicable Co-Plaintiff a study proposal that identifies the location and size of each of the selected dual carbon canisters and the historical life expectancy of the primary canister in each series. The parties will endeavor to come to an agreement informally. Unless EPA provides comments within ninety (90) days after receipt of COPC's proposal, COPC may immediately thereafter commence the study ("Study Commencement") and will notify EPA and the Applicable Co-Plaintiff of the date of such Study Commencement.

4. By no later than seven days after Study Commencement, COPC will monitor each of the selected dual carbon canister systems for breakthrough between the primary and secondary carbon canisters and for emissions from the secondary canister. Thereafter, COPC

will monitor for breakthrough between the primary and secondary canisters in accordance with the frequency specified in 40 C.F.R. § 61.354(d).

5. On the first monitoring occasion in which breakthrough between the primary and secondary canister reaches 50 ppm or greater of VOCs or 5 ppm benzene, COPC will monitor, on that same day, emissions from the secondary canister. On a daily basis thereafter, COPC will monitor emissions from both the primary and secondary canister.

6. Within eight (8) hours of detecting VOC or benzene emissions above background from the secondary canister under Paragraph 5 of this Appendix G, COPC will replace the original primary canister with a fresh carbon canister (the original secondary carbon canister will then become the new primary carbon canister and the fresh carbon canister will become the secondary canister). The provisions of this Appendix G (not Paragraph 189) will apply to the timing of the replacement of any primary canister that is a subject of this study, for so long as the carbon canister is monitored for purposes of the study. After the carbon canister no longer is monitored for purposes of this Study, the provisions of Paragraph 189 will again govern the timing of the replacement of the primary canisters, unless and until EPA redefines the meaning of "breakthrough" under Paragraph 187 and pursuant to Paragraph 10 of this Appendix G.

7. Contemporaneously with each monitoring event undertaken pursuant to this Appendix G, COPC will maintain a written record of the time, date, and monitoring results.

8. For each dual carbon canister included in this study, COPC will conduct the monitoring specified in Paragraph 5 of this Appendix G for at least two years.

9. COPC will submit a report of its Study under this Appendix G to EPA and the Applicable Co-Plaintiff within ninety (90) days of completing that study. Such report will

include, but is not limited to, all monitoring data, the replacement dates of the primary carbon canisters, and COPC's recommendations regarding the concentration of VOCs or benzene that may be emitted from the primary canister in a dual series before VOCs and/or benzene above background are emitted from the secondary canister. By no later than sixty (60) days after receipt of the report, EPA and COPC jointly will evaluate the breakthrough limits set forth in Paragraph 187 and assess whether any revisions are necessary.

10. Based on data generated under this Appendix G, and other relevant and available information, EPA may, in consultation with COPC, determine that a revised definition of breakthrough is a more appropriate definition of breakthrough under Paragraph 187 of the Consent Decree for all or a subset of the carbon canister systems employed at COPC's Refineries. Any such revised definition will apply (in lieu of the definition in Paragraph 187) thirty (30) days after notice of such determination, unless that determination is subject to Dispute Resolution under Section XV of the Consent Decree.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Permit 2593-V0 (Unit 293) Deviation	Sept 15, 2000	Sept 13 & 14, 2000	Exceeded max permitted heater duty on 09/13 & 09/14/00 w/ associated increased emissions of NOx, PM, CO, & VOC- each <1 lb/hr for the duration for the exceedance. Exceedance lasted 16 hours.
Benzene Waste NESHAP Report for July 1, 2000 - Sept 30, 2000	Oct 4, 2000	April 1, 2000 - Sept 30, 2000	Flow-weighted avg benzene concentration was 10.7 ppmw; Failed to remove benzene from the waste stream to a level less than 10 ppmw.
Closed Loop Sampling	Nov 10, 2000	May 10, 1995 - Aug 23, 2001	12 sample systems did not meet requirements of LA MACT.
Permit 2113-V0 (Unit 292) Deviation	Dec 29, 2000	Dec 27, 2000	Exceeded max permitted heater duty on 12/27/00 w/ associated increased emissions of NOx, PM, CO, & VOC- each <.5 lb/hr for the duration for the exceedance. Exceedance lasted 1 hr.
Permit 2113-V0 Deviation (General Condition R Report)	Jan 10, 2001	Jan 4, 2001	Maximum permitted heater duty for EP 292-H-1 exceeded for 1 hour due to increased flows of fuel gas (+2.60 MMBtu/hr over permitted 24.9). Resulted in exceedances of NOx, PM, CO, & VOC (est <.5 lb/hr).
2000 Fourth Quarter NSPS Excess Emission Report	Jan 24, 2001	Unknown	H2S fuel gas monitor measured a concentration of 297.12 ppm H2S in the fuel gas during the exceedance. The exceedance occurred during an amine fuel gas contactor change.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Permits 1810-V0 (Unit 1291) and 2512-V0 (Unit 491) Deviation	Feb 22, 2001	Feb 20, 2001	Amine contactor experienced foaming problems, causing an increase in amount of H ₂ S in fuel gas sent to the 1291-H-2/3, 491-H-1, and 491-H-2 heaters. As a result, SO ₂ emissions from the heaters exceeded max permit limit.
Incident Report	Feb 24, 2001	Feb 24, 2001	Exceeded SO ₂ limit for Emission Source 1291-H-2/3 (FCC Feed Heaters) .58 lbs above permit limit of 4.84lb/hr.
Sept-Dec 2000 semiannual- Permit Numbers 1810-V0, 2155-V0, 2511-V0, 2512-V0, 2513-V0/V1, 2593-V0, & 2113-V0	Mar 15, 2001	Unknown	Pressure safety relief valve (891-PSV-25) malfunction. Missing monitoring date. Safety relief valve 891-PSV-25 was remonitored on Feb 13, 2001.
		Unknown	Deviation re missing monitoring data above was not reported as required by Gen Cond R.
2000 Annual (Sept-Dec) Permit Numbers 1810-V0, 2155-V0, 2511-V0, 2512-V0, 2513-V0/V1, 2593-V0, & 2113-V0	Mar 15, 2001	Oct 17, 2000	Combined SO ₂ emissions exceeded permit limits by 5.70 lbs for the duration of the deviation (4 hours) due to an unexpected increase in operating rates for the FCC Unit & the CO Boilers (301-B-2A & 301-B-2B).
		Dec 12, 2000	Combined SO ₂ emissions exceeded permit limit by 8.39 lbs for 13 hours on 12/01/00 due to FCC unit optimization (EP 301-B-2A & 301-B-2B).

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
2000 Annual (Sept-Dec) Permit Numbers 1810-V0, 2155-V0, 2511-V0, 2512-V0, 2513-V0/V1, 2593-V0, & 2113-V0		Dec 7, 2000 2000 calendar year	Heater SO2 em exceeded limit by <1 lb for 1 hr on 12/07/00. Fuel Gas System >160 ppm H2S. Amine contactor anti-foam Injection line became temporarily plugged causing an Increase in the amount of H2S in fuel gas sent to 1291-H-2/3 Heater. Annual NOx limit exceeded for EP 491-H-1.
2001 First Quarter NSPS Excess Emission Report	Apr 27, 2001	Dec 27, 2000 Numerous	Max hourly fired duty limit exceeded for EP 292-H-1 for 1 hour due to heater maintenance and burner cleaning. Opacity greater than 30% for B Boiler.
Permit 2155(Unit 301) Deviation	May 31, 2001	May 14- 16, 2001	Monitor offline due to malfunction of solenoid valves- did not use alternate monitoring per letter dated 10/25/04.
Permit 2593-V0 (Unit 293) Deviation	June 15, 2001	June 13, 2001	Exceeded max permitted heater duty for 293-H-2 for 1 hr. Associated increased emissions of NOx, PM, CO, & VOC were each less than 1 lb/hr for the 1 hr duration.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Jan-June 2001 semiannual - Permit Numbers 1810-V0, 2155- V0, 2511-V0, 2512-V0, 2513-V1, 2593-V0, & 2113-V0	Sept 21, 2001	First Half 2001	Quarterly Valves not monitored as required; According to supplemental information dated 08/19/04, number of components are as follows: Unit 291: 2; Unit 292: 2; Unit 293: 1; Unit 412: 25; Unit 491: 31; Unit 891: 1; Unit 1291: 3; Unit 412S: 2; Unit 1791: 1; Unit 6191: 4; 1 missed monitoring period for each component. Failed to maintain daily log of opacity observations- log sheet for Jan 11, 2001 could not be located (EP 491-H-1, 491-H-2, 891-H-1, 1291-H-2/3).
Consolidated Compliance Order & Notice of Potential Penalty, AE-CN-01-0164	Oct 25, 2001	Projects in 1997, 1999 & 2000	Three projects which potentially exceeded the PSD significance level for NOx and for which the Respondent failed to demonstrate use of BACT (1997 Aromatics Extraction Unit Process Flare Adequacy Study, 1999 Naptha Hydrotreater Unit Feed Pump Impeller & Motor Upgrade, & 2000 Thermal Hydroalkylation Unit Process Flare Adequacy Study).
Emission Testing Report (In accordance w. AE- CN-01-0164)	Mar 7, 2002	Jan 18, 2002	Stack Test Results for Heater No. 1792-H-1 failed to verify that heater was meeting vendor guaranteed emission rate.
Permit 2155-V0 (Unit 301) Deviation	Mar 18, 2002	Mar 13, 2002	Sample valve inadvertently closed after RATA testing was completed (EP 301-B-3).

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
2001 Semiannual Compliance Certification for the 3rd & 4th Quarters- Air Permit Nos. 1810-V0, 2155-V0, 2511-V0, 2512-V0, 2513-V2, 2593-V0, 2113-V0	Mar 25, 2002	Oct 26, 2001	Summary report for the opacity monitors on Boilers 301-B-2A & 301-B-2B were not included in the report submitted for the 3rd quarter of 2001.
Permit 2155-V0 (Unit 301) Deviation- General Cond R Report	Apr 5, 2002	Mar 31, 2001 Mar 18-Apr 2, 2002	Daily opacity log sheet for 03/31/01 could not be located for EP 301-B-3, 491-H-1/2, 891-H-1, & 1291-H-2/3. On Apr 2, 2002, it was discovered that one of the two gas sample streams to the boiler, EP 301-B-3, had been inadvertently closed off from the analyzer since Mar 18, 2002. Immediately opened to monitor. Failed to continuously monitor and record the concentration of H2S in fuel gases before being burned in any fuel gas combustion device.
Alliance Refinery Permit Deviations- 2593 (Unit 293), 2513-V1 (Unit 412), 2512-V0 (Unit 491), 1810-V0 (Unit 1291), & 2155-V0 (Unit 301)	June 11, 2002	First Half 2002	13 components (Quarterly Valves) not placed into the monitoring scheduling system properly; According to supplemental information dated 10/25/04, number of missed monitoring events is as follows: Unit 1291:1 Unit 412:3; Unit 491:9; One missed monitoring event for each component.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
2002 Fourth Quarter NSPS Excess Emission Report & Additional Information submitted 06/16/04	Jan 31, 2003	Numerous	71 incidents in which opacity exceeded 30% for CO Boiler 301-B-2B.
Semiannual Compliance Certification for the 3rd & 4th Quarters of 2002- Air Permit Nos. 1810- V0, 2155-V0, 2511-V0, 2512-V0, 2513-V2, 2593- V0, 2113-V0 & 2776-V0	Mar 21, 2003	Jan 31, 2003 Unknown	Failed to include information required by 40 CFR 60.7(c)(1) & (2) in report-submitted 06-16-04 Documentation for putting valve tags No. 00449A, 00460B, 1075, 3908, 4041 for Unit 1291, and 8603, 8693, 8918B for Unit 412 on "Delay of Repair" were missing or incomplete.
Semiannual Compliance Certification for the 3rd & 4th Quarters of 2002- Air Permit Nos. 1810- V0, 2155-V0, 2511-V0, 2512-V0, 2513-V2, 2593- V0, 2113-V0 & 2776-V0		Unknown	Did not notify within specified time period for above deviations.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Permit 2155-V0 (Unit 301) Deviation	July 17, 2003	July 4, 2003	On July 4, 2003, the supplemental boiler (301-B-3) H2S In Fuel Gas Monitor experienced a malfunction due to the sample valve being inadvertently closed following repairs to the sample line.
Permit 2155-V0 (Unit 301) Deviation	Aug 18, 2003	Aug 13, 2003	On Aug 13, 2003, the supplemental boiler's (301-B-3) H2S In Fuel Gas Monitor experienced a malfunction due to the sample valve inadvertently remaining closed to the sample line following the quarterly Cylinder Gas Audit.
LDEQ Inspection	Aug 26-Sept 17, 2003	Aug 28, 2003 Sept 2, 2003 Sept 4, 2003 Sept 5, 2003 Sept 5, 2003 Unknown	A sewer system access cover was found to be open near the roadway east of Tank 111. Unit 7991 (Saturated Gas Unit): 2 open-ended lines. Unit 1791 (Aromatic Extraction Unit): catch basin/sump was not properly sealed. Water draws on tanks not double-blocked -Emission Points 100-T-001, -002, -003, -004, -005, -006, -007, -113, -114, -202, & -204. 2 open-ended lines @ EP 100-T-001. Missed Monitoring for LDAR; Number of missed LDAR monitoring events are as follows: Unit 191: 16; Unit 291: 224; Unit 1391: 320; Unit 1791: 288; Unit 1792: 4; Unit 1792: 32 (Attachment 2 of 10/25/04 submittal).

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Fugitive Emissions Monitoring Program- Permit Deviations for 2512-V0 (Unit 491); 2511-V1 (Unit 891); 1810-V1 (Unit 1291); 2513-V2 (Unit 412); and 2113-V0 (Unit 292)	Sept 24, 2003	N/A	Monitoring deviations; Reported below
		Unknown	Pumps were visually inspected weekly, but quarterly Method 21 monitoring was not performed. Total Missed Mon Pds: Unit 1291:32; Unit 412:496.
		Unknown	Weekly visual inspections of pumps were not performed, but pumps were Method 21 monitored quarterly: Unit 292: 1; Unit 491: 4; Unit 1291: 5; Unit 412:5. 201 missed inspections for each component.
		Unknown	Valves were incorrectly classified and monitored as connectors: Unit 412: 1; Unit 891:2; Unit 491: 5; 11 missed inspections each.
		Unknown	Valves omitted from LDAR data management system: Total Missed Inspections: Unit 891: 320; Unit 412: 561; Unit 491: 539.
		Unknown	Connectors omitted from LDAR data management system: Unit 1291: 2; Unit 491: 54; 4 missed LDAR monitoring events each.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Permit 2155-V0 (Unit 301) Deviation	Nov 24, 2003	Nov 22, 2003	On Nov 22, 2003, the supplemental boiler's (301-B-3) H2S in Fuel Gas Monitor experienced a malfunction due to the sample cell's sliding valve remaining in the closed position. During this period, there was no observed exceedance or recordable increased level on the H2S CEM RAI-138A, which is the Refinery Fuel Gas analyzer containing the same stream monitored by the supplemental boiler's CEMS.
Permit 1810-V1 (Unit 1291) Deviation	Jan 2, 2004	Dec 29, 2003	On Dec 29, 2003, H2S in Fuel Gas Monitor experienced an H2S exceedance due to switching the feed stream to an alternate exchanger at the SRU. Exceedance of the 3-hour rolling avg lasted for approx 120 minutes. Fuel burned in 1291-H-2/3.
Air Toxics Referral	Jan 8, 2004	July 18, 2003	Sample from Stripper B, EP V-72-B, contained 16.2 ppm benzene; Failed to remove benzene from the waste stream to a level less than 10 ppmw.
Annual Compliance Certification Report 2003- Part 70 Gen Cond M- Permit Nos. 1810-V0, 2113-V0, 2155-V0, 2511-V0, 2512-V0, 2513-V0, 2593-V0, 2776-V0	Mar 30, 2004	Unknown	Unit 412: tank water draws did not meet the open-ended line requirement for EP -006, 007, 004, 003, 002, 001, 102, 202, 204, 113, 105, 104, 114, & 212.
		Jun 26, 2003	Records indicate that the daily calibration was not performed on June 26, 2003 for Unit 301, Boiler 301-B-3.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Permit 2155-V0 (Unit 301 Boilers) Permit Deviation Notification	June 24, 2004	Unknown	Quarterly NSPS CEMS report inadvertently omitted CEMS monitor downtime for Unit 491 & 301-B-3 H2S fuel gas analyzer. Failed to notify of above deviation as required.
Fugitive Emissions Monitoring Program- Permit Deviations for Title V Permit Nos. 1810-V1, 2113-V0, 2155-V0, 2511-V1, 2512-V1, & 2513-V2	Sept 22, 2004	3rd & 4th Quarter 2003 report	Failed to include information required by 40 CFR 60.7(c)(1) & (2) in report.
		Numerous	Opacity exceeded 30% for CO Boiler 301-B-2A during 3rd quarter 2003.
		Numerous	Opacity exceeded 30% for CO Boiler 301-B-2A during 4th quarter 2003.
		Unknown	Numerous components were not categorized properly or included in the monitoring scheduling system properly. Total # missed LDAR monitoring events as reported in 10/25/04 submittal.
Permit 2155-V0 (Unit 301) Deviation	Sept 23, 2004	Sept 7, 2004	SO2 permit limits exceeded for Boilers 301-B-2A & 301-B-2B due to unexpected increase in the sulfur content of the feedstocks for the FCC Unit.
Supplemental Information	Oct 25, 2004	Unknown	Non-Title V Units: total of 6,543 missed LDAR monitoring events.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Permit 2513-V1 (Unit 412) Deviation	Sept 29, 2000	Sept 27-28, 2000	Tank 100-T-302 failed secondary seal gap inspection and repairs were not completed timely. (1 day delay due to extent of repairs needed and parts) According to letter dated 10/02/00, post repair Insp found the seal to be in comp
Sept-Dec 2000 semiannual- Permit Numbers 1810-V0, 2155-V0, 2511-V0, 2512-V0, 2513-V0/V1, 2593-V0, & 2113-V0	Mar 15, 2001	Dec 13-21, 2000	Failed to repair the seal gaps within the allotted time frame (EP 100-T-107 & EP 100-T-201).
Permit 2513-V1 (Unit 412) Deviation (General Condition R Report)	July 3, 2001	Mar 12, 2001	Failed to provide 30 day notification prior to inspecting tank 100-T-302.
Permit 2513-V1 (Unit 412) Deviation	July 23, 2001	Jun-July 9, 2001 Jan 10, 2001	Primary seal gap inspection was not performed on Tank 100-T-004 as required in June 2001. Failed to provide 30 day notification prior to inspecting tank 100-T-200.
Jan-June 2001 semiannual - Permit Numbers 1810-V0, 2155-V0, 2511-V0, 2512-V0, 2513-V1, 2593-V0, & 2113-V0	Sept 21, 2001	Unknown	Failed to provide 30 day notification prior to inspecting Tank 100-T-204.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
July-Dec 2001 Semiannual Monitoring Report & 2001 Annual Compliance Certification - Permit Numbers 1810- V0, 2155-V0, 2511-V0, 2512-V0, 2513-V1, 2593- V0, & 2113-V0	Mar 25, 2002	Unknown	Failed to conduct yearly primary seal inspection for Tanks. 100-T-106 & T-400.
11/12/2002 Air Emission Occurrence	Nov 15, 2002	Unknown	Failed to provide 30 day notification prior to any gap measurements required for EP 100-T-113.
Permit 2513-V2 (Unit 412) Deviation	Feb 19, 2003	Unknown	Release of SO2, HC, and H2S; exceeded 1607-T permit limits from Em Pt. 308-F-D-1 (Low Pressure Flare).
LDEQ Inspection	Aug 26-Sept 17, 2003	Sept 5, 2003	Seal gap inspections not performed timely for 100-T-202 & 113.
100-T-101 Primary Seal Failure Notification	Nov 12, 2003	Sept 5, 2003 Sept 5, 2003 Sept 5, 2003 Unknown	2 tears in fabric control device on guidepole for EP 100-T- 102. Open gauge hatch on EP 100-T-204. Cap missing on guide pole enclosure for EP 100-T-003. Crude oil on ground @ EPs 100-T-003 & 100-T-007. Primary seal of Tank 100-T-101 gapped away from tank walls.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Permit 2513-V1 (Unit 412) Deviation	Feb 10, 2004	Feb 13, 2004- date of inspection (unknown)	Annual seal gap inspection for Tank 100-T-114 was not performed.
Annual Compliance Certification Report 2003- Part 70 Gen Cond M- Permit Nos. 1810-V0, 2113-V0, 2155-V0, 2511-V0, 2512-V0, 2513-V0, 2593-V0, 2776-V0	Mar 30, 2004	Unknown	Did not submit semiannual and annual reports that comply with 40 CFR 60.698(b)(1) & (2) & 60.698(c) (NSPS QQQ).
04-04332 Air Emission Occurrence	July 8, 2004	Unknown	Notifications of permit deviations were not made within specified time period as required by Part 70 Gen Cond R.
		July 1, 2004	Release of estimated 600 lbs of HC from evaporation of 200 bbls gasoline.
Permit 2513-V2 (Unit 412) Tank 100-T-006 Deviation	July 26, 2004	July 20, 2004	Secondary seal above rim; Tank 100-T-006.

Appendix H

Table of Violations Asserted by the Louisiana Department of Environmental Quality

Correspondence	Dated	Date(s) of Occurrence	Issues Identified
Permit 2513-V2 (Unit 412)- Tank 100-T-302 Deviation	Nov 23, 2004	Nov 16, 2004	Secondary seal pulled slightly away from tank wall; Tank 100-T-302.