FAX COVER SHEET

20

## BERNSTEIN, CUSHNER & KIMMELL, P.C.

ATTORNEYS AT LAW

585 BOYLSTON STREET, SUITE 400 BOSTON, MASSACHUSETTS 02116

Telephone: (617) 236-4090 Facsimile: (617) 236-4339 E-Mail: <u>kkimmell@bck.com</u> www.bck.com

DATE: October 19, 2005

CLIENT/CASE NO:

OAR

TO:

US EPA, Clerk of the Board

FACSIMILE NO:

202-233-0121

FROM: Kenneth L. Kimmell

COMMENTS: Please see the attached filing. Thank you.

NUMBER OF PAGES (INCLUDING COVER SHEET) BEING TRANSMITTED:

5

PLEASE CALL (617) 236-4090 IF ALL PAGES ARE NOT RECEIVED.

#### STATEMENT OF CONFIDENTIALITY

This facsimile transmission contains information from the law firm of Bernstein, Cushner & Kimmell, P.C. The information contained is confidential and/or privileged, and it is intended only for the use of the addressee named on the transmittal sheet. If you are not the intended addressee, please note that any disclosure, copying, distribution or use of this faxed information is prohibited. If you receive this facsimile in error, please notify us at (617) 236-4090.

BCK

## BERNSTEIN, CUSHNER & KIMMELL, P.C.

ATTORNEYS AT LAW

Jeffrey M. Bernstein Kenneth L. Kimmell Brin M. O'Toole Burbata Kessner Landau Jonathan S. Klavens 585 Boylston Street, Suite 400 Boston, Massachusetts 02116 (617) 236-4090 Facsimile: (617) 236-4339 F-Mail: hekboston@hek.com URL: www.bek.com

The firm has accorneys who are who admirred to practice in California, District of Columbia, Ideho, and Verment

October 19, 2005

### VIA FACSIMILE ORIGINAL BY FIRST CLASS MAIL

United States Environmental Protection Agency Clerk of the Board, Environmental Appeals Board (MC 1103B) Ariel Rios Building 1200 Pennsylvania Avenue, N.W. Washington, DC 20460-0001

Re: City of Marlborough Westerly Wastewater Treatment Facility
NPDES No. MA0100480; Appeal Nos. NPDES 05-05 and 05-09
Town of Maynard Water Pollution Control Facility
NPDES No. MA0101001; Appeal Nos. NPDES 05-06 and 05-12
Town of Westborough Wastewater Treatment Plant
NPDES No. MA0100412; Appeal Nos. NPDES 05-07 and 05-08

Dear Clerk:

Enclosed for filing please find Motion in Opposition to Stay Proceedings from the Organization for the Assabet River ("OAR") and Certificate of Service.

Thank you for your attention to this filing.

Sincerely,

Kenneth L. Kimmell

KLK/drb Enclosures

cc: Julia Blatt, Organization for the Assabet River

Glenn Haas, Massachusetts Department of Environmental Protection

L\Clients\OAR\Let BPA Motion in Opposition to Stay Proceedings 10-19-05.oar.doc

Vermont Office; P.O. Box 205 Wooldstock, VT 05091 Telephone; (802) 356-2560 Mountain States Office: P.O. Box 1527 Ketchum, 1D 83340 Telephone: (208) 727-9734 Farsimile: (208) 727-9735

# BEFORE THE ENVIRONMENTAL APPEALS BOARD UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

IN RE	)
City of Marlborough Westerly Wastewater Treatment Facility NPDES No. MA0100480 Appeal Nos. NPDES 05-05 and 05-09	)
Town of Maynard Water Pollution Control Facility NPDES No. MA0101001 Appeal Nos. NPDES 05-06 and 05-12	
Town of Westborough Wastewater Treatment Plant NPDES No. MA0100412 Appeal Nos. NPDES 05-07 and 05-08	

#### MOTION IN OPPOSITION TO STAY PROCEEDINGS

The Organization for the Assabet River ("OAR") hereby opposes the Region's Motion to Stay Proceedings for the following reasons:

- 1. With respect to OAR's appeal of the Maynard permit, there is no justification for a stay as both OAR and Maynard have declined to participate in mediation. Thus, there is no likelihood that the contested issues in the Maynard case will be resolved via mediation, as the key participants are not involved in the process.
- 2. With respect to Marlborough and Westborough, all of the stakeholders in the permit process (EPA, DEP, the permittees, and OAR) have spent years discussing these permits, and have been unable to find common ground. There is absolutely no reason to expect that a neutral mediator will find a solution which has evaded all of these knowledgeable parties for all of these years. Thus, to OAR a stay on this proceeding will do nothing but forestall the inevitable time when the Region must respond to OAR's Petition, or seek a voluntary remand in light of the Environmental Appeals Board decision in <u>City of Marlborough Easterly Wastewater Treatment Facility</u>, 12 E.A.D. \_\_\_\_, NPDES Appeal No. 04-13.
- 3. For these reasons, the prospect of mediation (which is apparently a month away from even beginning and many months away from being completed) is not a sufficient basis to impose a stay on the proceedings. And it is prejudicial, as delay harms the river by forestalling compliance with the requisite new permit limits.

4. That being said, OAR does not oppose an additional extension of time for EPA to lile its brief. OAR would not object to an extension of time until November 21 for that purpose, as long as it is clear that the brief must be filed by that time absent an actual agreement by all parties to further extend the deadline.

THE ORGANIZATION FOR THE ASSABET RIVER

1.84/80

By its Attorney,

Kenneth L. Kimmell

Bernstein, Cushner & Kimmell, P.C.

585 Boylston Street, Suite 400

Boston, Massachusetts 02116

Tel. 617-236-4090

Fax 617-236-4339

E-Mail: kkimmell@bck.com

Dated: October 1, 2005

. UUJ -13-2005 14.35

#### CERTIFICATE OF SERVICE

I certify that I caused to be served by first class mail a copy of the Motion in Opposition to Stay Proceedings to:

Samir Bukhari, Esq.
Office of Ecosystem Protection
U.S. EPA, Region 1
1 Congress Street Suite 1100 (RAA)
Boston, MA 02114-2023

James Curtin, Esq.
Water Law Office
Office of General Counsel
U.S. Environmental Protection Agency
1200 Pennsylvania Avenue, NW
Washington, DC 20430

Donald Anglehart, Esq. Gadsby Hannah LLP 225 Franklin Street Boston, MA 02110

Joseph M. Hamilton, Esq. Mirick O'Connell DeMallie & Lougee, LLP 100 Front Street Worcester, MA 01608-1477

David W. Owen Interim Town Administrator Office of the Department of Public Works Municipal Building, 195 Main Street Maynard, MA 01754

Walter Sokolowski Department of Public Works 195 Main Street Maynard, MA 01754

Dated: October 19, 2005

Kenneth I. Kimmell