

# EXPEDITED SPCC SETTLEMENT AGREEMENT UNITED STATES ENVIRONMENTAL PROTECTION AGENCY 5 REGION 7, 11201 RENNER BOULEVARD, LENEXA, KANSAS 66219

2017 MAR -7 AM 9:53

#### **DOCKET NO. CWA-07-2017-0015**

On: January 10, 2017

At: South 100 Rd at Soldier Rd, Richards, MO, Latitude: 37.935837, Longitude: -94.614573

Owned or operated by, Running Foxes Petroleum, Inc. (Respondent), an authorized representative of the U.S. Environmental Protection Agency (EPA) conducted an inspection to determine compliance with the Oil Pollution Prevention (SPCC) regulations promulgated at 40 C.F.R. Part 112 under Section 311(j) of the Clean Water Act (33 U.S.C. § 1321(j)) (the Act), and found that Respondent had violated regulations implementing Section 311(j) of the Act by failing to comply with the regulations as noted on the attached SPILL PREVENTION CONTROL AND COUNTERMEASURES INSPECTION FINDINGS, ALLEGED VIOLATIONS, AND PROPOSED PENALTY FORM (Form), which is hereby incorporated by reference.

This proceeding and the Expedited Settlement are under the authority vested in the Administrator of the EPA by Section 311(b)(6)(B)(i) of the Act, 33 U.S.C. § 1321(b)(6)(B)(i), as amended by the Oil Pollution Act of 1990, and by 40 C.F.R. § 22.13(b). The parties enter into this Expedited Settlement in order to settle the civil violations described in the Form for a penalty of \$975.

This settlement is subject to the following terms and conditions:

The EPA finds that Respondent is subject to the SPCE regulations, which are published at 40 C.F.R. Part 112, and has violated the regulations as further described in the Form. Respondent admits that he/she is subject to 40 C.F.R. Part 112 and that the EPA has jurisdiction over Respondent and Respondent's conduct as described in the Form. Respondent does not contest the Inspection Findings, and waives any objections it may have to the EPA's jurisdiction.

Respondent consents to the assessment of the penalty stated above. Respondent certifies, subject to civil and criminal penalties for making a false submission to the United States Government, that the violations have been corrected and Respondent has sent a certified check in the amount of \$975, payable to the "Environmental Protection Agency," via certified mail to:

U.S. Environmental Protection Agency P.O. Box 979077 St. Louis, Missouri 63197-9000

and Respondent has noted on the penalty payment check Docket No. CWA-07-2017-0015 and "OSLTF – 311."

The original, signed Settlement Agreement and copy of the penalty payment check must be sent via certified mail to:

Dave Hensley
U.S. Environmental Protection Agency
Region 7, AWMD/CORP
11201 Renner Boulevard
Lenexa, Kansas 66219

This Expedited Settlement resolves Respondent's liability for Federal civil penalties for the violations of the SPCC regulations described in the Form. However, the EPA does not waive any rights to take any enforcement action for any other past, present, or future violations by Respondent of the SPCC regulations or of any other federal statute or regulations. By its first signature, the EPA ratifies the Inspection Findings and Alleged Violations set forth in the Form.

Upon signing and returning this Expedited Settlement to the EPA, Respondent waives the opportunity for a hearing or appeal pursuant to Section 311 of the Act, and consents to the EPA's approval of the Expedited Settlement without further notice.

This Expedited Settlement is binding on the parties signing below, and is effective upon the Regional Judicial Officer's signature.

Chief, Chemical & Øil Release Prevention Branch Air & Waste Management Division
APPROVED BY RESPONDENT:
Name (print): JOE TAGLIER!
Title (print): VP OPERATIONS
Signature:
Date: 8 FEB. 2017

The estimated cost for correcting the violation(s) is:

\$ 4,000.00

APPROVED BY EPA

IT IS SO ORDERED:

Karina Borromeo
Regional Judicial Officer

Date March 7, 2017



Knowledge out - Much 7,507

## Spill Prevention Control and Countermeasure Inspection Findings, Alleged Violations, and Proposed Penalty Form

(Note: Do not use this form if there is no secondary containment)

These Findings, Alleged Violations and Penalties are issued by EPA Region 7 under the authority vested in the Administrator of the EPA by Section 311(b)(6)(B)(I) of the Clean Water Act, as amended by the Oil Pollution Act of 1990.

Company Name	Docket Number	
Running Foxes Petroleum, Inc.	CWA-07-2017-0015	
Facility Name	CWA-07-2017-0015  Date  11-9-2016  Inspection Number  N/A	
Emmerson Lease	11-9-2016	
Address	Inspection Number	
south 100 Rd at Soldier Rd	N/A	
City	Inspector's Name	
Richards	Paul Doherty	
State Zip Code	EPA Approving Official	
MO 64778	Scott Hayes	
Contact	Enforcement Contacts:	
Chuck Hutton	Dave Hensley	
No Spill Prevention Control and Countermeasure Pl Plan not certified by a professional engineer 112.3(a)		
Certification lacks one or more required elements $\it I$	<i>12.3(d)(1)</i> (\$100)	
No management approval of plan 112.7 (\$450)		
Plan not maintained on site (if facility is manned at for review 112.3(e)(1) (\$300)	least 4 hrs/day) or not available	
No evidence of five-year review of plan by owner/o	perator 112.5(b) (\$75)	
No plan amendment(s) if the facility has had a chan or maintenance which affects the facility's disc		75
Amendment(s) not certified by a professional engine	eer 112.5(c) (\$150)	
Plan does not follow sequence of the rule and/or cro	oss-reference not provided 112.7 (\$150)	
DI 1 P IPC I I I I I I	s/equipment not yet fully operational 112.7 (\$75)	

Ø,

	Plan does not discuss alternative environmental protection to SPCC requirements 112.7(a)(2) (\$200)	
7	Plan has inadequate or no facility diagram 112.7(a)(3) (\$75)	\$75
	Inadequate or no listing of type of oil and storage capacity layout of containers 112.7(a)(3)(i) (\$50)	
	Inadequate or no discharge prevention measures 112.7(a)(3)(ii) (\$50)	
	Inadequate or no description of drainage controls 112.7(a)(3)(iii) (\$50)	
	Inadequate or no description of countermeasures for discharge discovery, response and cleanup $112.7(a)(3(iv))$ (\$50)	
	Recovered materials not disposed of in accordance with legal requirements 112.7(a)(3)(v) (\$50)	
	No contact list & phone numbers for response & reporting discharges 112.7(a)(3)(vi) (\$50)	
	Plan has inadequate or no information and procedures for reporting a discharge 112.7(a)(4) (\$100)	
	Plan has inadequate or no description and procedures to use when a discharge may occur 112.7(a)(5) (\$150)	
	Inadequate or no prediction of equipment failure which could result in discharges 112.7(b) (\$150)	
	Plan does not discuss and facility does not implement appropriate containment/diversionary structures/ equipment (including truck transfer areas) 112.7(c) (\$400)	
	- If claiming impracticability of appropriate containment/diversionary structures:	
	Impracticability has not been clearly denoted and demonstrated in plan 112.7(d) (\$100)	
	No contingency plan 112.7(d)(1) (\$150)	
	No written commitment of manpower, equipment, and materials $1/2.7(d)(2)$ (\$150)	
	No periodic integrity and leak testing, if impracticability is claimed 112.7(d) (\$150)	
	Plan has no or inadequate discussion of general requirements not already specified 112.7(a)(1) (\$75)	
	QUALIFIED FACILITY REQUIREMENTS: 112.6	_
	Qualified Facility: No Self certification 112.6(a) (\$450)	_
	Qualified Facility: Self certification lacks required elements 112.6(a) (\$100)	
	Qualified Facility: Technical amendments not certified 112.6(b) (\$150)	
	Qualified Facility: Un-allowed deviations from requirements 112.6(c) (\$100)	
	Qualified Facility: Environmental Equivalence or Impracticability not certified by PE 112.6(d) (\$350)	
	WRITTEN PROCEDURES AND INSPECTION RECORDS 112.7(e)	
	Plan does not include inspections and test procedures in accordance with 40 CFR Part 112 112.7(e) (\$75)	·
	Inspections and tests required by 40 CFR Part 112 are not in accordance with written	

	procedures developed for the facility 112.7(e) (\$75)	
	No Inspection records were available for review 112.7(e) (\$200)	
	Written procedures and/or a record of inspections and/or customary business records:	
	Are not signed by appropriate supervisor or inspector 112.7(e) (\$75)	
7	Are not maintained for three years 112.7(e) (\$75)	\$75
	PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7(f)	
	No training on the operation and maintenance of equipment to prevent discharges 112.7(f)(1) (\$75)	
	No training on discharge procedure protocols 112.7(f)(1) (\$75)	
	No training on the applicable pollution control laws, rules and regulations 112.7(f)(1) (\$75)	
	Training records not maintained for three years 112.7(f) (\$75)	
	No training on the contents of the SPCC Plan 112.7(f)(1) (\$75)	
	No designated person accountable for spill prevention 112.7(f)(2) (\$75)	
	Spill prevention briefings are not scheduled and conducted periodically 112.7(f)(3) (\$75)	
	Plan has inadequate or no discussion of personnel and spill prevention procedures 112.7(f) (\$75)	
	FACILITY TANK CAR AND TANK TRUCK LOADING/UNLOADING 112.7(c) and/or (h-j)	
	Inadequate containment for Loading Area [not consistent with 112.7(c)] 112.7(c) (\$400)	
	Inadequate secondary containment, and/or rack drainage does not flow to catchment basin	
	treatment system, or quick drainage system 112.7(h)(1) (\$750)	
	treatment system, or quick drainage system 112.7(h)(1) (\$750)  Containment system does not hold at least the maximum capacity of the largest single compartment of any tank car or tank truck 112.7(h)(1) (\$450)	
	Containment system does not hold at least the maximum capacity of the largest single compartment	
	Containment system does not hold at least the maximum capacity of the largest single compartment of any tank car or tank truck 1/2.7(h)(1) (\$450)  There are no interlocked warning lights, or physical barrier system, or warning signs, or vehicle brake (\$300)	
	Containment system does not hold at least the maximum capacity of the largest single compartment of any tank car or tank truck 1/2.7(h)(1) (\$450)  There are no interlocked warning lights, or physical barrier system, or warning signs, or vehicle brake (\$300) interlock system to prevent vehicular departure before complete disconnect from transfer lines- 1/2.7(h)(2)  There is no inspection of lowermost drains and all outlets prior to filling and departure	
	Containment system does not hold at least the maximum capacity of the largest single compartment of any tank car or tank truck 112.7(h)(1) (\$450)  There are no interlocked warning lights, or physical barrier system, or warning signs, or vehicle brake (\$300) interlock system to prevent vehicular departure before complete disconnect from transfer lines- 112.7(h)(2)  There is no inspection of lowermost drains and all outlets prior to filling and departure of any tank car or tank truck- 112.7(h)(3) (\$150)	
	Containment system does not hold at least the maximum capacity of the largest single compartment of any tank car or tank truck 112.7(h)(1) (\$450)  There are no interlocked warning lights, or physical barrier system, or warning signs, or vehicle brake (\$300) interlock system to prevent vehicular departure before complete disconnect from transfer lines- 112.7(h)(2)  There is no inspection of lowermost drains and all outlets prior to filling and departure of any tank car or tank truck- 112.7(h)(3) (\$150)  Plan has no or inadequate discussion of general requirements not already specified 112.7(j) (\$75)	
	Containment system does not hold at least the maximum capacity of the largest single compartment of any tank car or tank truck 112.7(h)(1) (\$450)  There are no interlocked warning lights, or physical barrier system, or warning signs, or vehicle brake (\$300) interlock system to prevent vehicular departure before complete disconnect from transfer lines- 112.7(h)(2)  There is no inspection of lowermost drains and all outlets prior to filling and departure of any tank car or tank truck- 112.7(h)(3) (\$150)  Plan has no or inadequate discussion of general requirements not already specified 112.7(j) (\$75)  QUALIFIED OIL OPERATIONAL EQUIPMENT 112.7(k)	

OIL PRODUCTION FACILITY DRAINAGE 112.9(b)

	Drains for the secondary containment systems at tank batteries and separation and central treating areas are not closed and sealed at all times except when uncontaminated rainwater is being drained 112.9(b)(1) (\$600)
	Prior to drainage of diked areas, rainwater is not inspected, valves opened and resealed under responsible supervision and records kept of such events 112.9(b)(1) (\$450)
	Accumulated oil on the rainwater is not removed and returned to storage or disposed of in accordance with legally approved methods 112.9(b)(1) (\$300)
	Field drainage system (drainage ditches and road ditches), oil traps, sumps and/or skimmers are not regularly inspected and/or oil is not promptly removed 112.9(b)(2) (\$300)
	Inadequate or no records maintained for drainage events 112.7 (\$75)
	Plan has inadequate or no discussion or procedures for facility drainages 112.7(a)(1) (\$75)
	OIL PRODUCTION FACILITY BULK STORAGE CONTAINERS 112.9 ( c )
	Plan has inadequate or no risk analysis and/or evaluation of field-constructed aboveground tanks for brittle fracture 112.7(i) (\$75)
	Failure to conduct evaluation of field-constructed aboveground tanks for brittle fracture 112.7(i) (\$300)
	Container material and construction are not compatible with the oil stored and the conditions of storage 112.9(c)(1) (\$450)
J	Size of secondary containment appears to be inadequate for containers and treating facilities 1/2.9(c)(2) (\$750) \$75
	Excessive vegetation which affects the integrity of the containment 112.9(c)(2) (\$150)
	Walls of containment system are slightly eroded or have low areas 112.9(c)(2) (\$300)
	Secondary containment materials are not sufficiently impervious to contain oil 112.9(c)(2) (\$375)
	Visual inspections of containers, foundation and supports are not conducted periodically for deterioration and maintenance needs $1/2.9(c)(3)$ (\$450)
	Tank battery installations are not in accordance with good engineering practice because none of the following are present 112.9(c)(4) (\$450)
	<ol> <li>Adequate tank capacity to prevent tank overfill- 112.9(c)(4)(i), or</li> <li>Overflow equalizing lines between the tanks- 112.9(c)(4)(ii), or</li> <li>Vacuum protection to prevent tank collapse- 112.9(c)(4)(ii), or</li> <li>High level alarms to generate and transmit an alarm signal where facilities are part of a computer control system- 112.9(c)(4)(iv).</li> </ol>
	Plan has inadequate or no discussion of bulk storage tanks 1/2.7(a)(1) (\$75)
	FACILITY TRANSFER OPERATIONS, OIL PRODUCTION FACILITY 112.9(D)
	Above ground valves and pipelines are not examined periodically on a scheduled basis for general condition (includes items, such as: flange joints, valve glands 2 <sup>nd</sup> bodies, drip pans, pipeline supports, bleeder and gauge valves, polish rods/stuffing box.) 112.9(d)(1) (\$450)
	Brine and saltwater disposal facilities are not examined often- 112.9(d)(2) (\$450)

	flowline replacement)- 112.9(d)(3) (\$450)
	Plan has inadequate or no discussion of oil production facilities- 112.7(a)(1) (\$75)
	Plan does not include a signed copy of the Certification of the Applicability of the Substantial Harm Criteria per 40 CFR Part 112.20(e) (\$150)
(Do not u	se this if FRP subject; go to traditional enforcement)
	TOTAL \$975

## IN THE MATTER Of Running Foxes Petroleum, Inc., Respondent Docket No. CWA-07-2017-0015

### CERTIFICATE OF SERVICE

I certify that a true and correct copy of the foregoing Order was sent this day in the following manner to the addressees:

Copy via Email to Attorney for Complainant:

rosado-chaparro.wilfredo@epa.gov

Copy via U.S. First Class Mail to Attorney for Respondent:

Joe Taglieri

**VP** Operations

1690 155th Street

Fort Scott, Kansas 66701

Dated: 3

Kathy Robinson

Hearing Clerk, Region 7

motor grant in the state of the gamest of the state of the

1 14-15.

e .