

## EXPEDITED SPCC SETTLEMENT AGREEMENT UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 7, 11201 RENNER BOULEVARD, LENEXA, KANSAS 66219

Lenexa, Kansas 66219

DOCKET NO. CWA-07-2013-0030

On: Novemb

November 5, 2012

At: 1817 Hull Avenue, Des Moines, Iowa

Owned or operated by, Jebro, Inc. (Respondent), an authorized representative of the U.S. Environmental Protection Agency (EPA) conducted an inspection to determine compliance with the Oil Pollution Prevention (SPCC) regulations promulgated at 40 C.F.R. Part 112 under Section 311(j) of the Clean Water Act (33 U.S.C. § 1321(j)) (the Act), and found that Respondent had violated regulations implementing Section 311(j) of the Act by failing to comply with the regulations as noted on the attached SPILL PREVENTION CONTROL AND COUNTERMEASURES INSPECTION FINDINGS, ALLEGED VIOLATIONS, AND PROPOSED PENALTY FORM (Form), which is hereby incorporated by reference.

This proceeding and the Expedited Settlement are under the authority vested in the Administrator of the EPA by Section 311(b)(6)(B)(i) of the Act, 33 U.S.C. § 1321(b)(6)(B)(i), as amended by the Oil Pollution Act of 1990, and by 40 C.F.R. §§ 22.13(b). The parties enter into this Expedited Settlement in order to settle the civil violations described in the Form for a penalty of \$525.

This settlement is subject to the following terms and conditions:

The EPA finds that Respondent is subject to the SPCC regulations, which are published at 40 C.F.R. Part 112, and has violated the regulations as further described in the Form. Respondent admits that he/she is subject to 40 C.F.R. Part 112 and that the EPA has jurisdiction over Respondent and Respondent's conduct as described in the Form. Respondent does not contest the Inspection Findings, and waives any objections it may have to the EPA's jurisdiction. Respondent consents to the assessment of the penalty stated above. Respondent certifies, subject to civil and criminal penalties for making a false submission to the United States Government, that the violations have been corrected and Respondent has sent a certified check in the amount of \$525, payable to the "Environmental Protection Agency," via certified mail to:

U.S. Environmental Protection Agency P.O. Box 979077 St. Louis, Missouri 63197-9000

and Respondent has noted on the penalty payment check Docket No. CWA-07-2013-0030 and "OSLTF – 311." The original, signed Settlement Agreement and copy of the penalty payment check must be sent via certified mail to:

Mark Aaron
U.S. Environmental Protection Agency
Region 7, AWMD/STOP
11201 Renner Boulevard

This Expedited Settlement resolves Respondent's liability for Federal civil penalties for the violations of the SPC regulations described in the Form. However, the EP does not waive any rights to take any enforcement actic for any other past, present, or future violations to Respondent of the SPCC regulations or of any other federal statute or regulations. By its first signature, the EPA ratifies the Inspection Findings and Allege Violations set forth in the Form.

Upon signing and returning this Expedited Settlement 1 the EPA, Respondent waives the opportunity for a hearin or appeal pursuant to Section 311 of the Act, and consen to the EPA's approval of the Expedited Settlement without further notice.

This Expedited Settlement is binding on the partic signing below, and is effective upon the Regional Judicio Officer's signature.

APPROVED BY THE EPA:

Date 6/3/20/3

Chief, Storage Tanks and Oil Pollution Branch (STOP)

Air and Waste Management Division (AWMD)

APPROVED BY RESPONDENT:

The estimated cost for correcting the violation(s) is:

\$ 525

IT IS SO ORDERED:

Karma Borromeo Date 6-10-2013

2002 200		
Mark to Section 1		

## Spill Prevention Control and Countermeasure Inspection Findings, Alleged Violations, and Proposed Penalty Form

(Note: Do not use this form if there is no secondary containment)

These Findings, Alleged Violations and Penalties are issued by EPA Region 7 under the authority vested in the Administrator of the EPA by Section 311(b)(6)(B)(I) of the Clean Water Act, as amended by the Oil Pollution Act of 1990.

UNITED STAKES

	Company Name			Docket Number	" University of the state of th	
	Jebro, Inc.			CWA-07-2013-0030	9 6 7	
	Facility Name			Date	A SERVICE	į
	Jebro, Inc./Boyer Pet	roleum Location	]	Novemeber 5, 2012	BANKON AL PROTECTO	
	Address		_	Inspection Number	WAL PROTECTE	
	1817 Hull Avenue			N/A		
	City			Inspector's Name		
	Des Moines			Alan Hancock		
	State	Zip Code		EPA Approving Official		
	IA	50313		Margaret E. Stockdale		
	Contact			Enforcement Contact		
	Chad Anderson			Mark Aaron		
		Sı	ımmarv	of Findings		
				nge Facilities)		
		ENERAL TOPICS: 112.3	8(a), (d), (e	); 112.5(a), (b), (c); 112.7 (a), (b), (c)	According to	
-	(When the S	PCC Plan review penalty	exceeds \$	1,500 enter only the maximum allow	wable of \$1,500)	
	No Spill Prevention	Control and Countermean	sure Plan//	2.3 (\$1,500)		
	Plan not certified by	a professional engineer/	12.3(d) (\$	450)		
	Certification lacks one or more required elements 12.3(d)(1) (\$100)					
	Plan not maintained on site (if manned at least four hrs/day) or not available for review 12.3(e)(1) (\$300)					
	No evidence of five-year review of plan by owner/operator 12.5(b) (\$75)					
	No plan amendment(s) if the facility has had a change in: design, construction, operation, or maintenance which affects the facility's discharge potential/12.5(a) (\$75)					
	Amendment(s) not co	ertified by a professional	engineer/	12.5(c) (\$150)		
	No management appr	roval of plan 112.7 (\$45)	0)			
	Plan does not follow	sequence of the rule and	l/or cross-r	eference not provided 12.7 (\$150)		
	Plan does not discuss	s additional procedures/n	nethods/eq	uipment not yet fully operational 12.	.7 (\$75)	

Plan does not discuss alternative environmental protection to SPCC requirements 12.7(a)(2) (\$200)	
Plan has inadequate or no facility diagram 112.7(a)(3) (\$75)	
Inadequate or no listing of type of oil and storage capacity layout of containers 12.7(a)(3)(i) (\$50)	
Inadequate or no discharge prevention measures/12.7(a)(3)(ii) (\$50)	
Inadequate or no description of drainage controls/12.7(a)(3)(iii) (\$50)	
Inadequate or no description of countermeasures for discharge discovery, response and cleanup $112.7(a)(3(iv))$ (\$50)	
Recovered materials not disposed of in accordance with legal requirements $12.7(a)(3)(v)$ (\$50)	
No contact list & phone numbers for response & reporting discharges 12.7(a)(3)(vi) (\$50)	
Plan has inadequate or no information and procedures for reporting a discharge 12.7(a)(4) (\$100)	
Plan has inadequate or no description and procedures to use when a discharge may occur 12.7(a)(5) (\$150)	
Inadequate or no prediction of equipment failure which could result in discharges 12.7(b) (\$150)	
Plan does not discuss and facility does not implement appropriate containment/diversionary stuctures/ equipment 112.7 (\$400)	
If claiming impracticability of contiainment and appropriate diversionary structures: Impracticability has not been clearly denoted and demonstrated in plan 12.7(d) (\$100)	
No contingency plan $112.7(d)(1)$ (\$150)	
No written commitment of manpower, equipment, and materials $12.7(d)(2)$ (\$150)	
No periodic integrity and leak testing, if impracticability is claimed/12.7(d) (\$150)	
Plan has no or inadequate discussion of general requirements not already specified 12.7(j) (\$75)	
 QUALIFIED FACILITY REQUIREMENTS: 112.6	
Qualified Facility: No Self certification 112.6(a) (\$450)	
Qualified Facility: Self certification lacks required elements 12.6(a) (\$100)	
Qualified Facility: Technical amendments not certified 112.6(b) (\$150)	
Qualified Facility: Un-allowed deviations from requirements 12.6(c) (\$100)	
Qualified Facility: Environmental Equivalence or Impracticability not certified by PB12.6(d) (\$350)	
WRITTEN PROCEDURES AND INSPECTION RECORDS 112.7(e)	
Plan does not include inspections and test procedures in accordance with 40 CFR Part 112/12.7(e) (\$75)	
Inspections and tests required are not in accordance with written procedures developed for the facility 112.7(e) (\$75)	

	No Inspection records were available for review 12.7(e) (\$200)  (Written procedures and/or a record of inspections and/or customary business records)			
	Inspection records are not signed by appropriate supervisor or inspectod 12.7(e) (\$75)			
	Inspection records are not maintained for three years 12.7(e) (\$75)			
	PERSONNEL TRAINING AND DISCHARGE PREVENTION PROCEDURES 112.7(f)			
	No training on the operation and maintenance of equipment to prevent discharges and/or facility operations 112.7(f)(1) (\$75)			
	No training on discharge procedure protocols/12.7(f)(1) (\$75)			
	No training on the applicable pollution control laws, rules and regulations, and/or SPCC plant 12.7(f)(1) (\$75)			
	Training records not maintained for three years/12.7(f)(1) (\$75)			
	No designated person accountable for spill prevention $12.7(f)(2)$ (\$75)			
	Spill prevention briefings are not scheduled and conducted at least annually 12.7(f)(3) (\$75)			
	Plan has inadequate or no discussion of personnel and spill prevention procedures 12.7(a)(1) (\$75)			
SECURITY (excluding Production Facilities) 112.7(g)				
	· · · · · · · · · · · · · · · · · · ·			
	Facility not fully fenced and entrance gates are not locked and/or guarded when plant is unattended or not in production 112.7(g)(1) (\$150)			
	unattended or not in production $I12.7(g)(1)$ (\$150)  Master flow and drain valves that permit direct outward flow to the surface are not secured in a closed			
	unattended or not in production 112.7(g)(1) (\$150)  Master flow and drain valves that permit direct outward flow to the surface are not secured in a closed when in a non-operating or standby status 112.7(g)(2) (\$300)  Starter controls on pumps are not locked in the "off" position or located at a site accessible only to			
	unattended or not in production 112.7(g)(1) (\$150)  Master flow and drain valves that permit direct outward flow to the surface are not secured in a closed when in a non-operating or standby status 112.7(g)(2) (\$300)  Starter controls on pumps are not locked in the "off" position or located at a site accessible only to authorized personnel when pumps are not in a non-operating or standby status 12.7(g)(3) (\$75)  Loading and unloading connection(s) of piping/pipelines are not capped or blank-flanged when not in			
	unattended or not in production 112.7(g)(1) (\$150)  Master flow and drain valves that permit direct outward flow to the surface are not secured in a closed when in a non-operating or standby status 112.7(g)(2) (\$300)  Starter controls on pumps are not locked in the "off" position or located at a site accessible only to authorized personnel when pumps are not in a non-operating or standby status 112.7(g)(3) (\$75)  Loading and unloading connection(s) of piping/pipelines are not capped or blank-flanged when not in service or standby status 112.7(g)(4) (\$75)  Facility lighting not adequate to facilitate the discovery of spills during hours of darkness and			
	unattended or not in production 112.7(g)(1) (\$150)  Master flow and drain valves that permit direct outward flow to the surface are not secured in a closed when in a non-operating or standby status 112.7(g)(2) (\$300)  Starter controls on pumps are not locked in the "off" position or located at a site accessible only to authorized personnel when pumps are not in a non-operating or standby status 12.7(g)(3) (\$75)  Loading and unloading connection(s) of piping/pipelines are not capped or blank-flanged when not in service or standby status 112.7(g)(4) (\$75)  Facility lighting not adequate to facilitate the discovery of spills during hours of darkness and to deter vandalism 112.7(g)(5) (\$150)			
	unattended or not in production 112.7(g)(1) (\$150)  Master flow and drain valves that permit direct outward flow to the surface are not secured in a closed when in a non-operating or standby status 112.7(g)(2) (\$300)  Starter controls on pumps are not locked in the "off" position or located at a site accessible only to authorized personnel when pumps are not in a non-operating or standby status 112.7(g)(3) (\$75)  Loading and unloading connection(s) of piping/pipelines are not capped or blank-flanged when not in service or standby status 112.7(g)(4) (\$75)  Facility lighting not adequate to facilitate the discovery of spills during hours of darkness and to deter vandalism 112.7(g)(5) (\$150)  Plan has inadequate or no discussion of facility security 112.7(a)(1) (\$75)			
	unattended or not in production 112.7(g)(1) (\$150)  Master flow and drain valves that permit direct outward flow to the surface are not secured in a closed when in a non-operating or standby status 112.7(g)(2) (\$300)  Starter controls on pumps are not locked in the "off" position or located at a site accessible only to authorized personnel when pumps are not in a non-operating or standby status 112.7(g)(3) (\$75)  Loading and unloading connection(s) of piping/pipelines are not capped or blank-flanged when not in service or standby status 112.7(g)(4) (\$75)  Facility lighting not adequate to facilitate the discovery of spills during hours of darkness and to deter vandalism 112.7(g)(5) (\$150)  Plan has inadequate or no discussion of facility security 112.7(a)(1) (\$75)  FACILITY TANK CAR AND TANK TRUCK LOADING/UNLOADING 112.7(c) and/or (h-j)			

There are no interlocked warning lights, or physical barrier system, or warning signs, or vehicle brake (\$300) interlock system to prevent vehicular departure before complete disconnect from transfer lines 12.7(h)(2)
There is no inspection of lowermost drains and all outlets prior to filling and departure of any tank car or tank truck-112.7(h)(3) (\$150)
Plan has inadequate or no discussion of facility tank car and tank truck loading/unloading rack 12.7(a)(1) (\$75)
QUALIFIED OIL OPERATIONAL EQUIPMENT 112.7(k)
Failure to establish and document procedures for inspections or a monitoring program to detect equipment failure and/or a discharge 112.7(k)(2)(i) (\$150)
Failure to provide an oil spill contingency plan 12.7(k)(2)(ii)(A) (\$150)
No written commitment of manpower, equipment, and materials 12.7(k)(2)(ii)(B) (\$150)
FACILITY DRAINAGE 112.8(b) & (c)
Secondary Containment circumvented due to containment bypass valves left open and/or pumps and ejectors not manually activated to prevent a discharge 12.8(b)(1)and(2), and 112.8(c)(3)(i) (\$650)
Dike water is not inspected prior to discharge and/or valves not open & resealed under responsible supervision 112.8(c)(3)(ii)and(iii) (\$450)
Adequate records (or NPDES permit records) of drainage from diked areas not maintained 12.8(c)(3)(iv) (\$75)
Drainage from undiked areas do not flow into catchment basins ponds or lagoons, or no diversion system to retain or return a discharge to the facility 112.8(b)(3) and (4) (\$450)
Two "lift" pumps are not provided for more that one treatment unit 12.8(b)(5) (\$50)
Plan has inadequate or no discussion of facility drainage 12.7(a)(1) (\$75)
BULK STORAGE CONTAINERS 112.8(c)
Plan has inadequate or no risk analysis and/or evaluation of field-constructed aboveground tanks for brittle fracture 112.7(i) (\$75)
Failure to conduct evaluation of field-constructed aboveground tanks for brittle fracture 12.7(i) (\$300)
Material and construction of tanks not compatible to the oil stored and the conditions of storage such as pressure and temperature 112.8(c)(1) (\$450)
Secondary containment appears to be inadequate 12.8(c)(2) (\$750)
Containment systems, including walls and floors, are not sufficiently impervious to contain oil 12.8(c)(2) (\$375)
Excessive vegetation which affects the integrity (\$150)
Walls of containment system slightly eroded or have low areas (\$300)
Completely buried tanks are not protected from corrosion or are not subjected to regular pressure testing 112.8(c)(4) (\$150)

	Partially buried tanks do not have buried sections protected from corrosion 12.8(c)(5) (\$150)	
	Aboveground tanks are not subject to visual inspections 12.8(c)(6) (\$450)	
V	Aboveground tanks are not subject to periodic integrity testing, such as hydrostatic, nondestructive methods, etc. 112.8(c)(6) (\$450)	\$450
	Records of inspections (or customary business records) do not include inspections of tank supports, foundation, deterioration, discharges and/or accumulations of oil inside diked areas 12.8(c)(6) (\$75)	
	Steam return/exhaust of internal heating coils which discharge into an open water course are not monitored, passed through a settling tank, skimmer or other separation system 12.8(c)(7) (\$150)	
	Tank battery installations are not in accordance with good engineering practice because none of the following are present 112.8(c)(8) (\$450)	
<b>V</b>	No testing of liquid level sensing devices to ensure proper operation 12.8(c)(8)(v) (\$75)	\$75
	Effluent treatment facilities which discharge directly to navigable waters are not observed frequently to detect oil spills 112.8(c)(9) (\$150)	
	Causes of leaks resulting in accumulations of oil in diked areas are not promptly corrected 12.8(c)(10) (\$450)	
	Mobile or portable storage containers are not positioned to prevent discharged oil from reaching navigable water 112.8(c)(11) (\$150)	
	Secondary containment inadequate for mobile or portable storage tanks 12.8(c)(11) (\$500)	
	Plan has inadequate or no discussion of bulk storage tanks/12.7(a)(1) (\$75)	
	FACILITY TRANSFER OPERATIONS, PUMPING, AND FACILITY PROCESS 112.8(d)	
	Buried piping is not corrosion protected with protective wrapping, coating or cathodic protection protection 112.8(d)(1) (\$150)	
	Corrective action is not taken on exposed sections of buried piping when deterioration is found 12.8(d)(1) (\$450)	
	Not-in-service or standby piping is not capped or blank-flanged and marked as to original 12.8(d)(2) (\$75)	
	Pipe supports are not properly designed to minimize abrasion and corrosion, and allow for expansion and contraction 112.8(d)(3) (\$75)	
	Aboveground valves, piping and appurtenances are not inspected regularly 12.8(d)(4) (\$300)	
	Periodic integrity and leak testing of buried piping is not conducted 12.8(d)(4) (\$150)	
	Vehicle traffic is not warned of aboveground piping or other oil transfer operation \$12.8(d)(5) (\$150)	
	Plan has inadequate or no discussion of facility transfer operations, pumping, and facility process 12.7(a)(1) (\$75)	
	Plan does not include a signed copy of the Certification of the Applicability of the Substantial Harm Criteria per 40 CFR Part 112.20(e) (\$150)  (Do not use this if FRP subject; go to traditional enforcement)	
	TOTAL \$525	

## IN THE MATTER OF Jebro, Inc., Respondent Docket No. CWA-07-2013-0030

## CERTIFICATE OF SERVICE

I certify that a true and correct copy of the foregoing Order was sent this day in the following manner to the addressees:

Copy emailed to Attorney for Complainant:

nazar.kristen@epa.gov

Copy by First Class Mail to Respondent:

Irving F. Jensen III, President Jebro, Inc. 1817 Hull Avenue Des Moines, Iowa 50313

Dated: 6/11/13

Cathy Robinson

Hearing Clerk, Region 7