

**U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION 7**  
**11201 Renner Boulevard, Lenexa, Kansas 66219**  
**UNDERGROUND STORAGE TANK FIELD CITATION FORM FOR EXPEDITED SETTLEMENT**  
**DOCKET NO. RCRA-07-2018-0223**


**PART I: INSPECTION SUMMARY**

On: October 25, 2017  
 (Date of Inspection)  
 At: 786 Enterprises DBA MR J's Truck Stop/Pilot #524 (KDHE ID 29267)  
 (Facility Name and Identification Number)  
 Address: 4610 Kansas Avenue  
Kansas City, Kansas 66106  
 (Name of Onsite Representative if not the Owner or Operator)  
 Name and address of the UST Owner or Operator (indicate which applies).  
 Name: Mr. Asif Kiayani  
 Address: 786 Enterprises, INC  
1509 West 12<sup>th</sup> Street  
Kansas City, Missouri 64101

A duly designated officer, employee, or representative of the EPA or a duly designated officer or employee of the State or Tribe inspected this facility. The EPA has reviewed the inspection report and other relevant materials and has identified the following violation(s) of the UST regulations promulgated or approved by the EPA under Subtitle I of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. § 6991 et seq.).

- Violation: Failure to maintain records of cathodic protection inspections. Last two cathodic protection tests not available during inspection.  
 Cite: 40 CFR 280.31(d) [K.A.R. 28-44-19]  
 Proposed Penalty: \$ 85
  - Violation: Failure to maintain records of release detection monitoring. Release detection records for 12 months not available during inspection. Originally cited as 40 CFR 280.41(a) in inspection report  
 Cite: 40 CFR 280.45 [K.A.R. 28-44-23(c)]  
 Proposed Penalty: \$ 254
  - Violation: Failure to document calibration, maintenance, and repair of release detection. Leak detector function test not available during inspection. Originally cited as 40 CFR 280.44(a) in inspection report.  
 Cite: 40 CFR 280.45(c) [K.A.R. 28-44-23(c)]  
 Proposed Penalty: \$ 85
- PROPOSED PENALTY TOTAL: \$ 424**

The EPA finds the Owner or Operator in violation of the above referenced UST regulations.

  
 (Signature of Authorized Officer or Employee of the EPA)

Date: 8/13/18

**RECEIVED**  
**JUN 25 2018**  
**AWMD/EICS**

**PART II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER**

**A. Settlement Agreement:** The Owner or Operator by signing this Settlement Agreement (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the following terms and conditions:

The Owner or Operator certifies, subject to civil and criminal penalties for making a false submission to the U. S. Government, that he or she has corrected the violations, submitted true and accurate documentation of the correction, and submitted payment to the U.S. Treasury for the amount of \$424 in payment of the full proposed penalty amount, as described in Part I of this Form.

The Owner or Operator agrees to comply with the terms of the Compliance Order in Part II.B. Without admitting liability for the violations cited in Part I, the Owner or Operator signing below waives any objections to the EPA's jurisdiction with respect to the Compliance Order and this Settlement Agreement, and consents to the EPA's final approval of this Settlement Agreement without further notice. The Owner or Operator waives the opportunity for a public hearing pursuant to RCRA Section 9006.

Once the EPA signs the Settlement Agreement, the EPA will take no further enforcement action against the Owner or Operator for the civil violations described in Part I, provided the violations have been timely corrected and the penalty has been paid. The EPA does not waive its right to enforce against the Owner or Operator for any other violations not described in Part I and violations of the UST requirements or other requirements listed in Part I that were not corrected in a timely manner.

This Settlement Agreement and Compliance Order will become effective once signed by the EPA and is binding on the EPA and the Owner or Operator upon signature by both parties. Final approval of the Settlement Agreement and Compliance Order is in the sole discretion of the Regional Administrator, Region 7, EPA, or his or her authorized delegate. Upon final approval, the EPA shall mail a copy of this document to the Owner or Operator signing below.

**SIGNATURE BY OWNER, OPERATOR, OR AUTHORIZED REPRESENTATIVE:**

Name (print): HUSNAIN RAJA  
 Title (print): MANAGER  
 Signature:  Date: 06-16-18

**B. Compliance Order:** This Compliance Order is issued under the authority of RCRA section 9006 to resolve the civil violations identified in Part I. The Owner or Operator is ordered to correct the violations, submit true and accurate documentation that the violations were corrected, and pay the total penalty amount listed in Part I of this Form. This Compliance Order shall become final and enforceable only upon signature by an EPA official with the authority to sign this document.

**SIGNATURE BY EPA APPROVING THE SETTLEMENT AGREEMENT AND COMPLIANCE ORDER:**

Name (print): KARINA BORROMEO  
 Title (print): REGIONAL JUDICIAL OFFICER  
 Signature:  Date: 8-13-18

Notes: