



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 8

1595 Wynkoop Street
DENVER, CO 80202-1129
Phone 800-227-8917
<http://www.epa.gov/region08>

2008 JUN 19 7:09:22
JUN 19 2008

Ref: 8ENF-W

JUN 19 2008

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Honorable Mayor Dellinger
Town of Mountain View
405 Hwy 414 N
P.O. Box 249
Mountain View, WY 82939

Dave Dasher, Public Works Director
Town of Mountain View
P.O. Box 249
Mountain View, WY 82939

RE: Emergency Administrative
Order issued under Section 1431
SDWA to Town of Mountain View
Docket No. SDWA-08-2008-0057
PWS ID #5600847

Dear Mayor Dellinger and Mr. Dasher:

On May 21, 2008, the U.S. Environmental Protection Agency (EPA) issued an Emergency Administrative Order (Order) under section 1431 of the Safe Drinking Water Act (the Act), 40 U.S.C. § 300i, to the Town of Mountain View, owner of the Town of Mountain View water system (the System) which is a consecutive water system to the Bridger Valley Joint Powers Board public water system. This letter confirms the verbal notice provided to Rocky Irick, Operator of the Bridger Valley Joint Powers Board, who is coordinating response to the Orders among all four involved water systems, by Kimberly Pardue Welch of EPA on June 10, 2008 that weekly bacteriological monitoring, chlorine residual, and turbidity monitoring are no longer required at the Town of Mountain View Water System. This notice is based on bacteriological monitoring conducted on May 28, 2008 and June 4, 2008 which were analyzed as total coliform negative as well as chlorine residual and turbidity monitoring conducted on these same dates. Therefore pursuant to the Order, the System may resume monthly monitoring. The System is required to comply with all other provisions of the Order. Penalties for failing to comply are set forth in the Order.

We appreciate your cooperation. If you have any questions regarding this matter, please contact Kimberly Pardue Welch at (303) 312-6983. If you are represented by an attorney or have legal questions, please ask your attorney to call Amy Swanson, Enforcement Attorney, at (303) 312-6906.

Sincerely,



David J. Janik, Director
Matthew Cohn, Supervisory Attorney
Legal Enforcement Program
Office of Enforcement, Compliance
and Environmental Justice



Diane Sipe, Director
Technical Enforcement Program
Office of Enforcement, Compliance
and Environmental Justice