

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III

1650 ARCH STREET
PHILADELPHIA, PA 19103-2029

EXPEDITED PENALTY
ACTION AND
CONSENT AGREEMENT
DOCKET NO. CAA-03-2016-0001

2015 NOV 12 PM 1:39
REGIONAL HEARING CLERK
EPA REGION III, PHILA. PA

RESPONDENT

Praxair Distribution/Mid-Atlantic LLC
One Steel Road East
Morrisville PA 19067

FACILITY

Praxair Distribution/Mid-Atlantic LLC
One Steel Road East
Morrisville, PA 19067

On June 4, 2015, an authorized representative of the EPA conducted an inspection of the subject facility to determine compliance with the Risk Management Plan (RMP) regulations promulgated at 40 C.F.R. Part 68 under Section 112(r) of the Clean Air Act (the Act or CAA). EPA found that the Respondent had violated regulations implementing Section 112(r) of the Act by failing to comply with the regulations, as more fully alleged in the attached RISK MANAGEMENT PROGRAM, INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPOSED PENALTY SHEET (FORM), which is hereby incorporated by reference.

The parties enter into this Expedited Penalty Action and Consent Agreement ("Consent Agreement") to settle the civil violation set forth above for a penalty of **\$1,500**. This Consent Agreement commences and concludes this action pursuant to Sections 22.13(b), and 22.18(b)(2), and (3) of the Consolidated Rules of Practice Governing the Administrative Assessment of Penalties and the Revocation/Termination or Suspension of Permits (Consolidated Rules of Practice), 40 C.F.R. §22.13(b), and 22.18(b)(2), and (3). This Consent Agreement is being entered into by the United States Environmental Protection Agency, Region 3 (EPA), by its duly delegated official, the Director, Hazardous Site Cleanup Division, and by Respondent pursuant to Section 113(a)(3) and (d) of the Act, 42 U.S.C. §7413(a)(3) and (d).

The settlement is subject to the following terms and conditions.

The Respondent consents to the assessment of the penalty stated above. The settlement amount was based upon Complainant's consideration of a number of factors, including, but not limited to, the seriousness of the violation and the other factors provided in CAA Section 113(e)(1) and EPA's Combined Enforcement Policy for CAA Section 112(r) Risk Management Program dated June 20, 2012. The Respondent certifies that it has corrected the violation set forth in the Risk Management Program Inspection Findings, Alleged Violations and Proposed Penalty Sheet. The Respondent also certifies that, since its last Risk Management Plan update required pursuant to 40 C.F.R. §68.190, it has not done either of the following: (a) introduced a new regulated substance at the facility in an amount greater than its threshold quantity; or (b) introduced a new process which uses a regulated substance in an amount greater than its threshold quantity. Further, the Respondent agrees that it shall, within 15 calendar days of receipt of an executed copy of this Consent Agreement, make payment of **\$1,500** in one of two forms: 1) electronic funds transfer (EFT) or 2) a cashier's check or certified check payable to the "US Environmental Protection Agency", with the Docket Number, located at the top right-hand corner of the Consent Agreement, and "Chemical Accident Prevention Provisions - 112(r)" referenced on the check.

Payment of the penalty amount by EFT to: Federal Reserve Bank of New York
ABA 021030004
Account 68010727
SWIFT address FRNYUS33
33 Liberty Street
New York, NY 10045

Field Tag 4200 of the Fedwire message should read "D68010727 Environmental Protection Agency"

**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 ARCH STREET
PHILADELPHIA, PA 19103-2029**

**EXPEDITED PENALTY
ACTION AND
CONSENT AGREEMENT
DOCKET NO. CAA-03-2016-0001**

Payment of the penalty amount by regular US Postal Service shall be sent via certified mail to:

U.S. Environmental Protection Agency
Fines and Penalties
Cincinnati Finance Center
P.O. Box 979077
St. Louis, MO 63197-9000

Payment of the penalty amount by overnight mail (FedEx or other non-US Postal Service express mail) shall be sent to:

U.S. Bank
1005 Convention Plaza
Mail Station SL-MO-C2GL
St. Louis, MO 63101

The Respondent shall also send a copy of the EFT confirmation or check via certified mail to:

Michael Welsh
RMP Coordinator
U.S. EPA, Region III (3HS61)
1650 Arch Street
Philadelphia, PA 19103-2029

Lydia Guy
Regional Hearing Clerk
U.S. EPA, Region III (3RC00)
1650 Arch Street
Philadelphia, PA 19103-2029

The payment made pursuant to this Consent Agreement is a penalty within the meaning of Section 162(f) of the Internal Revenue Code, 26 U.S.C. §162(f), and, therefore, Respondent shall not claim it as a tax deductible expenditure for purposes of federal, state or local law. This Consent Agreement resolves only the civil claims for the specific violation alleged in the attached Risk Management Program, Inspection Findings, Alleged Violations and Proposed Penalty Sheet. Furthermore, EPA reserves the right to commence an action against any person, including Respondent, in response to any condition which EPA determines may present an imminent and substantial endangerment to the public health, welfare, or the environment. In addition, this settlement is subject to all limitations on the scope of resolution and to the reservation of rights set forth in Section 22.18(c) of the Consolidated Rules. Further, EPA reserves any rights and remedies available to it under the Act, the regulations promulgated thereunder, and any other federal laws or regulations for which EPA has jurisdiction, to enforce the provisions of this Consent Agreement, following its filing with the Regional Hearing Clerk.

Respondent neither admits nor denies the allegations set forth in the attached Risk Management Program, Inspection Findings, Alleged Violations and Proposed Penalty Sheet, but admits that jurisdiction has been established for this Penalty Action. Also, upon EPA final approval of the Consent Agreement, Respondent expressly waives its right to contest the allegations, to a hearing under Section 113(d)(2)(A) of the Act, 42 U.S.C. §7413(d)(2)(A), and to appeal this Order under Section 113 (d)(4) of the Act, 42 U.S.C. §7413(d)(4). Moreover, in entering into this Consent Agreement, the Respondent agrees to bear its own costs and attorney's fees related to this Consent Agreement.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 ARCH STREET
PHILADELPHIA, PA 19103-2029

EXPEDITED PENALTY
ACTION AND
CONSENT AGREEMENT
DOCKET NO. CAA-03-2016-0001

ACCEPT THE PROPOSED PENALTY

I/we consent to the proposed penalty.

DECLINE THE PROPOSED PENALTY

I/we decline the proposed penalty. If you choose to decline this proposed penalty, check the box. You may be subject to formal enforcement action and, in that event, will have an opportunity to a hearing related to any subsequent penalty assessment.

COST OF COMPLIANCE

Respondent certifies that it has expended \$ ^{#202.00}~~X~~ to correct the alleged violation and to come into compliance.

EFFECTIVE DATE

This Consent Agreement will be effective upon filing.

The undersigned representative of Respondent certifies that he or she is fully authorized by Respondent to execute this Consent Agreement and to legally bind the party whom he or she represents to this Consent Agreement.

Signature Tim Melnick Date: 10/9/15

Name and Title (print) TIM MELNICK PLANT MANAGER

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 ARCH STREET
PHILADELPHIA, PA 19103-2029

EXPEDITED PENALTY
ACTION AND
CONSENT AGREEMENT
DOCKET NO. CAA-03-2016-0001

SIGNATURE BY COMPLAINANT:



Cecil Rodrigues, Director
Hazardous Site Cleanup Division

Date: 11/6/2015

FINAL ORDER

Pursuant to Section 113(d)(1) of the CAA, 42 U.S.C. §7413(d)(1), and in accordance with the Consolidated Rules of Practice, 40 C.F.R. Part 22, and having relied upon the representations of the parties set forth in the Consent Agreement, I have determined that the penalty assessed herein is based on a consideration of the factors set forth in CAA Section §7413(e)(1) and EPA's Combined Enforcement Policy for CAA Section 112(r) Risk Management Program dated June 20, 2012.

THEREFORE, the foregoing Consent Agreement is hereby approved and incorporated by reference into the Final Order. The Respondent is ORDERED to pay the civil penalty as set forth in the Consent Agreement.


Joseph Lisa
Regional Judicial Officer

Date: Nov. 10, 2015

RISK MANAGEMENT PROGRAM, INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPOSED PENALTY SHEET (ENCLOSURE #2) Program Level 3 Process Checklist	
Facility Name: Praxair Distribution/Mid-Atlantic LLC	
Section C: Prevention Program [40 CFR 68.65 - 68.87]	
Prevention Program- Safety information [68.65]	
1. Has the owner or operator documented that equipment complies with recognized and generally accepted good engineering practices? [68.65(d)(2)] Facility did not properly store incompatible compressed gas cylinders in accordance with Section 7.1.11 of NFPA 55 or their respective MSDS. Facility did not include all areas in accordance with NFPA 55, NFPA 497 and/or API 500.	No

Adjusted Penalty = Unadjusted Penalty X Multiplier

The Unadjusted Penalty is calculated by adding up all the penalties listed on the Risk Management Program, Alleged Violations and Proposed Penalty Sheet.

The service size (population)/multiplier are the factors that determine the adjusted penalty for government entities.

The Size-Threshold Quantity multiplier is a factor that considers the number of employees and how many times above the threshold quantity for private industry.

RISK MANAGEMENT PROGRAM PENALTY WORKSHEET
(ENCLOSURE #2)

Facility Name:	Praxair Distribution/Mid-Atlantic LLC
----------------	---------------------------------------

EXPEDITED SETTLEMENT PENALTY MATRIX

MULTIPLIER FACTORS FOR CALCULATING PROPOSED PENALTIES
FOR VIOLATIONS FOUND DURING RMP INSPECTIONS

<u>Governmental Entities</u>			
(Primarily public drinking water and wastewater systems)			
Total Population Served	<u>1-5*</u>	<u>>5-10*</u>	<u>>10*</u>
1-10,000	<u>0.2</u>	<u>0.4</u>	<u>0.6</u>
10,001-100,000	<u>0.4</u>	<u>0.6</u>	<u>0.8</u>
>100,000	<u>0.6</u>	<u>0.8</u>	<u>1.0</u>

***Largest Multiple of Threshold Quantity of any Regulated Chemical(s) on Site.**

<u>Private Industries</u>			
# of Employees	<u>1-5*</u>	<u>>5-10*</u>	<u>>10*</u>
<u>0-9</u>	<u>0.4</u>	<u>0.6</u>	<u>0.8</u>
<u>10-100</u>	<u>0.6</u>	<u>0.8</u>	<u>1.0</u>
<u>>100</u>	<u>1.0</u>	<u>1.0</u>	<u>1.0</u>

The Proposed Penalty is the amount of the non-negotiable penalty that is calculated by multiplying the total penalty with the multiplier using the service size (population) as a guide.

**RISK MANAGEMENT PROGRAM PENALTY WORKSHEET
(ENCLOSURE #2-CONTINUED)**

Facility Name: Praxair Distribution/Mid-Atlantic LLC

PENALTY CALCULATION:

Calculation of Unadjusted Penalty

Violations	Penalty Value
1. Failure to document that equipment complies with recognized and generally accepted good engineering practices? [68.65(d)(2)]	\$1,500.00
Total	\$1,500.00

After totaling the penalty numbers from the Program 3 Penalty Schedule for the specified violation, an unadjusted penalty of \$1,500.00 is derived.

Calculation of Adjusted Penalty

- Reference the multiplying factor table for a private industry (shown above) to calculate the adjusted penalty. The facility has 130 employees and has approximately 80,000 pounds of Propane in a process. Using the appropriate row and column a multiplier of 1.0 is determined.
- Use the Adjusted Penalty formula

Adjusted Penalty Calculation		
Unadjusted Penalty	X Multiplier	= Adjusted Penalty
\$1,500	1.0	\$1,500



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
 REGION III
 1650 Arch Street
 Philadelphia, Pennsylvania 19103-2029**

DATE: **NOV 12 2015**

In the Matter of:)	EPA Docket No.:
Praxair Distribution/Mid-Atlantic LLC))	CAA-03-2016-0001
One Steel Road East)	
Morrisville, PA 19067)	
)	
Respondent,)	
)	
Praxair Distribution/Mid-Atlantic LLC))	Proceedings under Section
One Steel Road East)	113(d)(1) of the Clean Air Act, 42
Morrisville, PA, 19067)	U.S.C. § 7413(d)(1).
)	
Facility.)	
)	

CERTIFICATE OF SERVICE

I, the undersigned, hereby certify that on the date provided below, I hand-delivered and filed the original of Complainant's, the United States Environmental Protection Agency's, Expedited Penalty Action and Consent Agreement ("Consent Agreement") with the Regional Hearing Clerk, EPA Region III, 1650 Arch Street, Philadelphia, Pennsylvania 19103-2029, and that true and correct copies of the Consent Agreement, were sent to:

Via certified mail, return receipt requested
 Tim Melnick, Facility Manager
 Praxair Distribution/Mid-Atlantic LLC
 One Steel Road East
 Morrisville, PA 19067

11/12/15
 Date

Michael Welsh
 Michael Welsh, P.E. (3HS61)