

UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
REGION 8

2007 SEP 28 PM 3:42

Docket No. TSCA-08-2007-0018

EPA REGION VIII
HEARING CLERK

IN THE MATTER OF:

Coors Brewing Company,

Respondent.

)
)
)
)
)
)
)

COMPLAINT AND NOTICE OF OPPORTUNITY
FOR HEARING

COMPLAINT

GENERAL ALLEGATIONS

1. This is a civil administrative action commenced and concluded under the authority granted to the Administrator of the United States Environmental Protection Agency (EPA) by section 16 of the Toxic Substances Control Act (TSCA), 15 U.S.C. § 2615, as properly delegated to the undersigned EPA officials. This proceeding is subject to EPA's "Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation or Suspension of Permits (Rules of Practice)," 40 C.F.R. part 22. These general allegations apply to each count below.

2. Respondent is Coors Brewing Company, a "person" within the meaning of 40 C.F.R. § 761.3, and thus subject to regulation.

3. Respondent was, at all times relevant to this action, the owner and operator of a facility at 12th and Ford Streets in Golden, Colorado.

4. On or about June 8, 2007, Kim P. Le, an authorized EPA inspector, conducted an inspection of the facility, with the consent of Respondent, to determine compliance with TSCA and EPA regulations relating to polychlorinated biphenyls (PCBs), 40 C.F.R. part 761. Notices of inspection and confidentiality were issued to representatives of Respondent. Factual allegations are as of that day.

5. The EPA's PCB regulations define "disposal" of PCBs to include "spills, leaks, and other uncontrolled discharges of PCBs...." 40 C.F.R. § 761.3

6. The PCB regulations require that PCBs with a concentration of over 50 parts per million (ppm) be disposed of by the incineration or burial methods specified in the regulations. 40 C.F.R. §761.60. The PCB regulations also require that certain PCB equipment be stored in a specified manner. 40 C.F.R. § 761.65.

7. The PCB regulations require that PCBs removed from service for disposal shall be dated so they can be properly stored and managed. 40 C.F.R. §761.65(c)(8).

COUNT 1

8. On the day of the inspection, two transformers (serial numbers GE-H-884291 and GE-H-884292) both with PCB concentrations of over 500 ppm were leaking fluid.

9. Respondent's failure to properly dispose of the leaking PCBs described in the paragraph above, as required by 40 C.F.R. § 761.60, constitutes a violation of section 15 of TSCA, 15 U.S.C. § 2614.

COUNT 2

10. At the PCB storage building, a drum with PCB light ballasts was not recorded and dated as to when it was removed from use for storage.

11. Respondent's failure to properly record the date that the drum of PCB light ballasts were removed from service for disposals described in the paragraph above, as required by 40 C.F.R. § 761.60, constitutes a violation of section 15 of TSCA, 15 U.S.C. § 2614.

NOTICE OF OPPORTUNITY FOR A HEARING

12. Respondent has the right to a public hearing before an administrative law judge (ALJ) to disagree with (1) any fact stated (alleged) by EPA in the complaint, or (2) the appropriateness of the proposed penalty.

13. To disagree with the Complaint and assert your right to a hearing, Respondent must file a written answer (and one copy) with the Regional Hearing Clerk (1595 Wynkoop, Denver, CO 80202) within 30 days of receiving this Complaint, and provide a copy to the enforcement attorney listed below. The answer must clearly admit, deny or explain the factual allegations of the Complaint, the grounds for any defense, the facts you may dispute, and your specific request for a public hearing. Please see section 22.15 of the Rules of Practice for a complete description of what must be in your answer. **FAILURE TO FILE AN ANSWER AND REQUEST FOR HEARING WITHIN 30 DAYS MAY WAIVE RESPONDENT'S RIGHT TO DISAGREE WITH THE ALLEGATIONS OR PROPOSED PENALTY, AND RESULT IN A DEFAULT JUDGMENT AND ASSESSMENT OF THE PENALTY PROPOSED IN THE COMPLAINT.**

QUICK RESOLUTION

14. Respondent may resolve this proceeding at any time by paying the specific penalty proposed in the Complaint. Such payment need not contain any response to, or admission of, the allegations in the Complaint. Such payment constitutes a waiver of respondent's right to contest the allegations and to appeal the final order. See section 22.18 of the Rules of Practice for a full explanation of the quick resolution process, including how extensions of time to pay can be obtained.

SETTLEMENT NEGOTIATIONS

15. EPA encourages discussing whether cases can be settled through informal settlement conferences. If you want to pursue the possibility of settling this matter, or have any other questions, contact the attorney listed below. **Please note that calling the**


attorney or requesting a settlement conference does NOT delay the running of the 30 day period for either paying the penalty or filing an answer and requesting a hearing.

PROPOSED PENALTY


17. Section 16 of TSCA, 15 U.S.C. § 2615, and the regulations promulgated under section 6 of TSCA, 15 U.S.C. § 2605, as amended, authorize the assessment of a civil penalty of up to \$27,500 per day of violation for each violation of TSCA. In arriving at the amount of the penalty, EPA, as required by section 16(a)(2)(B) of TSCA, 15 U.S.C. 2615(a)(2)(b), has taken into consideration, to the extent known at this time, the nature, circumstances, extent, and gravity of the violation, and, with respect to respondent, the ability to pay, effect on ability to continue to do business, any history of prior violations, degree of culpability, and other matters as justice may require. Based on the nature of these specific violations, including the actual or potential introduction of PCBs to the environment and/or exposure of PCBs to humans, and Respondent's history of violation, EPA proposes a total civil penalty of \$3,750 for these violations.

UNITED STATES ENVIRONMENTAL
PROTECTION AGENCY, REGION 8,
Office of Enforcement, Compliance, and
Environmental Justice,
Complainant.

Date: 9/28/2007

By: 
David J. Janik, Supervisory Enforcement Attorney
Legal Enforcement Program (ENF-L)
1595 Wynkoop
Denver, CO 80202
303.312.6917
janik.david@epa.gov

Date: 9/28/07

By: 
Martin Hestmark, Director
Technical Enforcement Program

IN THE MATTER OF:
DOCKET NUMBER:

COORS BREWING COMPANY
TSCA-08-2007-0018


CERTIFICATE OF SERVICE

I hereby certify that the original and a true copy of this COMPLAINT AND NOTICE OF OPPORTUNITY FOR HEARING, with Exhibits for the docket numbers indicated above was hand-delivered to the Regional Hearing Clerk, EPA Region 8, 1595 Wynkoop Street Denver, Colorado 80202-1129.

And that a true copy of the same was sent by certified mail return receipt requested to:

Registered Agent for
Coors Brewing Company
1560 Broadway, Ste 2090
Denver, Colorado 80202

9/28/07
Date


Judith M. McTernan