

FILED

Aug 13, 2026

12:09 pm

**U.S. EPA REGION 3
HEARING CLERK**

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 3
BEFORE THE ADMINISTRATOR

In the Matter of:

Strittmatter Materials, LLC
1906 Towne Center Blvd
Annapolis, MD 21401,

Respondent.

3334 Kenilworth Avenue
Hyattsville, MD 20781

Facility

First Amendment to Administrative
Compliance Order on Consent

Docket No. CAA-03-2025-0124DA

FIRST AMENDMENT TO ADMINISTRATIVE COMPLIANCE ORDER

1. This First Amendment to Administrative Compliance Order, Docket No. CAA-03-2025-0124DA (“Amended Order”) is issued under the authority vested in the Administrator of the U.S. Environmental Protection Agency (“EPA”) by Section 113(a) of the Clean Air Act (the “Act”), 42 U.S.C. § 7413(a).
2. On the EPA’s behalf, the Director of the Enforcement and Compliance Assurance Division is delegated the authority to issue this Order under Section 113(a) of the Act, 42 U.S.C. § 7413(a).
3. Respondent is Strittmatter Materials, LLC, a limited liability company registered, and currently doing business under the trade name D.C. Materials, in the state of Maryland. Respondent is a “person” as defined in Section 302(e) of the Act, 42 U.S.C. § 7602(e).
4. Respondent signs this Amended Order on consent.

5. The Parties agree that Paragraph 28 is amended in its entirety to now provide as follows:

28. Compliance Program Option 2

- a. Respondent shall immediately ensure that each of the affected facilities (as defined in 40 C.F.R. §§ 60.670 and 60.671) at the Facility, including but not limited to each crusher, screening operation, and belt conveyor, meets the fugitive emission limits and compliance requirements set forth in Table 3 of the NMPP NSPS that are applicable to affected facilities that commence construction, modification, or reconstruction after August 31, 1983 but before April 22, 2008;
- b. In addition to the existing permit provisions implementing the fugitive emission limits and compliance requirements set forth in Table 3 of the NMPP NSPS that are applicable to affected facilities that commence construction, modification, or reconstruction after August 31, 1983 but before April 22, 2008, Respondent shall, by no later than September 28, 2026, and in accordance with the requirements of COMAR 26.11.02.02B(1), COMAR 26.11.02.09A(3) and COMAR 26.11.02.13A(16), submit appropriate application(s) to the MDE (for review, comment and approval) and to EPA (for the Agency's information) to incorporate as enforceable requirements the following provisions into the Facility's SIP approved construction and/or operating permits:

- i. A 100 TPH limit on throughput to the Metso NP1213 secondary impact crusher that is applicable all times the crusher is operating;
- ii. the following daily monitoring and/or recording provisions applicable each day the Metso NP1213 secondary impact crusher operates:
 - A. (DIRECT MEASUREMENT): measure and record the number of buckets fed to the primary Lippman jaw crusher;
 - B. (CALCULATION): at the end of each operating day, multiply the number of buckets in Paragraph 28.b.ii.A by a value of 8.76 tons, constituting the accepted average bucket weight, and record the total mass (in tons) fed to the primary Lippman jaw crusher;
 - C. (DIRECT MEASUREMENT): measure and record the total hours of operation of the primary Lippman jaw crusher (in hours);
 - D. (CALCULATION): divide the mass in Paragraph 28.b.ii.B. by the total hours in Paragraph 28.b.ii.C. to get the daily throughput at the Facility (in tph);
 - E. (DIRECT MEASUREMENT): measure and record the number of buckets of RC6 produced and transferred to piles to be depleted for sale to customers or for any other reason;
 - F. (CALCULATION): at the end of the operating day, multiply the number of buckets in Paragraph 28.b.ii.E. by a value of

- 9.42 tons, constituting the accepted average bucket weight,
and record (in tons) the total mass RC6 produced;
- G. (CALCULATION): multiply the mass in Paragraph 28.b.ii.F. by 0.75, and record (in tons);
- H. (DIRECT MEASUREMENT): measure and record the number of buckets of 2 inch stone produced and transferred into piles to be depleted for sale to customers or for any other reason;
- I. (CALCULATION): at the end of the operating day, multiply the number of buckets in Paragraph 28.b.ii.H. by a value of 5.95 tons, constituting the accepted average bucket weight, and record (in tons) the total mass of 2 inch produced;
- J. (CALCULATION): sum the masses in Paragraph 28.b.ii.G. and Paragraph 28.b.ii.I., and record (in tons);
- K. (CALCULATION): subtract the mass in Paragraph 28.b.ii.J. from the mass in Paragraph 28.b.ii.B., and record the throughput entering the Metso NP1213 secondary impact crusher (in tons);
- L. (CALCULATION): divide the mass in Paragraph 28.b.ii.K. by the mass in Paragraph 28.b.ii.B. to get the percentage of material entering Metso NP1213 secondary impact crusher;

M. (CALCULATION): multiply the percentage in Paragraph 28.b.ii.L. by the daily throughput at the Facility in Paragraph 28.b.ii.D, and record (in tph);

N. (COMPLIANCE DETERMINATION): sum and record the result in Paragraph 28.b.ii.M. with a value of 13.9 tph, an adjustment factor constituting the maximum amount the average bucket weight approach has been documented to undercount throughput, and compare this result with 100 TPH limit on throughput to the Metso NP1213 secondary impact crusher in Paragraph 28.b.i.

iii. provisions to perform quarterly maintenance inspections of the spray nozzles in the Facility's wet suppression system; to record the date of inspections, the condition of the spray nozzle, and any corrective actions taken; and to maintain records of the maintenance inspections.

c. until the provisions in Paragraph 28.b. are incorporated into Facility's SIP approved construction and/or operating permits or until the Termination Date of the Order as set forth in Paragraph 42, whichever is earlier, Respondent shall submit monthly reports to the EPA documenting compliance with the provision of Paragraph 28.b.ii.

6. All other provisions of the Administrative Compliance Order, Docket No. CAA-03-2025-0124DA remain in full force and effect.
7. This Amended Order shall be effective upon the signature by the representative of both Parties.

FILED

Aug 13, 2026

12:09 pm

U.S. EPA REGION 3
HEARING CLERK

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 3
BEFORE THE ADMINISTRATOR

In the Matter of:

Strittmatter Materials, LLC
1906 Towne Center Blvd
Annapolis, MD 21401,

Respondent.

3334 Kenilworth Avenue
Hyattsville, MD 20781

Facility

First Amendment to Administrative
Compliance Order on Consent

Docket No. CAA-03-2025-0124DA

For United States Environmental Protection Agency, Region 3:

ANDREA
BAIN

Digitally signed by
ANDREA BAIN
Date: 2026.08.12
08:07:09 -04'00'

[digitally signed and dated]

Acting Director

Enforcement & Compliance Assurance Division

U.S. EPA – Region 3

For Respondent:


Signature

8/3/26
Date

Printed Name:

JOHN STRITTMATTER

Title:

MANAGING MEMBER

Address:

9102 QUINCY DRIVE, MANASSAS PARK, VA 20111

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 3
BEFORE THE ADMINISTRATOR

In the Matter of:

Strittmatter Materials, LLC
1906 Towne Center Blvd
Annapolis, MD 21401,

Respondent.

3334 Kenilworth Avenue
Hyattsville, MD 20781

Facility

First Amendment to Administrative
Compliance Order on Consent

Docket No. CAA-03-2025-0124DA

CERTIFICATE OF SERVICE

I certify that the foregoing First Amendment to Administrative Order on Consent was filed with the EPA Region III Regional Hearing Clerk on the date that has been electronically stamped on the Administrative Order on Consent. I further certify that on the date set forth below, I caused to be served a true and correct copy of the foregoing Administrative Order on Consent to each of the following persons, in the manner specified below, at the following addresses:

Copies served via email to:

Lisa Blitstein, Esq.
Baker, Donelson, Bearman, Caldwell & Berkowitz, PC
100 Light Street, 19th Floor
Baltimore, MD 21202
lblitstein@bakerdonelson.com

Jennifer M. Abramson, Senior Assistant Regional Counsel
U.S. EPA, Region 3
Abramson.Jennifer@epa.gov

Kris Hall, Air Section Chief
U.S. EPA, Region 3
Hall.Kristen@epa.gov

JEANNINE
GRAFF

Digitally signed by
JEANNINE GRAFF
Date: 2026.08.13
12:10:04 -04'00'

[Digital Signature and Date]

Regional Hearing Clerk
U.S. EPA, Region 3