



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 8

1595 Wynkoop Street  
DENVER, CO 80202-1129  
Phone 800-227-8917  
<http://www.epa.gov/region08>

2010 MAR 15 AM 9:01

FILED  
EPA REGION VIII  
HEARING CLERK

Ref: 8 ENF-W

**MAR 15 2010**

CERTIFIED MAIL #  
RETURN RECEIPT REQUESTED

Irene Brooks, Owner  
Goose Egg Inn  
10580 Goose Egg Road  
Casper, Wyoming 82604

Re: Violation of Amended  
Administrative Order  
Docket No. SDWA-08-2008-0011  
Goose Egg Inn  
PWS ID # WY5600547

Dear Ms. Brooks:

On March 16, 2009, the US Environmental Protection Agency (EPA) issued an Amended Administrative Order (the Order), Docket No. SDWA-08-2008-0011, ordering you as owner and/or operator of the Goose Egg Inn Public Water System (the system) to comply with various drinking water regulations issued by EPA under the Safe Drinking Water Act (the Act), 42 U.S.C. Section 300f et seq.

Our records indicate that you (Respondent) are in violation of the Amended Administrative Order. Among other things, the Order included the following requirement (quoted from item 12, of the Order section on page 2 of the Order):

1. Upon receipt of this Order, Respondent shall monitor quarterly for total coliform bacteria. 40 C.F.R. § 141.21. Respondent shall report analytical results to EPA within the first 10 days following the month in which sample results are received, as required by the drinking water regulations. 40 C.F.R. § 141.31(a). Any violation of total coliform monitoring requirements under 40 C.F.R. § 141.21 shall be reported to EPA within ten days after the Respondent learns of it. 40 C.F.R. § 141.21(g)(2).

You did not monitor for total coliform bacteria at the system during the 4<sup>th</sup> quarter (October – December) of 2009 and failed to report this violation to EPA.

EPA is considering additional enforcement action as a result of the non-compliance with the Order. Violating an administrative order may lead to (1) a penalty of up to \$37,500 per day per violation of the Order, and/or (2) a court injunction ordering compliance.

If you have any questions or wish to have an informal conference with EPA, you may contact Shawn McCaffrey at 1-800-227-8917, extension 6515 or (303) 312-6515. Any questions from your attorneys should be directed to Marc Weiner, Senior Enforcement Attorney, at (303) 312-66913 or at the following address:

Marc Weiner  
Senior Enforcement Attorney  
U.S. EPA, Region 8 (8-ENF-L)  
1595 Wynkoop Street  
Denver, Colorado 80202-1129

We urge your prompt attention to this matter.



---

Lisa Kahn, Team Leader  
Drinking Water Enforcement Program  
Office of Enforcement, Compliance  
and Environmental Justice

cc: Wyoming DEQ (via email)  
Wyoming DOH (via email)  
John Drinnon, Natrona-Casper Health Department  
Tina Artemis, EPA Regional Hearing Clerk

