AGENCY OF THE PROPERTY OF THE

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

'AUG 1 2 2007

REPLY TO THE ATTENTION OF:

SC-6J

<u>CERTIFIED MAIL</u> <u>RETURN RECEIPT REQUESTED</u>

Robert Fenton, President/CEO Hamilton Farm Bureau 4670 East Washington Hamilton, MI 49419

RE: Hamilton Farm Bureau, Martin, Michigan, Expedited Settlement Agreement

ESA Docket No. RMP-05-ESA-029 Docket No. CAA-05-2007-0020

Dear Mr. Fenton:

Enclosed please find a copy of the fully executed Expedited RMP Settlement Agreement (ESA) in resolution of the above case. The ESA is binding on U.S. EPA and Hamilton Farm Bureau. U.S. EPA will take no further action against Hamilton Farm Bureau for the violations cited in the ESA. The ESA requires no further action on your part.

Please feel free to contact Silvia Palomo at (312)353-2172 if you have any questions regarding the enclosed document or if you have any other question about the program. Thank you for your assistance in resolving this matter.

Sincerely yours,

Mark J. Horwitz, Chief Chemical Emergency

Preparedness & Prevention Section

Enclosure(s)



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

REPLY TO THE ATTENTION OF

EXPEDITED SETTLEMENT AGREEMENT (ESA)

DOCKET NO: RMP-05-ESA-029

This ESA is issued to: <u>Hamilton Farm Bureau</u> At: 977 118th Avenue, Martin, Michigan 49070

for violating Section 112(r)(7) of the Clean Air Act.

CAA-05-2007-0020

This Expedited Settlement Agreement (ESA) is being entered into by the United States Environmental Protection Agency (EPA), Region 5, by its duly delegated official, the Director, Division, and by Respondent pursuant to Section 113(a)(3) and (d) of the Clean Air Act, 42 U.S.C. § 7413(a)(3) and (d), and by 40 C.F.R. § 22.13(b). On August 18, 2004, EPA obtained the concurrence of the U.S. Department of Justice, pursuant to Section 113(d)(1) of the Act, 42 U.S.C. §7413(d)(1), to pursue this administrative enforcement action.

ALLEGED VIOLATIONS

On August 25, 2004, an authorized representative of the EPA conducted a compliance inspection of the subject facility (Respondent) to determine compliance with the Risk Management Plan (RMP) regulations promulgated at 40 C.F.R. Part 68 under Section 112(r) of the Act. EPA found that the Respondent had violated regulations implementing Section 112(r) of the Act by failing to comply with the regulations as noted on the attached RISK MANAGEMENT PLAN INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPOSED PENALTY SHEET (FORM), which is hereby incorporated by reference.

SETTLEMENT

In consideration of Respondent's size of business, its full compliance history, its good faith effort to comply, and other factors as justice may require, and upon consideration of the entire record the parties enter into the ESA in order to settle the violations, described in the attached FORM for the total penalty amount of \$800.00.

This settlement is subject to the following terms and conditions:

The Respondent by signing below waives any objections that it may have regarding jurisdiction, neither admits nor denies the specific factual allegations contained in herein and in the FORM, and consents to the assessment of the penalty as stated above. Respondent waives its rights to a hearing afforded by Section 113(d)(2)(A) of the Act, 42 U.S.C §7413(d)(2)(A), and to appeal this ESA. Each party to this action shall bear its own costs and fees, if any. Respondent also certifies, subject to civil and criminal penalties for making a false submission to the United States Government, that the Respondent has corrected the violations listed in the attached FORM and has sent a cashier's check or certified check (payable to the "Treasurer, United States of America") in the amount of \$800.00 in payment of the full penalty amount to the following address:

U.S. EPA Region 5 Attn: Finance PO Box 70753 77 West Jackson Boulevard Chicago, Illinois 60673 The DOCKET NUMBER OF THIS ESA must be included on the check. (The DOCKET NUMBER is located at the top left corner of this ESA.)

This original ESA and a copy of the check must be sent by certified mail to:

Silvia Palomo (SC-6J)
Office of Chemical Emergency
Preparedness and Prevention
U.S. Environmental Protection Agency
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

Upon Respondent's submission of the signed original ESA, EPA will take no further civil action against Respondent for the alleged violations of the Act referenced in the FORM. EPA does not waive any other enforcement action for any other violations of the Clean Air Act or any other statute.


If the signed original ESA with an attached copy of the check is not returned to the EPA Region 5 office at the above address in correct form by the Respondent within 45 days of the date of Respondent's receipt of it (90 days if an extension is granted), the proposed ESA is withdrawn, without prejudice to EPA's ability to file an enforcement action for the violations identified herein and in the FORM.

This ESA is binding on the parties signing below.

CAA-05-2007-0020

This ESA is effective upon filing with the Regional Hearing Clerk.

FOR RESPONDENT:	
Signature: Dut	Date: 7/17/0
Name (print): Debott T ferston	
Title (print): PRS. Sunt/CEO	
Hamilton Farm Bureau	
FOR COMPLAINANT:	
Ruhed C Kal	Date: 7-3/-07
Richard C. Karl, Director	
Superfund Division	
I hereby ratify the ESA and incorporate it herein by reference. It i	s so ORDERED.
2 Mints	Date: 5/8/07
Mary A. Gade,	77
Regional Administrator	



U.S. ENVIRONMENTAL PROTECTION AGENCY

RISK MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPOSED PENALTY SUMMARY

REASON FOR INSPECTION: This inspection is for the purpose of determining compliance with the accidental release prevention requirements of Section 112(r)(7) of the Clean Air Act (Act), 42 U.S.C. § 7412(r)(7), and the regulations set forth at 40 C.F.R. Part 68. The scope of this inspection may include, but is not limited to: reviewing and obtaining copies of documents and records; interviews and taking of statements; reviewing chemical storage, handling, processing, and use; taking samples and photographs; and any other inspection activities necessary to determine compliance with the Act.

FACILITY NAME Hamilton Farm Bureau	☑ PRIVATE ☐ GOVERNMENTAL/MUNICIPAL # EMPLOYEES 8 POPULATION SERVED
FACILITY ADDRESS 977 118 th Avenue Martin, Mi 49070	INSPECTION DATE: <u>August 25, 2004</u>
RESPONSIBLE OFFICIAL, TITLE, PHONE NUMBER Silvia Palomo, Environmental Engineer (312)353-2172	EPA FACILITY ID# 1000 0007 0013
FACILITY REPRESENTATIVE(S), TITLE(S), PHONE NUMBER(S) Sally Fitzpatrick	INSPECTOR NAME(S), TITLE(S), PHONE NUMBER(S) Silvia Palomo, Environmental Engineer (312)353-2172
INSPECTION	FINDINGS
IS FACILITY SUBJECT TO RMP REGULATION (40 CFR 68)?	▼ YES □ NO
DID FACILITY SUBMIT AN RMP AS PROVIDED IN 68.150 TO 68.185?	▼ YES □ NO
DATE RMP FILED WITH EPA: <u>07/25/00</u> DATE OF LATEST	RMP UPDATE:_ <u>07/25/00</u>
1) PROCESS/NAICS CODE: 42291	PROGRAM LEVEL: 1 2 🗵 3 🗆
REGULATED SUBSTANCE: <u>Anhydrous ammonia</u>	MAX. QUANTITY IN PROCESS:_224,000 (lbs)
2) PROCESS/NAICS CODE:	PROGRAM LEVEL: 1 🗖 2 🗖 3 🗖
REGULATED SUBSTANCE:	MAX. QUANTITY IN PROCESS: (lbs)
3) PROCESS/NAICS CODE:	PROGRAM LEVEL: 1 2 3 3
REGULATED SUBSTANCE:	MAX. QUANTITY IN PROCESS: (lbs)
DID FACILITY CORRECTLY ASSIGN PROGRAM LEVELS TO PROCES	SSES? X YES NO
ATTACHED CHECKLIST(S):	
☐ PROGRAM LEVEL 1 ☑ PROGRAM LEVEL 2 PROCESS CHECKLIST PROCESS CHECKLIST	PROGRAM LEVEL 3 PROCESS CHECKLIST
OTHER ATTACHMENTS:	
INSPECTION SYMBOL KEY: Y - YES, N - NO, N/A - NOT APPLICABL	F. S. SATISFACTORY M. MARGINAL ILLINGATISEACTORY

			; · · · · ·

RIS	K MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPO Program Level 2 Process Checklist	OSED PEI	NALT	Y SHEET
Facil	ity Name: Hamilton Farm Bureau Cooperative, Inc., Martin, Michigan			
Dat	e RMP submitted: Date process(es) came online:			
Sec	tion A-Management [68.15]			
•	nagement system developed and implemented as provided in 40 CFR 68.15?	□м □	U□N	I/A
Has	s the owner or operator:			
1.	Developed a management system to oversee the implementation of the risk management program elements? [68.15(a)]	⊠Y	□N	□ N/A
2.	Assigned a qualified person or position that has the overall responsibility for the development, implementation, and integration of the risk management program elements? [68.15(b)]	ΩY	⊠N	□ N/A
3.	Documented other persons responsible for implementing individual requirements of the risk management program and defined the lines of authority through an organization chart or similar document? [68.15(c)]	ΩY	⊠N	□ N/A
Sec	etion B: Hazard Assessment [68.20-68.42]			
	zard assessment conducted and documented as provided in 40 CFR 68.20-68.42?		ו 🗖 ע	N/A
Ha	zard Assessment: Offsite consequence analysis parameters [68.22]			
1.	Used the following endpoints for offsite consequence analysis for a worst-case scenario: [68.22(a)] a. For toxics: the endpoints provided in Appendix A of 40 CFR Part 68? [68.22(a)(1)] b. For flammables: an explosion resulting in an overpressure of 1 psi? [68.22(a)(2)(i)]	⊠Y	□N	□ N/A
or	 □ c. For flammables: a fire resulting in a radiant heat/exposure of 5 kw/m² for 40 seconds? [68.22(a)(2)(ii)] or □ d. For flammables: a concentration resulting in a lower flammability limit, as provided in NFPA documents or other generally recognized sources? [68.22(a)(2)(iii)] 			
2.	Used the following endpoints for offsite consequence analysis for an alternative release scenario: [68.22(a)] ■ a. For toxics: the endpoints provided in Appendix A of 40 CFR Part 68? [68.22(a)(1)] ■ b. For flammables: an explosion resulting in an overpressure of 1 psi? [68.22(a)(2)(i)] ■ c. For flammables: a fire resulting in a radiant heat/exposure of 5 kw/m2 for 40 seconds? [68.22(a)(2)(ii)] ■ d. For flammables: a concentration resulting in a lower flammability limit, as provided in NFPA documents or other generally recognized sources? [68.22(a)(2)(iii)]	⊠Y	□N	□ N/A
3.	Used appropriate wind speeds and stability classes for the release analysis? [68.22(b)]	⊠Y	ΠN	□ N/A
4.	Used appropriate ambient temperature and humidity values for the release analysis? [68.22(c)]	⊠Y	□N	□ N/A
5.	Used appropriate values for the height of the release for the release analysis? [68.22(d)]	⊠Y	□N	□ N/A
6.	Used appropriate surface roughness values for the release analysis? [68.22(e)]	⊠Y	□N	□ N/A
7.	Do tables and models, used for dispersion analysis of toxic substances, appropriately account for dense or neutrally buoyant gases? [68.22(f)]	⊠Y	□N	□ N/A

RISK MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPOSED PENALTY SHEET Program Level 2 Process Checklist Facility Name: Hamilton Farm Bureau Cooperative, Inc., Martin, Michigan Were liquids, other than gases liquefied by refrigeration only, considered to be released at the highest daily □Y □N ⊠ N/A maximum temperature, based on data for the previous three years appropriate for a stationary source, or at process temperature, whichever is higher? [68.22(g)] Hazard Assessment: Worst-case release scenario analysis [68.25] Analyzed and reported in the RMP one worst-case release scenario estimated to create the greatest distance to ⊠Y □N □ N/A an endpoint resulting from an accidental release of a regulated toxic substance from covered processes under worst-case conditions? [68.25(a)(2)(i)]: The facility used the largest tank to analyzed the worst-case release scenario. 10. Analyzed and reported in the RMP one worst-case release scenario estimated to create the greatest distance to □Y □N ⊠ N/A an endpoint resulting from an accidental release of a regulated flammable substance from covered processes under worst-case conditions? [68.25(a)(2)(ii)] □Y □N ⊠ N/A 11. Analyzed and reported in the RMP additional worst-case release scenarios for a hazard class if the a worstcase release from another covered process at the stationary source potentially affects public receptors different from those potentially affected by the worst-case release scenario developed under 68.25(a)(2)(i) or 68.25(a)(2)(ii)? [68.25(a)(2)(iii)] 12. Has the owner or operator determined the worst-case release quantity to be the greater of the following: [68.25(b)] 🗵 a. If released from a vessel, the greatest amount held in a single vessel, taking into account □N ⊠ N/A administrative controls that limit the maximum quantity ? [68.25(b)(1)] □ b. If released from a pipe, the greatest amount held in the pipe, taking into account administrative OY ON ON/A controls that limit the maximum quantity? [68.25(b)(2)] 13a. Has the owner or operator for toxic substances that are normally gases at ambient temperature and handled as a gas or liquid under pressure: ⊠Y □N □ N/A 13.a.(1) Assumed the whole quantity in the vessel or pipe would be released as a gas over 10 minutes? [68.25(c)(1)]□N □ N/A 13.a.(2) Assumed the release rate to be the total quantity divided by 10, if there are no passive mitigation \mathbf{X} systems in place? [68.25(c)(1)] 13.b. Has the owner or operator for toxic gases handled as refrigerated liquids at ambient pressure: N/A □N □ N/A \Box Y 13.b.(1) Assumed the substance would be released as a gas in 10 minutes, if not contained by passive mitigation systems or if the contained pool would have a depth of 1 cm or less? [68.25(c)(2)(i)] □Y □N □ N/A 13.b.(2) [Optional for owner / operator] Assumed the quantity in the vessel or pipe would be spilled instantaneously to form a liquid pool, if the released substance would be contained by passive mitigation systems in a pool with a depth greater than 1 cm? [68.25(c)(2)(ii)] 13.b.(3) Calculated the volatilization rate at the boiling point of the substance and at the conditions specified \Box Y □N □ N/A in 68.25(d)? [68.25(c)(2)(ii)] 13.c. Has the owner or operator for toxic substances that are normally liquids at ambient temperature: N/A □Y □N □ N/A 13.c.(1) Assumed the quantity in the vessel or pipe would be spilled instantaneously to form a liquid pool? [68.25(d)(1)]

RISK MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPO Program Level 2 Process Checklist)SED PEN	IALT	Y SHEE
Facility Name: Hamilton Farm Bureau Cooperative, Inc., Martin, Michigan			
13.c.(2) Determined the surface area of the pool by assuming that the liquid spreads to 1 cm deep, if there is no passive mitigation system in place that would serve to contain the spill and limit the surface area, or if passive mitigation is in place, the surface area of the contained liquid shall be used to calculate the volatilization rate? [68.25(d)(1)(i)]	ΟY	□N	□ N/A
13.c.(3) Taken into account the actual surface characteristics, if the release would occur onto a surface that is not paved or smooth? [68.25(d)(1)(ii)]	ΠY	ΠN	□ N/A
13.c.(4) Determined the volatilization rate by accounting for the highest daily maximum temperature in the past three years, the temperature of the substance in the vessel, and the concentration of the substance if the liquid spilled is a mixture or solution? [68.25(d)(2)]	ΩY	□N	□ N/A
13.c.(5) Determined the rate of release to air from the volatilization rate of the liquid pool? [68.25(d)(3)]	ΩY	ΠN	□ N/A
13.c.(6) Determined the rate of release to air by using the methodology in the RMP Offsite Consequence Analysis Guidance, any other publicly available techniques that account for the modeling conditions and are recognized by industry as applicable as part of current practices, or proprietary models that account for the modeling conditions may be used provided the owner or operator allows the implementing agency access to the model and describes model features and differences from publicly available models to local emergency planners upon request? [68.25(d)(3)]	ΟY	□N	□ N/A
13.d. Has the owner or operator for <u>flammables</u> :		N/A	
13.d.(1) Assumed the quantity in a vessel(s) of flammable gas held as a gas or liquid under pressure or refrigerated gas released to an undiked area vaporizes resulting in a vapor cloud explosion? [68.25(e)]	ΠY	□N	□ N/A
13.d.(2) For refrigerated gas released to a contained area or liquids released below their atmospheric boiling point, assumed the quantity volatilized in 10 minutes results in a vapor cloud? [68.25(f)]	ΩY	□N	□ N/A
13.d.(3) Assumed a yield factor of 10% of the available energy is released in the explosion for determining the distance to the explosion endpoint, if the model used is based on TNT-equivalent methods? [68.25(e)]	ПY	□N	□ N/A
14. Used the parameters defined in 68.22 to determine distance to the endpoints? [68.25(g)]	ПY	□N	□ N/A
15. Determined the rate of release to air by using the methodology in the RMP Offsite Consequence Analysis Guidance, any other publicly available techniques that account for the modeling conditions and are recognized by industry as applicable as part of current practices, or proprietary models that account for the modeling conditions may be used provided the owner or operator allows the implementing agency access to the model and describes model features and differences from publicly available models to local emergency planners upon request? [68.25(g)] a. What modeling technique did the owner or operator use? [68.25(g)]	ΩY	□N	□ N/A
16. Ensured that the passive mitigation system, if considered, is capable of withstanding the release event triggering the scenario and will still function as intended? [68.25(h)]	ПY	□N	□ N/A
17. Considered also the following factors in selecting the worst-case release scenarios: [68.25(i)] a. Smaller quantities handled at higher process temperature or pressure? [68.25(i)(1)] b. Proximity to the boundary of the stationary source? [68.25(i)(2)]	ΟY	ΠN	□ N/A
Hazard Assessment: Alternative release scenario analysis [68.28] 18. Identified and analyzed at least one alternative release scenario for each regulated toxic substance held in a	⊠Y	ΟN	□ N/A
covered process(es) and at least one alternative release scenario to represent all flammable substances held in covered processes? [68.28(a)]			
Page 3 of 9			

RISK MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPO Program Level 2 Process Checklist	OSED PEN	IALT	Y SHÉET
Facility Name: Hamilton Farm Bureau Cooperative, Inc., Martin, Michigan			
 19. Selected a scenario: [68.28(b)] 	⊠Y	□N	□ N/A
 20. Considered release scenarios which included, but are not limited to, the following: [68.28(b)(2)] ■ a. Transfer hose releases due to splits or sudden hose uncoupling? [68.28(b)(2)(i)] ■ b. Process piping releases from failures at flanges, joints, welds, valves and valve seals, and drains or bleeds? [68.28(b)(2)(ii)] ■ c. Process vessel or pump releases due to cracks, seal failure, or drain, bleed, or plug failure? [68.28(b)(2)(iii)] ■ d. Vessel overfilling and spill, or overpressurization and venting through relief valves or rupture disks? [68.28(b)(2)(iv)] ■ e. Shipping container mishandling and breakage or puncturing leading to a spill? [68.28(b)(2)(v)] 	ΣY	ΩN	□ N/A
21. Used the parameters defined in 68.22 to determine distance to the endpoints? [68.28(c)]	⊠Y	□N	□ N/A
22. Determined the rate of release to air by using the methodology in the RMP Offsite Consequence Analysis Guidance, any other publicly available techniques that account for the modeling conditions and are recognized by industry as applicable as part of current practices, or proprietary models that account for the modeling conditions may be used provided the owner or operator allows the implementing agency access to the model and describes model features and differences from publicly available models to local emergency planners upon request? [68.28(c)]: Degadis Model	XY	□N	□ N/A
23. Ensured that the passive and active mitigation systems, if considered, are capable of withstanding the release event triggering the scenario and will be functional? [68.28(d)]	. QY	□N	▼ N/A
 24. Considered the following factors in selecting the alternative release scenarios: [68.28(e)] □ a. The five-year accident history provided in 68.42? [68.28(e)(1)] □ b. Failure scenarios identified under 68.50? [68.28(e)(2)] 	ΟY	□N	⊠ N/A
Hazard Assessment: Defining off-site impacts-Population [68.30]			
25. Estimated population that would be included in the distance to the endpoint in the RMP based on a circle with the point of release at the center? [68.30(a)]	⊠Y	□N	□ N/A
26. Identified the presence of institutions, parks and recreational areas, major commercial, office, and industrial buildings in the RMP? [68.30(b)]	⊠Y	□N	□ N/A
27. Used most recent Census data, or other updated information to estimate the population? [68.30(c)]: LANDVIEW III	⊠Y	□N	□ N/A
28. Estimated the population to two significant digits? [68.30(d)]	⊠Y	ŪΝ	□ N/A
Hazard Assessment: Defining off-site impacts–Environment [68.33]			
29. Identified environmental receptors that would be included in the distance to the endpoint based on a circle with the point of release at the center? [68.33(a)]	⊠Y	□N	□ N/A
30. Relied on information provided on local U.S.G.S. maps, or on any data source containing U.S.G.S. data to identify environmental receptors? [Source may have used LandView to obtain information] [68.33(b)]	⊠Y	ПN	□ N/A
Hazard Assessment: Review and update [68.36]			
31. Reviewed and updated the off-site consequence analyses at least once every five years? [68.36(a)] The review is due in July 2005.	ΩY	ΩN	⊠ N/A
Page 4 of 9			

RISK MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPO Program Level 2 Process Checklist	OSED PEN	ALT	Y SHEET
Facility Name: Hamilton Farm Bureau Cooperative, Inc., Martin, Michigan	7/8-1144		
32. Completed a revised analysis and submit a revised RMP within six months of a change in processes, quantities stored or handled, or any other aspect that might reasonably be expected on increase or decrease the distance to the endpoint by a factor of two or more? [68.36(b)]	ΩY	□N	⊠ N/A
Hazard Assessment: Documentation [68.39] Has the owner/operator maintained the following records:			
33. For worst-case scenarios: a description of the vessel or pipeline and substance selected, assumptions and parameters used, the rationale for selection, and anticipated effect of the administrative controls and passive mitigation on the release quantity and rate? [68.39(a)]	⊠Y	ΠN	□ N/A
34. For alternative release scenarios: a description of the scenarios identified, assumptions and parameters used, the rationale for the selection of specific scenarios, and anticipated effect of the administrative controls and mitigation on the release quantity and rate? [68.39(b)]	· 🗵Y	ΠN	□ N/A
35. Documentation of estimated quantity released, release rate, and duration of release? [68.39(c)]	⊠Y	ΠN	□ N/A
36. Methodology used to determine distance to endpoints? [68.39(d)]	⊠Y	□N	□ N/A
37. Data used to estimate population and environmental receptors potentially affected? [68.39(e)]	⊠Y	ΠN	□ N/A
Hazard Assessment: Five-year accident history [68.42]			
38. Has the owner or operator included all accidental releases from covered processes that resulted in deaths, injuries, or significant property damage on site, or known offsite deaths, injuries, evacuations, sheltering in place, property damage, or environmental damage? [68.42(a)] There were no major accidents to report.	ΠY	□N	⊠ N/A
39. Has the owner or operator reported the following information for each accidental release: [68.42(b)] a. Date, time, and approximate duration of the release? [68.42(b)(1)] b. Chemical(s) released? [68.42(b)(2)] c. Estimated quantity released in pounds and percentage weight in a mixture (toxics)? [68.42(b)(3)] d. NAICS code for the process? [68.42(b)(4)] e. The type of release event and its source? [68.42(b)(5)] f. Weather conditions (if known)? [68.42(b)(6)] g. On-site impacts? [68.42(b)(7)] h Known offsite impacts? [68.42(b)(8)] i. Initiating event and contributing factors (if known)? [68.42(b)(9)] j. Whether offsite responders were notified (if known)? [68.42(b)(10)] k. Operational or process changes that resulted from investigation of the release? [68.42(b)(11)]	ΟY	□N	□ N/A
Section C: Prevention Program			
Implemented the Program 2 prevention requirements as provided in 40 CFR 68.48 - 68.60? Comments:	S DM C	រប ា	N/A
Prevention Program- Safety information [68.48]			
 Compiled and maintained the following up-to-date safety information, related to the regulated substances, processes, and equipment: [68.48(a)] a. Material Safety Data Sheets (MSDS) that meet the requirements of the OSHA Hazard Communication Standard [29 CFR 1910.1200(g)]? [68.48(a)(1)] b. Maximum intended inventory of equipment in which the regulated substances are stored or processed? [68.48(a)(2)] c. Safe upper and lower temperatures, pressures, flows, and compositions? [68.48(a)(3)] d. Equipment specifications? [68.48(a)(4)] e. Codes and standards used to design, build, and operate the process? [68.48(a)(5)] 	⊠Y	□N	□ N/A
2. Ensured the process is designed in compliance with recognized and generally accepted good engineering practices? [68.48(b)] The facility meets the requirement under state regulations for anhydrous ammonia fertilizer facilities and the ASME standards.	⊠Y	□N	□ N/A
Page 5 of 9			

RISK MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPO Program Level 2 Process Checklist	OSED PEN	ALTY	/ SHEET
Facility Name: Hamilton Farm Bureau Cooperative, Inc., Martin, Michigan			
3. Updated information if a major change has occurred that made the information inaccurate? [68.48(c)]	ΟY	ΠN	■ N/A
Prevention Program- Hazard review [68.50]			
4. Has the owner or operator conducted a review of the hazards associated with the regulated substances, processes, and procedures? [68.50(a)]	ΠY	⊠N	□ N/A
 5. Did the review identify: a. The hazards associated with the process and regulated substances? [68.50(a)(1)] b. Opportunities for equipment malfunctions or human errors that could cause an accidental release? [68.50(a)(2)] c. The safeguards used or needed to control the hazards or prevent equipment malfunctions or human error? [68.50(a)(3)] d. Any steps used or needed to detect or monitor releases? [68.50(a)(4)] 	υY	ΠN	□ N/A
6. Determined by inspecting all equipment that the processes are designed, fabricated, and operated in accordance with applicable standards or rules, if designed to meet industry standards or Federal or state design rules? [68.50(b)]	ΩY	□N	□ N/A
7. Documented the results of the review? [68.50(c)]	ΩY	□N	□ N/A
8. Ensured that problems identified were resolved in a timely manner? [68.50(c)]	ΠY	□N	□ N/A
9. Updated the review at least once every five years or whenever a major change in the processes occurred? [68.50(d)]	ΟY	ΠN	□ N/A
10. Resolved all issues identified in the review before startup of the changed process? [68.50(d)]	□Y	□N	⊠ N/A
Prevention Program- Operating procedures [68.52]			
11. Has the owner or operator prepared written operating procedures that provide clear instructions or steps for safely conducting activities associated with each covered process consistent with the safety information for that process? (Operating procedures or instructions provided by equipment manufacturers or developed by persons or organizations knowledgeable about the process and equipment may be used as a basis for a stationary source's operating procedures.) [68.52(a)] Loading and unloading procedures, filling the nurse tanks.	XY	□N	□ N/A
 12. Do the procedures address the following: [68.52(b)] a. Initial startup? [68.52(b)(1)] b. Normal operations? [68.52(b)(2)] c. Temporary operations? [68.52(b)(3)] d. Emergency shutdown and operations? [68.52(b)(4)] e. Normal shutdown? [68.52(b)(5)] f. Startup following a normal or emergency shutdown or a major change that requires a hazard review? [68.52(b)(6)] g. Consequences of deviations and steps required to correct or avoid deviations? [68.52(b)(7)] h. Equipment inspections? [68.52(b)(8)] 	⊠Y	Ŋ	□ N/A
13. Has the owner or operator ensured that the operating procedures have been updated, if necessary, whenever a major change occurred and prior to startup of the changed process? [68.52(c): There has been no major changes. The last update was in July 28, 1998.	ΩY	□N	⊠ N/A
Prevention Program - Training [68.54]			
14. Certified that each employee presently operating a process, and each employee newly assigned to a covered process have been trained or tested competent in the operating procedures provided in § 68.52 that pertain to their duties? (For those employees already operating a process on June 21, 1999, the owner or operator may certify in writing that the employee has the required knowledge, skills, and abilities to safely carry out the duties and responsibilities as provided in the operating procedures.) [68.54(a)]	⊠Y	□N	□ N/A
Page 6 of 9			

RISK MAN	Program Level 2 Process Checklist	SED FEN.	ALII	SHEE
Facility Name:	Hamilton Farm Bureau Cooperative, Inc. , Martin, Michigan			
process	ed refresher training at least every three years, or more often if necessary, to each employee operating a s, to ensure that the employee understands and adheres to the current operating procedures of the c? [68.54(b)]: Employees receive annual training in March.	⊠Y	□N	□ N/A
	nined, in consultation with the employees operating the process, the appropriate frequency of refresher g? [68.54(b)]	⊠Y	ΠN	□ N/A
	ed that each employee was trained in any updated or new procedures prior to startup of a process after a change? [68.54(d)]: There has been no major changes on the process.	ΠY	□N	⊠ N/A
Prevention	Program - Maintenance [68.56]			
equipm	ed and implemented procedures to maintain the on-going mechanical integrity of the process nent? [68.56(a)] The facility maintains a schedule for replacing the transfer hoses and pressure valves. The Michigan Department of Agriculture conducts annual inspections of the process nent.	⊠Y	□N	□ N/A
the prod	d or caused to be trained each employee, involved in maintaining the on-going mechanical integrity of cess, in the hazards of the process, in how to avoid or correct unsafe conditions, and in the procedures ble to the employee's job tasks? [68.56(b)]	⊠Y	□N	□ N/A
mainter	ery maintenance contractor ensured that each contract maintenance employee is trained to perform the nance procedures developed? [68.56(c)] The facility does not hire contractors to conduct enance on the process.	ΠY	□N	⊠ N/A
that foll transfe	cowner or operator performed or caused to be performed inspections and tests on process equipment low recognized and generally accepted engineering practices? [68.56(d)]The facility replaces the er hoses and the pressure relief valves per manufacturer's recommendations. The anhydrous nia tanks have never been internally inspected or tested.	⊠Y	·□N	□ N/A
Prevention	Program -Compliance audits [68.58]			
that the RMP Audit the prevent	cowner or operator certified that compliance audits are conducted at least every three years to verify procedures and practices are adequate and are being followed? [68.58(a)]: The facility conducted and ton July 19, 2002. The Audit was incomplete because it did not address the following areas of tion program: safety information, hazard review, operating procedures, and incident on. The facility needs to conduct another audit and address all the areas of the prevention	ΟY	⊠N	□ N/A
23. Has cor	mpliance audit been conducted by at least one person knowledgeable in the process? [68.58(b)]	ΩY	□N	□ N/A
24. Has the	e owner operator developed a report of the audits findings? [68.58(c)]	□Y	□N	□ N/A
	owner or operator promptly determined and documented an appropriate response to each of the s of the audit and documented that deficiencies had been corrected? [68.58(d)]	ΟY	ΟN	□ N/A
26. Has the old? [68.58(e owner or operator retained the two most recent compliance audit reports, unless more than five years (e)]	□Y	□N	⊠ N/A
Prevention	Program - Incident investigation [68.60]			
catastrophic	c owner or operator investigated each incident which resulted in, or could reasonably have resulted in a c release? [68.60(a)]In June or May of 2004, the facility had a release of 500 lbs. of anhydrous s a result of vandalism. The facility did not conduct an incident investigation.	□Y	⊠N	□ N/A
28. Were al	Il incident investigations initiated not later than 48 hours following the incident? [68.60(b)]	ΠY	□N	□ N/A

RISK MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPC Program Level 2 Process Checklist	ISED PEN	IALI	Y SHEE
Facility Name: Hamilton Farm Bureau Cooperative, Inc., Martin, Michigan			
29. Was a summary prepared at the conclusion of every investigation, which included: [68.60(c)] a. Date of incident? [68.60(c)(1)] b. Date investigation began? [68.60(c)(2)] c. A description of incident? [68.60(c)(3)] d. The factors that contributed to the incident? [68.60(c)(4)] e. Any recommendations resulting from the investigation? [68.60(c)(5)]	ΟY	□N	□ N/A
30. Has the owner or operator promptly addressed and resolved the investigation findings and recommendations, and are the resolutions and corrective actions documented? [68.60(d)]	ΩY	□N	□ N/A
31. Has the owner or operator reviewed the finding with all affected personnel whose job tasks are affected by the findings? [68.60(e)]	ΠY	□N	□ N/A
32. Has the owner or operator retained investigation summaries for five years? [68.60(f)]	ΠY	□N	□ N/A
Section D - Emergency Response [68.90 - 68.95]			
Developed and implemented an emergency response program as provided in 40 CFR 68.90-68.95? Comments: The local fire department will respond to the releases of anhydrous ammonia.		រប 🗖	N/A
 An emergency response plan which is maintained at the stationary source and contains the following? [68.95(a)(1)] a. Procedures for informing the public and local emergency response agencies about accidental releases? [68.95(a)(1)(i)] b. Documentation of proper first-aid and emergency medical treatment necessary to treat accidental human exposures? [68.95(a)(1)(ii)] c. Procedures and measures for emergency response after an accidental release of a regulated substance? [68.95(a)(1)(iii)] 	⊠Y	□N	□ N/A
2. Procedures for the use of emergency response equipment and for its inspection, testing, and maintenance? [68.95(a)(2)]	ΠY	□N	⊠ N/A
3. Training for all employees in relevant procedures? [68.95(a)(3)]	ΟY	ΠN	□ N/A
4. Procedures to review and update, as appropriate, the emergency response plan to reflect changes at the stationary source and ensure that employees are informed of changes? [68.95(a)(4)]	□Y	□N	□ N/A
5. Did the owner or operator use a written plan that complies with other Federal contingency plan regulations or is consistent with the approach in the National Response Team's Integrated Contingency Plan Guidance ("One Plan")? If so, does the plan include the elements provided in paragraph (a) of 68.95, and also complies with paragraph (c) of 68.95? [68.95(b)]	ΩY	⊠N	□ N/A
6. Has the emergency response plan been coordinated with the community emergency response plan developed under EPCRA? [68.95(c)]: The facility files TIER II forms with the SERC, LEPC, and Fire Department.	⊠Y	ΠN	□ N/A
Section G - Risk Management Plan [68.190 - 68.195]			
1. Does the single registration form include, for each covered process, the name and CAS number of each regulated substance held above the threshold quantity in the process, the maximum quantity of each regulated substance or mixture in the process (in pounds) to two significant digits, the five- or six-digit NAICS code that most closely corresponds to the process and the Program level of the process? [68.160(b)(7)] The amount of anhydrous ammonia in the nurse tanks was not included in the maximum amount of ammonia in the process.	□Y Œ	⊠N	□ N/A
Page 8 of 9			

RIŞ	K MANAGEMENT PROGRAM INSPECTION FINDINGS, ALLEGED VIOLATIONS AND PROPO Program Level 2 Process Checklist	OSED PE	NAL	TY SHEET
Facil	hity Name: Hamilton Farm Bureau Cooperative, Inc., Martin, Michigan			
2.	Has the owner or operator reviewed and updated the RMP and submitted it to EPA [68.190(a)]? Reason for update. The Five-year update is due on July 25, 2005.	ΟY	ΩN	⊠ N/A
000 0	Five-year update. [68.190(b)(1)] Within three years of a newly regulated substance listing. [68.190(b)(2)] At the time a newly regulated substance is first present in an already regulated process above threshold quantities. [68.190(b)(3)] At the time a regulated substance is first present in an already regulated process above			
	threshold quantities. [68.190(b)(4)] Within six months of a change requiring revised PHA or hazard analysis. [68.190(b)(5)] Within six months of a change requiring a revised OCA as provided in 68.36. [68.190(b)(6)] Within six months of a change that alters the Program level that applies to any covered process. [68.190(b)(7)]			
3.	If the owner or operator experienced an accidental release that met the five-year accident history reporting criteria (as described at 68.42) subsequent to April 9, 2004, did the owner or operator submit the information required at 68.168, 68.170(j) and 68.175(l) within six months of the release or by the time the RMP was updated as required at 68.190, whichever was earlier. [68.195(a)]	ΩY	□N	⊠ N/A
4.	If the emergency contact information required at 68.160(b)(6) has changed since June 21, 2004, did the owner or operator submit corrected information within thirty days of the change? [68.195(b)]	ΩY	□N	⊠ N/A

·		