

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 5 77 WEST JACKSON BOULEVARD CHICAGO, IL 60604-3590

REPLY TO THE ATTENTION OF:

WW-16J

CERTIFIED MAIL RETURN RECEIPT REQUESTED

Receipt #:

Attn: Mr. Bryce West Black Beauty Coal Company 7100 Eagle Crest Blvd. Evansville, Indiana 47715

Re: Black Beauty Coal Company, LLC Docket No. CWA-05-2008-0003

Dear Mr. West:

Enclosed please find a copy of the signed fully executed Consent Agreement and Final Order (CAFO) in resolution of the above case. An original was filed with the Regional Hearing Clerk (RHC) on April 28, 2008.

Please ensure you pay the civil penalty in the amount of \$25,000 in the manner prescribed in paragraph 32 of the CAFO. Please ensure you reference the check with the number **2750843W003** and docket number **CWA-05-2008-0003**. Your payment is due within 30 calendar days of the filing date.

Thank you for your cooperation in resolving this matter.

Sincerely,

Tinka G. Hyde

Acting Director, Water Division

Enclosure

cc: Sonja Brooks -Woodard, RHC/E-13J (w/ Settlement document)

Thomas Turner/C -14J (w/ Settlement document)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 5

IN THE MATTER OF:)	Docket No. CWA-05-2008-0003	
Black Beauty Coal Company, LLC 7100 Eagle Crest Boulevard Evansville, IN 47715)	Proceeding to Assess Class II Administrative Penalty under Section 309(g) of the Clean Water Act. 33 II Sec	REGION I
Respondent.)	309(g) of the Clean Water Act, 33 U.S. § 1319(g)	
·	.)		
CONSENT AGREE	MEN	T AND FINAL ORDER	3 ER

- 1. This is an administrative action commenced and concluded under Section 309(g) of the Clean Water Act (Act), 33 U.S.C. § 1319(g), and Sections 22.13(b) and 22.18(b)of the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits (Consolidated Rules), 40 C.F.R. §§ 22.13(b) and 22.18(b).
- 2. Complainant is the Director of the Water Division, United States Environmental Protection Agency, Region 5 (Complainant or U.S. EPA).
- 3. Respondent is Black Beauty Coal Company, LLC, a corporation doing business in the State of Indiana.
- 4. Where the parties agree to settle one or more causes of action before the filing of a complaint, the administrative action may be commenced and concluded simultaneously by the issuance of a Consent Agreement and Final Order (CAFO). 40 C.F.R. § 22.13(b).
- 5. The parties agree that settling this action without the filing of a complaint or the adjudication of any issue of fact or law is in their interest and in the public interest.

6. Respondent consents to entry of this CAFO and the assessment of the specified civil penalty, and agrees to comply with the terms of the CAFO and further agrees that it will not contest the basis or validity of this CAFO or its terms. Respondent, however, does not admit, and retains the right to controvert in any subsequent proceedings other than proceedings to implement or enforce this CAFO, the validity of the factual allegations or alleged violations in this CAFO, including, without limitation, any allegations regarding the presence of jurisdictional "waters of the United States" at the Respondent's Somerville Mines.

Jurisdiction and Waiver of Right to Hearing

- 7. Respondent admits the jurisdictional allegations in this CAFO, but denies the factual allegations or alleged violations set forth herein.
- 8. Black Beauty Coal Company, LLC, waives its right to request a hearing as provided at 40 C.F.R. § 22.15(c) and Section 309(g)(2)(B) of the Act, 33 U.S.C. § 1319(g)(2)(B), any right to contest the allegations in this CAFO, and its right to appeal this CAFO under Section 309(g)(8)(B) of the Act, 33 U.S.C. § 1319(g)(8).
- 9. In consideration of the alleged violations, the environmental and compliance significance of the matter, and based upon the nature, circumstances, extent and gravity of the violations alleged herein, as well as Respondent's ability to pay, prior history of such violations, culpability, economic benefit or savings (if any) resulting from the violations, and such other matters as justice may require, Complainant has determined that an appropriate civil penalty to settle this action is in the amount of twenty-five thousand dollars (\$25,000). The Respondent shall pay the \$25,000 civil penalty as specified below. The Respondent shall also successfully perform a Supplemental Environmental Project (SEP) valued at \$97,448, as described below.

Respondent's payment of the penalty and performance of the SEP shall not constitute an admission of any liability.

Statutory and Regulatory Background

- 10. Section 301 of the CWA, 33 U.S.C. § 1311, prohibits the discharge of pollutants into "waters of the United States" except in compliance with, among other things, a permit issued under Section 404 of the CWA, 33 U.S.C. § 1344.
- 11. Section 404 of the CWA, 33 U.S.C. § 1344, authorizes the Secretary of the Army, acting through the Chief of Engineers, U.S. Army Corps of Engineers (Corps), to issue permits for the discharge of dredged or fill material into "waters of the United States."
- 12. Section 502(12) of the Act, 33 U.S.C. § 1362(12), defines "discharge of pollutants" as "any addition of any pollutant to navigable waters from any point source..."
- 13. Section 502(14) of the Act, 33 U.S.C. § 1362(14), defines a "point source" as "any discernible, confined and discrete conveyance, including but not limited to any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock, concentrated animal feeding operation or vessel or other floating craft, from which pollutants are or may be discharged."
- 14. Section 502(6) of the Act, 33 U.S.C. § 1362(6), defines "pollutant" as "dredged spoil, solid waste, incinerator residue, sewage, garbage, sewage sludge, munitions, chemical wastes, biological materials, radioactive materials, heat, wrecked or discarded equipment, rock, sand, cellar dirt, and industrial, municipal, and agricultural waste discharged into water."
- 15. Section 502(7) of the Act, 33 U.S.C. § 1362(7), defines "navigable waters" as "the waters of the United States...."

16. 40 C.F.R. § 230.3 defines the term "waters of the United States" to include "wetlands" and "streams."

Factual Allegations and Alleged Violations

- 17. Respondent, which owns and operates the Somerville North, Central and South Mines in Gibson County, Indiana, is a corporation incorporated under the laws of Indiana. See Maps of the Somerville North, Central and South Mines attached as Exhibits 1, 2, and 3, respectively.
 - 18. Respondent is a "person" under Section 502(5) of the Act, 33 U.S.C. § 1362(5).
- 19. Respondent has been conducting surface coal mining and reclamation activities at the Somerville North and Central Mines since 1995 and Somerville South Mine since 1999 pursuant to approved Surface Mining Control and Reclamation Act ("SMCRA") permits as subsequently amended from time to time. At certain sites, including the Somerville North, Central and South Mines, mining operations authorized under Respondent's approved SMCRA permits involve temporary impacts to ditches, streams, tributaries and other drainage features, which are mined-through and subsequently replaced during Respondent's reclamation activities.
- 20. Between March 2002 and May 1, 2008, Respondent mined-through or otherwise impacted or will have mined through or impacted with its earth moving equipment certain agricultural ditches, streams, and other tributaries to East Fork Keg Creek, West Fork Keg Creek Pigeon Creek, Donahue Creek and Smith Fork located at the Somerville North and Central Mines and Big Creek and Smith Fork at the Somerville South Mine under its SMCRA permits. During the time period March 2002 through May 1, 2008, it is estimated that approximately

94,283 linear feet of such ditches, streams, and tributaries have been or will be impacted by Respondent's mining operations.

- 21. Pursuant to its SMCRA permit, between March 2002 and May 1, 2008, Respondent mined-through or otherwise impacted or will have mined through or otherwise impacted using earth moving equipment approximately 7.82 acres of wetland adjacent to or abutting several of the abovementioned tributaries.
- 22. East Fork Keg Creek and West Fork Keg Creek flow into Keg Creek, which in turn, flows into the Patoka River northwest of the site. The Patoka River is a "traditionally navigable water." Donahue Creek flows into Smith Fork. Big Creek and Smith Fork flow into Pigeon Creek south and west of the Somerville Mine. Pigeon Creek flows south into the Ohio River, a "traditionally navigable water."
- 23. The fill deposited in the abovementioned ditches, streams, and tributaries and wetlands during Respondent's mining operations is a "pollutant" as defined in Section 502(6) of the Act, 33 U.S.C. § 1362(6).
 - 24. Respondent was using earth moving equipment to deposit the fill.
- 25. The earth moving equipment is a "point source" as defined at Section 502(14) of the Act, 33 U.S.C. § 1362(14).
- 26. The depositing of fill material constitutes the "discharge of pollutants" as defined at Section 502(12) of the CWA, 33 U.S.C. § 1362(12).
- 27. In December of 2004, the Corps requested the pursuit of after-the-fact permitting under Section 404 of the Act, 33 U.S.C. § 1344, for these ditches, streams, tributaries and

wetlands at the Somerville North and Central Mine sites. The Corps assigned ID # LRL-2005-1290-rlr to this Section 404 permit application upon submittal by Respondent.

- 28. In December of 2004, the Corps requested the pursuit of after-the-fact permitting under Section 404 of the Act, 33 U.S.C. § 1344, for these ditches, streams, tributaries and wetlands at the Somerville South Mine site. The Corps assigned ID # LRL-2007-66-GJD to this Section 404 permit application upon submittal by Respondent.
- 29. At no time when Respondent impacted the abovementioned ditches, streams, tributaries and wetlands (in the context of a variety of communications and conversations between Respondent and the Corps that led to an apparent presumption regarding the absence of any permitting obligations and approval to proceed with mining activities) had Respondent received authorization through a permit issued under Section 404 of the Act, 33 U.S.C. § 1344.
- 30. Each discharge by Respondent of pollutants into navigable waters, as described in paragraphs 20 and 21, above, that is not authorized by a permit issued under Section 404 of the Act, 33 U.S.C. § 1344, constitutes a day of violation of section 301(a) of the Act, 33 U.S.C. § 1311(a).
- 31. Each day the material discharged by Respondent remains into "waters of the United States" without authorization under a permit issued under section 404 of the Act, 33 U.S.C. § 1344, constitutes a day of violation of Section 301 of the Act, 33 U.S.C. § 1311.

Civil Penalty

- 32. In consideration of Respondent's good faith and cooperation in settling this matter, U.S. EPA agrees to a penalty of \$25,000.
- 33. Respondent must pay the \$25,000 civil penalty by cashier's or certified check payable to the "Treasurer, United States of America," within 30 days after the effective date of this CAFO.
 - 34. Respondent must send the check to:

US Environmental Protection Agency Fines and Penalties Cincinnati Finance Center PO Box 979077 St. Louis, MO 63197-9000

35. A transmittal letter, stating Respondent's name, complete address, the case docket number, and the billing document number must accompany the payment. Black Beauty Coal Company, LLC, must write the case docket number and the billing document number on the face of the check. Respondent must send copies of the check and transmittal letter to:

Attn: Regional Hearing Clerk U.S. Environmental Protection Agency, Region 5 77 West Jackson Blvd. (E-13J) Chicago, Illinois 60604-3590

Melissa Gebien, Enforcement Officer U.S. Environmental Protection Agency, Region 5 77 West Jackson Blvd. (WW-16J) Chicago, Illinois 60604-3590

Thomas Turner
Office of Regional Counsel
U.S. Environmental Protection Agency, Region 5
77 West Jackson Blvd. (C-14J)
Chicago, Illinois 60604-3509

36. This civil penalty is not deductible for federal tax purposes.

37. On any amount that may become overdue under paragraph 32, interest will accrue at the rate established by the Secretary of the Treasury pursuant to 31 U.S.C. § 3717. In addition, late payment will be subject to nonpayment penalties in accordance with Section 309(g)(9) of the Act, 33 U.S.C. § 1319(g)(9).

Supplemental Environmental Project

- 38. In addition to the civil penalty described in Paragraph 32, Respondent shall also initiate, perform and complete the SEP for forested wetland creation valued at \$97,448, by implementing the Scope of Work attached hereto as Attachment A which has been reviewed and approved by U.S. EPA. The attached Scope of Work also satisfies Respondent's obligation to perform and complete a SEP as set forth in the CAFOs entered by the parties to resolve the administrative actions referenced in Docket No. **CWA-05-2008-0003**
- 39. Failure to properly perform the SEP, or failure to meet the agreed upon success standards for the SEP as set forth in the Scope of Work, may result in Stipulated Penalty liability for the Respondent. Subject to the provisions of Paragraph 54 of this CAFO, a stipulated penalty in an amount of \$10,000 per violation may be assessed against Respondent for failure to meet the following project milestones:
 - (a) The completion of grading, seeding and tree planting of 18 acres of the wetlands as more fully described in Attachment A hereto by not later than October 31, 2009; and
 - (b) The completion of grading, seeding and tree planting of the remaining 18 acres of the wetlands and the 5 acre buffer as more fully described in Attachment A hereto by not later than October 31, 2010.

Subject to the provisions of Paragraph 54 of this CAFO, a stipulated penalty in the amount of

- \$2,500 per violation may also be assessed for failure to submit annual monitoring reports beginning on November 1, 2010 and concluding on November 1, 2016.
- 40. Respondent must spend at least \$97,448 to complete the SEP, as set forth in Paragraph 38 and Attachment A. In calculating such monies spent by Respondent to complete the SEP, U.S. EPA shall include lost crop income and the reduced land valuations from the establishment of a conservative easement as itemized in the cost summary included at Attachment A. Respondent shall also utilize available industry standards routinely relied upon by Respondent (e.g., CAT Handbook) to calculate the costs of services performed by employees of Respondent in implementing the SEP.
- 41. Respondent certifies that it is not required to perform or develop the SEP by any law, regulation, grant, order, or agreement, or as injunctive relief as of the date it signs this CAFO. Respondent further certifies that it has not received, and is not negotiating to receive, credit for the SEP in any other enforcement action.
- 42. Except as provided in Paragraph 43, if the SEP is not satisfactorily completed through implementation of the Scope of the Work attached hereto as Attachment A and achievement of the success standards set forth therein by the date of submittal of the Final Monitoring Report November 1, 2016, Respondent will pay 100% of the settlement penalty amount mitigated by the SEP, \$97,448.00. The Final Monitoring Report prepared by Respondent shall contain the following information documenting the satisfactory completion of the SEP:
 - (a) detailed description of the SEP as completed;

- (b) description of any operating problems and actions taken to correct the problems;
- (c) itemized costs of goods and services used to complete the SEP documented by copies of bills of sale, invoices, purchase orders, canceled checks or other appropriate documentation that specifically identify and itemize the individual costs of the goods and services, including labor, equipment, materials, and additional job allowances;
- (d) certification that Respondent has completed the SEP in compliance with this CAFO; and,
- (e) detailed description of the location, size, topography and vegetation of the SEP (wetland and buffer).
- 43. If the SEP is not completed satisfactorily, but Respondent can show that it has:
 - (a) made a good faith and timely effort to complete the project; and,
 - (b) certifies, with supporting documentation consistent with that required in Paragraph 52, that at least 90 percent of the amount of money which was required to be spent was expended on the SEP, no stipulated penalty will be assessed.
- 44. If the SEP is satisfactorily completed, but Respondent spends less than 90 percent of the SEP amount of \$97,448, a stipulated penalty of \$15,566.00 (17.5% of the amount of the settlement penalty amount mitigated by the SEP) will be assessed.
- 45. If the SEP is satisfactorily completed, and the Respondent certifies, with supporting documentation consistent with that required in Paragraph 52, that it has spent at least 90 percent of the amount required to be spent for the SEP, no stipulated penalty will be assessed.
- 46. The determination of whether the SEP has been satisfactorily completed by implementation of the Scope of Work attached hereto as Attachment A and achievement of the stated performance criteria and whether the Respondent has made a good faith, timely effort to implement the SEP is reserved to the sole discretion of U.S. EPA.

- 47. Respondent must pay any stipulated penalties within 15 days of receiving U.S. EPA's written demand for penalties. Respondent will use the method of payment specified in Paragraphs 32-35 above, and will pay interest, handling charges, and nonpayment penalties on any overdue amounts.
- 48. Any public statement that Respondent makes referring to the SEP must include the following language, "BBCC undertook this project under the settlement of the United States Environmental Protection Agency's enforcement action against BBCC for alleged violations of the Clean Water Act."
- 49. Respondent must submit all notices and reports required by this CAFO (and the requirements of the SEP at Attachment A) by first class mail to:

Melissa Gebien (or Greg Carlson), Enforcement Officer U.S. Environmental Protection Agency, Region 5 77 West Jackson Blvd. (WW-16J) Chicago, Illinois 60604-3590

50. In each report that Respondent submits as provided by this CAFO (and the requirements of the SEP at Attachment A), it must certify that the report is true and complete by including the following statement signed by one of its officers:

I certify that I am familiar with the information in this document and that, based on my inquiry of those individuals responsible for obtaining the information; the information is true and complete to the best of my knowledge. I know that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

- 51. Respondent shall submit its first Annual Monitoring Report to U.S. EPA by not later than November 1, 2010 as provided in Attachment A hereto. This report must contain the following information:
 - (a) detailed description of the SEP major earth work completed to implement the SEP; and,
 - (b) description of any operating problems and actions taken to correct the problems.
- 52. Following receipt of the Final Monitoring Report as described in Paragraph 42,U.S. EPA must notify Respondent in writing that:
 - (a) It has satisfactorily completed the SEP and the SEP report; or
 - (b) There are deficiencies in the SEP as completed or in the SEP report and U.S. EPA will give Respondent at least 90 days and, if deemed necessary by Respondent to correct the identified deficiencies, up to a maximum of 180 days to correct the deficiencies;
- 53. If U.S. EPA exercises option b. above, Respondent may object in writing to the deficiency notice within 10 days of receiving the notice. The parties will have 30 days from U.S. EPA's receipt of Respondent's objection to reach an agreement. If the parties cannot reach an agreement, U.S. EPA will give Respondent a written decision on its objection. Respondent will comply with any requirements that U.S. EPA imposes in its decisions. If Respondent does not complete the SEP as required by U.S.EPA's decision, Respondent will pay stipulated penalties to the United States under Paragraphs 42-45.

General Provisions

54. Force Majeure

- (a) If any event occurs which causes or may cause delays in the completion of the SEP as required under this Agreement, Respondent shall notify U.S. EPA in writing not more than 10 days after the delay or Respondent's knowledge of the delay, whichever is earlier. The notice shall describe in detail the anticipated length of the delay, the precise cause or causes of the delay, the measures taken and to be taken by Respondent to prevent or minimize the delay, and the timetable by which those measures will be implemented. The Respondent shall adopt all reasonable measures to avoid or minimize any such delay. Failure by Respondent to comply with the notice requirements of this paragraph shall render this paragraph void and of no effect as to the particular incident involved and constitute a waiver of the Respondent's right to request an extension of its obligation under this Agreement based on such incident.
- (b) If the parties agree that the delay in compliance with this Agreement has been or will be caused by circumstances beyond the control of Respondent, the time for performance hereunder may be extended for a period no longer than the delay resulting from such circumstances. In such event, the parties shall stipulate to such extension of time.
- (c) In the event that the U.S. EPA does not agree that a delay in achieving compliance with the requirements of this CAFO has been or will be caused by circumstances beyond the control of the Respondent, U.S. EPA

- will notify Respondent in writing of its decision and any delays in the completion of the SEP shall not be excused.
- (d) The burden of proving that any delay is caused by circumstances beyond the control of the Respondent shall rest with the Respondent. Increased costs or expenses associated with the implementation of actions called for by this Agreement shall not, in any event, be a basis for changes in this Agreement or extensions of time under section (b) of this paragraph.

 Delay in achievement of one interim step shall not necessarily justify or excuse delay in achievement of subsequent steps.
- 55. Respondent certifies that upon issuance of its pending Section 404 permit applications (LRL-2005-1290-rlr and LRL-2007-66-GJD) it is complying fully with Sections 301(a) and 404 of the Act, 33 U.S.C. §§ 1311 and 1344. Furthermore, this CAFO and Respondent's pending Section 404 permit application (LRL-2005-1290-rlr and LRL-2007-66-GJD) fully resolve all jurisdictional determinations under the Act for any ditches, streams, tributaries, wetlands or other drainage features currently present at the Somerville North, Central and South Mines.
 - 56. U.S. EPA and Respondent consent to the terms of this CAFO.
- 57. This CAFO settles U.S. EPA's claims against Respondent for Section 404 permitting issues associated with jurisdictional waters of the United States currently present at the Somerville North, Central and South Mines and for civil penalties for the violations alleged in this Consent Agreement.

- 58. This CAFO does not affect Respondent's responsibility to comply with the Act and other applicable federal, state and local laws, and regulations.
- 59. Nothing in this CAFO restricts U.S. EPA's authority to seek Respondent's compliance with the Act and other applicable laws and regulations.
 - 60. The terms of this CAFO bind Respondent, and its successors, and assigns.
- 61. Each person signing this consent agreement certifies that he or she has the authority to sign this CAFO for the party whom he or she represents and to bind that party to its terms.
 - 62. Each party agrees to bear its own costs and fees in this action.
 - 63. This CAFO constitutes the entire agreement between the parties.
- 64. For federal income tax purposes, Respondent agrees that it will neither capitalize into inventory or basis nor deduct any costs or expenditures incurred in performing the SEP as provided in Paragraph 38 of this CAFO.
- 65. In accordance with Section 309(g)(5) of the CWA, 33 U.S.C. § 1319(g)(5), this order will become effective 30 days after the execution of the accompanying Final Order by the Regional Administrator. No person responded to the public notice of the commencement of this action pursuant to 33 U.S.C. § 1319(g)(4)(A), and thus no interested persons need be notified of the issuance of the Final Order in this matter under section 309(g)(9)(c) of the CWA, 33 U.S.C. § 1319(g)(9)(C).

In the Matter of: Black Beauty Coal Company, LLC Docket No. CWA-05-2008-0003

Dated: 2/26/2008

BLACK BEAUTY COAL COMPANY, LLC Respondent

Charles A. Burgaraf Name (print)

President
Title (print)

In the Matter of: Black Beauty Coal Company, LLC Docket No. CWA-05-2008-0003

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY, REGION 5, Complainant

Dated: 3/5/08

Acting Director, Water Division U.S. EPA, Region 5

In the Matter of: Black Beauty Coal Company, LLC Docket No. 5-CWA-2008-0003

FINAL ORDER

The foregoing Consent Agreement is hereby approved and incorporated by reference into this Final Order. Black Beauty Coal Company, LLC is hereby **ORDERED** to comply with all of the terms of the preceding Consent Agreement, effective 30 days after the date of my signature.

Dated: 4 24 08

Mary A. Gade


Regional Administrator

U.S. Environmental Protection Agency Region 5 Chicago, Illinois

SIGN VALUE ON 10: 23

NO EDV BEGION A CLERING CLERING





EXMBIT 3

Supplemental Environmental Project

Black Beauty Coal Company (BBCC) proposes to create 33 additional acres of forested wetlands at its Farmersburg Mine in Vigo and Sullivan counties, Indiana. An additional 3.3 acres (10%) will be constructed to ensure a minimum final wetland acreage of 33 acres. The wetlands will be constructed during reclamation operations and will be located in one parcel that abuts Turman Creek and its intermittent tributary. A 50 foot wide forested buffer (approximately 5.5 acres in size) surrounding the wetland will also be constructed. Please see the attached SEP location map for the approximate location for the proposed wetlands.

Acreage currently planned to be reclaimed as non-prime cropland would be changed to a forested wetland containing the hard mast producing species. This project would require the preparation of a SMCRA permitting revision, intensive surveying, engineering design, increased grading of shale and soil materials, increased revegetation and maintenance costs, as well as lost annual income from crop proceeds.

The reclamation requirements for non prime cropland reclamation consist of final grading to a slope less than 12%, and subsoil and topsoil replacement to a minimum depth of 18 inches. Typically, small grains and hay crops are grown to demonstrate productivity required for SMCRA bond release. These crops are relatively inexpensive to grow when compared to the costs of wetland herbaceous species and tree seedlings. The small grains and hay also generate annual income. Non prime cropland and hayland is the least costly land use to reclaim in the Midwest. A forested wetland is the most expensive land use to reclaim. These increased costs are detailed on the next page.

Planning and design work would be completed in early 2008. Grading, seeding, deep tillage and tree planting of a minimum of 18 acres of the wetland will be completed by October 31, 2009. Grading, seeding, deep tillage and tree planting of the remaining balance of the wetland and forested upland buffer will be completed by October 31, 2010. The wetland will be monitored by BBCC for seven years and a complete wetland delineation will be completed at the end of the seven year monitoring period. A Conservation Easement (to be held by the Indiana Department of Natural Resources) will be placed on the wetland and the 50 foot wide forested buffer following completion of the final wetland delineation. Please see the attached Construction Schedule for more detail.

This project would provide a very significant benefit to the health and functionality of the applicable watershed by reducing the acreage of

future conventional tillage agriculture, providing an additional 36 acres of sediment filtering capacity, increasing carbon sequestration, increasing acreage of hardwood tree species, providing food and shelter to a wide variety of reptilian and mammalian species, as well as providing the habitat and refuge to numerous aquatic species.

The added value provided by a wetland land use goes beyond the obvious environmental enhancements such as groundwater recharge, nutrient and pollutant removal, flood and flow control, and aquatic and terrestrial habitat. Although wetland function is dependent on local soils, hydrology, geology, climate and biology; the average global value of ecosystem services provided by a wetland is approximately \$6,000 per acre per year compared to approximately \$40 per acre per year for cropland¹.

¹Ewaschuk, E and Smyth, C. 2001. A Wetland Presentation for Agricultural Producers.

SEP Construction Schedule

2008-09

• Complete grading, soil replacement, deep tillage, seeding and tree planting on a minimum of 50% (18 acres) of the total wetland acreage by Oct. 31, 2009.

2009-10

Complete grading, soil replacement, deep tillage, seeding and tree
planting on the remaining balance of the total wetland acreage by
Oct. 31, 2010.

2010-11

- Maintenance and Monitoring
- Complete and submit first Annual Monitoring report by Nov. 1, 2010. The first Annual Monitoring report shall include a full report on all SEP major earth work completed to implement the SEP and description of any operating problems and actions taken to correct the problems.

2011 - 2015

- Maintenance and Monitoring
- · Annual Monitoring Reports due by Nov. 1 of each year.

2016

- Maintenance and Monitoring
- Final Monitoring Report by Nov. 1, 2016 (including final wetland delineation report)
- Execute Conservation Easement

Monitoring Reports and Success Standards

Annual monitoring reports will be based on field evaluations completed during May (spring) and September (fall) of each year. The reports will include assessments of vegetation, soils, hydrology and overall condition of the wetland. Only vegetation assessments will be completed for the forested buffer. The annual monitoring reports will be submitted to USEPA no later than November 1 of each year for the current year's monitoring. Vegetative and soil assessment points will be recorded on a site map which will be included in the Monitoring Report(s). The assessments will be completed in the following manner.

Vegetation

Annual vegetative assessments will be completed on a one evaluation for every five acres basis utilizing the following accepted SMCRA evaluation methods. Woody stems will be counted using a random point within the 5 acre block. A 20 foot radius of the evaluation point will be counted and converted to a per acre basis. Herbaceous vegetation will be assessed using a 100 foot long tape measure placed randomly within each 5 acre block. Vegetation, excluding vegetative litter, will be assessed at 1 foot intervals to determine the percentage of ground cover. Evaluation lines will be adjusted to avoid assessing areas where herbicides have been used to reduce vegetative competition or treat undesirable species. Species present will also be described. The spring and fall ground cover results will be averaged prior to submission to USEPA. Final success standards at the end of the 7 year monitoring period will be 450 live stems per acre with a 80% survival rate of the initial planted species and a minimum of 50% herbaceous ground cover.

Soils

Annual soils evaluations will be conducted within the same 20 foot radius as the woody stem counts. Soil probes will be taken to an 18" depth. Soil horizons, texture, color, redoximorphic features and other hydric soil indicators will be described. The final standard of success at the end of the 7 year monitoring period will be the presence of hydric soil indicators of a wetland per the 1987 Corps Wetland Delineation Manual.

Hydrology

Indicators of wetland hydrology will be noted and described in conjunction with the vegetation and soil assessments. Recording of the number of continuous days of inundation and/or saturation during the growing season may also be used to demonstrate wetland hydrology. The final standard of success at the end of the 7 year monitoring period will be the presence of indicators of wetland hydrology per the 1987 Corps Wetland Delineation Manual.

The semi-annual field evaluations and annual monitoring reports will be used to develop maintenance plans. Completed and planned maintenance will be noted in the annual monitoring reports. The final report will include a complete wetland delineation per the 1987 Corps Wetland Delineation Manual. BBCC is committed to the successful completion of this project. A successfully constructed wetland is not only a necessary component of this SEP, but will also be necessary to meet the requirements of the Surface Mining Control and Reclamation Act (SMCRA). Should the wetland restoration and forested buffer prove to be a failure, BBCC will commit further time and resources and cooperate with USEPA to complete a successful contingency plan.

Messerman	The second secon	HE STATE OF THE ST	TO SERVICE VIEW OF THE PARTY OF	CE CHO AND PARTY	Harris Commen	A Company	
Wester Worland See	DIO TRANSPORTE SANSTERNA		拉斯加州和 加州			建建设制度	
Bob 1-5-07							
Enter the requested Acres	· 程度的25 - 348% - 3.246 - 4.		1	l			1
			PL8				1
Botanicaj Name	Common Name		Ounces/Acre				1
			,	Required:			T
Permanent Grasses/Sedges:	《古地域》是《西班方》	STANKER STANK	60年10年2月1日	Ounces	Lot Number	PLS factor	Total Oz Used
Celamegrostis canadensis	Bluejoint Grass		1.00		1		1
Carex crinita †	Fringed Sedge		2.00	36.00			
Cerex kıpulina †	Common Hop Sedge		4.00	72.00	4		
Carex turida †	Bottlebrush Sedge		1.50				
Carex squarrosa †	Narrow-leaved Cettall Sedge		2.00				
Cerex spergenickies v. cephaloidee †	Rough-Clustered Sedge		1.50				
Corex typhinia †	Common Cattall Sedge		2.00				
Carex vujoinoidea	Brown Fox Sedge		4.00				
Elymus canadensis	Canada Wild Rye		8,00				
Elymus virginicus	Virginia Wild Rye		12.00				
Giyoeria siriala	Fowl Manna Grass		2.00				
Leersia oryzoides	Rice Cut Gress		2.00				
Scirpus atrovirens	Green Bulrush		2.00				<u> </u>
Spertine pectinate	Prairie Cord Grass		1.00				
		Total	45,00				
	Section 10 and 1 and 1 and 1 and 1		1.000.000	Required			
Temporary Cover:		AND COPPLEASE STATE			Lot Number	PLS factor	Total Ox Used
Avena sative	Common Oats			9,666.00			
Lolium multiflorum	Annual Rye		112.00				
		Total	649.00	11,882.00			
	Variation and the service of the ser	-1-7-1		Required			
Fortis (Carlos Carlos C		Sept. Monthly and which			Lot Number	PLS factor	Total Oz Used
Alisma spp.	Water Plantain (Various Mix)		3.00	54.00			
Angelica alropurpurea †	Great Angelica		1.00				
Aster puniceus	Bristly Aster		0.75				
Aster umbellatus †	Flat-Top Aster		0.25	4.50			
Bidans cernua	Nodding Bur Marigold		2.50	45.00			
Cempanula emericena Cephalanthus occidentalis †	Tall Bell Flower		0.25	4.50			
Holenkum eutumnele	Button Bush Sneezeweed		0.50	9.00			
Heraculeum lanatum 1	Cow Parento		2.00	36.00			
Hibiscus moscheutos †	Swamp Rose Mallow		0.75				
Lobelia siphilitica	Great Blue Lobella		2.00	38.00			
Loouna sprincea Mimulus ringens	Monkey Flower		1.50	27.00			
Rudbeckie lechiala	Cut-Leaf Coneflower		1.25	22.50			
Verbesina atternifolia	Wingstem		0.75 2.00	13.50 38.00			
Y GI DOORIG GILGITIAVILE	tringatum	Total	18.00				
		controller lemel courties	10.00	324.00	600 DE SESTE ANTON	\$14.55\$ NY	
	Mix Statistics	*****		STATE OF THE PARTY	AND COUNTY	CA PAPE	494Q56
Native Component						T	
Forbs	1.13	2,048,191	47.02	51.47%			
Grasses	2.81	1,931,015	44,33	48.52%			
Total Natives	3.94	3,979,206	91.35	100%			
Cover	40.56	5,952,038	136.64				
Totals	44.50)	9,931,244	227.99				
Volume Discounting is not valid if o							
I-5 AC (699.00 per AC)	1/2 Acre	1/4 Acre					
	7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7	\$230.00		/			
i-14 AC Discounted (5%)	15-20 Ac Discounting (15%)						
-11952.9	-\$10,694.70		P				
20-50 AC Discounting (20%)	50-100 AC Discounting (25%)						
\$10,065.80	\$9,438.50		·]				
igpered somethic entresses over	经验证证明的证明的证明的证明	的思想的表面	新始州湖州的		(中国)	HSK415670	THE PERSONNELS
Carex gravil, Carex muskingumensis, C	erex tuckermanii. Clematis viroinic	us/ Elymus riparius. I	lanea diolca. So	Idago gross. S	ilnhium nacfoli	atum,	
eucrium canadense, Clematis virginica,	Agrimonia parviflora, Aster laterifl	ofus, Caltha palustis	(wat sites) Hyper	icum virginicum	trich soils).		
Ranunculus pensylvanicus, Solidago fiei	kicaulis, Carex intumescens, Glyce	ria canadensis, Milliu	m effusum, Pani	cum clandestine	, Carex retros	3,	
.indera benzoln,	/						

#594 fac + 6/oc delivery - 20/00 cover

Survey & Data Download Survey & Bata Download g Design & Mapping nation Survey & Stakeout (2 people) rading of shale w/ D10 Dozer (1.5 depth = 2420 cu y graded shale to monitor and verify required elevations cement (Part of normal reclamation cost) re survey and stakeout (2 people) grading of replaced soil w/ D7 Dozer (1 depth = 1613) grading of replaced soil w/ D7 Do	HANY (Includes coasts above cost of non prime cropland only) hours 1 \$35.00 \$11.00 hours 2 \$65.00 \$11.00 535.00 \$10.00 hours 2 \$420 \$55.00 \$10.00 50.2 \$35.00 \$10.00 50.2 \$35.00 \$10.00 50.2 \$35.00 \$10.00 50.2 \$35.00 \$10.00 50.2 \$35.00 \$10.00 50.2 \$35.00 \$10.00 50.2 \$35.00 \$10.00 50.00 \$10.30 6						NOTES:
PROJECT PORESTED WETLAND (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime empland only) (Includes cost of n	PANY (Includes sees above cost of non prime cregitand only) hours 1 \$35.00 \$35.00 \$10.00 hours 2 \$66.00 \$11.00 hours 2 \$66.00 \$130.00 5 \$10.00 hours 2 \$66.00 \$130.00 5 \$10.00	0	\$292,344.00			COST	
Includes costs above cost of non prime expland only) (Includes cost of non prime expland only) (PANY (Includes costs above cost of non prime captaind only) (Includes costs above cost of non prime captaind only) (Includes costs above cost of non prime captaind only) (INT'S 1 535.00 \$35.00 \$10.00 \$10.00 (INT'S 2 \$65.00 \$11.00 \$11.00 (INT'S 2 \$65.00 \$1.00 \$1.00 (INT'S 2 \$10.00 (INT'S 2 \$10.00 \$1.00 (INT'S 2 \$10.00 (\$25,080.00			00/ac)	Conservation Easement Reduction in Land Value (41.8 ac 😩 \$6
Includes casts above acet of non prime expland only	PANY		\$19,230.00			50/ac)	Forasted Buffer (5.5 ac @ \$3,496.
Includes casts above cost of non prime cropland only) (Includes casts above cost of non prime cropland only) (Includes casts above cost of non prime cropland only) (Includes casts above cost of non prime cropland only) (Includes casts above cost of non prime cropland only) (Includes casts above cost of non prime cropland only) (Includes casts above cost of non prime cropland only) (Includes casts above cost of non prime cropland only) (Includes casts above cast of non prime cropland casts above cast of non prime cast of non prime casts above cast of no	HANY (Includes costs above cost of non prime expland only) (INPTS 1 \$35.00 \$35.00 \$11.00 \$10.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 \$1.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 \$11.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 (Includes costs above cost of non prime expland only) (INPTS 2 \$65.00 (Includes cost of non prime expland only) (INPTS 2 \$65.00 (INPTS 2 \$65.0		\$248,034.00			CRES	TOTAL COST FOR 36.3 A
Includes costs above cost of non prime empland only)	HANY LL PROJECT FORESTED WETLAND [Includes costs above cost of non prime empland only) LUNTS Nours Nours 1 \$35.00 \$35.00 \$1 Nours 2 \$66.00 \$130.00 \$5 Nours 2 \$66.00 \$130.00 \$5 Nours 2 \$66.00 \$130.00 \$5 Nours 2 \$35.00 \$1.694.00 \$5 Nours 1 \$35.00 \$5 \$0.2 \$35.00 \$1,290.40 \$5 Nours 1 \$35.00 \$1,290.40 \$5 Nours 1 \$35.00 \$1,290.40 \$5 Nours 1 \$35.00 \$1,290.40 \$5 Society and s 1 \$10.30 \$35.00 \$1,290.40 \$5 Nours 1 \$10.30 \$10.30 \$1 Nours 1 \$10.30 \$10.30 \$1 Nours 1 \$10.30 \$10.30 \$1 Nours 1		\$6,832.90			ACRE	TOTAL COST PER
Includes costs above cost of non prime cropland only S RATE COSTINGRE CONMENTS NONPRIME CROPLAND	PANY PORESTED WETLAND		\$250.00				iual loss of net crop income (\$50 per acre for 5 years)
Indicates cests above cost of non prime cropland only COSTIACRE COMMENTS NONPRIME CROPLAND	PANY PORESTED HETU-AND		\$27.50	\$55.00	0.5	hours	m Count and Ground Cover Survey required for Forest Land use in SMCRA (0.5 hr/ac)
Incument FORESTED WETLAND	L PROJECT FORESTED WETLAND		\$2,200.00	\$55.00	40	hours	itoring & Reporting for 5 year period (8 hours/year)
Incapable Inca	LL PROJECT COBESTED WETLAND COST/ACRE		\$345.00				ntenance, herbicide treatment, fertilization for 7 year period
IL PROJECT FORESTED WETLAND	L PROJECT FORESTED WETLAND (Includeds costs above cost of non prime cropland only) FRATE COSTIACRE COSTIACRE CONMENTS NONPRIME CROPLAND (Includeds costs above cost of non prime cropland only) FRATE COSTIACRE COSTIACRE CONMENTS NONPRIME CROPLAND NONPR	-	\$420.00	\$0.70	600	rees	seedlings, pick up, cold starage, planting
Includes costs above cost of non prime craptand only Includes costs above cost of non prime craptand only Includes costs above cost of non prime craptand only Includes costs above cost of non prime craptand only Includes costs above cost of non prime craptand only Includes	IL PROLECT (Includes costs above cost of non prime emplaind only) (Includes costs above cost of non prime emplaind only) (INHTS 1 \$35.00 \$35.00 50.00 Aiready completed via Typical Cross Section in SMCRA permit hours 1 \$35.00 \$11.00 50.00 Not needed 1 \$35.00 50.00 Not needed Lu yards 2 \$55.00 50.00 Not Required Lu yards 1 \$35.00 50.00 Not Required 50.00 Not required for non prime cropland, where less grading has occurred.		\$210.00	\$210.00	_	acrès	thing to promote seed germination and soil protection (includes 3 round bales/acre)
Includes costs above sost of non prime cropland only Individes costs above sost of non prime cropland only SPATE COSTIACRE COMMENTS NONPRIME CROPLAND	IL PROJECT (Includes casts above cost of non prime explaind only) (INFITS 1 \$35.00 \$35.00 \$0.00 Aiready completed via Typical Cross Section in SMCRA permit hours 1 \$35.00 \$11.00 \$0.00 Aiready completed via Typical Cross Section in SMCRA permit hours 2 \$66.00 \$110.00 \$0.00 Not needed hours 2 \$35.00 \$35.00 \$0.00 Not needed Lu yards 2 \$35.00 \$35.00 \$0.00 Not needed hours 3 \$35.00 \$35.00 \$0.00 Not Required 5 \$0.00 Not required Complish will survey assistance 5 \$0.00 Not required for non prime cropland, where less grading has occurred. 5 \$0.00 Not required for non prime cropland, where less grading has occurred.		\$44.00				saccous revegetation (includes difference in wet species seed vs. wheat seed)
Includes costs above oost of non prime cropland only; Includes costs above oost of non prime cropland only; Includes costs above oost of non prime cropland only; Includes costs above oost of non prime cropland only; Includes costs above oost of non prime cropland only; Includes costs above oost of non prime cropland Includes	IL PROJECT IL S35,00 S35,00 S35,00 S35,00 S30,00 Not required, current approved land use is Non prime Cropland hours I S35,00 S35,00 S35,00 S30,00 Not needed hours I S35,00 S35,00 S30,00 Not needed hours I S35,00 S30,00 Not needed S00,00 Not needed		\$12.00	\$12.00		acres	ing to smooth soil surface after deep tillage
Includes costs above cost of non prime expland only) UNITS FORESTED WETLAND COSTIACRE COSTIACRE COMMENTS NONPRIME CROPLAND	PANY		\$80.00	\$80.00		gcres	p tillage to 24" to affaviate compaction from Precision grading
Includes costs above cost of non prime explaind only) UNITS FORESTED WETLAND COST/ACRE COST/	PANY (Includes costs above cost of non prime empland only) (Includes costs above cost of non prime emp	٠.	\$0.00				ge, Planting, harrowing, etc (Part of normal reclamation costs)
Includes casts above cost of non prime explaind only)	HANY (Includes costs above cost of non prime explaind only) (INITS 1 \$35.00 \$35.00 \$0.00 hours 1 \$35.00 \$11.00 50.00 hours 2 \$865.00 \$130.00 50.00 hours 1 \$355.00 \$355.00 50.00 hours 2 \$865.00 \$130.00 50.00 hours 3 1 \$355.00 \$355.00 50.00 hours 5 2420 \$0.70 \$1.694.00 5 50.00 hours 0.2 \$35.00 \$57.00 \$0.00 5 57.00 5 10.397.72 hours 1 \$355.00 \$355.00 5 50.00	\$125.00	\$0.00				Testing, Fertilizer & Ag Lime applications (Part of normal reclamation costs)
Includes casts above asst of non prime empland only)	PANY (Includes costs above cost of non prime expland only) (INTTS 1 \$35.00 \$35.00 \$0.00 hours 0.2 \$85.00 \$11.00 \$0.00 hours 2 \$86.00 \$130.00 \$0.00 hours 1 \$35.00 \$35.00 \$0.00 hours 2 \$86.00 \$130.00 \$0.00 hours 3 0.2 \$35.00 \$35.00 \$0.00 hours 2 \$86.00 \$100.00 \$0.00 50.00 50.00 60 \$35.00 \$1.694.00 60 \$10.397.72 50.00 \$10.397.72 60 \$35.00 \$1.290.40 50.00	\$0.00	\$7.00	\$35.00	0.2	hours	ey of graded soil to monitor and verify required elevations
Includes casts above acst of non prime cropland only)	### PANY UL PROJECT FORESTED WETLAND	\$0.00 Not Required	\$1,290.40	\$0.80	1613	cu yards	ision grading of replaced soil w/ D7 Dozer (1' depth = 1613 cu yardslacre)
Includes casts above bost of non prime empland only) (Includes casts above bost of	### PANY UL PROJECT FORESTED WETLAND (Includes costs above cost of non prime cropland only) (Includes costs above cost of non prime cropland only) (Includes costs above cost of non prime cropland only) (Includes costs above cost of non prime cropland only) (Includes Cost) (Includes C	\$0.00	\$35.00	\$35.00		hours	surface survey and stakeout (2 people)
Includes casts above asst of non prime empland only)	PANY IL PROJECT FORESTED WETLAND [Includes costs above cost of non prime explaind only] UNITS 1 \$35.00 \$35.00 \$0.00 hours 0.2 \$85.00 \$11.00 \$0.00 hours 2 \$85.00 \$130.00 \$0.00 hours 3 1 \$35.00 \$35.00 \$0.00 hours 2 \$85.00 \$130.00 \$0.00 hours 3 2 \$85.00 \$130.00 \$0.00 hours 4 355.00 \$35.00 \$0.00 50.00 50.00 50.00 50.00 50.00 50.00 50.00	\$10,387.72 4" depth @ \$1.61/cubic yard	\$0.00	-			Replacement (Part of normal roclamation cost)
Includes casts above cost of non prime cropland only)	### PANY LI PROJECT FORESTED WETLAND		\$7.00	\$35.00	0.2	hours	ey of graded shale to monitor and verify required elevations
COST/ACRE COST	### PANY UL PROJECT FORESTED WETLAND		\$1,694.00	S 0.70	2420	cu yards	sian grading of shale w/ D10 Dozer (1.5' depth = 2420 cu yards/acre)
Includes costs above cost of non prime empland only) (Includes costs above costs a	L. PROJECT FORESTED WETLAND [Includes costs above cost of non prime cropland only] [UNITS \$RATE COST/ACRE COST/ACRE UNITS 1 \$35.00 \$35.00 \$0.00 hours 0.2 \$55.00 \$11.00 \$0.00 hours 0.2 \$65.00 \$130.00 \$0.00		\$35.00	\$35.00	-	hours	teclamation Survey & Stakecut (2 people)
L PROJECT FORESTED WETLAND (Includes costs above cost of non prime cropland only) (INCLUDES COST ACRE UNITS 1 \$35.00 \$35.00 \$0.00 hours 0.2 \$85.00 \$11.00 \$0.00	LL PROJECT FORESTED WETLAND (Includes costs above cost of non prime croptand only) UNITS SRATE COST/ACRE COST/ACRE Abours 1 \$35.00 \$35.00 \$0.00		\$130.00	\$65.00	2	hours	sering Design & Mapping
SUPPLEMENTAL ENVIRONMENTAL PROJECT FORESTED WETLAND (Includes casts above cost of non prime cropland only) SPATE COST/ACRE UNITS 1 \$35.00 \$35.00 \$0.00	BLACK BEAUTY COAL COMPANY SUPPLEMENTAL ENVIRONMENTAL PROJECT FORESTED WETLAND (Includes costs above cost of non prime cropland only) \$ RATE COST/ACRE UNITS hours 1 \$35.00 \$35.00	50.00 Not required, current approved land use is Non prime	\$11.00	\$65,00	0.2	hours	& Submittal of SMCRA Permit revision to change non prime cropland to forested wetland.
SUPPLEMENTAL ENVIRONMENTAL PROJECT FORESTED WETLAND (Includes costs above cost of non prime empland only) SPATE COST/ACRE CONMENTS UNITS	BLACK BEAUTY COAL COMPANY SUPPLEMENTAL ENVIRONMENTAL PROJECT FORESTED WETLAND (Includes costs above cost of non prime cropsand only) UNITS \$ RATE COST/ACRE COMMENTS	\$0.00 Already completed via Typical Cross Section in SMC	\$35.00	\$35,00	_	hours	esign Survey & Data Download
	BLACK REAUTY COAL COMPANY	COMMENTS	only) COST/ACRE	TLAND time cropland (\$ RATE	FORESTED WI	ROJECT (Includes cos UNITS	
			\$10.08 \$10.08 \$10.08	COST/AC	COST/AC	COST/AC	FORESTED WETLAND Tides costs above cost of non prime cropland only) S 1 \$35.00 \$35.00 \$11.00 \$1 S 2 \$65.00 \$11.00 \$1 S 2 \$65.00 \$130.00 \$1 S 1 \$35.00 \$35.00 \$1 S 1 \$35.00 \$35.00 \$1 S 2 \$65.00 \$1.694.00 \$1 S 3 0.2 \$35.00 \$1.290.40 \$1 S 3 0.2 \$35.00 \$1.290.40 \$1 S 3 1 \$35.00 \$1.290.40 \$1 S 3 0.2 \$35.00 \$1.290.40 \$1 S 3 0.2 \$35.00 \$1.290.40 \$1 S 3 0.80 \$1.290.40 \$1

I SERVICE DE LA VIE			CONTROL MENTAL PROPERTY.		Alamana and an	
Incommon Puly Co	n logie e loggisto	ULS:				
Bob 1/5/07						and the state of t
Enter the requested Acers:	5.5 () () () ()	1				
		PLS				
Botanical Name	Common Name	Ounces/Acre				
Dotalica Hume	Common Manne	OMINOUS INC	Required	I		
Permanent Grasses		SHOW TO SHOW THE SHOW	Ounces	RATIONAL PROPERTY.	FWS - 8285	Total Oz used
Bromus pubescens	Woodland Brome	4.00	22.00	wer beinminess	L'CO'LACION	Total Oz used
Carex spaganoides var. cephaloides †	Rough Clustered Sedge	6.00	33.00			
Diarrhena americana	Beak Grass	0.50	2.75			
Elymus villosus		6.00	33:00			
	Silky Wild Rye Bottlebrush Grass	16.00	88.00			
Elymus hystrix	Totals	32.50	178.75			
:	Totals	32.30	Required		<u> </u>	l
	languagal description of the control of the security to be	ore substance	A CONTRACTOR OF THE PARTY OF TH	Bianning Table 100 The C	The state of the s	
Temporary Cover		- 17 A Di A Di Brachente Cherry C.	Ounces	ELot Number	PES Factors	Total Oz used
Avena sativa	Seed Oats	360.00			<u> </u>	
Lolium Multiflorum	Annual Rye	120.00	660.00			
	Totals	480.00	2,640.00		<u> </u>	<u> </u>
		Oracle B. Later Value b.	Required	1	MARKA A LANGUAGO	** *
Forbs:			Ounces	Lot Number	PLS Factor	Total Oz used
Actea pachypoda	Dolls Eyes-dogbane	1.00	Janua 29.50d			
Anemone cylindrica	Thimbleweed	1.00	48194 5.50			
Aquilegia canadensis	Wild Columbine	1.25	6.88			
Aster sagittifolius	Arrow-leaved Aster	2.50	13.75			
Aureolaris flava	Smooth False Foxglove	1.00	5.50			
Cempanula americana	Tall Beliflower	2.00	11:00			
Caulophylum thallctholdes	Blue Cohosh	2.00	11.00			
Osmorhiza claytonii †	Hairy Sweet Cicely	4.00	/ 22.00 ⋅			
Polygonatum caniculatum †	Smooth Solomons Seal	2.00	11.00			
Scrophularia marilandica	Late Figwort	2.00	11.00			
Smilacina racemosa †	Feathery False Solomons Seal	1.75	9.63			
Trillium grandiflorum	Grand-Flowered Trillium	0.25	1.38			
	Totals	20.75	114,13			
	Mix Statistics			W 7 1 1 2 2 1 1		
Native Component	PLS bs:/Acre	DIS SAMEJACIA	PI S Sdelen Ft	V of Nothia Miv	elith as 1850 to the tendental	900 - Charles 400 - 442 00 - 70 - 10 4 C
Forbs	1.29	2,229,515	51.18	90.00%		
Grasses	2.03	245,412	5.63	10.00%		
Total Natives	3.32	2,474,927	56.81	100.00%		
Cover	30.00	4,627,560	106.23	100.0070		
Totals	30.00	4,627,560	163.04			
Volumerdiscounting is not						
		1/4 Acre	ULSCUNNERS MICHELL			
1-5 Acres (\$1065) per acre \$5,857.50	1/2 Acre \$532.50	\$266.25				
6-14 AC Discounting (5%)	15-20 AC Discounting (15%)					
\$5,564.63	-\$4,978.88				•	
21-50 AC Discounting (20%)	51-100 AC Discounting (25%)					
-\$4,686.00	-\$4,393.13					
	\$1,011.75/ac	+ 16/ac	delivery			
	, ,	1	•			

Suggested Substitutes 1994 and 1994 and

Allium triccum, Cryptotaenia canadensis, Eupatorium purpurescens, Eupatorium rugosum, Geranium maculatum, Hydrophylum virginicum, Osmorhiza claytonii, Podophylum peltatum, Sanguina canadensis, Sanicula gregorri, Solidago caesia, Stylophorum diphylum, Thalictrum diocium, Desmodium glutinosum, Aster shortii, Penstemon calycosus, Taenidia interrima, Carex sprengelli, Carex swanii,

VEGETATIVE SPECIES AND PLANTING PLAN

Forested Buffer Area Seeding & Planting Stock

Scientific Name	Common Name	Approx. Seeding or Planting Rate	Method of Application
Lolium multiflorum	Annual Rye	40 lb/ac	Drilled or Broadcast
Triticum aestivum	Wheat	40 lb/ac	Drilled or Broadcast
Avena sativa	Oats	40 lb/ac	Drilled or Broadcast
Liriodendron tulipifera	Yellow Poplar	600 seedlings/ac	Mechanical or Hand
Diospyros virginiana	Persimmon	600 seedlings/ac	Mechanical or Hand
Quercus spp.	Red Oak species	600 seedlings/ac	Mechanical or Hand
Quercus spp.	White Oak species	600 seedlings/ac	Mechanical or Hand
Carya spp.	Hickory	600 seedlings/ac	Mechanical or Hand
Jugians nigra	Black Walnut	600 seedlings/ac	Mechanical or Hand

Note:

- Planting mix for herbaceous species will consist of a mixture of a minimum of 4 perennial and 1 annual species to assure diversity
- 2. Woody plantings will consist of a minimum of 5 species with no single tree species comprising more than 25% of the total planting.
- 3. Spacing of woody plantings will be ~8' X 9'.
- 4. See the JF New Deciduous Woodland Seed Mix for perennial herbaceous species to be used.

Wetland Seeding & Planting Stock

Scientific Name	Common Name	Approx. Seeding or Planting Rate	Method of Application
Lolium multiflorum	Annual Rye	40 lb/ac	Drilled or Broadcast
Triticum aestivum	Wheat	40 lb/ac	Drilled or Broadcast
Avena sativa	Oats	40 lb/ac	Drilled or Broadcast
Quercus lyrata	Overcup Oak	600 seedlings/ac	Mechanical or Hand
Quercus bicolor.	Swamp White Oak	600 seedlings/ac	Mechanical or Hand
Quercus macrocarpa	Bur Oak	600 seedlings/ac	Mechanical or Hand
Quercus palustris	Pin Oak	600 seedlings/ac	Mechanical or Hand
Quercus michauxii	Swamp Chestnut Oak	600 seedlings/ac	Mechanical or Hand
Taxodium distichum	Bald Cypress	600 seedlings/ac	Mechanical or Hand
Platanus occidentalis	Sycamore	600 seedlings/ac	Mechanical or Hand
Carya laciniosa	Shellbark Hickory	600 seedlings/ac	Mechanical or Hand
Carya illinoinensis	Pecan[FacW]	600 seedlings/ac	Mechanical or Hand

Note:

- 1. Planting mix for herbaceous species will consist of a mixture of a minimum of 4 perennial and 1 annual species to assure diversity
- 2. Woody plantings will consist of a minimum of 5 species with no single tree species comprising more than 25% of the total planting.
- 3. Spacing of woody plantings will be ~8' X 9'.
- Undesirable invasive species will be treated and controlled with appropriate herbicides according to manufacturer's recommendations. Desirable volunteer species will be encouraged.
- 5. See the JF New Wooded Wetland Seed Mix for herbaceous species to be used.

Design Summary

Flooding Frequency and Magnitude:

Flooding frequency and magnitude for the undisturbed East Branch of Turman Creek adjacent to the proposed SEP mitigation site was considered in design of the constructed wetland. Current plans are to mine through the east branch; however, stream dimensions will be restored to the approximate pre-mining conditions. Enhancements to the stream channel will be made per the applicable Section 404 authorization. The SEP flooding frequency and magnitude design study is based on current channel dimensions and the restored channel will reflect the same approximate dimensions. Similar to premining conditions, reconstruction will not allow over bank flooding along the west bank of the east branch of Turman Creek. TR-20 Hydrographs were developed to predict watershed runoff for the one year (1 yr/24 hr) and two year (2 yr/24 hr) twenty four hour storm events. The rainfall events are 2.71 inches (1 vr/24 hr) and 3.11 inches (2 vr/24 hr). The watershed area upstream of the project area totaled 539.9 acres. An average runoff curve of 70 was applied with a time of concentration of 1.5 hours. The hydrograph model calculated peak discharge of 97.5 cfs and 145.5 cfs (see TR-20 Hydrograph Model Reports pages 1 and 2). Channel conveyance of the hydrograph modeled discharge was calculated using Mannings equation to determine the channel depth at design flow. Existing channel cross-sections were surveyed at three locations immediately adjacent to the proposed mitigation site (Section 5. 8. and 11). The predicted flow elevation (flood magnitude) for each cross-section was determined using Mannings equation. Input parameters of wetted perimeter and wetted cross-sectional area, channel slope, Mannings coefficient, and flow depth were used in the calculation to obtain a conveyance discharge capacity approximating the design runoff events. The predicted water surface elevation at this conveyance capacity was then used to interpolate the elevation at which overbank flooding could be predicted for the given recurrence interval of 1.8 years. The 1.8 year recurrence interval was derived from the USGS Scientific Investigations Report 2005-5153 - Bankfull Characteristics of Ohio Streams and Their Relation to Peak Streamflows.

SEP Mitigation Site:

The calculated bankfull discharge was utilized to determine the elevation of the incipient point of flooding that would occur along the mitigated Turman Creek tributary for the proposed SEP mitigation site. The mitigation site will be constructed at the same elevation or below to ensure that inundation or saturation will occur to create adequate hydrology for the creation of hydric soils and success of hydrophytic

vegetation. A near flat topography will be constructed for the wetland. Criteria for wetland determination as found in the 1987 Corps of Engineers Wetland Delineation Manual will be used to validate the presence of hydrophytic vegetation and hydric soils. The site will be ultimately self-sustaining after the establishment of the permanent vegetation.

Proposed Direct Watershed Runoff:

In addition to the contribution of upstream overbank flooding from Turman Creek and its' tributaries an additional 240 acres of direct watershed will flow through the proposed SEP mitigation site. Hydrograph runoff models for the direct watershed were also developed for the (1 yr/24 hr) and (2 yr/24 hr) events. The TR-20 hydrographs predict a runoff volume for the direct watershed of 11.2 and 15.5 acrefeet, respectively. The direct watershed can be predicted to result in a contribution 0.3-0.4 feet of runoff depth across the entire 36 acre SEP mitigation site.



CERTIFICATION OF PLAN

l, Ann M. Nelson, P.E., certify ⁽²⁾ the plan entitled "Farmersburg Mine - SEP Wetland" was developed in accordance with prudent engineering principles and practices, and applicable design criteria.




SIGNED: Ann M. Nelson, P.F.


DATE: 12-3-07


Peabody Energy


⁽²⁾ The term "certify," as used herein, is defined as follows: "An Engineer's certification of conditions is a declaration of professional judgment. It does not constitute a warranty or guarantee, either expressed or implied, nor does at retieve any other party of their responsibility to abide by contract documents, applicable codes, standards, regulations, and ordinances."



8 SEP MAP 2 Turman Creak Section 8 1.8yr/24hr Event Conveyence Section-Pre-Mining 8 37.689.1 9+10 <u>8</u> 2 S 15 25







```
TR20 SCS - VERSION 2.04 Hyrdrograph Model
 Turman Creek East Branch Watershed
 Runoff Storm Event lyr / 24hr, 2.71 inches
 EXECUTIVE CONTROL INCREM
EXECUTIVE CONTROL COMPUT
                                     MAIN TIME INCREMENT = .100 HOURS
                                       FROM XSECTION 1 TO XSECTION 1
RAIN DEPTH = 2.71 RAIN DURATION = 1.00
      STARTING TIME = .00
      ANT. RUNDFF COND. = 2
                                                                        .100 HOURS
                                          MAIN TIME INCREMENT =
      ALTERNATE NO. = 1
                                          STORM NO. = 1
                                                                           RAIN TABLE NO. = 2
             RNATE NU. = 1
RUNDEF XSECTION 1
DUTPUT HYDROGRAPH = 6 RUNDEF AREA = 539.9 acres, .84 SQ MI
INPUT RUNDEF CURVE = 70. TIME OF CONCENTRATION = 1.50 HOURS
COMPUTED INTERNAL TIME INCREMENT = .0947 HOURS
TIME(HRS)

PEAK DISCHARGE(CFS)
PEAK ELEVATION(F
(RUNDEF)
 OPERATION RUNOFF
      PEAK TIME(HRS)
                                                                                PEAK ELEVATION(FEET)
          12.95
                            HYDROGRAPH POINTS FOR ALTERNATE = 1,
                                                                                  STURM = 1
                    MAIN TIME INCREMENT = .100 hr,
.47 2.32 6.63 13.61
       HRS
                                                             DRAINAGE AREA =
                                                                                            .84 SQ.MI.
      11.80 CFS
                                                              23.44
                                                                        36.38
                                                                                  51.47
                                                                                            66.33
      12.60 CFS
                        78.86
                                  88.17
                                           94.25
                                                     97.22
                                                             97.28
                                                                         95.14
                                                                                   91.03
                                                                                            84.99
      13.40 CFS
                        78.07
                                  71.81
                                           66.42
                                                              57.37
                                                                        53.56
                                                                                  50.03
                                                     61.62
                                                                                            46.81
      14.20 CFS
                        43.93
                                                     36.79
                                                                                   31.49
                                  41.32
                                           38.95
                                                                         33.07
                                                              34.84
                                                                                           30.09
      15.00 CFS
                       28.83
                                  27.71
                                           26.70
                                                     25.78
                                                                        24.20
                                                                                  23.50
                                                              24.95
      15.80 CFS
                       22.25
                                  21.69
                                                    20.61
                                                                                19.06 18.57
                                           21.14
                                                             20.09
                                                                     19.57
      16.60 CFS
                       18.11
                                17.71
                                         17.34
                                                  17.00
                                                           16.68
                                                                     16.40 16.13 15.98
      17.40 CFS
                       15.66
                                 15.44
                                          15.24
                                                                     14.69
                                                                               14.52
                                                    15.05
                                                             14.87
                                                                                         14.35
                                                  13.71 13.55 13.39 13.24 13.08
12.46 12.30 12.15 11.99 11.83
11.19 11.03 10.87 10.71 10.56
10.03 9.92 9.82 9.74 9.6
      18.20 CFS
                                14.02
                       14.19
                                          13.86
                                                                                         13.08
      19.00 CFS
                      12.93
                                12.77
                                          12.62
                                        11.35
      19.80 CFS
                                            9.47
9.47
                       11.67
                                11.51
                       10.41
      20.60 CFS
                                         10.14
                                10.27
                                                                                           9.66
      21.40 CFS
                        9.59
                                   9.53
                                                                9.37
                                                                         9.33
                                                      9.42
                                                                                  9.29
                                                                                              9.25
      22.20 CFS
                        9.21
                                                               9.08
                                   9.18
                                             9.14
                                                      9.11
                                                                         9.04
                                                                                  9.01
                                                                                            8.98
      23.00 CFS
                         8.95
                                             8.89
                                                                         8.81
                                                                                 8.78
                                                                 8.84
                                                                                              8.75
                                   8.92
                                                       8,87
      23.80 CFS
                                8.69
                                                     8.61
5.31
                         8.72
                                             8.66
                                                                 8.51
                                                                          8.34
                                                                                  8.09
                                                                                              7.72
      24.60 CES
                         7.23
                                                                         4.00
                                   6.64
                                             5.99
                                                                 4.64
                                                                                    3.41
                                                                                              2.87
      25.40 CFS
                                   2.00
                         2.40
                                                                       1.00
                                            1.68
                                                                                  .84
                                                      1.41
                                                               1.19
      26.20 CFS
     26.20 CFS .59 .50
RUNDFF ABOVE BASEFLOW (BASEFLOW =
                          .59
                         .56 WATERSHED INCHES; 304 CFS-HRS; 2 4 6 8 10 12 39 20 14
                                                                                 25.2 ACRE-FEET.
     DURATION(HRS)
                                                             10 12
                                                                                14 14
     FLOW(CFS)
                         39
                                                              9
                                                     11
                                                                                1
TR20
                                                                                                ---- SCS -
                                                                                                  VERSION
11/28/**
                                                                                                 2.04TEST
                                     SUMMARY, JOB NO. 1
SUMMARY TABLE 1
10:51:25
                                                                                             PAGE 2
SELECTED RESULTS OF STANDARD AND EXECUTIVE CONTROL IN ORDER PERFORMED.

A CHARACTER FOLLOWING THE PEAK DISCHARGE TIME AND RATE (CFS) INDICATES:

F-FLAT TOP HYDROGRAPH T-TRUNCATED HYDROGRAPH R-RISING TRUNCATED HYDROGRAPH
 XSECTION/ STANDARD STRUCTURE CONTROL
                                                                          PEAK DISCHARGE
                                 DRAINAGE
                                               RUNOFF
                                              AMOUNT ELEVATION TIME RATE RA

(IN) (FT) (HR) (CFS) (CSM)
                                 AREA
               OPERATION
                                                                                                  RATE
                                  (IM QZ)
RAINFALL OF 2.71 Inches AND 24.00 hr DURATION, BEGINS AT .0 hrs.
RAINTABLE NUMBER 2, ARC 2
MAIN TIME INCREMENT .100 HOURS
ALTERNATE 1 STORM 1
 XSECTION 1 RUNOFF
                                              .56
                                                                       12.95
                                                                                       98
                                                                                               116.7
                                              ANTE: 11/30/2007
        Black Beauty Coal Company
                                                                               ARVISION RO.:
                                                                                                     DATE:
                EVANSVILLE, INDIANA
                                                                    ABN
                                                              TECH:
       TR-20 Hydrograph Model Report
                                                                              HOTES:
       Turman Creek East Branch
       Farmersburg Mine, IDNR #S-287
                                               SEET !
```

```
TR20 SCS - VERSION 2.04 Hydrograph Model
Turman Creek East Branch Vatershed
Runoff Storm Event 2yr/24hr, 3.11 Inches
                                               MAIN TIME INCREMENT = .100 HOURS
FROM XSECTION 1 TO XSECTION 1
RAIN DEPTH = 3.11 RAIN DURATION = 1.00
EXECUTIVE CONTROL INCREM EXECUTIVE CONTROL COMPUT
       STARTING TIME = .00
                                                                                      100 HOURS
                                                   MAIN TIME INCREMENT = STURM NO. = 1
       ANT. RUNDFF COND. = 2
ALTERNATE NO. = 1
                                                                                         RAIN TABLE NO. = 2
OPERATION RUNOFF
                             XSECTION
                                                  1
               ULTPUT HYDROGRAPH = 6 RUNOFF AREA = 539.9 acres, .84 SQ MI
INPUT RUNOFF CURVE = 70. TIME OF CONCENTRATION = 1.50 HOURS
COMPUTED INTERNAL TIME INCREMENT = .0947 HOURS
TIME(HRS) PEAK DISCHARGE(CFS) PEAK ELEVATION
                                                                                               PEAK ELEVATION(FEET)
       PEAK TIME(HRS)
                                                                                                       (RUNOFF)
                                                           145.4
            12.92
                       HYDRUGRAPH POINTS FOR ALTERNATE = 1, STORM = 1

MAIN TIME INCREMENT = .100 hr, DRAINAGE AREA = .84 SQ.MI.
.34 1.52 5.08 12.39 23.83 39.55 59.56 82.12

104 122 134 142 145 144 140 132
       11.70 CFS
       12.50 CFS
                                                                                  87
       13.30 CFS
                                                       102
                                                                      94
                                                                                                80
                                                                                                             75
                               123
                                           112
                                                                                                              42.29
                                                   56.46
                                                                         49.89
                                                                                    47.08
                                                                                                  44.54
       14.10 CFS
                           64.51
                                       60.27
                                                               53.01
                                                               35.51 34.22
27.75 27.02
                                                                                                  31.99
                                                                                                              31.02
       14.90 CFS
                                                                                       33.05
                            40.29
                                        38.51
                                                   36.93
       15.70 CFS
                                       29.28
                                                   28.51
                                                                                       26.30
                                                                                                  25.59
                                                                                                              24.90
                            30.12
                                                                                                21.32
                                                                                                              20.97
                                                               22.58
                                                                                       21.71
       16.50 CFS
                            24.23
                                        23.62
                                                    23.07
                                                                         22.13
       17.30 CFS
                            20.64
                                        20.34
                                                    20.05
                                                               19.78
                                                                          19.53
                                                                                      19.28
                                                                                                 19.04
                                                                                                             18.81
                                                             17.94
       18.10 CFS
                                       18.37
                                                                                    17.52
                                                                                               17.32
                                                                                                           17.11
                           18.59
                                                   18.15
                                                                         17.73
       18.90 CFS
                                                            16.29
                                                                                    15.87
                                                                                               15.67
                                                                                                           15.46
                           16.91
                                       16.70
                                                  16.49
                                                                         16.08
                                                                                              13.99
       19.70 CFS
                            15.25
                                       15.04
                                                  14.83
                                                            14.62
                                                                         14.41
                                                                                   14.20
                                                                                                           13.79
       20.50 CFS
                                      13.40 13.22
                            13.59
                                       13.40 13.62 12.10 12.03 12.32 12.24 12.16 12.10 12.03 12.03 11.82 11.77 11.72 11.68 11.64 11.59 11.11.47 11.43 11.39 11.35 11.31 11.27 11.11.16 11.12 11.08 11.01 10.88 10.67 10.3 12.4 8.48 7.65 6.79 5.93 5.11 1.80 1.52 1.28
                                                              13.05
                                                                         12.89
                                                                                    12.75
                                                                                               12.63
                                                                                                           12.51
                                     12.32 12.24
11.82 11.77
       21.30 CFS
22.10 CFS
                            12.41
                                                                                                         11.92
                                                                                                        11.55
      22.90 CFS 11.51
23.70 CFS 11.20 11.16 11.1e
24.50 CFS 9.87 9.24 8.48 7.65
25.30 CFS 3.66 3.05 2.55 2.14 1.80 1.5e
26.10 CFS .90 .76 .64 .53 .45

RUNDFF ABOVE BASEFLOW (BASEFLOW = .00 CFS)
.78 VATERSHED INCHES; 423 CFS-HRS; 34.9 ACRE-FEET.

2 4 6 8 10 12 14 15
19 14 12 11 2 0

VER
                            11.87
                                                                          ----- SCS -
                                                                                                                       VERSION
11/28/**
                                                                                                                     2.04TEST
                                             SUMMARY, JOB NO.
                                                                                                                 PAGE 2
10:45:44
                                                SUMMARY TABLE 1
 SELECTED RESULTS OF STANDARD AND EXECUTIVE CONTROL IN ORDER PERFORMED.
A CHARACTER FOLLOWING THE PEAK DISCHARGE TIME AND RATE (CFS) INDICATES:
F-FLAT TOP HYDROGRAPH T-TRUNCATED HYDROGRAPH R-RISING TRUNCATED HYDROGRAPH
 XSECTION/ STANDARD
                                                                                           PEAK DISCHARGE
                                                     RUNDFF
 STRUCTURE
                     CONTROL
                                       DRAINAGE
                                                                    ELEVATION (HR)
(FT) (HR)
                                                                       ELEVATION TIME RATE
(FT) (HR) (CFS) (
      IB
                   OPERATION
                                         AREA
                                                        AMOUNT
                                                                                                                    RATE
                                         (SQ MI)
                                                                                                                (CSM)
                                                        (IN)
 RAINFALL DF 3.11 Inches AND 24.00 hr DURATION, BEGINS AT RAINTABLE NUMBER 2, ARC 2 MAIN TIME INCREMENT .100 HOURS ALTERNATE 1 STORM 1
                                       .84
 XSECTION 1 RUNOFF
                                                        .78
                                                                                       12.92
                                                                                                       145
                                                                                                                  172.6
                                                        AMER: 11/30/2007
                                                                                               ARVERION HOLE
                                                                                                                         MIT:
          Black Beauty Coal Company
                   EVANSVILLE, INDIANA
                                                        ENGINEER
                                                                          THE CHI
                                                                                 ABN
         TR-20 Hydrograph Model Report
                                                                                              MOTER
        Turman Creek East Branch
        Farmersburg Mine, IDNR #S-287
                                                        enerr s
                                                                    OF 4
```


TR20 SCS - Version 2.04 Hydrograph Model SEP Mitigation Wetland Direct Post-Mine Reclaimed Watershed Runoff Storm Event lyr/24hr, 2.71 Inches MAIN TIME INCREMENT = .100 HOURS EXECUTIVE CONTROL INCREM FROM XSECTION 1 TO XSECTION RAIN DEPTH = 2.71 RAIN EXECUTIVE CONTROL COMPUT RAIN DURATION = 1.00 STARTING TIME = .00 ANT. RUNDFF COND. = 2 MAIN TIME INCREMENT = .100 HOURS ALTERNATE NO. = 1 STORM NO. = 1 RAIN TABLE NO. = 2 XSECTION DPERATION RUNDEF 1 DUTPUT HYDROGRAPH = 6 Runoff AREA = ~240 acres, .38 SQ MI INPUT RUNDFF CURVE = 70. TIME OF CONCENTRATION = 1.00 HOURS COMPUTED INTERNAL TIME INCREMENT = .0923 HOURS PEAK DISCHARGE(CFS) PEAK ELEVATION(FEET) PEAK TIME(HRS) (RUNDEF) 12.60 57.0 ALTERNATE = 1, STORM = 1 HYDROGRAPH POINTS FOR DRAINAGE AREA = .38 SQ.MI. MAIN TIME INCREMENT = .100 hr, HRS 28.93 11.70 CFS .07 .65 3.01 8.39 17.26 40.86 50.12 45.57 55.34 40.25 35.83 12.50 CFS 55.45 56.98 51.18 32.15 13.30 CFS 28.98 26.24 23.93 21.96 20.26 18.79 17.52 16.42 12,54 12.01 11.56 11.15 14.10 CFS 15.46 14.59 13.82 13.14 14.90 CFS 9.68 9.47 9.27 9.08 10.77 10.44 10.15 9.90 7.97 15.70 CFS 8.71 8.52 8.34 8.15 7.80 7.63 8.89 16.50 CFS 7.08 6.97 6.88 6.79 7.32 7.19 6.71 7,47 6.56 6.28 17.30 CFS 6.63 6.49 6.42 6.35 6.21 6.15 5.75 5.68 5.88 5.61 18.10 CFS 6.08 6.01 5,95 5.81 18.90 CFS 5.54 5.48 5.41 5.34 5.27 5.20 5.13 5.05 4.49 19.70 CFS 4.98 4.91 4.84 4.77 4.69 4.62 4.55 20.50 CFS 4.43 4.37 4.32 4.28 4.25 4.22 4.20 4.17 4.05 21.30 CFS 4.16 4.14 4.12 4.11 4.09 4.08 4.06 22.10 CFS 4.02 4.01 3.99 3.98 3.96 3.95 4.04 4.00 22.90 CFS 3.94 3.93 3.91 3.90 3.89 3.88 3.86 3.85 23.70 CFS 3.82 3.79 3.75 3.64 3.45 3.15 3.84 3.81 .91 24.50 CFS 2.77 2.34 1.92 1.52 118 25.30 CFS .43 RUNOFF ABOVE BASEFLOW (BASEFLOW = .00 CFS) .56 WATERSHED INCHES; 135 CFS-HRS; Runoff Volume = 11.2 ACRE-FEET.
N(HRS) 2 4 6 8 10 12 14 DURATION(HRS) 12 14 15 8 5 FLOW(CFS) 6 TR20 ------ 2C**S** -VERSION **2.04TEST** 11/30/****** 10:36:35 SUMMARY, JOB NO. PAGE SUMMARY TABLE 1 SELECTED RESULTS OF STANDARD AND EXECUTIVE CONTROL IN ORDER PERFORMED. A CHARACTER FOLLOWING THE PEAK DISCHARGE TIME AND RATE (CFS) INDICATES:
LAT TOP HYDROGRAPH T-TRUNCATED HYDROGRAPH R-RISING TRUNCATED HYDROGRAPH F-FLAT TOP HYDROGRAPH XSECTION/ STANDARD PEAK DISCHARGE STRUCTURE RUNDFF CONTROL DRAINAGE ELEVATION TIME **OPERATION AREA** AMOUNT RATE RATE (HR) (IM DZ) (IN) (FT) (CFS) (CSM) 2.71 Inches AND 24.00 hr DURATION, BEGINS AT RAINFALL OF .0 hrs. ARC 2 RAINTABLE NUMBER 2, MAIN TIME INCREMENT .100 HDURS ALTERNATE STORM 1 . .38 XSECTION 1 RUNOFF .56 57 150.0 12.60 Black Beauty Coal Company EVANSVILLE, INDIANA





TR-20 Hydrograph Model Report SEP Mitigation Area Watershed Farmersburg Mine, IDNR #S-287

MTE: 11/30/2007	REVISION NO.: ASTER
RESERVED TECH: ABN	4
	NOTES:
	·


```
TR20 SCS - Version 2.04 Hydrograph Model
SEP Mitigation Wetland Direct Post-Mine Reclaimed Watershed
Runoff Storm Event 2yr/24hr; 3.111 Inches
                                     MAIN TIME INCREMENT = .100 HOUR
FROM XSECTION 1 TO XSECTION
RAIN DEPTH = 3.11 RAIN I
EXECUTIVE CONTROL INCREMEXECUTIVE CONTROL COMPUT
                                                                   .100 HOURS
                                                                     RAIN DURATION =
     STARTING TIME = .00
                                        MAIN TIME INCREMENT =
     ANT. RUNOFF COND. = 2
                                                                      .100 HDURS
     ALTERNATE NO. = 1
                                        STORM NO. = 1
                                                                       RAIN TABLE NO. = 2
OPERATION RUNOFF
                         XSECTION
           DUTPUT HYDROGRAPH = 6 Runoff AREA = ~240 acres, 38 SQ MI
INPUT RUNOFF CURVE = 70. TIME OF CONCENTRATION = 1.00 HOURS
COMPUTED INTERNAL TIME INCREMENT = .0923 HOURS
                                       PEAK DISCHARGE(CFS)
                                                                           PEAK ELEVATION(FEET)
     PEAK TIME(HRS)
         12.57
                                                85.5
                                                                                  (RUNDEF)
                                                                              STORM = 1
                          HYDROGRAPH POINTS FOR
                                                         ALTERNATE = 1,
                  MAIN TIME INCREMENT = .100 hr,
                                                              DRAINAGE AREA =
                                                                                       .38 SQ.MI.
      HRS.
     11.70 CFS
                                                          29.66
                                 2.02
                                          6.53
                                                  15.61
                                                                    47.24
                                                                              64.54
                                                                                       77.43
                        .46
     12.50 CFS
                      84.21
                               85.25
                                         81.39
                                                           65.61
                                                                    57.45
                                                                              50.71
                                                                                       45.12
                                                  74.26
     13,30 CFS
                                                                    25.43
                      40.37
                               36.32
                                         32.91
                                                  30.03
                                                           27.56
                                                                              23.64
                                                                                      55.08
                                                                  15.89
                                                                           15.26
     14.10 CFS
                     20.71
                               19.49
                                        18.41
                                                17.45
                                                         16.62
                                                                                   14.69
                                                                                  11.87
     14.90 CFS
                               13.71
                                       13.31
                                                12.98
                                                         12.68
                                                                  12.40
                                                                          12.13
                      14.17
                                                                 12.40 12.13
10.39 10.15
     15.70 CFS
                      11.62
                               11.37
                                       11.12
                                               10.87
                                                        10.63
                                          9.35
     16.50 CFS
                                 9.53
                                                    9.20
                                                             9.05
                                                                      8.93
                       9.72
                                                                                8.81
                                                                                         8.70
     17.30 CFS
                       8.60
                                 8.50
                                                            8.22
                                          8.41
                                                   8.31
                                                                      8.13
                                                                               8.04
                                                                                        7.95
     18.10 CFS
                       7.87
                                 7.78
                                          7.69
                                                   7.60
                                                             7.51
                                                                      7.42
                                                                               7.33
                                                                                         7.24
                       7.15
                                                             6.79
                                                                               6.60
                                                                                         6.51
     18.90 CFS
                                 7.06
                                          6.97
                                                   6.88
                                                                      6.70
     19.70 CFS
                       6.42
                                 6.32
                                          6.23
                                                                      5.95
                                                    6.14
                                                             6.04
                                                                                5.86
                                                                                         5.77
     20.50 CFS
                                 5.62
                                          5.56
                                                    5.51
                       5.69
                                                             5.46
                                                                       5.42
                                                                                5.39
                                                                                          5.36
     21.30 CFS
                       5.34
                                 5.31
                                          5.29
                                                   5.27
                                                             5.25
                                                                      5.23
                                                                                5.21
                                                                                         5.19
     22.10 CFS
                       5.18
                                 5.16
                                                            5.11
                                                                    5.09
                                          5.14
                                                   5.13
                                                                              5.08
                                                                                       5.06
     22.90 CFS
                        5.04
                                 5.03
                                          5.01
                                                   4.99
                                                             4.98
                                                                      4.96
                                                                                4.94
                                                                                         4.93
                        4.91
                                                              4.79
     23.70 CFS
                                 4.89
                                           4.87
                                                    4.85
                                                                       4.66
                                                                                4.41
                                                                                          4.03
     24.50 CFS
                        3.54
                                 3.00
                                          2.45
                                                    1.95
                                                                                .91
                                                             1.52
                                                                      1.17
                                                                                         .70
     25.30 CFS .55 .42
RUNDFF ABOVE BASEFLOV (BASEFLOV =
                                                       .00 CFS>
                                         188 CFS-HRS; Runoff Volume = 15.5 ACRE-FEET
6 8 10 12 14
8 6 5 5 0
             .78 WATERSHED INCHES
     DURATION(HRS)
                        2
                                 4
     FLUW(CFS)
                        21
TR20 ----
                                                                                                SCS
                                                                                               VERSION
11/30/**
                                                                                            2.04TEST
                                   SUMMARY, JOB NO.
10:37:49
                                                                                         PAGE
                                      SUMMARY TABLE 1
     SELECTED RESULTS OF STANDARD AND EXECUTIVE CONTROL IN ORDER PERFORMED.
     A CHARACTER FOLLOWING THE PEAK DISCHARGE TIME AND RATE (CFS) INDICATES:
LAT TOP HYDROGRAPH T-TRUNCATED HYDROGRAPH R-RISING TRUNCATED HYDROGRAPH
 F-FLAT TOP HYDROGRAPH
 XSECTION/ STANDARD
                                                                        PEAK DISCHARGE
 STRUCTURE
                               DRAINAGE
                CONTROL
                                             RUNDFF
               OPERATION
                                 AREA
                                            AMOUNT
                                                        ELEVATION
                                                                       TIME
                                                                                   RATE
                                                                                             RATE
                                 (IM DZ)
                                             (IN)
                                                                                (CFS)
                                                         (FT)
                                                                    (HR)
                                                                                         (CSM)
                   3.11 Inches AND 24.00 hr DURATION, BEGINS AT
DER 2, ARC 2
 RAINFALL OF
                                                                             .0 hrs.
 RAINTABLE NUMBER 2,
 MAIN TIME INCREMENT
                             .100 HOURS
     ALTERNATE
                           STORM
                     1
 XSECTION
               1 RUNDFF
                                  .38
                                             .78
                                                                    12.57
                                                                                   85
                                                                                          223.7
                                            MER: 11/30/2007
        Black Beauty Coal Company
                                                                          REVISION NO.:
                                                                                                DATE:
               EVANSVILLE, INDIANA
                                            EMBINATE:
                                                           TECH:
                                                                 ARN
       TR-20 Hydrograph Model Report
                                                                          HOTES:
       SEP Mitigation Area Watershed
      Farmersburg Mine, IDNR #S-287
                                            SEEST 4
                                                      ar s
```







				572 572	178 1369 1367	
					99-E	
					0++	MIT.
	12.70 Ft FF Section 20.20 any fit Free B STAL Ft SECT.	*	the sale on fit class of the control	!	2° 30 30 30 30 30 30 30 30 30 30 30 30 30	B4 P0.
Three Creek Cast Brach Section 8 Dating Owerst Companies Bright Lauren Companies Bright Libration Prefetted Bright Libration Prefetted	Gurrer Watter Property E. D. F. Gurrer of Vertical Drops Sect. Burrers of Score 2005 Feet B March of Ton 200 Feet B Woodly 17 Feet B		Dermo Ovet East Breez Desires County Company Breeze County County Dermo County Dermo County Witten of Vitted County Marine Count		3+10	roar, ABN
				6	ğ.	######################################
		lyr/Edr Event Comeyance Section		hr Event Conveyance Section	88-&	Black Beauty Coal Company Evansville, inbiana Channel Conveyance Section 8 Turman Creek East Branch Farmersburg Mine, IONR #S-287
		\$ ************************************		Turnan Creek Section B 2yr/24tr Event Conveyance	70 E+60	Black Beauty Coal Company Evansville, INDIANA Channel Conveyance Section Turman Creek East Branch Farmersburg Mine, IDNR #S-
	! ! !	577 573 573 573 585 585	````` <u>`</u>	Turnan 173 878 878	36.9 36.7 36.5 36.5 37.0	



CASE NAME:

Black Beauty Coal Company, LLC

DOCKET NO:

CWA-05-2008-0003

CERTIFICATE OF SERVICE

I hereby certify that today I filed one original Consent Agreement and Final Order in the office of the Regional Hearing Clerk (E-13J), United States Environmental Protection Agency, Region 5, 77 W. Jackson Boulevard, Chicago, IL 60604-3590.

I then caused a copy to be mailed on April 28, 2008 to Respondent:

Attn: Mr. Bryce West Black Beauty Coal Company 7100 Eagle Crest Blvd. Evansville, IN 47715

Dated: April 28, 2008

Melissa Gebien, Enforcement Officer United States Environmental Protection

Agency, WW-16J

77 W. Jackson Boulevard Chicago, IL 60604-3590

(312) 886-6833

MEGIONAL HEARING OLERK
TOO APR 28 IN IN E.