



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 8

1595 Wynkoop Street
DENVER, CO 80202-1129
Phone 800-227-8917
<http://www.epa.gov/region08>

2011 SEP 27 AM 10:51

FILED
EPA REGION VIII
HEARING CLERK

Ref: 8 ENF-W

The Honorable Larry Keller
City of Eagle Butte
P.O. Box 150
Eagle Butte, SD 57625

SEP 27 2011

Re: Closure of Administrative Order
Docket No. SDWA-08-2009-0092
Eagle Butte
Public Water System
PWS ID # SD4600010

Dear Mayor Keller:

This letter is to inform you of the United States Environmental Protection Agency's (EPA) decision to close the Administrative Order, Docket No. SDWA-08-2009-0092, issued to the City of Eagle Butte (the City) on September 29, 2009. The EPA has determined that the City has complied with the requirements of the Order and therefore we will close it at this time.

Please be aware that the City is still required to comply with the National Primary Drinking Water Regulations (drinking water regulations), 40 C.F.R. part 141. Violation of the drinking water regulations may result in a court-imposed injunction and/or penalties.

If you have any questions about this matter, please call Kimberly Pardue Welch at 303-312-6983. Thank you for resolving these issues.

Sincerely,

A handwritten signature in cursive script, appearing to read "Lisa Kahn".

Lisa Kahn, Team Leader
Drinking Water Enforcement Program
Office of Enforcement, Compliance
and Environmental Justice

cc:

Tina Artemis, EPA Regional Hearing Clerk
Mark Mayer, South Dakota Department of Environment and
Natural Resources
Jon Ganje, Utility Manager