UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 1

In the Matter of:)))		Received by EPA Region 1 Hearing Clerk
Stephen Pearson d/b/a)	EPA Docket No.	
Pearson Custom Homes)	TSCA-01-2018-0015	
30 Wayside Avenue)		
Byfield, MA 01922)		
Respondent.)		

FINAL ORDER

On September 28, 2018, the U.S. Environmental Protection Agency, Region 1 ("EPA") filed a Complaint against Stephen Pearson doing business as Pearson Custom Homes ("Respondent"). The Complaint charges Respondent with one violation of Section 409 of the Toxic Substances Control Act (TSCA), 15 U.S.C. § 2689, the Residential Lead-Based Paint Hazard Reduction Act of 1992 ("the Act"), 42 U.S.C. § 4851 et seq., and the federal regulations promulgated thereunder, set forth at 40 C.F.R. Part 745, Subpart E (the "Renovation, Repair and Painting Rule"). The Complaint proposes a total penalty of \$4,667.

EPA's Consolidated Rules of Practice, codified at 40 C.F.R. Part 22, govern this administrative enforcement proceeding. Pursuant to 40 C.F.R. § 22.18(a), a respondent may opt for a quick resolution of an enforcement proceeding at any time by paying the penalty proposed in the complaint. See 40 C.F.R. §§ 22.18(a)(1) and (2). The rules further provide that upon payment in full of the penalty, the Regional Judicial Officer must issue a final order. 40 C.F.R. § 22.18(a)(3).

On May 9, 2019, counsel for EPA filed a Motion to Withdraw EPA's March 12, 2019

Motion for Default Order, and to Request a Final Order Due to Full Penalty Payment. In the May 9,

2019 Motion, EPA counsel notified the undersigned that on April 9, 2019, EPA received a check from Respondent for the amount of the penalty (\$4,667) to resolve the above-captioned matter. Payment by Respondent constituted a waiver of its rights to contest the allegations in the Complaint and to appeal this Final Order. *See* 40 C.F.R. § 22.18(a)(3). In accordance with 40 C.F.R. § 22.18(a)(3), the above-captioned matter is hereby **RESOLVED**.

SO ORDERED THIS	DAY OF	2019.
LeAnn Jensen		
Regional Judicial Officer		