

COMPLIANCE PLAN

FEDERAL LEAD DISCLOSURE RULE PROCEDURE

August 15, 2023



Gillian D. Brown

Executive Director

Buffalo Municipal Housing Authority

300 Perry Street

Buffalo, NY 14204

Table of Contents

Section	Page No.
I. FEDERAL LEAD DISCLOSURE RULE PROCEDURE FOR NEW APPLICANTS	4
II. FEDERAL LEAD DISCLOSURE RULE PROCEDURE FOR CURRENT RESIDENTS.....	6
III. LEASE RENEWALS	6
IV. COMPLIANCE VERIFICATION.....	6
V. RETENTION OF CERTIFICATION AND ACKNOWLEDGEMENT INFORMATION.....	6
VI. APPENDIX I.....	8



Buffalo Municipal Housing Authority

Purpose

The Buffalo Municipal Housing Authority (BMHA) is submitting this document and all attachments hereto in order to facilitate compliance with Title 40 of the Code of Federal Regulations (C.F.R.), Part 745, Subpart F, hereafter referred to as the Federal Lead Disclosure Rule and all applicable state and local laws and regulations.

Applicability

This Plan applies to the lease and lease renewals for BMHA-owned and managed pre-1978 housing portfolio. Currently, the BMHA housing portfolio of residential structures that were constructed prior to 1978 consists of the following locations:

Development Name	Year Open
AD Price Courts	1939
Camden Apartments	1972
Commodore Perry Homes	1940
Commodore Perry Extension	1956
Commodore Perry Extension High-rises	1956
Elmhurst Apartments	1970
Frederick Douglass Tower - 515 Clinton	1959
Ferry Grider Homes	1953
Holling Homes	1970
Jasper Parrish Homes	1953
Kelly Gardens	1967
Kenfield Homes	1937
Kowal Apartments	1966
LB Johnson Apartments	1973
Langfield Homes	1941

LaSalle Courts	1941
Schwab Terrace	1966
FA Sedita Apartments	1972
Shaffer Village	1953
Slater Courts	1971
Stuyvesant Apartments	1920
Marine Drive	1950

Note that in addition to the pre-1978 residential structures and child-occupied facilities, the conversion of any class of property (i.e., commercial, industrial, etc..) constructed prior to 1978 to residential use makes such property subject to the requirements of 40 C.F.R. Part 745 and this Plan.

The Compliance Plan for the Lead Disclosure Rule is not a replacement for compliance with all applicable requirements and there may be additional and different federal, state, and local regulations with which BMHA must comply.

I. FEDERAL LEAD DISCLOSURE RULE PROCEDURE FOR NEW APPLICANTS

1. At time of interview, all applicants will receive a lead paint disclosure form to fill out and return to the Occupancy Department (See attachment 1) English and Spanish version will be provided
2. If the applicant has children between the ages of one and six, lead testing will be recommended and the results are suggested to be provided to the interviewer:
 - a. If the child/children have a lead level between five and fourteen micrograms per deciliter, the child/children will be recommended to be re-tested between one-three (1-3) months. Results may, at the family's discretion, be provided to the interviewer.
 - b. If the child/children have a lead level ranging from 15-44 micrograms per deciliter, the child/children will recommended to be re-tested again within one month of the last test result. Results may, at the family's discretion, be provided to the interviewer.
 - c. If the child/children have a lead level of 45 or higher, the child will be recommended for medical treatment immediately and will be recommended to be re-tested after treatment. After treatment testing results may, at the family's discretion, be

provided to the interviewer. (See attachment 2 from the Department of Health), English and Spanish version will be provided

3. Once the applicant has viewed the unit assigned, the Lessee (applicant) will be given the ***Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards*** form. (See attachment 3) English and Spanish version will be provided:
 - a. *Lead Warning Statement*: “Housing built before 1978 may contain lead-based paint. Lead from paint, paint chips, and dust can pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women. Before renting pre-1978 housing, lessors must disclose the presence of lead-based paint and/or lead-based paint hazards in the dwelling. Lessees must also receive a federally approved pamphlet on lead poisoning prevention.”
 - b. Under *Lessor’s Disclosure* Section (1), of the Lead Disclosure Form, the Lessor (manager) will initial in sub-section (a) if there is known lead-based paint and/or lead-based paint hazards present and an explanation will be given; OR in sub-section (b) if there is no knowledge of lead-based paint and/or lead-based paint hazards in the housing;
 - c. Under Section (2) of the Lead Disclosure Form, the Lessor will either initial in sub-section (a) if the lessor has provided the lessee with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing and list documents below; or in sub-section (b) if Lessor has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing;
 - d. Under *Lessee’s Acknowledgement*, the Lessee will initial in Section (3) if they received records and reports of documents listed in Section (2) (a) and will initial in Section (4) that they received the Protect Your Family from Lead in Your Home pamphlet. All Lessees must be given a copy of the Protect Your Family from Lead in Your Home pamphlet. (see attachment #4) English and Spanish version will be provided;
 - e. Under *Agent Acknowledgement*, the Agent (if applicable and as determined by Executive) will initial in Section (5);
 - f. Under *Certification of Accuracy*, the Head of Household and Co-Head (if applicable) will sign as Lessee and indicate the date of signature; the Lessor will sign as Lessor and indicate the date of signature; and the Agent (if applicable) will sign as Agent and indicate date of signature.
4. The Lessor will notify the Lessee that they have at least 24 hours in which to refuse the unit due to the possible presence of lead-based paint

5. If the Lessee refuses the unit due to this, the lessee will be given the opportunity to choose a different development and wait for an available unit

II. FEDERAL LEAD DISCLOSURE RULE PROCEDURE FOR CURRENT RESIDENTS

If a resident informs the Housing Authority that their child/children have recently tested positive for a lead level of five micrograms per deciliter or higher, the Manager of the property will immediately inform their Assistant Superintendent of Maintenance to contact Capital Improvements to schedule lead testing in the unit:

1. If high levels of lead are found in the unit, appropriate action will be taken by the Housing Authority to alleviate the hazard; either through abatement or emergency transfer to another unit;
2. If a transfer request is needed the Manager will submit an Emergency/Maintenance transfer, which must include all documentation of testing to the Asset Manager supervising the Housing Assistance Department. A ready unit (or next available unit) will be offered to the tenant within 48 hours of receipt of the transfer request;
3. If any new information becomes available regarding the presence of lead-based paint and/or lead-based paint hazards, this information will be disclosed to the current resident as soon as possible or no later than the next renewal.

III. LEASE RENEWALS

BMHA must comply with the Lead Disclosure Rule during the lease renewal process where new information has come into the possession of the BMHA and where BMHA has not previously disclosed all required information to the lessee. This includes all requirements outlined in Sections I and II above and Section IV below. An exception is the renewal of a lease where the BMHA has previously disclosed all required information and where no new information has come into the possession of the lessor.

IV. COMPLIANCE VERIFICATION


The Manager of BMHA who executes each new or renewal lease contract shall complete the form titled Leasing Compliance Checklist presented in Appendix I for each new lease or renewal subject to the Lead Disclosure Rule. A copy of the completed checklist shall be retained in the BMHA Property Management office for at least three (3) years following the effective date of the lease contract.

V. RETENTION OF CERTIFICATION AND ACKNOWLEDGEMENT INFORMATION

BMHA shall include the form titled Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards (see attachment 3) as an attachment to any lease contract. A copy of the completed

attachment or lease contract containing the attachment shall be retained in the Property Management Office for at least three (3) years following the start date of the leasing period.

Approved by:



Gillian D. Brown, Executive Director

9/21/2023

Date

VI. APPENDIX I
Leasing Compliance Checklist



Buffalo Municipal Housing Authority

Leasing Compliance Checklist

TENANT NAME: _____

ADDRESS: _____

UNIT #: _____

MOVE IN DATE: _____

T #: _____

ITEMS TO BE ATTACHED TO INSIDE LEFT COVER OF FOLDER:

	<u>STAFF INITIALS</u>	<u>COMMENTS:</u>
WAITLIST SELECTION LTR. FROM ORIG. APP.	_____	_____
CITIZENSHIP VERIFIED (FORM 214)	_____	_____
ONE FOR EACH HOUSEHOLD MEMBER		
SOCIAL SECURITY CARDS	_____	_____
BIRTH CERTIFICATES	_____	_____
CRIMINAL HISTORY CHECK (FORM C-1)	_____	_____
HUD FORM 52675 (DEBTS OWED)	_____	_____
HUD FORM 91067 (VAWA)	_____	_____
LEAD BASED PAINT DISCLOSURE	_____	_____
INITIALED & DATED BY RESIDENT		
EPA/HUD LEAD DISCLOSURE RULE -		
<i>LEASING COMPLIANCE CHECKLIST</i>	_____	_____
W-9/SECURITY AGREEMENT	_____	_____
SECURITY DEPOSIT RECEIPT	_____	_____
ACKNOWLEDGEMENT FORM	_____	_____
BMHA EMERGENCY CONTACT/MEDICAL DEVICES	_____	_____
HUD FORM 9886 (RELEASE OF INFO.)	_____	_____

ITEMS NEEDED TO COMPLETE LEASING:

INCOME VERIFIED	_____	_____
MOVE IN INSPECTION DONE	_____	_____
FSS ADDENDUM/ESCROW (IF APPLICABLE)	_____	_____
UTILITY ALLOWANCE VERIFIED (IF APPLICABLE)	_____	_____
CHOICE OF RENT LETTER SIGNED	_____	_____
SECURITY DEPOSIT/AGREEMENT RECEIVED	_____	_____
LEASE SIGNED BY TENANT & MANAGER	_____	_____
KEYS/KEY FOB ISSUED	_____	_____
PARKING PERMIT ISSUED (IF APPLICABLE)	_____	_____
YARDI INPUT AND HUD 50058 COMPLETE	_____	_____
ROL, W-9 AND RENT PAYMENT SENT TO CASHIER	_____	_____

ADDITIONAL COMMENTS:

BMHA Representative: _____ Date: _____



Buffalo Municipal Housing Authority

EPA/HUD LEAD DISCLOSURE RULE LEASING COMPLIANCE CHECKLIST

Buffalo Municipal Housing Authority Development: _____

Dwelling Unit Address: _____

Lease Start Date: _____

Buffalo Municipal Housing Authority Authorized Representative

1. I understand that I am obligated to comply with Buffalo Municipal Housing Authority's (BMHA) Lead Disclosure Rule Procedure (also known as Federal Lead Disclosure Rule Compliance Plan).

Initial: _____ Date: _____

2. All available records and reports relating to lead-based paint and/or lead-based paint hazards in the housing were provided to the lessee.

Date

provided: _____ Initial: _____

Not Applicable: _____

Note: _____

3. I have provided the pamphlet titled Protect Your Family from Lead in Your Home to the lessee.

Date provided: _____ Initial: _____ Not

Applicable: _____ Note: (English or Spanish version) _____

4. The lessee was provided with BMHA's Lead Disclosure Form, which was filled out accurately, to the best of my knowledge and belief, and signed by an authorized representative of BMHA.

Date provided: _____ Initial: _____ Not Applicable: _____

5. A copy of the BMHA Lead Disclosure Form has been filed in the SHA Property Management Office.

Date provided: _____ Initial: _____ Not

Applicable: _____

Note: _____



Buffalo Municipal Housing Authority

EPA/HUD LEAD DISCLOSURE RULE LEASING COMPLIANCE CHECKLIST

6. I understand that the Lead Disclosure Form must be retained in the Property Management Office for at least three (3) years from the start of the lease period. A copy of the BMHA Lead Disclosure Form has been filed in the BMHA Property Management Office.

Date provided: _____ Initial: _____ Not Applicable:

Note: _____

7. **For Lease Renewals Only:** BMHA has complied with the Lead Disclosure Rule during the lease renewal process and has provided all new information, if applicable, that has come into the possession of BMHA that was not previously disclosed to the lessee.

Date provided: _____ Initial: _____ Not Applicable:

Note: _____

Certification

I certify under penalty of law that the information provided above is true and accurate to the best of my knowledge and belief.

Name: _____

BMHA Authorized Representative

Signature: _____

Date: _____



Buffalo Municipal Housing Authority

300 Perry Street • Buffalo • New York • 14204-2299

Gillian D. Brown, Esq.
Executive Director

Modesto Candelario
Assistant Executive Director

Roslyn L. McLin, Esq.
General Counsel

LEAD PAINT DISCLOSURE FORM PLEASE PROVIDE A COPY OF YOUR CHILD'S CURRENT LEAD RESULTS WITH THIS FORM

Date: _____

Applicant Name: _____

Dear Applicant:

The Buffalo Municipal Housing Authority requests that all parents and guardians of children under 6 years of age have their children tested for lead poisoning.

Please provide a copy of your child's CURRENT results of the LEAD TEST.

Have your children been tested for lead poisoning? Yes ☐ No ☐

If you answered no, please schedule an appointment with your child's pediatrician to schedule a lead test. All children under 6 years of age must be tested for lead poisoning. **Please provide the current results of the test to us.**

List the names of the children tested:

Age of Child:

Signature _____

Date _____

(Parent or Guardian)

REVISED 5/2023

Office: 716.855.6711 • Fax: 716.855.6761 • TDD: 716.855.6725





Buffalo Municipal Housing Authority

300 Perry Street • Buffalo • New York • 14204-2299

Gillian D. Brown, Esq.
Executive Director

Modesto Candelario
Assistant Executive Director

Roslyn L. McLin, Esq.
General Counsel

FORMULARIO DE DIVULGACIÓN DE PINTURA CON PLOMO PROPORCIONE UNA COPIA DE LOS RESULTADOS ACTUALES DE PLOMO DE SU HIJO CON ESTE FORMULARIO

Fecha: _____

Nombre del solicitante: _____

Estimado Solicitante:

La Buffalo Municipal Housing Authority solicita que todos los padres y tutores de niños menores de 6 años hagan que sus hijos sean examinados para detectar envenenamiento por plomo. **Favor de proveer una copia de los resultados ACTUALES de la PRUEBA DE PLOMO de su hijo(a).**

¿Sus hijos han sido examinados para detectar envenenamiento por plomo? Sí ☐ No ☐

Si respondió que no, favor de programar una cita con el pediatra de su hijo(a) para una prueba de detección de plomo. Todos los niños menores de 6 años deben someterse a una prueba de envenenamiento por plomo. **Por favor, proporciónenos los resultados actuales de la prueba.**

Enumerar los nombres de los niños examinados:

Edad del Hijo:

Firma _____

Fecha _____

(Padre o Tutor)

REVISED 5/2023

Office: 716.855.6711 • Fax: 716.855.6761 • TDD: 716.855.6725



What Your Child's Blood Lead Test Means

The blood lead test tells you how much lead is in your child's blood. Lead can harm a child's growth, behavior, and ability to learn. The lower the test result, the better.

Most lead poisoning occurs when children lick, swallow, or breathe in dust from old lead paint. Most homes built before 1978 have old lead paint, often under newer paint. If paint peels, cracks, or is worn down, the chips and dust from the old lead paint can spread onto floors, windowsills, and all around your home. Lead paint dust can then get onto children's hands and toys, and into their mouths.

Most children have had some contact with lead in old paint, soil, plumbing, or another source. This is why New York State requires doctors to test all children with a blood lead test at age 1 year and again at age 2 years. For children up to age six years, your doctor or nurse should ask you at every well child visit about ways your child may have had contact with lead. Children who have had contact with lead should be tested.

A test result of 5 µg/dL or greater, using blood from a fingertip, should be checked again with a second test using blood taken from a vein (often in the arm). If the second result is still 5 µg/dL or greater, you should follow the steps below.

Test Result in micrograms per deciliter (µg/dL)	Next Steps
0-4	• There is very little lead in your child's blood. • The average lead test result for young children is about 1.4 micrograms per deciliter (µg/dL).
5-14	• Your child's lead level is high. A result of 5 µg/dL or higher requires action. • Your doctor or nurse will talk with you about your child's diet, growth and development, and possible sources of lead. • Your local health department will talk with you about how to protect your child and will visit your home to help you find sources of lead. • Your child should be tested again in 1 to 3 months.
15-44	• Your child's lead level is quite high. You and your doctor should act quickly. • Your doctor or nurse will talk with you about your child's diet, growth and development, and possible sources of lead. • Your local health department will talk with you about how to protect your child and will visit your home to help you find sources of lead. • Your child should be tested again in 1 month or sooner depending on the blood lead level and your doctor's guidance.
45 or higher	• Your child needs medical treatment right away. • Your doctor or local health department will call you as soon as they get the test result. • Your child might have to stay in a hospital, especially if your home has lead. • Your local health department will visit your home to help you find sources of lead. • Your child should not go back home until the lead sources are removed or fixed. • Your child needs to be tested again after treatment.

Child's Name: _____ Test Result: _____ µg/dL Date: _____

If the test result is not written here, ask your doctor or nurse for it, write it down, and save for your records.

For all test results, follow the advice on the other side to keep your child's lead level from rising.

How to Protect Your Child From Lead Poisoning

Fix peeling lead paint and make home repairs safely.



- Keep children away from peeling or chipped paint.
- Before making repairs in a home built before 1978, call your local health department to learn how to work safely and keep dust levels down.
- Children and pregnant women should stay away from repairs that disturb old paint, such as sanding and scraping. They should stay away until the area is cleaned using wet cleaning methods and a HEPA vacuum (not dry sweeping).

Wash dust off hands, toys, bottles, windows, and floors.



- Wash your child's hands and face after play, before meals, and before bed.
- Wash toys, stuffed animals, pacifiers and bottles with soap and water often.
- Mop floors often, and use damp paper towels to clean window wells and sills.

Be careful not to bring lead home on clothes, toys, or jewelry.



- Lead is in some children's jewelry, toys, keys, and old furniture. Sign up for children's product recall alerts at www.cpsc.gov/cpsclist.aspx.
- Some jobs and hobbies can involve contact with lead. These include: painting, plumbing, construction, car repair, working with firearms, stained glass, and pottery. To lower lead dust, change work clothes before going home; take shoes off at your door; wash work or hobby clothes separately; wash face, hands and uncovered skin before going home.

Keep lead out of your food and tap water.



- Let tap water run for one minute before using it, if it hasn't been run for a few hours. Town and well water could have lead from old plumbing.
- Only use cold tap water for drinking, cooking, and making baby formula. Boiling your water does not get rid of lead.
- Don't serve or store food in pewter, crystal, or cracked pottery.
- Call your health department, or visit the website below, to see which dishes, spices, candy, cosmetics, and health remedies have been found to have lead.

Serve foods that have calcium, iron, and vitamin C.



- These foods help keep lead from being stored in your child's body.
- Foods with calcium: milk, cheese, yogurt, tofu, and green vegetables.
 - Foods with iron: beans, lean meat, fortified cereal, and peanut butter.
 - Foods with vitamin C: oranges, grapefruit, tomatoes, and green peppers.

Find out more about lead.
www.health.ny.gov/lead

Talk with your child's health care provider.

Call your local health department. Find them at
[www.health.ny.gov/environmental/lead/exposure/childhood/
program_contact_map.htm](http://www.health.ny.gov/environmental/lead/exposure/childhood/program_contact_map.htm)



Buffalo Municipal Housing Authority
300 Perry Street : Buffalo, New York 14204

DISCLOSURE OF INFORMATION ON LEAD-BASED PAINT AND/OR LEAD-BASED PAINT HAZARDS

◆ Lead Warning Statement

Housing built before 1978 may contain lead-based paint. Lead from paint, paint chips, and dust can pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women. Before renting pre-1978 housing, lessors must disclose the presence of lead-based paint and/or lead-based paint hazards in the dwelling. Lessees must also receive a federally approved pamphlet on lead poisoning prevention.

Lessor's Disclosure

- 1) Presence of lead-based paint and/or lead-paint hazards (check (i) or (ii) below):
 - a) _____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

 - b) _____ Lessor has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.
- 2) Records and report available to the lessor (check (i) or (ii) below):
 - a) _____ Lessor has provided the lessee with all available records and reports pertaining to lead-based paint and/or paint hazards in the housing (list documents below).

 - b) _____ Lessor has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Lessee's Acknowledgment (initial)

- 3) _____ Lessee has received copies of all information listed above.
- 4) _____ Lessee has received the pamphlet *Protect Your Family from Lead in Your Home*.

Agent's Acknowledgment (initial)

- 5) _____ Agent has informed the lessor of the lessor's obligations under 42 U.S.C. 4852d and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information about and certify, to the best of their knowledge, that the information they have provided is true and accurate.

_____ Lessor	_____ Date	_____ Lessor	_____ Date
_____ Lessee	_____ Date	_____ Lessee	_____ Date
_____ Agent	_____ Date	_____ Agent	_____ Date

DIVULGACIÓN DE INFORMACIÓN SOBRE PINTURA A BASE DE PLOMO Y/O PELIGROS DE PINTURA A BASE DE PLOMO

Declaración de advertencia sobre el plomo

i Las viviendas construidas antes de 1978 pueden contener pintura a base de plomo. El plomo de la pintura, los desconchones de pintura y el polvo pueden representar riesgos para la salud si no se manejan adecuadamente. La exposición al plomo es especialmente dañina para los niños pequeños y las mujeres embarazadas. Antes de alquilar viviendas anteriores a 1978, los arrendadores deben revelar la presencia de pintura a base de plomo conocida y/o riesgos de pintura a base de plomo en la vivienda. Los arrendatarios también deben recibir un folleto aprobado a nivel federal sobre la prevención del envenenamiento por plomo.

Divulgación del arrendador

- a) Presencia de pintura a base de plomo y/o peligros de pintura con plomo (marque (i) o (ii) a continuación):
- i) _____ Pintura a base de plomo conocida y/o peligros de pintura a base de plomo presentes en la vivienda.
(explicar):

- ii) _____ El arrendador no tiene conocimiento de la pintura a base de plomo ni de los peligros de la pintura a base de plomo en la vivienda.
- b) Registros e informe disponibles para el arrendador (marque (i) o (ii) a continuación):
- i) _____ El arrendador ha proporcionado al arrendatario todos los registros e informes disponibles relacionados con la pintura a base de plomo y/o los peligros de la pintura en la vivienda (enumere los documentos a continuación).

- ii) _____ El arrendador no tiene informes ni registros relacionados con la pintura a base de plomo y/o los peligros de la pintura a base de plomo en la vivienda.

Reconocimiento del arrendatario (inicial)

- c) _____ El arrendatario ha recibido copias de toda la información mencionada anteriormente.
- d) _____ Arrendatario ha recibido el folleto Proteja a su familia del plomo en su hogar.

Acuse de recibo del agente (inicial)

- e) _____ El agente ha informado al arrendador sobre sus obligaciones según 42 U.S.C. 4852d y es consciente de su responsabilidad de garantizar el cumplimiento.

Certificación de Precisión

Las siguientes partes han revisado la información y certifican, a su leal saber y entender, que la información que han proporcionado es verdadera y precisa.

Arrendador	Fecha	Arrendador	Fecha
Arrendatario	Fecha	Arrendatario	Fecha
Agente	Fecha	Agente	Fecha

IMPORTANT!

Lead From Paint, Dust, and Soil in and Around Your Home Can Be Dangerous if Not Managed Properly

- Children under 6 years old are most at risk for lead poisoning in your home.
- Lead exposure can harm young children and babies even before they are born.
- Homes, schools, and child care facilities built before 1978 are likely to contain lead-based paint.
- Even children who seem healthy may have dangerous levels of lead in their bodies.
- Disturbing surfaces with lead-based paint or removing lead-based paint improperly can increase the danger to your family.
- People can get lead into their bodies by breathing or swallowing lead dust, or by eating soil or paint chips containing lead.
- People have many options for reducing lead hazards. Generally, lead-based paint that is in good condition is not a hazard (see page 10).



Protect Your Family From Lead in Your Home



United States
Environmental
Protection Agency



United States
Consumer Product
Safety Commission



United States
Department of Housing
and Urban Development

Are You Planning to Buy or Rent a Home Built Before 1978?

Did you know that many homes built before 1978 have **lead-based paint**? Lead from paint, chips, and dust can pose serious health hazards.

Read this entire brochure to learn:

- How lead gets into the body
- How lead affects health
- What you can do to protect your family
- Where to go for more information

Before renting or buying a pre-1978 home or apartment, federal law requires:

- Sellers must disclose known information on lead-based paint or lead-based paint hazards before selling a house.
- Real estate sales contracts must include a specific warning statement about lead-based paint. Buyers have up to 10 days to check for lead.
- Landlords must disclose known information on lead-based paint or lead-based paint hazards before leases take effect. Leases must include a specific warning statement about lead-based paint.

If undertaking renovations, repairs, or painting (RRP) projects in your pre-1978 home or apartment:

- Read EPA's pamphlet, *The Lead-Safe Certified Guide to Renovate Right*, to learn about the lead-safe work practices that contractors are required to follow when working in your home (see page 12).



Consumer Product Safety Commission (CPSC)

The CPSC protects the public against unreasonable risk of injury from consumer products through education, safety standards activities, and enforcement. Contact CPSC for further information regarding consumer product safety and regulations.

CPSC

4330 East West Highway
Bethesda, MD 20814-4421
1-800-638-2772
cpsc.gov or saferproducts.gov

U. S. Department of Housing and Urban Development (HUD)

HUD's mission is to create strong, sustainable, inclusive communities and quality affordable homes for all. Contact Office of Lead Hazard Control and Healthy Homes for further information regarding the Lead Safe Housing Rule, which protects families in pre-1978 assisted housing, and for the lead hazard control and research grant programs.

HUD

451 Seventh Street, SW, Room 8236
Washington, DC 20410-3000
(202) 402-7698
hud.gov/lead

This document is in the public domain. It may be produced by an individual or organization without permission. Information provided in this booklet is based upon current scientific and technical understanding of the issues presented and is reflective of the jurisdictional boundaries established by the statutes governing the co-authoring agencies. Following the advice given will not necessarily provide complete protection in all situations or against all health hazards that can be caused by lead exposure.

U. S. EPA Washington DC 20460
U. S. CPSC Bethesda MD 20814
U. S. HUD Washington DC 20410

EPA-747-K-12-001
March 2021

U. S. Environmental Protection Agency (EPA) Regional Offices

The mission of EPA is to protect human health and the environment. Your Regional EPA Office can provide further information regarding regulations and lead protection programs.

Region 1 (Connecticut, Massachusetts, Maine, New Hampshire, Rhode Island, Vermont)

Regional Lead Contact
U.S. EPA Region 1
5 Post Office Square, Suite 100, OES 05-4
Boston, MA 02109-3912
(888) 372-7341

Region 2 (New Jersey, New York, Puerto Rico, Virgin Islands)

Regional Lead Contact
U.S. EPA Region 2
2890 Woodbridge Avenue
Building 205, Mail Stop 225
Edison, NJ 08837-3679
(732) 906-6809

Region 3 (Delaware, Maryland, Pennsylvania, Virginia, DC, West Virginia)

Regional Lead Contact
U.S. EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
(215) 814-2088

Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee)

Regional Lead Contact
U.S. EPA Region 4
AFC Tower, 12th Floor, Air, Pesticides & Toxics
61 Forsyth Street, SW
Atlanta, GA 30303
(404) 562-8998

Region 5 (Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin)

Regional Lead Contact
U.S. EPA Region 5 (LL-17J)
77 West Jackson Boulevard
Chicago, IL 60604-3666
(312) 353-3808

Region 6 (Arkansas, Louisiana, New Mexico, Oklahoma, Texas, and 66 Tribes)

Regional Lead Contact
U.S. EPA Region 6
1445 Ross Avenue, 12th Floor
Dallas, TX 75202-2733
(214) 665-2704

Region 7 (Iowa, Kansas, Missouri, Nebraska)

Regional Lead Contact
U.S. EPA Region 7
11201 Renner Blvd.
Lenexa, KS 66219
(800) 223-0425

Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming)

Regional Lead Contact
U.S. EPA Region 8
1595 Wynkoop St.
Denver, CO 80202
(303) 312-6966

Region 9 (Arizona, California, Hawaii, Nevada)

Regional Lead Contact
U.S. EPA Region 9 (CMD-4-2)
75 Hawthorne Street
San Francisco, CA 94105
(415) 947-4280

Region 10 (Alaska, Idaho, Oregon, Washington)

Regional Lead Contact
U.S. EPA Region 10 (20-C04)
Air and Toxics Enforcement Section
1200 Sixth Avenue, Suite 155
Seattle, WA 98101
(206) 553-1200

Simple Steps to Protect Your Family from Lead Hazards

If you think your home has lead-based paint:

- Don't try to remove lead-based paint yourself.
- Always keep painted surfaces in good condition to minimize deterioration.
- Get your home checked for lead hazards. Find a certified inspector or risk assessor at [epa.gov/lead](https://www.epa.gov/lead).
- Talk to your landlord about fixing surfaces with peeling or chipping paint.
- Regularly clean floors, window sills, and other surfaces.
- Take precautions to avoid exposure to lead dust when remodeling.
- When renovating, repairing, or painting, hire only EPA- or state-approved Lead-Safe certified renovation firms.
- Before buying, renting, or renovating your home, have it checked for lead-based paint.
- Consult your health care provider about testing your children for lead. Your pediatrician can check for lead with a simple blood test.
- Wash children's hands, bottles, pacifiers, and toys often.
- Make sure children eat healthy, low-fat foods high in iron, calcium, and vitamin C.
- Remove shoes or wipe soil off shoes before entering your house.

Lead Gets into the Body in Many Ways

Adults and children can get lead into their bodies if they:

- Breathe in lead dust (especially during activities such as renovations, repairs, or painting that disturb painted surfaces).
- Swallow lead dust that has settled on food, food preparation surfaces, and other places.
- Eat paint chips or soil that contains lead.

Lead is especially dangerous to children under the age of 6.

- At this age, children's brains and nervous systems are more sensitive to the damaging effects of lead.
- Children's growing bodies absorb more lead.
- Babies and young children often put their hands and other objects in their mouths. These objects can have lead dust on them.



Women of childbearing age should know that lead is dangerous to a developing fetus.

- Women with a high lead level in their system before or during pregnancy risk exposing the fetus to lead through the placenta during fetal development.

For More Information

The National Lead Information Center

Learn how to protect children from lead poisoning and get other information about lead hazards on the Web at epa.gov/lead and hud.gov/lead, or call **1-800-424-LEAD (5323)**.

EPA's Safe Drinking Water Hotline

For information about lead in drinking water, call **1-800-426-4791**, or visit epa.gov/safewater for information about lead in drinking water.

Consumer Product Safety Commission (CPSC) Hotline

For information on lead in toys and other consumer products, or to report an unsafe consumer product or a product-related injury, call **1-800-638-2772**, or visit CPSC's website at cpsc.gov or saferproducts.gov.

State and Local Health and Environmental Agencies

Some states, tribes, and cities have their own rules related to lead-based paint. Check with your local agency to see which laws apply to you. Most agencies can also provide information on finding a lead abatement firm in your area, and on possible sources of financial aid for reducing lead hazards. Receive up-to-date address and phone information for your state or local contacts on the Web at epa.gov/lead, or contact the National Lead Information Center at **1-800-424-LEAD**.

Hearing- or speech-challenged individuals may access any of the phone numbers in this brochure through TTY by calling the toll-free Federal Relay Service at **1-800-877-8339**.

Other Sources of Lead, continued

- **Lead smelters** or other industries that release lead into the air.
- **Your job.** If you work with lead, you could bring it home on your body or clothes. Shower and change clothes before coming home. Launder your work clothes separately from the rest of your family's clothes.
- **Hobbies** that use lead, such as making pottery or stained glass, or refinishing furniture. Call your local health department for information about hobbies that may use lead.
- Old **toys** and **furniture** may have been painted with lead-containing paint. Older toys and other children's products may have parts that contain lead.⁴
- Food and liquids cooked or stored in **lead crystal** or **lead-glazed pottery or porcelain** may contain lead.
- Folk remedies, such as **"greta"** and **"azarcon,"** used to treat an upset stomach.


⁴ In 1978, the federal government banned toys, other children's products, and furniture with lead-containing paint. In 2008, the federal government banned lead in most children's products. The federal government currently bans lead in excess of 100 ppm by weight in most children's products.

Health Effects of Lead

Lead affects the body in many ways. It is important to know that even exposure to low levels of lead can severely harm children.

In children, exposure to lead can cause:

- Nervous system and kidney damage
- Learning disabilities, attention-deficit disorder, and decreased intelligence
- Speech, language, and behavior problems
- Poor muscle coordination
- Decreased muscle and bone growth
- Hearing damage



While low-lead exposure is most common, exposure to high amounts of lead can have devastating effects on children, including seizures, unconsciousness, and in some cases, death.

Although children are especially susceptible to lead exposure, lead can be dangerous for adults, too.

In adults, exposure to lead can cause:

- Harm to a developing fetus
- Increased chance of high blood pressure during pregnancy
- Fertility problems (in men and women)
- High blood pressure
- Digestive problems
- Nerve disorders
- Memory and concentration problems
- Muscle and joint pain

Check Your Family for Lead

Get your children and home tested if you think your home has lead.

Children's blood lead levels tend to increase rapidly from 6 to 12 months of age, and tend to peak at 18 to 24 months of age.

Consult your doctor for advice on testing your children. A simple blood test can detect lead. Blood lead tests are usually recommended for:

- Children at ages 1 and 2
- Children or other family members who have been exposed to high levels of lead
- Children who should be tested under your state or local health screening plan

Your doctor can explain what the test results mean and if more testing will be needed.

Other Sources of Lead

Lead in Drinking Water

The most common sources of lead in drinking water are lead pipes, faucets, and fixtures.

Lead pipes are more likely to be found in older cities and homes built before 1986.

You can't smell or taste lead in drinking water.

To find out for certain if you have lead in drinking water, have your water tested.

Remember older homes with a private well can also have plumbing materials that contain lead.

Important Steps You Can Take to Reduce Lead in Drinking Water

- Use only cold water for drinking, cooking and making baby formula. Remember, boiling water does not remove lead from water.
- Before drinking, flush your home's pipes by running the tap, taking a shower, doing laundry, or doing a load of dishes.
- Regularly clean your faucet's screen (also known as an aerator).
- If you use a filter certified to remove lead, don't forget to read the directions to learn when to change the cartridge. Using a filter after it has expired can make it less effective at removing lead.

Contact your water company to determine if the pipe that connects your home to the water main (called a service line) is made from lead. Your area's water company can also provide information about the lead levels in your system's drinking water.

For more information about lead in drinking water, please contact EPA's Safe Drinking Water Hotline at 1-800-426-4791. If you have other questions about lead poisoning prevention, call 1-800 424-LEAD.*

Call your local health department or water company to find out about testing your water, or visit epa.gov/safewater for EPA's lead in drinking water information. Some states or utilities offer programs to pay for water testing for residents. Contact your state or local water company to learn more.

* Hearing- or speech-challenged individuals may access this number through TTY by calling the Federal Relay Service at 1-800-877-8339.

Renovating, Repairing or Painting a Home with Lead-Based Paint

If you hire a contractor to conduct renovation, repair, or painting (RRP) projects in your pre-1978 home or childcare facility (such as pre-school and kindergarten), your contractor must:

- Be a Lead-Safe Certified firm approved by EPA or an EPA-authorized state program
- Use qualified trained individuals (Lead-Safe Certified renovators) who follow specific lead-safe work practices to prevent lead contamination
- Provide a copy of EPA's lead hazard information document, *The Lead-Safe Certified Guide to Renovate Right*



RRP contractors working in pre-1978 homes and childcare facilities must follow lead-safe work practices that:

- **Contain the work area.** The area must be contained so that dust and debris do not escape from the work area. Warning signs must be put up, and plastic or other impermeable material and tape must be used.
- **Avoid renovation methods that generate large amounts of lead-contaminated dust.** Some methods generate so much lead-contaminated dust that their use is prohibited. They are:
 - Open-flame burning or torching
 - Sanding, grinding, planing, needle gunning, or blasting with power tools and equipment not equipped with a shroud and HEPA vacuum attachment
 - Using a heat gun at temperatures greater than 1100°F
- **Clean up thoroughly.** The work area should be cleaned up daily. When all the work is done, the area must be cleaned up using special cleaning methods.
- **Dispose of waste properly.** Collect and seal waste in a heavy duty bag or sheeting. When transported, ensure that waste is contained to prevent release of dust and debris.

To learn more about EPA's requirements for RRP projects, visit epa.gov/getleadsafe, or read *The Lead-Safe Certified Guide to Renovate Right*.

Where Lead-Based Paint Is Found

In general, the older your home or childcare facility, the more likely it has lead-based paint.¹

Many homes, including private, federally-assisted, federally-owned housing, and childcare facilities built before 1978 have lead-based paint. In 1978, the federal government banned consumer uses of lead-containing paint.²

Learn how to determine if paint is lead-based paint on page 7.

Lead can be found:

- In homes and childcare facilities in the city, country, or suburbs,
- In private and public single-family homes and apartments,
- On surfaces inside and outside of the house, and
- In soil around a home. (Soil can pick up lead from exterior paint or other sources, such as past use of leaded gas in cars.)

Learn more about where lead is found at epa.gov/lead.

¹ "Lead-based paint" is currently defined by the federal government as paint with lead levels greater than or equal to 1.0 milligram per square centimeter (mg/cm²), or more than 0.5% by weight.

² "Lead-containing paint" is currently defined by the federal government as lead in new dried paint in excess of 90 parts per million (ppm) by weight.

Identifying Lead-Based Paint and Lead-Based Paint Hazards

Deteriorated lead-based paint (peeling, chipping, chalking, cracking, or damaged paint) is a hazard and needs immediate attention. **Lead-based paint** may also be a hazard when found on surfaces that children can chew or that get a lot of wear and tear, such as:

- On windows and window sills
- Doors and door frames
- Stairs, railings, banisters, and porches

Lead-based paint is usually not a hazard if it is in good condition and if it is not on an impact or friction surface like a window.

Lead dust can form when lead-based paint is scraped, sanded, or heated. Lead dust also forms when painted surfaces containing lead bump or rub together. Lead paint chips and dust can get on surfaces and objects that people touch. Settled lead dust can reenter the air when the home is vacuumed or swept, or when people walk through it. EPA currently defines the following levels of lead in dust as hazardous:

- 10 micrograms per square foot ($\mu\text{g}/\text{ft}^2$) and higher for floors, including carpeted floors
- 100 $\mu\text{g}/\text{ft}^2$ and higher for interior window sills

Lead in soil can be a hazard when children play in bare soil or when people bring soil into the house on their shoes. EPA currently defines the following levels of lead in soil as hazardous:

- 400 parts per million (ppm) and higher in play areas of bare soil
- 1,200 ppm (average) and higher in bare soil in the remainder of the yard

Remember, lead from paint chips—which you can see—and lead dust—which you may not be able to see—both can be hazards.

The only way to find out if paint, dust, or soil lead hazards exist is to test for them. The next page describes how to do this.

Reducing Lead Hazards, continued

If your home has had lead abatement work done or if the housing is receiving federal assistance, once the work is completed, dust cleanup activities must be conducted until clearance testing indicates that lead dust levels are below the following levels:

- 10 micrograms per square foot ($\mu\text{g}/\text{ft}^2$) for floors, including carpeted floors
- 100 $\mu\text{g}/\text{ft}^2$ for interior windows sills
- 400 $\mu\text{g}/\text{ft}^2$ for window troughs

Abatements are designed to permanently eliminate lead-based paint hazards. However, lead dust can be reintroduced into an abated area.

- Use a HEPA vacuum on all furniture and other items returned to the area, to reduce the potential for reintroducing lead dust.
- Regularly clean floors, window sills, troughs, and other hard surfaces with a damp cloth or sponge and a general all-purpose cleaner.

Please see page 9 for more information on steps you can take to protect your home after the abatement. For help in locating certified lead abatement professionals in your area, call your state or local agency (see pages 15 and 16), epa.gov/lead, or call 1-800-424-LEAD.

Reducing Lead Hazards

Disturbing lead-based paint or removing lead improperly can increase the hazard to your family by spreading even more lead dust around the house.

- In addition to day-to-day cleaning and good nutrition, you can **temporarily** reduce lead-based paint hazards by taking actions, such as repairing damaged painted surfaces and planting grass to cover lead-contaminated soil. These actions are not permanent solutions and will need ongoing attention.
- You can minimize exposure to lead when renovating, repairing, or painting by hiring an EPA- or state-certified renovator who is trained in the use of lead-safe work practices. If you are a do-it-yourselfer, learn how to use lead-safe work practices in your home.
- To remove lead hazards permanently, you should hire a certified lead abatement contractor. Abatement (or permanent hazard elimination) methods include removing, sealing, or enclosing lead-based paint with special materials. Just painting over the hazard with regular paint is not permanent control.



Always use a certified contractor who is trained to address lead hazards safely.

- Hire a Lead-Safe Certified firm (see page 12) to perform renovation, repair, or painting (RRP) projects that disturb painted surfaces.
- To correct lead hazards permanently, hire a certified lead abatement contractor. This will ensure your contractor knows how to work safely and has the proper equipment to clean up thoroughly.

Certified contractors will employ qualified workers and follow strict safety rules as set by their state or by the federal government.

Checking Your Home for Lead

You can get your home tested for lead in several different ways:

- A lead-based paint **inspection** tells you if your home has lead-based paint and where it is located. It won't tell you whether your home currently has lead hazards. A trained and certified testing professional, called a lead-based paint inspector, will conduct a paint inspection using methods, such as:
 - Portable x-ray fluorescence (XRF) machine
 - Lab tests of paint samples
- A **risk assessment** tells you if your home currently has any lead hazards from lead in paint, dust, or soil. It also tells you what actions to take to address any hazards. A trained and certified testing professional, called a risk assessor, will:
 - Sample paint that is deteriorated on doors, windows, floors, stairs, and walls
 - Sample dust near painted surfaces and sample bare soil in the yard
 - Get lab tests of paint, dust, and soil samples
- A combination inspection and risk assessment tells you if your home has any lead-based paint and if your home has any lead hazards, and where both are located.



Be sure to read the report provided to you after your inspection or risk assessment is completed, and ask questions about anything you do not understand.

Checking Your Home for Lead, continued

In preparing for renovation, repair, or painting work in a pre-1978 home, Lead-Safe Certified renovators (see page 12) may:

- Take paint chip samples to determine if lead-based paint is present in the area planned for renovation and send them to an EPA-recognized lead lab for analysis. In housing receiving federal assistance, the person collecting these samples must be a certified lead-based paint inspector or risk assessor
- Use EPA-recognized tests kits to determine if lead-based paint is absent (but not in housing receiving federal assistance)
- Presume that lead-based paint is present and use lead-safe work practices

There are state and federal programs in place to ensure that testing is done safely, reliably, and effectively. Contact your state or local agency for more information, visit epa.gov/lead, or call **1-800-424-LEAD (5323)** for a list of contacts in your area.³

What You Can Do Now to Protect Your Family

If you suspect that your house has lead-based paint hazards, you can take some immediate steps to reduce your family's risk:

- If you rent, notify your landlord of peeling or chipping paint.
- Keep painted surfaces clean and free of dust. Clean floors, window frames, window sills, and other surfaces weekly. Use a mop or sponge with warm water and a general all-purpose cleaner. (Remember: never mix ammonia and bleach products together because they can form a dangerous gas.)
- Carefully clean up paint chips immediately without creating dust.
- Thoroughly rinse sponges and mop heads often during cleaning of dirty or dusty areas, and again afterward.
- Wash your hands and your children's hands often, especially before they eat and before nap time and bed time.
- Keep play areas clean. Wash bottles, pacifiers, toys, and stuffed animals regularly.
- Keep children from chewing window sills or other painted surfaces, or eating soil.
- When renovating, repairing, or painting, hire only EPA- or state-approved Lead-Safe Certified renovation firms (see page 12).
- Clean or remove shoes before entering your home to avoid tracking in lead from soil.
- Make sure children eat nutritious, low-fat meals high in iron, and calcium, such as spinach and dairy products. Children with good diets absorb less lead.

³ Hearing- or speech-challenged individuals may access this number through TTY by calling the Federal Relay Service at 1-800-877-8339.

¡IMPORTANTE!

El plomo de la pintura, del polvo y de la tierra en la casa y alrededor de esta puede ser peligroso si no se maneja adecuadamente

- Los niños menores de 6 años son los que corren mayor riesgo de envenenamiento por plomo en la casa.
- La exposición al plomo puede hacerle daño a los niños pequeños y aun a los bebés antes del nacimiento.
- Es probable que las casas, las escuelas y los centros de cuidado infantil construidos antes de 1978 contengan pintura con base de plomo.
- Aun los niños que aparentan estar saludables pueden tener niveles peligrosos de plomo en el cuerpo.
- Alterar las superficies con pintura con base de plomo o remover incorrectamente la pintura con base de plomo puede aumentar los peligros para su familia.
- El plomo puede entrar en el cuerpo de las personas al respirar o tragar polvo de plomo, o al comer tierra o partículas de pintura que contengan plomo.
- Las personas tienen muchas opciones para reducir los peligros relacionados con el plomo. Generalmente, la pintura con base de plomo que está en buenas condiciones no es peligrosa (vea la página 10).



Proteja a su familia contra el plomo en el hogar



Agencia de
Protección
Ambiental de los
Estados Unidos (EPA)



Comisión de Seguridad
de Productos del
Consumidor de
Estados Unidos (CPSC)



Departamento
de la Vivienda y de
Desarrollo Urbano de los
Estados Unidos (HUD)

¿Está planeando comprar o alquilar una casa construida antes de 1978?

¿Sabía que muchas casas construidas antes de 1978 tienen **pintura con base de plomo**? El plomo en la pintura, las partículas y el polvo puede ser un peligro grave para la salud.

Lea todo este folleto para saber:

- Cómo entra el plomo en el cuerpo.
- Cómo el plomo afecta a la salud.
- Qué puede hacer para proteger a su familia.
- Adónde recurrir para obtener más información.

Antes de alquilar o comprar una casa o un apartamento construidos antes de 1978, la ley federal requiere lo siguiente:

- Los vendedores tienen que dar la información que posean acerca de la pintura con base de plomo o los peligros relacionados con dicha pintura antes de vender una casa.
- Los contratos de venta de inmuebles deben incluir una declaración de advertencia específica sobre la pintura con base de plomo. Los compradores tienen hasta 10 días para verificar la existencia de plomo.
- Los propietarios tienen que dar la información que posean acerca de la pintura con base de plomo o los peligros relacionados con dicha pintura antes de que el alquiler entre en vigencia. Los contratos de alquiler deben incluir una declaración de advertencia específica sobre la pintura con base de plomo.

Si emprenderá algún proyecto de renovación, reparación o pintura (RRP, por sus siglas en inglés) en su casa o apartamento construido antes de 1978:

- Lea el folleto de la EPA *Guía de prácticas acreditadas seguras para trabajar con el plomo para remodelar correctamente* para aprender sobre las prácticas de trabajo seguras con el plomo que los contratistas requieren utilizar cuando trabajan en su hogar (ver página 12).



Comisión de Seguridad de Productos del Consumidor de Estados Unidos (CPSC)

La CPSC protege al público contra el riesgo irrazonable de daños causados por productos del consumidor a través de educación, actividades relacionadas con normas de seguridad y aplicación de la ley. Comuníquese con la CPSC para obtener más información sobre los reglamentos y la seguridad de los productos del consumidor.

CPSC

4330 East West Highway
Bethesda, MD 20814-4421
1-800-638-2772

cpsc.gov o saferproducts.gov

Departamento de la Vivienda y de Desarrollo Urbano de los Estados Unidos (HUD)

La misión del HUD es crear comunidades fuertes, sustentables e inclusivas, así como hogares de calidad asequibles para todos. Comuníquese con la Oficina de Control de Peligros de Plomo y Hogares Saludables del HUD para obtener más información acerca de la Regla sobre Viviendas Seguras en relación con el Plomo, que protege a las familias que residen en viviendas construidas antes de 1978 que reciben ayuda económica, y acerca de los programas de control de los peligros relacionados con el plomo y de subvenciones para investigación.

HUD

451 Seventh Street, SW, Room 8236
Washington, DC 20410-3000
(202) 402-7698
hud.gov/lead/

Este documento es del dominio público y puede ser reproducido por cualquier persona u organización sin necesidad de solicitar autorización. La información contenida en este folleto se basa en el conocimiento científico y técnico actual sobre los aspectos presentados, y refleja las barreras jurisdiccionales establecidas por los estatutos que gobiernan a las agencias que han colaborado en su preparación. Al seguir la asesoría que se ofrece, no se obtiene necesariamente una protección total para todas las situaciones o contra todos los peligros para la salud que pueden ser causa de la exposición al plomo.

U. S. EPA Washington DC 20460
U. S. CPSC Bethesda MD 20814
U. S. HUD Washington DC 20410

EPA-747-K-13-001
Marzo 2021

Oficinas regionales de la Agencia de Protección Ambiental de los Estados Unidos (EPA)

La misión de la EPA es proteger la salud de los seres humanos y el medio ambiente. La Oficina Regional de la EPA puede darle más información sobre la normativa y los programas de protección contra el plomo.

Región 1 (Connecticut, Massachusetts, Maine, New Hampshire, Rhode Island, Vermont)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 1
Suite 1100 (CPT) One Congress Street
Boston, MA 02114-2023
(617) 918-1524

Región 2 (New Jersey, New York, Puerto Rico, Virgin Islands)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 2
2890 Woodbridge Avenue
Building 205, Mail Stop 225
Edison, NJ 08837-3679
(732) 321-6671

Región 3 (Delaware, Maryland, Pennsylvania, Virginia, DC, West Virginia)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 3
1650 Arch Street
Philadelphia, PA 19103
(215) 814-2088

Región 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 4
AFC Tower, 12th Floor, Air, Pesticides & Toxics
61 Forsyth Street, SW
Atlanta, GA 30303
(404) 562-8998

Región 5 (Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 5 (DT-8J)
77 West Jackson Boulevard

Chicago, IL 60604-3666
(312) 886-7836

Región 6 (Arkansas, Louisiana, New Mexico, Oklahoma, Texas y 66 tribus)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 6
1445 Ross Avenue, 12th Floor
Dallas, TX 75202-2733
(214) 665-2704

Región 7 (Iowa, Kansas, Missouri, Nebraska)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 7
11201 Renner Blvd.
WWPD/TOPE
Lenexa, KS 66219
(800) 223-0425

Región 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 8
1595 Wynkoop St.
Denver, CO 80202
(303) 312-6966

Región 9 (Arizona, California, Hawaii, Nevada)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 9 (CMD-4-2)
75 Hawthorne Street
San Francisco, CA 94105
(415) 947-4280

Región 10 (Alaska, Idaho, Oregon, Washington)

Regional Lead Contact
(Contacto regional para el plomo)
U.S. EPA Region 10
Solid Waste & Toxics Unit (WCM-128)
1200 Sixth Avenue, Suite 900
Seattle, WA 98101
(206) 553-1200

Medidas sencillas para proteger a su familia contra los peligros relacionados con el plomo

Si cree que su casa tiene pintura con base de plomo:

- No trate de remover usted mismo la pintura con base de plomo.
- Mantenga siempre las superficies pintadas en buenas condiciones para minimizar el deterioro.
- Haga que examinen su casa para identificar peligros relacionados con el plomo. Encuentre un inspector certificado o un asesor de riesgos en epa.gov/lead.
- Hable con el propietario para que arregle las superficies con pintura descascarada o picada.
- Limpie con regularidad los pisos, los antepechos de las ventanas y las demás superficies.
- Tome precauciones para evitar la exposición al polvo de plomo al remodelar.
- Al realizar renovaciones, reparaciones o pintura, contrate solamente a empresas de renovación certificadas en prácticas seguras con el plomo aprobadas por el estado o la EPA.
- Antes de comprar, alquilar o renovar su casa, hágala examinar para ver si tiene pintura con base de plomo.
- Consulte con su profesional de la salud sobre pruebas para detectar la presencia de plomo en sus hijos. El pediatra puede comprobar la presencia de plomo con un simple análisis de sangre.
- Lave con frecuencia las manos, los biberones, los chupones y los juguetes de los niños.
- Asegúrese de que los niños coman alimentos saludables, bajos en grasa, y altos en hierro, calcio y vitamina C.
- Quítese los zapatos o lave la tierra de los zapatos antes de entrar a su casa.

El plomo entra al cuerpo de muchas maneras

El plomo puede entrar en el cuerpo de adultos y niños si:

- Respiran el polvo de plomo (especialmente durante las actividades de renovación, reparación y pintura que alteran las superficies pintadas).
- Tragan polvo de plomo que se ha acumulado en alimentos, superficies donde se preparan alimentos y otros lugares.
- Comen partículas de pintura o tierra que contengan plomo.

El plomo es especialmente peligroso para los niños menores de 6 años.

- A esta edad, el cerebro y el sistema nervioso de los niños son más sensibles a los efectos dañinos del plomo.
- El cuerpo en crecimiento de los niños absorbe más plomo.
- Los bebés y los niños pequeños se llevan las manos y otros objetos a la boca con frecuencia. Dichos objetos pueden estar cubiertos de polvo de plomo.



Las mujeres en edad de concebir deben saber que el plomo es peligroso para el feto en desarrollo.

- Las mujeres que tienen un nivel alto de plomo en su cuerpo antes del embarazo o mientras están embarazadas podrían exponer al feto al plomo a través de la placenta durante su desarrollo.

Para obtener más información

The National Lead Information Center (Centro Nacional de Información sobre el Plomo)

Averigüe cómo proteger a los niños del envenenamiento por plomo y obtenga otra información sobre los peligros relacionados con el plomo por Internet en epa.gov/lead y hud.gov/lead, o llame al **1-800-424-LEAD (5323)**.

Línea directa de agua potable segura de la EPA

Para obtener información sobre el plomo en el agua potable, llame al **1-800-426-4791** o visite epa.gov/lead para obtener información sobre el plomo en el agua potable.

Línea directa de la Comisión de Seguridad de Productos del Consumidor de Estados Unidos (CPSC)

Para pedir información relacionada con el plomo en los juguetes y en otros productos del consumidor, o para denunciar un producto del consumidor inseguro o una lesión relacionada con un producto, llame al **1-800-638-2772**, o visite el sitio web de la CPSC en cpsc.gov o saferproducts.gov.

Agencias del medio ambiente y de salud estatales y locales

Algunos estados, tribus y ciudades tienen sus propias reglas relacionadas con la pintura con base de plomo. Consulte con su agencia local para ver cuáles leyes se le aplican. La mayoría de las agencias también pueden proporcionarle información para encontrar en su área una empresa para remover el plomo, y para conseguir posibles fuentes de ayuda económica para la reducción de los peligros relacionados con el plomo. Obtenga direcciones e información telefónica actualizadas de contactos locales o estatales por Internet en epa.gov/lead, o comuníquese con el Centro Nacional de Información sobre el Plomo llamando al **1-800-424-LEAD**.

Las personas con impedimentos auditivos o del habla pueden acceder a cualquiera de los números de teléfono que se indican en este folleto a través del sistema TTY llamando en forma gratuita al Federal Relay Service (Servicio Federal de Retransmisión) al **1-800-877-8339**.

Otras fuentes de plomo (continuación)

- **Los hornos de fundición de plomo** u otras industrias que emiten plomo al aire.
- **Su trabajo.** Si trabaja con plomo, podría traerlo a su casa en el cuerpo o la ropa. Báñese y cámbiese la ropa antes de volver a su casa. Lave la ropa de trabajo por separado del resto de la ropa de la familia.
- **Los pasatiempos** que usan plomo, tales como hacer trabajos en cerámica, pintar en vidrio o restaurar muebles. Llame al departamento de salud local para obtener información sobre los pasatiempos en los que puede usarse plomo.
- Los **juguets y muebles** viejos que pueden haberse pintado con pintura que contenga plomo. Los juguetes viejos y otros productos para niños pueden contener partes con plomo.⁴
- Los alimentos y líquidos cocinados o almacenados en **crystal de plomo**, o en **cerámica o porcelana con esmalte de plomo** pueden contener plomo.
- Los remedios caseros, tales como **“greta”** y **“azarcón”**, que se usan para tratar padecimientos estomacales.


⁴ En 1978, el gobierno federal prohibió los juguetes, otros productos para niños y los muebles con pintura que contenga plomo. En 2008, el gobierno federal también prohibió el plomo en la mayoría de los productos para niños, y actualmente prohíbe el plomo en cantidades superiores a 100 ppm por peso en la mayoría de los productos para niños.

Efectos del plomo en la salud

El plomo afecta el cuerpo de muchas maneras. Es importante saber que aun una exposición a niveles bajos de plomo puede afectar al niño gravemente.

En los niños, la exposición al plomo puede causar:

- Daño al sistema nervioso y los riñones.
- Problemas de aprendizaje, desorden de deficiencia de atención y disminución de la capacidad intelectual.
- Problemas del habla, del lenguaje y de comportamiento.
- Pobre coordinación muscular.
- Disminución en el crecimiento muscular y de los huesos.
- Daño en la audición.



Mientras que la exposición a niveles bajos de plomo es más común, la exposición a niveles altos de plomo puede causar efectos devastadores en los niños, incluso convulsiones, pérdida del conocimiento y, en algunos casos, la muerte.

Aunque los niños son especialmente susceptibles a la exposición al plomo, también puede ser peligroso para los adultos.

En los adultos, la exposición al plomo puede causar:

- Daño a un feto en desarrollo.
- Mayor probabilidad de tener tensión arterial alta durante el embarazo.
- Problemas de fertilidad (en hombres y mujeres).
- Tensión arterial alta.
- Problemas digestivos.
- Trastornos nerviosos.
- Problemas de memoria y concentración.
- Dolores musculares y articulares.

Verifique el nivel de plomo en su familia

Haga que examinen a sus niños y a su casa si cree que esta tiene plomo.

El nivel de plomo en la sangre de los niños tiende a aumentar con rapidez entre los 6 y 12 meses de edad, y tiende a llegar al nivel más alto entre los 18 y 24 meses de edad.

Consulte a su médico en cuanto a la necesidad de examinar a sus niños. Un sencillo análisis de sangre puede detectar la presencia de plomo. Los análisis de sangre para detectar plomo se recomiendan generalmente para:

- Niños de 1 a 2 años de edad.
- Niños u otros miembros de la familia que hayan estado expuestos a niveles altos de plomo.
- Niños que deben examinarse en virtud del plan local o estatal de exámenes médicos.

Su médico puede explicarle los resultados de las pruebas y decirle si es necesario realizar más análisis.

Otras fuentes de plomo

Plomo en el agua potable

Las fuentes más comunes de plomo en el agua potable son las tuberías, grifos y accesorios de plomo.

Las tuberías de plomo son más factibles de encontrar en las ciudades más antiguas y en las casas construidas antes de 1986.

El plomo en el agua potable no presenta ningún olor ni sabor.

Para saber con seguridad si tiene plomo en el agua potable, debe hacerla analizar.

Recuerde que las casas más viejas con un pozo privado también pueden tener materiales de plomería que contengan plomo.

Medidas que puede tomar para reducir el plomo en el agua potable

- Use solo agua fría para beber, cocinar y preparar la leche del bebé. Recuerde que hervir el agua no elimina el plomo de esta.
- Antes de beber el agua, deje corriendo el grifo para purgar las tuberías del hogar, tomando una ducha, lave la ropa sucia o lave los trastes.
- Limpie regularmente el filtro del grifo (también llamado aireador).
- Si usa un filtro certificado para eliminar el plomo, no olvide leer las instrucciones para aprender cuándo cambiar el cartucho. El uso de un filtro después de su vencimiento puede hacerlo menos eficaz en la eliminación del plomo.

Comuníquese con su empresa de suministro de agua para determinar si la tubería que conecta su casa a la cañería de agua principal (llamada línea de servicio) es de plomo. Su empresa de agua local también puede brindarle información sobre los niveles de plomo en el agua potable de su sistema.

Para obtener más información sobre el plomo en el agua potable, comuníquese con Línea directa de la EPA sobre el agua potable (en inglés) al **1-800-426-4791**. Si tiene otras preguntas sobre la prevención del envenenamiento por plomo, llame al **1-800 424-LEAD**.*


Llame a su departamento de salud local o a su empresa de agua para averiguar cómo obtener un análisis del agua de su casa, o visite epa.gov/safewater para ver información de la EPA sobre el plomo en el agua potable. Algunos estados o empresas de servicios públicos ofrecen programas para pagar el análisis del agua de los residentes. Comuníquese con el servicio público de agua local o estatal para obtener más información.

* Las personas con dificultades del habla o la audición pueden acceder a este número a través de TTY llamando al Servicio Federal de Transmisión de Información al 1-800-877-8339.

Renovación, reparación o pintura

Si contrata a un contratista para que realice proyectos de renovación, reparación o pintura (RRP) en una casa o centro de cuidado infantil construidos antes de 1978 (como centros preescolares y jardines de infancia), el contratista debe:

- Ser una empresa certificada en prácticas seguras con el plomo, aprobada por la EPA o por un programa estatal autorizado por la EPA.
- Utilizar personas cualificadas y capacitadas (renovadores certificados en prácticas seguras con el plomo) que empleen prácticas de trabajo seguras con el plomo específicas, a fin de evitar la contaminación con plomo.
- Darle una copia del documento informativo de la EPA sobre peligros relacionados con el plomo que se titula *Guía de prácticas acreditadas seguras para trabajar con el plomo para remodelar correctamente*.



Los contratistas de RRP que trabajen en casas o centros de cuidado infantil construidos antes de 1978 deben seguir prácticas de trabajo seguras con el plomo que:

- **Contengan el área de trabajo.** Debe contenerse el área para que el polvo y los escombros no se escapen del área de trabajo. Deben colocarse letreros de advertencia, y debe usarse cinta y material plástico u otro tipo de material impermeable.
- **Eviten los métodos de renovación que generan grandes cantidades de polvo contaminado con plomo.** Algunos métodos producen tanto polvo contaminado con plomo que su uso está prohibido. Entre estos métodos se incluyen:
 - Quema o flameado a llama abierta.
 - Lijado, esmerilado, cepillado, uso de pistolas de aguja o limpieza a chorro con herramientas eléctricas y equipos sin cubierta y accesorio de aspiradora HEPA.
 - Pistola de aire caliente a temperaturas superiores a 1100 °F.
- **Limpien minuciosamente.** El área de trabajo debe limpiarse diariamente. Una vez terminado todo el trabajo, debe limpiarse el área con métodos de limpieza especiales.
- **Eliminen los desechos adecuadamente.** Recoja los residuos en una bolsa o lámina de alta resistencia y séllela. Cuando transporte los residuos, asegúrese de que la bolsa o lámina esté bien cerrada para que el polvo y los escombros no se escapen.

Para obtener más información sobre los requisitos de la EPA para los proyectos de RRP, visite epa.gov/getleadsafe o lea *Guía de prácticas acreditadas seguras para trabajar con el plomo para remodelar correctamente*.

Dónde se encuentra la pintura con base de plomo

Generalmente, cuanto más vieja sea su casa o centro de cuidado infantil, mayor será la posibilidad de que tenga pintura con base de plomo.¹

Muchas viviendas —incluidas las viviendas privadas, las de propiedad federal y las que reciben ayuda federal— y centros de cuidado infantil construidos antes de 1978 tienen pintura con base de plomo. En 1978, el gobierno federal prohibió el uso por parte del consumidor de pintura que contenga plomo.²

En la página 7, encontrará cómo establecer si la pintura tiene plomo.

El plomo puede encontrarse en:

- Casas y centros de cuidado infantil en la ciudad, el campo o los suburbios;
- Casas y apartamentos unifamiliares privados y públicos;
- Superficies dentro y fuera de la casa; y
- La tierra alrededor de la casa (la tierra puede acumular plomo de la pintura exterior u otras fuentes, tales como la gasolina con plomo que se usaba en el pasado en los automóviles).

Obtenga más información sobre dónde se encuentra plomo en epa.gov/lead.

¹ En la actualidad, el gobierno federal define la “pintura con base de plomo” como pintura con niveles de plomo superiores o iguales a 1.0 miligramo por centímetro cuadrado (mg/cm²) o con más de 0.5 % por peso.

² En la actualidad, el gobierno federal define la “pintura que contiene plomo” como plomo en pintura nueva seca que supere las 90 partes por millón (ppm) por peso.

Identificando la pintura con base de plomo y los peligros de la pintura con base de plomo

La pintura con base de plomo deteriorada (descascarada, picada, pulverizada, agrietada o dañada) es un peligro y requiere atención inmediata. La **pintura con base de plomo** también puede ser un peligro si se encuentra en superficies que los niños puedan morder o que se desgasten mucho, tales como:

- Ventanas y antepechos de ventanas.
- Puertas y marcos de puertas.
- Escaleras, pasamanos, barandas y porches.

La pintura con base de plomo generalmente no es peligrosa si está en buenas condiciones y no está en una superficie de impacto o de fricción, como en una ventana.

El polvo de plomo puede formarse al raspar, lijar o calentar la pintura con base de plomo. También se forma cuando las superficies pintadas que contienen polvo se golpean o frotan entre sí. Las partículas y el polvo de la pintura que contiene plomo pueden acumularse en superficies y objetos que las personas tocan. El polvo de plomo que se ha acumulado puede volver a mezclarse con el aire cuando se aspira o barre la casa, o cuando las personas caminan sobre el mismo. Actualmente, la EPA define como peligrosos los siguientes niveles de plomo en el polvo:

- 10 microgramos por pie cuadrado ($\mu\text{g}/\text{pie}^2$) o más en pisos, incluidos pisos alfombrados.
- 100 $\mu\text{g}/\text{pie}^2$ o más en los antepechos de ventanas interiores.

El plomo en la tierra puede ser peligroso cuando los niños juegan en tierra descubierta o cuando las personas meten tierra en la casa con los zapatos. Actualmente, la EPA define como peligrosos los siguientes niveles de plomo en la tierra:

- 400 partes por millón (ppm) o más en áreas de juego de tierra descubierta.
- 1,200 ppm (promedio) o más en la tierra descubierta del resto del jardín.

Recuerde que el plomo de las partículas de pintura —que puede ver— y el polvo de plomo —que tal vez no pueda ver— pueden ser peligrosos.

La única forma de saber si existe peligro debido a la presencia de plomo en pintura, polvo o tierra es realizando pruebas. En la página siguiente se describe cómo hacer esto.

Reduciendo los peligros del plomo (continuación)

Si en su casa se realizó un trabajo para remover el plomo o si se trata de una vivienda que recibe ayuda federal, una vez que se termine el trabajo, deben realizarse las actividades de limpieza del polvo hasta que las pruebas de aprobación indiquen que los niveles de polvo de plomo están por debajo de los siguientes niveles:

- 10 microgramos por pie cuadrado ($\mu\text{g}/\text{pie}^2$) en pisos, incluidos pisos alfombrados.
- 100 $\mu\text{g}/\text{pie}^2$ en los antepechos de ventanas interiores.
- 400 $\mu\text{g}/\text{pie}^2$ en los canales de ventanas.

Los métodos para remover el plomo están diseñados para eliminar permanentemente los peligros relacionados con la pintura a base de plomo. Sin embargo, el polvo de plomo puede reintroducirse en una zona de eliminación.

- Usar una aspiradora HEPA en todos los muebles y otros artículos que se devuelvan a la zona de eliminación, para reducir la posibilidad de reintroducir el polvo de plomo.
- Limpiar regularmente los pisos, antepechos y canales de ventanas y otras superficies duras con un trapeador o una esponja húmeda y un limpiador para usos múltiples.

Vea la página 9 para obtener más información sobre las medidas para proteger a su casa después de una actividad de eliminación del plomo. Para obtener ayuda para localizar en su área profesionales certificados que remuevan el plomo, llame a la agencia estatal o local (vea las páginas 15 y 16), visite epa.gov/lead o llame al **1-800-424-LEAD**.

Reduciendo los peligros del plomo

Alterar la pintura con base de plomo o remover incorrectamente el plomo puede aumentar el peligro para su familia, ya que esparce aún más el polvo de plomo en la casa.

- Además de la limpieza diaria y la buena nutrición, usted puede reducir **temporariamente** los riesgos relacionados con la pintura con base de plomo tomando medidas, como la reparación de las superficies pintadas que estén dañadas y plantar césped para cubrir la tierra contaminada con plomo. Estas medidas no son soluciones permanentes y necesitarán atención continua.
- Para minimizar la exposición al plomo cuando renueve, repare o pinte su casa, contrate a un renovador certificado por el estado o la EPA que esté capacitado en el uso de prácticas de trabajo seguras con el plomo. Si es una persona que suele hacer los trabajos por su cuenta, aprenda a utilizar prácticas de trabajo seguras con el plomo en su casa.
- Para remover permanentemente los peligros relacionados con el plomo, debe contratar a un contratista certificado para que "remueva" el plomo. Los métodos para remover (o eliminar permanentemente el peligro) incluyen la eliminación, el sellado o el revestimiento de la pintura con base de plomo con materiales especiales. Simplemente pintar sobre la pintura que presenta riesgos con una pintura común no es un control permanente.

Siempre recurra a un contratista certificado que esté capacitado para corregir los peligros relacionados con el plomo de manera segura.

- Contrate a una empresa certificada en prácticas seguras con el plomo (vea la página 12) para realizar proyectos de renovación, reparación o pintura (RRP) a fin de no alterar las superficies pintadas.
- Para corregir permanentemente los peligros relacionados con el plomo, contrate a un contratista certificado para que "remueva" el plomo. Esto asegurará que el contratista sepa cómo trabajar en forma segura y tenga el equipo apropiado para limpiar minuciosamente.

Los contratistas certificados contratarán a trabajadores cualificados y seguirán reglas estrictas de seguridad según lo dicta el estado o el gobierno federal.



Verificando si su casa tiene plomo

Puede evaluar su casa de diferentes maneras para determinar si tiene plomo:

- Una **inspección** de la pintura con base de plomo le dirá si su casa tiene pintura con base de plomo y dónde se localiza. Sin embargo, esta inspección no le dirá si en su casa existen actualmente peligros relacionados con el plomo. Un profesional experto en pruebas capacitado y certificado, que se llama inspector de pintura con base de plomo, realizará la inspección de la pintura utilizando métodos como:
 - Máquina portátil de fluorescencia por rayos X (XRF, por sus siglas en inglés).
 - Pruebas de laboratorio de muestras de pintura.
- Una **evaluación de riesgo** le dirá si en su casa existe actualmente algún peligro relacionado con el plomo debido a la presencia de plomo en la pintura, el polvo o la tierra. También le dirá qué acciones debe llevar a cabo para eliminar estos peligros. Un profesional experto en pruebas capacitado y certificado, que se llama asesor de riesgo, hará lo siguiente:
 - Tomará muestras de la pintura deteriorada de puertas, ventanas, pisos, escaleras y paredes.
 - Tomará muestras del polvo cerca de las superficies pintadas y muestras de tierra descubierta del patio.
 - Hará pruebas de laboratorio con las muestras de pintura, polvo y tierra.
- Una combinación de evaluación de riesgo e inspección le dirá si en su casa hay pintura con base de plomo, si existe algún peligro relacionado con el plomo y dónde se localizan ambos.

Asegúrese de leer el informe que le entreguen una vez finalizada la inspección o la evaluación de riesgo, y pregunte todo lo que no entienda.



Verificando si su casa tiene plomo (continuación)

Al preparar un trabajo de renovación, reparación o pintura en una casa construida antes de 1978, los renovadores certificados para prácticas seguras con el plomo (vea la página 12) pueden:

- Tomar muestras de partículas de pintura para determinar si hay pintura con base de plomo en el área que se prevé renovar y enviarlas para analizar a un laboratorio especializado en plomo reconocido por la EPA. En viviendas que reciben ayuda federal, la persona que recolecte estas muestras debe ser un evaluador de riesgo o inspector certificado de pintura con base de plomo.
- Utilizar juegos de pruebas reconocidos por la EPA para determinar si no hay pintura con base de plomo (no se deben usar en viviendas que reciban ayuda federal).
- Suponer que hay pintura con base de plomo y utilizar prácticas de trabajo seguras con el plomo.

Existen programas estatales y federales para garantizar que las pruebas se realicen de modo seguro, confiable y con eficacia. Comuníquese con la agencia estatal o local para obtener más información, visite epa.gov/lead o llame al **1-800-424-LEAD (5323)** para obtener una lista de contactos en su área.³

³ Las personas con impedimentos auditivos o del habla pueden acceder a este número a través del sistema TTY llamando al Federal Relay Service (Servicio Federal de Retransmisión) al 1-800-877-8399.

Lo que usted puede hacer en estos momentos para proteger a su familia

Si sospecha que su casa tiene algún peligro relacionado con pintura con base de plomo, puede tomar algunas medidas inmediatas para reducir el riesgo de su familia:

- Si alquila, infórmele al propietario si hay pintura descascarándose o picándose.
- Mantenga las superficies pintadas limpias y sin polvo. Limpie semanalmente los pisos, los marcos y antepechos de las ventanas y las demás superficies. Use un trapeador o una esponja con agua tibia y un limpiador para usos múltiples. (Recuerde: nunca mezcle productos de amoníaco con blanqueadores, ya que pueden formar gases peligrosos.)
- Limpie inmediatamente y con cuidado las partículas de pintura sin generar polvo.
- Enjuague bien y con frecuencia las esponjas y las cabezas de los trapeadores mientras limpia las áreas sucias o con polvo, y vuelva a hacerlo cuando termine de limpiar.
- Lávese con frecuencia las manos y también las de sus hijos, especialmente antes de comer, antes de la siesta y antes de irse a dormir.
- Mantenga limpias las áreas de juego. Lave con regularidad los biberones, los chupones, los juguetes y los animales de peluche.
- No permita que los niños muerdan los antepechos de las ventanas ni las demás superficies pintadas, ni tampoco que coman tierra.
- Al realizar renovaciones, reparaciones o pintura, contrate a empresas de renovación certificadas en prácticas seguras con el plomo aprobadas por el estado o la EPA (vea la página 12).
- Límpiense o quítese los zapatos antes de entrar a la casa para evitar meter el plomo de la tierra.
- Asegúrese de que los niños coman alimentos nutritivos, bajos en grasa y altos en hierro y calcio, tales como las espinacas y los productos lácteos. Los niños con una dieta adecuada absorben menos plomo.