



EXPEDITED SETTLEMENT AGREEMENT

Docket Number: CWA-01-2025-0003, NPDES PERMIT No. MAR1004RO

The undersigned representatives of the United States Environmental Protection Agency (EPA) and Onyx Corporation, (the operator of an industrial construction site located at 24 South Hunt Road, Amesbury, Massachusetts), (Respondent), enter into this Expedited Settlement Agreement (Agreement) to resolve Respondent's civil penalty liability for alleged violations of the National Pollutant Discharge Elimination System stormwater permit cited above (Permit).

The EPA finds that: (1) Respondent failed to comply with the Permit, and the Permit was issued pursuant to section 402 of the Clean Water Act (Act), 33 U.S.C. § 1342; (2) Respondent is a "person" as defined in section 502(5) of the Act, 33 U.S.C. § 1362(5); and (3) Respondent is the Permittee and is responsible for the alleged violations specified in the attached Expedited Settlement Offer Worksheet – Findings and Alleged Violations (Deficiencies Form). The Deficiencies Form is incorporated into this Agreement by reference.

The EPA also finds, and Respondent admits, that the EPA has jurisdiction over this matter pursuant to section 309(g) of the Act, 33 U.S.C. § 1319(g), and 40 C.F.R. part 22. Respondent neither admits nor denies the specific factual allegations in the first two Paragraphs of this Agreement and in the Deficiencies Form.

Respondent agrees to pay a civil penalty of **\$1,500**. Respondent waives the rights (1) to contest the allegations in the Deficiencies Form and (2) to appeal any final order an EPA Regional Judicial Officer may issue to ratify this Agreement (Final Order). The civil penalty will be due no later than 10 days after the Final Order becomes final

and shall be made using any payment method provided at:

<https://www.epa.gov/financial/makepayment>

By signing this Agreement, Respondent certifies that: (1) the alleged violations listed in the Deficiencies Form have been corrected, and Respondent has submitted true and accurate documentation to the EPA of such correction; and (2) consistent with section 162(f)(1) of the Internal Revenue Code, 26 U.S.C. § 162(f)(1), Respondent will not deduct penalties paid under this Agreement for federal tax purposes.

This Agreement, upon incorporation into the Final Order and full satisfaction by the parties, shall be a complete and full resolution of Respondent's liability for federal civil penalties for the violations of the Permit and section 301(a) of the Clean Water Act alleged in the Deficiencies Form. This Agreement does not affect the right of the EPA or the United States to pursue appropriate injunctive or other equitable relief or criminal sanctions for any violations of law or to issue an administrative compliance order, e.g., for any uncorrected violations listed in the Deficiencies Form. Nothing in this Agreement shall relieve Respondent of the duty to comply with the Act and any regulation, order, or permit issued pursuant to the Act.

Respondent agrees to acceptance of the Complainant's: i. digital or an original signature on this Agreement; ii. service of the fully executed Agreement on the Respondent by mail or electronically by e-mail at the email address provided under Respondent's signature to this Agreement. Respondent understands that the mailing or e-mail address may be made public

when the Agreement and Certificate of Service are filed and uploaded to a searchable database. Complainant agrees to acceptance of the Respondent's digital or an original signature on this Agreement.

Prior to requesting that an EPA Regional Judicial Officer issue the Final Order, the EPA will provide public notice of this Agreement and a reasonable opportunity for the public to comment on it. The EPA will address any comments on this Agreement in accordance with section 309(g)(4) of the Act, 33 U.S.C. § 1319(g)(4), and 40 C.F.R. § 22.45.

This Agreement is binding on the parties signing below and becomes final 30 days from the date that a signed copy of the Final Order is transmitted from the Regional Judicial Officer to the Regional Hearing Clerk unless a petition to set aside this Agreement is filed by a commenter pursuant to Section 309(g)(5) of the Act, 33 U.S.C. § 1319(g)(5), following public noticing of this Agreement.

Attachment: Deficiencies Form

APPROVED BY THE EPA:

James Chow, Director
Enforcement and Compliance Assurance Division

APPROVED BY RESPONDENT:

Name (print): Thomas G. Carroll Jr (T.J.)

Title (print): Project Manager

Signature: _____

Date: 9/18/2024

Provide email address for electronic service below:

tj@onyxcorporation.net

FINAL ORDER: More than 40 days have elapsed since the issuance of public notice pursuant to section 309(g)(4)(A) of the Act, 33 U.S.C. § 1319(g)(4)(A), and the EPA has received no comments concerning this matter.

Having determined that this Agreement is authorized by law,
IT IS SO ORDERED:

LeAnn Jensen, Regional Judicial Officer
US EPA REGION 1 - New England

**Expedited Settlement Offer Worksheet
Findings and Alleged Violations**



	LEGAL NAME AND MAILING ADDRESS OF OPERATOR	Operator Email	Telephone Number	NPDES Permit Number			
1	John Durkin, President Onyx Corporation 18 Wetherbee Street Acton, MA 01720	devenc@onyxcorporation.net info@onyxcorporation.net		MAR1004RO			
			Inspector Name:	Stephanie Tougas			
			Inspector Agency:	USEPA			
			Entrance Interview Conducted:	10:00AM			
			Exit Interview Conducted:	Yes			
	LOCATION AND ADDRESS OF SITE		Exit Interview given to:	Chad Haynes			
2	24 South Hunt Road Amesbury, MA 01913		Exit Interview time:	11:45	Date: 07/01/2024		
	FACILITY DESCRIPTION / CONTACT NAMES						
3	Name of Site Contact (ESO Worksheet recipient):		John Durkin				
	Name of Authorized Official (40 CFR 122.22):		John Durkin				
	Inspection Date:		07/01/2024				
	Start Construction Date:		08/14/2023				
	Estimated Completion Construction Date:		06/30/2025				
	If Unpermitted, Number of Months Unpermitted:		N/A				
	Name of Receiving Water Body (Indicate whether 303(d) listed):		Merrimack River				
	Acres Disturbed Acres for Whole Common Plan:		36.00				
	Has Operator Requested Rainfall Erosivity or TMDL Waiver per 40 CFR 122.26(b)(15)?		No				
	PERMIT COVERAGE	Findings	CGP Citation	RCA*	No. of Deficiencies	Penalty Amount	Total
4	Operator discharged stormwater without a permit on one or more days during ____ months (# of months with an unauthorized discharge equals number of violations)	INSERT SPECIFIC # OF MONTHS AND DATES, I.E., NOV. 1, 2019 - OCT. 3	CWA 301		X	\$600.00	\$0
	USE OF CATIONIC TREATMENT CHEMICALS (WHERE APPLICABLE)						
5	Proper notice was not provided for use of cationic treatment chemicals prior to submittal of the NOI. NOTE that this applies only to the failure to provide notice in the absence of a discharge to a storm drain or water.		1.1.9			\$300.00	\$0
	POST NOTICE OF PERMIT COVERAGE						
6	A Sign/notice not posted as required. (If no sign/notice posted, leave element B blank.)	At the time of the inspection there was no sign indicting permit coverage	1.5		1	\$300.00	\$300
	B Sign/Notice was missing one or more elements required by the Permit. (Count each omission under B as one violation.)		1.5.a-d		X	\$60.00	\$0
	SWPPP REVIEW						

7		No SWPPP prepared at time of inspection. (If no SWPPP, leave elements 8 - 21 blank)		7.1					\$6,000.00	\$0
8		SWPPP prepared after construction start (# of months = # of violations with a maximum penalty of \$6,000). NOTE that elements 9 - 21 only apply to the months when the operator had a SWPPP. The maximum penalty for all SWPPP violations is \$6,000.		7.1			X		\$1,000.00	\$0
9	A	SWPPP does not list all operators for the project site and the areas of the site over which each operator has control.		7.2.1					\$600.00	\$0
	B	SWPPP does not identify stormwater team and respective responsibilities.		7.2.2					\$300.00	\$0
10		SWPPP does not include:								
	A	Description of the nature of construction activities.		7.2.3.a					\$120.00	\$0
	B	The size of the property; the total area expected to be disturbed by the construction activities; the maximum area expected to be disturbed at any one time including onsite and offsite construction support activity areas.		7.2.3.b, c, e			X		\$120.00	\$0
	C	A description of any onsite/offsite construction support activities.		7.2.3.d					\$600.00	\$0
	D	A description and projected schedule for each portion of the site that includes all elements/dates required by the Permit. (Count each omitted category as one violation.)		7.2.3.f			X		\$300.00	\$0
	E	A list and description of all pollutant-generating activities.		7.2.3.g					\$300.00	\$0
	F	Public Emergencies: Required information for public emergency situations. NOTE that operator has 30 days to complete SWPPP after commencing construction.		7.2.3.i & 1.4					\$300.00	\$0
11		Site Map								
	A	Site map not included in SWPPP.		7.2.4					\$600.00	\$0
	B	Site map does not include all elements required by the Permit. (Count each omission as one violation up to \$600.)		7.2.4.a-j			X		\$60.00	\$0
12		SWPPP does not:								
	A	Identify all authorized non-storm water discharges that will or may occur.		7.2.5					\$600.00	\$0
	B	Describe the specific controls to be implemented to meet the effluent limits for erosion and sediment controls. (Count one violation for each missing control measure up to a maximum of \$900.)		7.2.6., 2.2					\$300.00	\$0
		For each specific erosion and sediment control identified in the SWPPP, include all information required by the Permit. (Count 1 violation for each control with incomplete information.)		7.2.6			X		\$100.00	\$0
	C	Describe the specific controls to be implemented to meet the effluent limits for pollution prevention. (Count one violation for each missing control measure up to a maximum of \$900.)		7.2.6, 2.3			x		\$300.00	\$0
		For each specific pollution prevention control measure identified in the SWPPP, include all information required by the Permit. (Count each control with incomplete information as 1 violation.)		7.2.6			X		\$100.00	\$0
	D	Describe the specific controls to be implemented to meet the effluent limits for construction dewatering.		7.2.6, 2.4			X		\$300.00	\$0
		For each specific dewatering control measure identified in the SWPPP, include all information required by the Permit. (Count each control with incomplete information as 1 violation.)		7.2.6						
	E	Document for sites affected by unforeseen circumstances that delay initiation and/or completion of Vegetative Stabilization: the circumstances and the schedule for initiating and completing stabilization.		7.2.6.b.vi (d); 2.2.14					\$300.00	\$0
13	A	SWPPP does not describe the procedures for Inspection, Maintenance and Corrective Action.		7.2.7; 2.1.4; 4; 5					\$600.00	\$0

	B	Description of Inspection, Maintenance and Corrective Action procedures does not include all information required by the Permit. (Count each applicable omission as one violation.)		7.2.7.a-d			X	\$120.00	\$0
14		SWPPP does not include documentation that required personnel were, or will be, trained in accordance with Permit requirements.		7.2.8; 6				\$300.00	\$0
15		Threatened and Endangered Species Act documentation is not included in SWPPP.		7.2.9.a				\$600.00	\$0
16		Historic Properties documentation is not included in SWPPP.		7.2.9.b				\$600.00	\$0
17		SWPPP does not document contacts, where applicable, with UIC regulatory authority regarding compliance with SDWA UIC Requirements for Certain Subsurface Stormwater Controls.		7.2.9.c				\$600.00	\$0
18		SWPPP not signed/dated/certified.		7.2.10				\$600.00	\$0
19		Copy of NOI and relevant correspondence, acknowledgement letter received from NeT, or Permit (can be electronic) not included as part of SWPPP. (Count each omission as one violation.)		7.2.11 a- c			X	\$300.00	\$0
20		Copy of SWPPP is not retained on site or otherwise easily accessible.		7.3				\$600.00	\$0
21	A	SWPPP (including site map) has not been updated/modified as required by the Permit. (Count each omission as one violation.)		7.4.1			X	\$60.00	\$0
	B	SWPPP modifications do not meet record keeping, approval or notification requirements. (Count each omission as 1 violation.)		7.4.2; 7.4.3; 7.4.4			X	\$60.00	\$0
22		INSPECTIONS							
	A	Number of Inspections required if performed every 7 days:							
	B	Number of Inspections required if performed every 14 days:							
	C	If known, and if applicable, number of days of rainfall of > 0.25" :							
	D	Number of inspections required under a reduced frequency							
	E	TOTAL number of required inspections							
	F	TOTAL number of inspections conducted/documented							
23	A	All required inspections were not conducted and timely documented. (If NO inspections were conducted and documented, then leave elements 24-28 blank)						True or False	
	B	Inspections not performed and timely documented. (Count each failure to inspect and document as one violation.)		4.2 - 4.4; 4.7.1			X	\$300.00	\$0
24		Inspections not conducted by qualified personnel. (Count each inspection conducted without qualified personnel as one violation.)		4.1			X	\$60.00	\$0
25		Areas to be inspected: Failed to inspect all required areas as identified in the Permit. (Count each omission as one violation.)		4.5; 4.6.1			X	\$60.00	\$0
26		Site inspection report does not include all information required by the Permit. (Count each omission as one violation.)		4.6.6, 4.7.1.a -e			X	\$60.00	\$0
27	A	Inspection reports not properly signed/certified. (Count each failure to sign/certify as one violation.)		4.7.2			X	\$60.00	\$0
	B	Copies of inspection reports have not been retained onsite or at easily accessible location.		4.7.3; 4.7.4				\$600.00	\$0
		BEST MANAGEMENT PRACTICES							
28		General Maintenance Requirements:							
	A	Failure to ensure that all stormwater controls are maintained and remain in effective operating condition (i.e., all routine maintenance-and corrective actions are-performed within the timeframes required by the Permit). (Count each failure to timely maintain each control as one violation.)	There were four separate areas around the perimeter of the site where silt fences were not functioning properly or had been breached	2.1.4; 2.2; 5.2		4	X	\$300.00	\$1,200
	B	Failure to complete a Corrective Action report when required in accordance with Permit requirements. (Count each missing/deficient report as 1 violation.)		5.4.1, 5.4.2, 5.4.4			X	\$300.00	\$0
	C	Corrective Action Reports not properly signed. (Count each failure to sign as one violation.)		5.4.3			X	\$60.00	\$0

		Control measures are not properly selected, installed or maintained:						
29		Failure to provide a 50-ft undisturbed natural buffer or equivalent erosion and sediment control when a water of the US is located within 50 feet of the site's earth disturbances. (Count each failure as one violation.)	2.2.1			X	\$600.00	\$0
30		Failure to direct stormwater to vegetated areas to maximize infiltration and filtering (unless infeasible). (Count each failure as one violation.)	2.2.2			X	\$600.00	\$0
31		Failure to install sediment controls along all perimeter areas of the site that will receive pollutant discharges (or, for linear construction sites where such controls are infeasible, to implement other appropriate practices). (Count each failure as one violation.)						
	A	If Common Drainage is 10+ acres	2.2.3			X	\$1,200.00	\$0
	B	If Common Drainage is less than 10 acres	2.2.3			X	\$600.00	\$0
32		Failure to minimize sediment trackout in accordance with Permit requirements. (Count each failure as one violation.)	2.2.4.a-c			X	\$600.00	\$0
33		Failure to properly manage stockpiles or land clearing debris piles composed of sediment and/or soil. (Count each failure as one violation.)	2.2.5.a-d			X	\$600.00	\$0
34		Failure to minimize dust through appropriate application of water or other dust suppression techniques. (Count each failure as one violation.)	2.2.6			X	\$600.00	\$0
35		Failure to minimize disturbances of "steep slopes". (Count each failure as one violation.)	2.2.7			X	\$600.00	\$0
36		Failure to preserve native topsoil (unless infeasible). (Count each failure as one violation.)	2.2.8			X	\$600.00	\$0
37		Failure to minimize soil compaction in areas where final vegetative stabilization will occur or where infiltration practices will be installed. (Count each failure as one violation.)	2.2.9			X	\$600.00	\$0
38		Failure to protect storm drain inlets by installing inlet protection measures that remove sediment from discharges prior to entry into a storm drain inlet. (Count each failure as one violation.)	2.2.10.a			X	\$600.00	\$0
39		Failure to use erosion controls and velocity dissipation devices within and along the length of any stormwater conveyance channel and at any outlet to slow down runoff to minimize erosion. (Count each failure as one violation.)	2.2.11			X	\$600.00	\$0
40		Failure to properly design or locate sediment basin or similar impoundment in accordance with Permit requirements. (Count each failure as one violation.)	2.2.12.a-e			X	\$1,200.00	\$0
41		Failure to comply with Permit requirements for use of treatment chemicals. (Count each failure as one violation.)	2.2.13.a-f			X	\$200.00	\$0
42		Failure to initiate and complete stabilization measures within the deadlines required by the Permit. (Count each failure as one violation.)	2.2.14.a			X	\$600.00	\$0
43		Final Stabilization Criteria not achieved as required.	2.2.14.b				\$1,200.00	\$0
44		Other needed control measures not properly selected or installed. (Each omission is 1 violation.)	2.1			X	\$600.00	\$0
		Pollution Prevention Requirements						
45		Failure to provide effective controls for equipment and vehicle fueling and maintenance activities. (Count each failure as one violation.)	2.3.1.a-f			X	\$600.00	\$0
46		Failure to effectively minimize the discharge of pollutants from equipment and vehicle washing. (Count each failure as one violation.) NOTE that discharges of soaps, solvents or detergents to a storm drain or receiving water are not eligible for an ESA.	1.2.2; 2.3.2.a-c			X	\$600.00	\$0

47	Failure to implement appropriate controls to prevent/minimize the discharge of pollutants from any of the following: building materials/products; landscaping chemicals and materials; petroleum products and other chemicals; hazardous and toxic waste; construction and domestic wastes; and/or sanitary wastes. (Count each failure as one violation.) NOTE that any nonallowable, non-stormwater discharges to a storm drain or receiving water are not eligible for an ESA.		2.3.3.a-f			X	\$600.00	\$0
48	Failure to provide effective controls for concrete washout. NOTE that nonallowable, non-stormwater discharges to a storm drain or water are not eligible for an ESA.		2.3.4.a-c				\$1,000.00	
49	Failure to provide effective controls for washing applicators/containers for stucco, paint, form release oils, curing compounds or other materials. (Count each failure as one violation.) NOTE that nonallowable, non-stormwater discharges to a storm drain or receiving water are not eligible for an ESA.		2.3.4.a-c			X	\$600.00	\$0
50	Failure to comply with requirements for application of fertilizers.		2.3.5.a-f				\$600.00	\$0
51	Failure to comply with Permit requirements for construction dewatering in order to minimize the discharge of pollutants. (Count each failure as 1 violation.) Use of waters of the US as part of the treatment area is not eligible for an ESA.		2.4			X	\$600.00	\$0
	SMALL BUSINESS EVALUATION							
52	Is the Owner/Operator a Small Business?						Yes or No	no
	A <i>small business</i> is defined by EPA's Small Business Compliance Policy as: "a person, corporation, partnership, or other entity that employs 100 or fewer individuals (across all facilities and operations owned by the small business)." The number of employees should be considered as full-time equivalents on an annual basis, including contract employees (see 40 CFR 372.3). A full time employee unit is 2000 hours worked per year.							
53	ADJUSTMENT FOR A REPEAT VIOLATOR: Repeat Violator: To adjust the settlement amount for Repeat Violators, multiply the Total Expedited Settlement Amount by the appropriate Escalation Factor. To do that, enter either 0.25 or 0.5 into Column G, as appropriate. <u>If this is not a Repeat Violator, leave this row blank.</u>							
							Total Expedited Settlement:	\$1,500
							Adjustment for Repeat Violator:	
							FINAL TOTAL EXPEDITED SETTLEMENT FOR REPEAT VIOLATOR:	\$1,500