



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

REGION 4  
ATLANTA FEDERAL CENTER  
61 FORSYTH STREET  
ATLANTA, GEORGIA 30303-8960

**CERTIFIED MAIL – RETURN RECEIPT**

Ms. Laurie Levin  
Vice President & Regional Chief Legal Officer  
550 East Rollins Street, 6<sup>th</sup> Floor  
Orlando, Florida 32803

SUBJ: Consent Agreement and Final Order - Docket No. RCRA-04-2018-4010(b)  
Adventist Health System/Sunbelt, Inc. d/b/a Florida Hospital Orlando  
EPA ID. No.: FLD101872190

Dear Ms. Levin:

Enclosed please find a copy of the executed Consent Agreement and Final Order (CA/FO) as filed with the Regional Hearing Clerk in the above-referenced matter. Please note that payment of the civil penalty is due within thirty (30) days of the effective date of the CA/FO, which is the date the CA/FO is filed with the Regional Hearing Clerk. A copy of the check, wire transfer or online payment should be submitted to the following people:

Patricia Bullock  
Regional Hearing Clerk  
U.S. EPA - Region 4  
61 Forsyth Street, S.W.  
Atlanta, Georgia 30303-8960

and to:

Parvez Mallick, Environmental Engineer  
Hazardous Waste Section  
Enforcement and Compliance Branch  
Resource Conservation and Restoration Division  
61 Forsyth Street, S.W.  
Atlanta, Georgia 30303-8960

Also enclosed is a copy of a document titled "Notice of Securities and Exchange Commission Registrants' Duty to Disclose Environmental Legal Proceedings." This document puts the current owner on notice of their potential duties to disclose to the Securities and Exchange Commission any environmental actions taken by the EPA.

Thank you for your assistance in resolving this matter. If you have any questions or concerns, please convey them to Mr. Parvez Mallick, of my staff, at (404) 562-8594 or by email at [mallick.parvez@epa.gov](mailto:mallick.parvez@epa.gov).

Sincerely,




Larry L. Lamberth  
Chief, Enforcement and Compliance Branch  
Resource Conservation and Restoration Division

Enclosure

Thank you for your assistance in resolving this matter. If you have any questions or concerns, please convey them to Mr. Parvez Mallick, of my staff, at (404) 562-8594 or by email at [mallick.parvez@epa.gov](mailto:mallick.parvez@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Larry L. Lamberth", with a stylized flourish at the end.

Larry L. Lamberth  
Chief, Enforcement and Compliance Branch  
Resource Conservation and Restoration Division

Enclosure

**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 4**

IN THE MATTER OF:	)	DOCKET NO.: RCRA-04-2018-4010(b)
	)	
Adventist Health System/Sunbelt, Inc.	)	
d/b/a Florida Hospital Orlando	)	Proceeding Under Section 3008(a) of the
601 East Rollins Street	)	Resource Conservation and Recovery Act,
Orlando, Florida 32803	)	42 U.S.C. § 6928(a)
EPA ID No.: FLD101872190	)	
	)	
Respondent	)	
_____	)	

HEARINGS DIVISION  
2018 JUL 24 AM 9:00

**CONSENT AGREEMENT**

**I. NATURE OF THE ACTION**

1. This is a civil administrative enforcement action, pursuant to Section 3008(a) of the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. § 6928(a), ordering compliance with the requirements of the Chapter 403 of the Florida Statutes (Fla. Stat.), Fla. Stat. § 403.702 *et seq.* [Subtitle C of RCRA, 42 U.S.C. §§ 6921-6939g], and the regulations promulgated pursuant thereto and set forth at Rule 62-730 *et seq.* of the Florida Administrative Code Annotated (Fla. Admin. Code Ann.) [Title 40 of the Code of Federal Regulations (C.F.R.), Parts 260 through 270, 273, & 279]. This action seeks the imposition of civil penalties pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), for violations of Section 403.722 of the Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925] and Fla. Admin. Code Ann. r. 62-730 *et seq.* [40 C.F.R. Parts 260 through 270].
2. The *Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits*, which govern this action and are promulgated at 40 C.F.R. Part 22, provide that where the parties agree to settlement of one or more causes of action before the filing of a complaint, a proceeding may be simultaneously commenced and concluded by the issuance of a Consent Agreement and Final Order (CA/FO). 40 C.F.R. §§ 22.13(b) and 22.18(b)(2) and (3).
3. Complainant and Respondent have conferred for the purpose of settlement pursuant to 40 C.F.R. § 22.18 and desire to settle this action. Accordingly, before any testimony has been taken upon the pleadings and without Respondent's admission of any violation or adjudication of any issue of fact or law and in accordance with 40 C.F.R. § 22.13(b), Complainant and Respondent have agreed to the execution of this CA/FO, and Respondent hereby agrees to comply with the terms of this CA/FO.

## II. THE PARTIES

4. Complainant is the Chief, Enforcement and Compliance Branch, Resource Conservation and Restoration Division, United States Environmental Protection Agency (EPA) Region 4. Complainant is authorized to issue the instant CA/FO pursuant to Section 3008(a) of RCRA, 42 U.S.C. § 6928(a), and applicable delegations of authority.
5. Respondent is the owner and operator of Adventist Health System/Sunbelt, Inc. d/b/a Florida Hospital Orlando, a not-for-profit corporation organized under the laws of Florida. Respondent delivers acute health care services to communities throughout Central Florida and specifically at 601 East Rollins Street, Orlando, Florida (the Facility).

## III. PRELIMINARY STATEMENTS

6. Pursuant to Section 3006(b) of RCRA, 42 U.S.C. § 6926(b), the State of Florida (State) has received final authorization to carry out a hazardous waste program in lieu of the federal program set forth in RCRA. The requirements of the Florida authorized program are found at Fla. Stat. § 403.702 et seq. and Fla. Admin. Code Ann. r. 62-730.
7. Pursuant to Section 3006(g) of RCRA, 42 U.S.C. § 6926(g), the requirements established by the Hazardous and Solid Waste Amendments of 1984 (HSWA), Pub. L. 98-616, are immediately effective in all states regardless of their authorization status and are implemented by the EPA until a state is granted final authorization with respect to those requirements. Florida has received final authorization for certain portions of HSWA, including those recited herein.
8. Although the EPA has granted the State authority to enforce its own hazardous waste program, the EPA retains jurisdiction and authority to initiate an independent enforcement action pursuant to Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2). This authority is exercised by the EPA in the manner set forth in the Memorandum of Agreement between the EPA and the State.
9. As the State's authorized hazardous waste program operates in lieu of the federal RCRA program, the citations for the violations of those authorized provisions alleged herein will be to the authorized State program; however, for ease of reference, the federal citations will follow in brackets.
10. Pursuant to Section 3008(a)(2) of RCRA, 42 U.S.C. § 6928(a)(2), Complainant has given notice of this action to the State before issuance of this CA/FO.
11. Section 403.721 of the Florida Statutes, Fla. Stat. § 403.721 [Section 3002(a) of RCRA, 42 U.S.C. § 6922(a)], requires the promulgation of standards applicable to generators of hazardous waste. The implementing regulations for these standards are found at Fla. Admin. Code Ann. r. 62-730.160 [40 C.F.R. Part 262 (2016)].
12. Section 403.722 of the Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925], sets forth the requirement that a facility treating, storing, or disposing of hazardous waste must have a permit or interim status. The implementing regulations for this requirement are found at Fla. Admin. Code Ann. r. 62-730.180(1) (permitted) and Fla. Admin. Code Ann. r. 62-730.180(2) (interim status)] [40 C.F.R. Parts 264 (permitted) and 265 (interim status)].

13. Pursuant to Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. § 261.2], a “solid waste” is any discarded material that is not otherwise excluded from the regulations. A discarded material includes any material that is abandoned by being stored in lieu of being disposed.
14. Pursuant to Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. § 261.3], a solid waste is a “hazardous waste” if it meets any of the criteria set forth in Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. § 261.3(a)(2)] and is not otherwise excluded from regulation as a hazardous waste by Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. § 261.4(b)].
15. Pursuant to Fla. Admin. Code Ann. r. 62-730.020(1) [40 C.F.R. § 260.10], a “generator” is defined as any person, by site, whose act or process produces hazardous waste identified or listed in Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. Part 261], or whose act first causes a hazardous waste to become subject to regulation.
16. Pursuant to Fla. Admin. Code Ann. r. 62-730.020(1) [40 C.F.R. § 260.10], a “facility” includes “all contiguous land, and structures, other appurtenances, and improvements on the land, used for treating, storing, or disposing of hazardous waste.”
17. Pursuant to Fla. Admin. Code Ann. r. 62-730.020(1) [40 C.F.R. § 260.10], a “person” includes a corporation (including a government corporation).
18. Pursuant to Fla. Admin. Code Ann. r. 62-730.020(1) [40 C.F.R. § 260.10], an “owner” is “the person who owns a facility or part of a facility” and an “operator” is “the person responsible for the overall operation of a facility.”
19. Pursuant to Fla. Admin. Code Ann. r. 62-730.020(1) [40 C.F.R. § 260.10], “storage” means the holding of a hazardous waste for a temporary period, at the end of which the hazardous waste is treated, disposed of, or stored elsewhere.
20. Pursuant to Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. §§ 261.3(a)(2)(i) and 261.20], solid wastes that exhibit any of the characteristics identified in Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. §§ 261.21-24] are characteristic hazardous waste and are provided with the EPA Hazardous Waste Numbers D001 through D043.
21. Pursuant to Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. §§ 261.20 and 261.21], a solid waste that exhibits the characteristic of ignitability is a hazardous waste and is identified with the EPA Hazardous Waste Number D001.
22. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(c)(1) (2016)], a generator may accumulate as much as 55 gallons of hazardous waste in containers at or near the point of generation where wastes initially accumulate, which is under the control of the operator of the process generating the waste, without a permit or without having interim status, as required by Section 403.722 of the Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925], and without complying with Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a) (2016)], provided that the generator complies with the satellite accumulation area conditions listed in Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(c)(1)(i)-(ii) (2016)] (hereinafter referred to as the “SAA Permit Exemption”).

23. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a) (2016)], a generator of 1,000 kilograms or greater of hazardous waste in a calendar month is a Large Quantity Generator (LQG) and may accumulate hazardous waste on-site for 90 days or less without a permit or without having interim status, as required by Section 403.722 of the Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925], provided that the generator complies with the conditions listed in Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34 (a)(1)-(4) (2016)] (hereinafter referred to as the “LQG Permit Exemption”).
24. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(1)(i) (2016)], which is a condition of the LQG Permit Exemption, a generator is allowed to accumulate hazardous waste on-site for 90 days or less without a permit or without having interim status, provided that the waste is placed in containers and the generator complies with the applicable requirements of Subpart I of 40 C.F.R. Part 265.
25. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(c)(1)(i) (2016)], which incorporates Fla. Admin. Code Ann. r. 62-730.180(2) [40 C.F.R. § 265.173(a)], and is a condition of the SAA Permit Exemption, a generator is required to keep containers of hazardous waste closed when waste is not being added or removed.
26. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(2) (2016)], which is a condition of the LQG Permit Exemption, a generator is required to ensure that the date upon which each period of accumulation begins is clearly marked and visible on each container.
27. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(3) (2016)], which is a condition of the LQG Permit Exemption, a generator is required to label or clearly mark each container and tank accumulating hazardous waste on-site with the words: “Hazardous Waste.”
28. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(1)(i) (2016)], which incorporates Fla. Admin. Code Ann. r. 62-730.180(2) [40 C.F.R. § 265.174], and is a condition of the LQG Permit Exemption, a generator is required, at least weekly, to inspect areas where containers are stored looking for leaking containers and for deterioration of containers caused by corrosion or other factors.
29. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(5), a generator is required to keep the written documentation of inspections for at least three years from the date of the inspection. At a minimum, such documentation shall include the date and time of the inspection, the legibly printed name of the inspector, the number of containers, the condition of the containers, a notation of the observations made, and the date and nature of any repairs or other remedial actions.
30. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(4) (2016)], which incorporates the requirements for owners or operators in Fla. Admin. Code Ann. r. 62-730.180(2) [40 C.F.R. Part 265 Subparts C and D] and is a condition of the LQG Permit Exemption, a generator must comply with the contingency plan requirements in 40 C.F.R. §§ 265.51 - .56 which include, inter alia, a description of the actions facility personnel must take in response to fires, explosions, or any unplanned sudden or non-sudden release, arrangements made with hospitals, contractors, and State and local emergency response teams, the names, addresses, and phone numbers (office and home) of all persons qualified to act as emergency coordinator, an up-to-date list of all emergency equipment and its location at the facility, and a copy of an

evacuation plan for facility personnel where there is a possibility that evacuation could be necessary.

31. Pursuant to Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(4) (2016)], which incorporates the requirements for owners or operators in Fla. Admin. Code Ann. r. 62-730.180(2) [40 C.F.R. § 265.16] , and is a condition of the LQG Permit Exemption, facility personnel must successfully complete a program of classroom instruction or on-the-job training that teaches them to perform their duties in a way that ensures the facility's compliance with the regulations, and facility personnel must take part in an annual RCRA refresher training. In addition, the generator also must maintain training and other records at the facility including, inter alia, the job title for each position at the facility related to hazardous waste management along with the name of the employee filling each job, as well as a written job description for each position related to hazardous waste management and documentation that the requisite training has been given to and completed by facility personnel.

#### **IV. EPA ALLEGATIONS AND DETERMINATIONS**

32. Respondent is a "person" as defined in Fla. Admin. Code Ann. r. 62-730.020(1) [40 C.F.R. § 260.10].
33. Respondent is the "owner/operator" of a "facility" located in 601 East Rollins Street, Orlando, Florida, as those terms are defined in Fla. Admin. Code Ann. r. 62-730.020(1) [40 C.F.R. § 260.10].
34. Respondent is a "generator" of "hazardous waste" as those terms are defined in Fla. Admin. Code Ann. r. 62-730.020(1) [40 C.F.R. § 260.10] and Fla. Admin. Code Ann. r. 62-730.030(1) [40 C.F.R. § 261.3].
35. Respondent generally delivers acute health care services to communities throughout Central Florida. The facility is a fully operational hospital with fleet maintenance, grounds keeping, laboratories, pharmacies, a cancer treatment center, radiology departments, a laundry facility, and a morgue.
36. Respondent, as result of its practices and operations at the Facility, is a LQG, as that term is defined in Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a) (2016)], at all times relevant to this CA/FO.
37. On March 20, 2017, inspectors with the EPA and with the Florida Department of Environmental Protection (FDEP) (the "inspectors") conducted a compliance evaluation inspection (CEI) at Respondent's Facility. EPA's findings of the CEI were documented in a report mailed to Respondent, dated January 4, 2018.
38. At the time of the CEI, the inspectors observed that Respondent was storing twelve (12) containers of hazardous waste in the less than 90-day hazardous waste storage area. Of these 12 containers, eight (8) containers did not reflect a start accumulation date and one (1) container was not marked with the phrase "Hazardous Waste."
39. The EPA therefore alleges Respondent violated Section 403.722 of the Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925] by storing hazardous waste without a



Faint, illegible text in the top left section of the page.

Faint, illegible text in the middle left section of the page.

Faint, illegible text in the lower middle left section of the page.

Faint, illegible text in the bottom middle left section of the page.

Faint, illegible text in the bottom left section of the page.

Faint, illegible text in the top right section of the page.

Faint, illegible text in the middle right section of the page.

Faint, illegible text in the lower middle right section of the page.

Faint, illegible text in the bottom middle right section of the page.

Faint, illegible text in the bottom right section of the page.

permit or interim status, because Respondent failed to meet a condition of the LQG Permit Exemption by not complying with the dating requirements of Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(2) (2016)] and the labeling requirements of Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(3) (2016)] .

40. At the time of the CEI, the inspectors observed that containers of hazardous waste were being stored in the Chemical Storage Room, as follows: 5-gallon containers (eight (8) in number) were located on a cart and a 1-gallon container was located under a fume hood. During the inspection, three (3) additional 5-gallon containers were brought in to the Chemical Storage Room by an employee of Respondent who informed the inspectors that containers of hazardous waste were typically transferred in this fashion to this location from several points of generation located in different laboratories located on that floor. The inspectors observed that this area did not meet the requirements of a SAA, because the containers of hazardous waste being stored in the Chemical Storage Room appeared to be neither located at or near an initial point of generation nor under the control of the operator of the process that generated the waste. The inspectors further observed that the containers of hazardous waste being stored in the Chemical Storage Room were not marked with an accumulation start date and the inspectors were subsequently informed that it was not Respondent's practice to conduct weekly inspections of the containers of hazardous waste stored in the Chemical Storage Room.
41. The EPA therefore alleges Respondent violated Section 403.722 of the Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925] by storing hazardous waste without a permit or interim status, because Respondent failed to meet a condition of the LQG Permit Exemption by not complying with the dating requirements of Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(2) (2016)] and because Respondent failed to meet a condition of Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(1)(i) (2016)] by not complying with the inspection requirements of Fla. Admin. Code Ann. r. 62-730.180(2) [40 C.F.R. § 265.174] or Fla. Admin. Code Ann. r. 62-730.160(5).
42. At the time of the CEI, the inspectors observed an open 5-gallon container of hazardous waste alcohol (a D001 characteristic hazardous waste) in the Cytology Laboratory being stored in a satellite accumulation area located under a fume hood.
43. The EPA therefore alleges Respondent violated Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925] by storing hazardous waste without a permit or interim status, because Respondent failed to meet a condition of the SAA Permit Exemption set forth in Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(c)(1)(i) (2016)] by not complying with the container management requirements of Fla. Admin. Code Ann. r. 62-730.180(2) [40 C.F.R. § 265.173(a)].
44. At the time of the CEI, upon review of the Facility's contingency plan, the inspectors observed that the contingency plan failed to include the following:
  1. An amendment reflecting updates or changes to the following:
    - i. The correct name of the emergency coordinator.
    - ii. The correct telephone number for the FDEP's Bureau of Emergency Response.
    - iii. The home address of the facility's emergency coordinators.

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

2. An explosion scenario, and a copy of the evacuation map describing the location of fire extinguishers, spill kits, hazardous waste storage areas, satellites accumulation areas, evacuation routes, and communications and alarm systems.
  3. A copy of arrangements with local police departments, fire departments, hospitals, contractors, and State and local emergency response teams to coordinate emergency services.
45. The EPA therefore alleges Respondent violated Section 403.722 of the Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925] by storing hazardous waste without a permit or interim status, because Respondent failed to meet a condition of the LQG Permit Exemption set forth in Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(4) (2016)], by not complying with the contingency plan requirements of Fla. Admin. Code Ann. r. 62-730.180(2) [40 C.F.R. § 265.52].
46. At the time of the CEI, upon review of the Facility's training records, the inspectors observed the following deficiencies in the training materials:
1. The job title was not included for each position at the facility related to hazardous waste management;
  2. Information regarding hazardous waste management activities and training requirement was not included in job descriptions;
  3. Classroom training documentation did not include instructions and/or tests on how to identify a hazardous waste, how to mark and label containers of hazardous waste, and how to perform weekly accumulation area inspections.
47. The EPA therefore alleges Respondent violated Section 403.722 of the Florida Statutes, Fla. Stat. § 403.722 [Section 3005 of RCRA, 42 U.S.C. § 6925] by storing hazardous waste without a permit or interim status, because Respondent failed to meet a condition of the LQG Permit Exemption set forth in Fla. Admin. Code Ann. r. 62-730.160(1) [40 C.F.R. § 262.34(a)(4) (2016)], by not complying with the personnel training requirements of Fla. Admin. Code Ann. r. 62-730.180(2) [40 C.F.R. §§ 265.16].

## **V. TERMS OF AGREEMENT**

Based on the foregoing Preliminary Statements, Allegations and Determinations, the parties agree to the following:

48. For the purposes of this CA/FO, Respondent admits the jurisdictional allegations set out in the above paragraphs pursuant to Section 3008 of RCRA, 42 U.S.C. § 6928.
49. Respondent neither admits nor denies the factual allegations and determinations set out in this CA/FO.
50. Respondent waives any right to contest the allegations and its right to appeal the proposed Final Order accompanying the Consent Agreement.

51. Respondent waives its right to challenge the validity of this CA/FO and the settlement of the matters addressed in this CA/FO based on any issue related to the Paperwork Reduction Act, 44 U.S.C. § 3501 *et seq.*
52. Respondent waives any right it may have pursuant to 40 C.F.R. § 22.8 to be present during any discussions with, or to be served with and reply to, any memorandum or communication addressed to EPA officials where the purpose of such discussion, memorandum, or communication is to persuade such official to accept and issue this CA/FO.
53. Respondent waives any and all remedies, claims for relief, and otherwise available rights to judicial or administrative review that Respondent may have with respect to any issue of fact or law set forth in this CA/FO, including any right of judicial review under Chapter 7 of the Administrative Procedure Act, 5 U.S.C. §§ 701-706.
54. The parties agree that the settlement of this matter is in the public interest and that this CA/FO is consistent with the applicable requirements of RCRA.
55. Respondent, by signing this CA/FO, certifies that Respondent is currently in compliance with RCRA and the authorized State hazardous waste program.
56. The parties agree that compliance with the terms of this CA/FO shall resolve the violations alleged and the facts stipulated to in this CA/FO.
57. Each party will pay its own costs and attorneys' fees.
58. This CA/FO shall not relieve Respondent of its obligation to comply with all applicable provisions of federal, state or local law, nor shall it be construed to be a ruling on, or determination of, any issue related to any federal, state or local permit; nor does this CAFO constitute a waiver, suspension or modification of the requirements of RCRA, Subtitle C, 42 U.S. C. §§ 6921- 6939e, or any regulations promulgated thereunder.

## VI. PAYMENT OF CIVIL PENALTY

59. Respondent consents to the payment of a civil penalty in the amount of **EIGHTY THOUSAND DOLLARS exactly (\$80,000.00)**, which is to be paid within thirty (30) calendar days of the effective date of this CA/FO.
60. Payment shall be made by cashier's check, certified check, by electronic funds transfer (EFT), or by Automated Clearing House (ACH) (also known as REX or remittance express). If paying by check, the check shall be payable to: **Treasurer, United States of America**, and the Facility name and docket number for this matter shall be referenced on the face of the check. If Respondent sends payment by the U.S. Postal Service, the payment shall be addressed to:

United States Environmental Protection Agency  
**Fines and Penalties**  
Cincinnati Finance Center  
P.O. Box 979077  
St. Louis, Missouri 63197-9000

If Respondent sends payment by non-U.S. Postal express mail delivery, the payment shall be sent to:

U.S. Bank  
Government Lockbox 979077  
**U.S. EPA Fines & Penalties**  
1005 Convention Plaza  
SL-MO-C2-GL  
St. Louis, Missouri 63101  
(314) 425-1818

If paying by EFT, Respondent shall transfer the payment to:

Federal Reserve Bank of New York  
ABA: 021030004  
Account Number: 68010727  
SWIFT address: FRNYUS33  
33 Liberty Street  
New York, New York 10045  
Field Tag 4200 of the Fedwire message should read:  
"D 68010727 Environmental Protection Agency"

If paying by ACH, Respondent shall remit payment to:

US Treasury REX / Cashlink ACH Receiver  
ABA: 051036706  
Account Number: 310006, Environmental Protection Agency  
CTX Format Transaction Code 22 – checking  
Physical location of US Treasury facility:  
5700 Rivertech Court  
Riverdale, Maryland 20737  
Contact: John Schmid, (202) 874-7026  
REX (Remittance Express): 1-866-234-5681

61. Respondent shall submit a copy of the payment to the following individuals:

Regional Hearing Clerk  
U.S. EPA - Region 4  
61 Forsyth Street, S.W.  
Atlanta, Georgia 30303-8960

and to:

Parvez Mallick  
Environmental Engineer  
Hazardous Waste Compliance and Enforcement Section  
Enforcement and Compliance Branch  
Resource Conservation and Restoration Division  
US EPA Region 4

61 Forsyth Street, S.W.  
Atlanta, Georgia 30303-8909  
[mallick.parvez@epa.gov](mailto:mallick.parvez@epa.gov)  
(404) 562-8594

62. If Respondent fails to remit the civil penalty as agreed to herein, the EPA is required to assess interest and penalties on debts owed to the United States and a charge to cover the costs of processing and handling the delinquent claim. Interest, at the statutory judgment rate provided for in 31 U.S.C. § 3717, will therefore begin to accrue on the civil penalty if not paid within 30 calendar days after the effective date of this Consent Agreement or, if paying in installments, not paid in accordance with the installment schedule provided above. Pursuant to 31 U.S.C. § 3717, Respondent must pay the following amounts on any amount overdue:
1. Interest. Any unpaid portion of a civil penalty or stipulated penalty must bear interest at the rate established by the Secretary of the Treasury pursuant to 31 U.S.C. § 3717(a)(1). Interest will therefore begin to accrue on a civil penalty or stipulated penalty if it is not paid by the last date required. Interest will be assessed at the rate of the United States Treasury tax and loan rate in accordance with 4 C.F.R. § 102.13(c).
  2. Monthly Handling Charge. Respondent must pay a late payment handling charge of fifteen dollars (\$15.00) on any late payment, with an additional charge of fifteen dollars (\$15.00) for each subsequent thirty (30) calendar-day period over which an unpaid balance remains.
  3. Non-Payment Penalty. On any portion of a civil penalty or a stipulated penalty more than ninety (90) calendar days past due, Respondent must pay a non-payment penalty of six percent (6%) per annum, which will accrue from the date the penalty payment became due and is not paid. This non-payment is in addition to charges which accrue or may accrue under subparagraphs (a) and (b).
63. Penalties paid pursuant to this CA/FO are not deductible for federal purposes under 26 U.S.C. § 162(f).

## VII. PARTIES BOUND

64. This CA/FO shall be binding on Respondent and its successors and assigns. Respondent shall cause its officers, directors, employees, agents, and all persons, including independent contractors, contractors, and consultants acting under or for Respondent, to comply with the provisions hereof in connection with any activity subject to this CA/FO.
65. No change in ownership, partnership, corporate or legal status relating to the Facility will in any way alter Respondent's obligations and responsibilities under this CA/FO.
66. The undersigned representative of Respondent hereby certifies that she or he is fully authorized to enter into this CA/FO and to execute and legally bind Respondent to it.

## **VIII. RESERVATION OF RIGHTS**

67. Notwithstanding any other provision of this CA/FO, an enforcement action may be brought pursuant to Section 7003 of RCRA, 42 U.S.C. § 6973, or other statutory authority, should the EPA find that the handling, storage, treatment, transportation, or disposal of solid waste or hazardous waste at Respondent's Facility may present an imminent and substantial endangerment to human health or the environment.
68. Complainant reserves the right to take enforcement action against Respondent for any future violations of RCRA and the implementing regulations and to enforce the terms and conditions of this CA/FO.
69. Except as expressly provided herein, nothing in this CA/FO shall constitute or be construed as a release from any civil or criminal claim, cause of action, or demand in law or equity for any liability Respondent may have arising out of, or relating in any way to, the storage, transportation, release, or disposal of any hazardous constituents, hazardous substances, hazardous wastes, pollutants, or contaminants found at, taken to, or taken from Respondent's Facility.

## **IX. OTHER APPLICABLE LAWS**

70. All actions required to be taken pursuant to this CA/FO shall be undertaken in accordance with the requirements of all applicable local, state, and Federal laws and regulations. Respondent shall obtain or cause its representatives to obtain all permits and approvals necessary under such laws and regulations.

## **X. SERVICE OF DOCUMENTS**

71. A copy of any documents that Respondent files in this action shall be sent to the following attorney who represents EPA in this matter and who is authorized to receive service for the EPA in this proceeding:

Gregory D. Luetscher  
Associate Regional Counsel  
Office of RCRA, OPA and UST Legal Support  
U.S. Environmental Protection Agency, Region 4  
61 Forsyth Street, S.W.  
Atlanta, Georgia 30303-8960  
(404) 562-9677

72. A copy of any documents that Complainant files in this action shall be sent to the following individuals who represents Respondent in this matter and who are authorized to receive service for Respondent in this proceeding:

Laurie Levin  
Vice President  
Regional Chief Legal Officer  
Florida Hospital



550 East Rollins Street, 6<sup>th</sup> Floor  
Orlando, Florida 32803

And to:

Bonni Kaufman  
Partner  
Holland & Knight LLP  
800 17th Street N.W., Suite 1100  
Washington, DC 20006

#### **XI. SEVERABILITY**

73. It is the intent of the parties that the provisions of this CA/FO are severable. If any provision or authority of this CA/FO or the application of this CA/FO to any party or circumstances is held by any judicial or administrative authority to be invalid or unenforceable, the application of such provisions to other parties or circumstances and the remainder of the CA/FO shall remain in force and shall not be affected thereby.


#### **XII. EFFECTIVE DATE**

74. The effective date of this CA/FO shall be the date on which the CA/FO is filed with the Regional Hearing Clerk.

***In the matter of Adventist Health System/Sunbelt, Inc. d/b/a Florida Hospital Orlando, Docket No. RCRA-04-2018-4010(b):***


**AGREED AND CONSENTED TO:**

**Adventist Health System/Sunbelt, Inc. d/b/a Florida Hospital Orlando**

By:   
David Patchin  
Assistant Vice President  
Support Services at Adventist Health  
System/Sunbelt, Inc. d/b/a Florida Hospital Orlando

Dated: 7-10-2018

**United States Environmental Protection Agency**

By:   
Larry L. Lamberth, Chief  
Enforcement and Compliance Branch  
Resource Conservation and Restoration Division

Dated: 07/18/18


**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 4**

IN THE MATTER OF:	)	DOCKET NO.: RCRA-04-2018-4010(b)
	)	
Adventist Health System/Sunbelt, Inc.	)	
d/b/a Florida Hospital Orlando	)	Proceeding Under Section 3008(a) of the
601 East Rollins Street	)	Resource Conservation and Recovery Act,
Orlando, Florida 32803	)	42 U.S.C. § 6928(a)
EPA ID No.: FLD101872190	)	
	)	
Respondent	)	
_____	)	

**FINAL ORDER**

The foregoing Consent Agreement is hereby approved, ratified and incorporated by reference into this Final Order in accordance with the *Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits*, 40 C.F.R. Part 22. The Respondent is hereby ORDERED to comply with all of the terms of the foregoing Consent Agreement effective immediately upon filing of this Consent Agreement and Final Order with the Regional Hearing Clerk. This Order disposes of this matter pursuant to 40 C.F.R. §§ 22.18 and 22.31.

**BEING AGREED, IT IS SO ORDERED** this 18<sup>th</sup> day of July, 2018.

BY:   
Tanya Floyd  
Regional Judicial Officer  
EPA Region 4

**CERTIFICATE OF SERVICE**

I hereby certify that I have this day filed the original and a true and correct copy of the foregoing Consent Agreement and the attached Final Order (CA/FO), *In the Matter of Adventist Health System/Sunbelt, Inc. d/b/a Florida Hospital Orlando, Docket Number: RCRA-04-2018-4010(b)*, and have served the parties listed below in the manner indicated:

Parvez Mallick  
Environmental Engineer  
Enforcement and Compliance Branch  
Resource Conservation and Restoration Division  
US EPA Region 4  
61 Forsyth Street, S.W.  
Atlanta, Georgia 30303-8909

(Via EPA's electronic mail)

Quantindra Smith  
Enforcement and Compliance Branch  
Resource Conservation and Restoration Division  
U.S. Environmental Protection Agency, Region 4  
61 Forsyth Street, S.W.  
Atlanta, Georgia 30303-8960

(Via EPA's electronic mail)

Laurie Levin  
Vice President  
Regional Chief Legal Officer  
Florida Hospital  
550 East Rollins Street  
Orlando, Florida 32803


(Via Certified Mail-Return Receipt Requested)

Bonni Kaufman  
Partner  
Holland & Knight LLP  
800 17th Street N.W., Suite 1100  
Washington, DC 20006

(Via Certified Mail-Return Receipt Requested)

Date:

7-24-18



Patricia A. Bullock  
Regional Hearing Clerk  
U.S. Environmental Protection Agency, Region 4  
61 Forsyth Street, S.W.  
Atlanta, Georgia 30303-8960  
(404) 562-9511