



REGION 6
DALLAS, TX 75270

April 7, 2026

TRANSMITTED VIA EMAIL

Cliff Taylor
White Palace Energy, LLC
16210 Wind Hill Circle
Skiatook, Oklahoma 74070
whitepalaceenergy@yahoo.com

Re: Notice of Proposed Administrative Order and Opportunity to Request a Hearing
Well Number: 4-A
EPA Inventory ID: OS5050000
Docket Number: SDWA-06-2026-1105

Dear Mr. Taylor:

Enclosed is a Proposed Administrative Order (Proposed Order) that the Environmental Protection Agency (EPA) intends to issue to White Palace Energy, LLC for violation of the Safe Drinking Water Act (SDWA). The violation was identified based on our review of records that we maintain on the referenced injection well. The violation was for failing to successfully demonstrate mechanical integrity and for maintaining the injection well in a manner that could allow the movement of fluid that contains contaminants into an Underground Source of Drinking Water. The Proposed Order does not assess a monetary penalty; however, it does require compliance with SDWA requirements. The Proposed Order requires the referenced injection well to comply with certain regulations.

You have the right to request a hearing regarding the violations alleged in the Proposed Order. Whether or not you request a hearing, we invite you to confer with us informally. If you choose not to request a hearing, we will review any comments on the Proposed Order received from you and the public and determine whether the Proposed Order will be issued as a Final Administrative Order. In the event you choose not to request a hearing within thirty (30) days of your receipt of this Proposed Order, and no public comments are received, EPA shall issue a Final Administrative Order regarding the violations and requiring compliance with the SDWA regulations.

Also enclosed is an "Information Sheet" relating to the Small Business Regulatory Enforcement Fairness Act and a "Notice of Registrant's Duty to Disclose" relating to the disclosure of environmental legal proceedings to the Securities and Exchange Commission. The EPA is committed to ensuring compliance

Re: White Palace Energy, LLC
SDWA-06-2026-1105

P. 2

with the requirements of the Underground Injection Control program, and my staff will assist you in any way possible.

EPA requests that you immediately confirm receipt of this e-mail. If you have any questions or wish to discuss the possibility of a settlement of this matter and the attached Order please contact David Aguinaga, of my staff, at (214) 665-6439 or by email at, aguinaga.david@epa.gov.

Sincerely,



Digitally signed by
CHERYL SEAGER
Date: 2026.04.07 15:23:07
-05'00'

Cheryl T. Seager, Director
Enforcement and
Compliance Assurance Division

Enclosures

ec: Mr. Craig Walker, Director, Osage Nation Dept. of Natural Resources (DNR)
cmwalker@osagenation-nsn.gov

Mr. Adam Trumbly, Superintendent, Bureau of Indian Affairs, Osage Agency
adam.trumbly@bia.gov

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 6
Dallas, Texas 75270

FILED

08 APR 26 AM 10:40

REGIONAL HEARING CLERK
EPA REGION 6

| | | |
|--------------------------|---|------------------------------|
| In the Matter of | § | |
| | § | |
| White Palace Energy, LLC | § | Docket No. SDWA-06-2026-1105 |
| | § | |
| Respondent. | § | |

PROPOSED ADMINISTRATIVE ORDER

STATUTORY AUTHORITY

The following findings are made, and Proposed Administrative Order issued, under the authority vested in the Administrator of the U.S. Environmental Protection Agency (EPA) by Section 1423(c) of the Safe Drinking Water Act (the Act), 42 U.S.C. § 300h-2(c). The authority to issue this Proposed Administrative Order has been delegated by the Administrator to the Regional Administrator of EPA Region 6, who further delegated such authority to the Director of the Enforcement and Compliance Assurance Division. The EPA has primary enforcement responsibility for underground injection within the meaning of Section 1422(c) of the Act, 42 U.S.C. § 300h-1(c), to ensure that owners or operators of Class II injection wells within Osage County, Oklahoma, comply with the requirements of the Act.

FINDINGS

1. White Palace Energy, LLC (Respondent) is a limited liability company doing business in the State of Oklahoma and, therefore, is a "person," within the meaning of Section 1401(12) of the Act, 42 U.S.C. § 300f(12).

2. At all times relevant to the violations alleged herein, Respondent owned or operated an “injection well” which is a “Class II well” as those terms are defined at 40 C.F.R § 147.2902. The injection well is in the Northwest Quarter of Section 29, Township 23 North, Range 11 East, Osage County, Oklahoma, designated as Well No. 4-A and EPA Inventory Number OS5050000 (the injection well).
3. Respondent is subject to underground injection control (UIC) program requirements set forth at 40 C.F.R. Part 147, Subpart GGG, which are authorized under Section 1421 of the Act, 42 U.S.C. § 300h.
4. Regulations at 40 C.F.R. § 147.2903(a) prohibit any underground injection except as authorized by rule or authorized by a permit issued under the UIC program. The construction or operation of any well required to have a permit is prohibited until the permit has been issued. The term “permit” is defined at 40 C.F.R. § 147.2902.
5. Regulations at 40 C.F.R. § 147.2903(b) provide that no owner or operator shall construct, operate, maintain, convert, plug, or abandon any injection well, or conduct any other injection activity, in a manner that allows the movement of fluid containing any contaminant into underground sources of drinking water, if the presence of that contaminant may cause the violation of any primary drinking water regulation under 40 C.F.R. Part 142 or may otherwise adversely affect the health of persons.
6. Regulations at 40 C.F.R. § 147.2916 require the owner or operator of a new Class II injection well, or any other Class II injection well required to have a permit in the Osage Mineral Reserve, to comply with the requirements of 40 C.F.R. §§ 147.2903, 147.2907, and 147.2918 through 147.2928.

7. On December 26, 1985, EPA issued UIC permit number 06S1262P5050 (“the permit”) for the injection well.
8. On December 26, 1985, the permit became effective.
9. On September 12, 2022, responsibility for the permit was transferred to Respondent.
10. Regulations at 40 C.F.R. § 147.2925(a) require the permittee to comply with all permit conditions, except as authorized by an emergency permit (described at 40 C.F.R. § 147.2906).
11. Regulations at 40 C.F.R. § 147.2920(b) and Part I.B of the UIC permit require that the injection well have mechanical integrity and demonstrate mechanical integrity every five (5) years.
12. On January 31, 2024, an inspection confirmed that the Respondent failed to conduct the mechanical integrity test and static fluid level was observed above the lowermost zone of an “Underground Source of Drinking Water” (USDW). The term USDW is defined at 40 C.F.R. § 147.2902.
13. On March 5, 2026, an inspection confirmed that the Respondent failed to conduct the mechanical integrity test and static fluid level was observed above the lowermost zone of a USDW.
14. On November 19, 2025, and March 10, 2026, EPA sent a notice of the failed mechanical integrity, informing the Respondent that the inspector observed that static fluid level in the well was above the lowermost zone of a the USDW (228'). To date, the injection well has not successfully demonstrated mechanical integrity.
15. Therefore, Respondent violated regulations set forth at 40 C.F.R. §§ 147.2903(b) and 147.2920(b) and Part I.B. of the permit by maintaining the injection well in a manner that could

allow the movement of fluid that contains contaminants into an USDW and by failing to successfully demonstrate mechanical integrity.

SECTION 1423(c) PROPOSED COMPLIANCE ORDER

16. Based on the foregoing findings, and pursuant to the authority of Section 1423(c) of the Act, 42 U.S.C. § 300h-2(c), EPA Region 6 hereby proposes to order Respondent to:

- a. Cease use of the injection well for the unauthorized underground injection of fluids, and
- b. Take one of the following actions:
 - i. Repair the injection well and successfully demonstrate mechanical integrity according to regulations at 40 C.F.R. § 147.2920 and Part I.B. of the permit within ninety (90) days of the effective date of the Final Administrative Order; or
 - ii. Complete proper plugging and abandonment in accordance with 40 C.F.R. § 147.2905, within ninety (90) days of the effective date of the Final Administrative Order; or
 - iii. Convert the injection well to production use within thirty (90) days of the effective date of the Final Administrative Order.

17. Submit copies of completed plugging reports or completed work reports showing conversion to production and BIA Osage Agency Forms 139 within 120 days of the effective date of the Final Administrative Order to:

David Aguinaga
aguinaga.david@epa.gov
U.S. Environmental Protection Agency
Water Enforcement Branch (ECDWE)

NOTICE OF OPPORTUNITY TO REQUEST A HEARING

18. Respondent may request a hearing to contest the issuance of the Final Administrative Order, pursuant to Section 1423(c)(3)(A) of the Act, 42 U.S.C. § 300h-2(c)(3)(A). Such hearing shall not be subject to section 554 or 556 of Title 5 but shall provide a reasonable opportunity to be heard and to present evidence.

19. A request for a hearing must be made within thirty (30) days of the date of receipt of this Proposed Administrative Order. If you would like to request a hearing on this Proposed Administrative Order, submit the hearing request to the Regional Hearing Clerk (6ORC); U.S. Environmental Protection Agency, Region 6; 1201 Elm Street, Suite 500; Dallas, Texas 75270-2102.

20. Should a hearing be requested, members of the public who commented on the issuance of this Proposed Administrative Order during the public comment period would have a right to be heard and present evidence at a hearing under Section 1423(c)(3)(C) of the Act, 42 U.S.C. § 300h-2(c)(3)(C).

GENERAL PROVISIONS

21. Issuance of the Final Administrative Order does not constitute a waiver, suspension, or modification of the requirements of 40 C.F.R. Parts 144, 146, and 147, Subpart GGG, which remain in full force and effect.

22. Issuance of the Final Administrative Order is not an election by EPA to forego any civil or criminal action otherwise authorized under the Act.

23. Violation of the terms of the Final Administrative Order after its effective date or date of final judgment as described in Section 1423(c)(6) of the Act, 42 U.S.C. § 300h-2(c)(6), may subject Respondent to further enforcement action, including a civil action for enforcement of

the Final Administrative Order under Section 1423(b) of the Act, 42 U.S.C. § 300h-2(b), and civil and criminal penalties for violations of the compliance terms of this Order under Section 1423(b)(1) and (2) of the Act, 42 U.S.C. § 300h-2(b)(1) and (2).

TAX IDENTIFICATION

24. For purposes of the identification requirement in Section 162(f)(2)(A)(ii) of the Internal Revenue Code, 26 U.S.C. § 162(f)(2)(A)(ii), and 26 C.F.R. § 1.162-21(b)(2), performance of Paragraphs 16 and 17 is restitution, remediation, or required to come into compliance with the law.


SETTLEMENT

25. EPA encourages all parties against whom an administrative order is proposed to pursue the possibility of settlement through informal meetings with EPA. Regardless of whether a formal hearing is requested, Respondent may confer informally with EPA about the alleged violations. Respondent may wish to appear at any informal conference or formal hearing personally, by counsel or other representative, or both. To request an informal conference on the matters described in this Proposed Administrative Order, please contact David Aguinaga, of my staff, at aguinaga.david@epa.gov or 214-665-6439.

26. If this action does not proceed to a formal hearing, EPA shall issue a Final Administrative Order.

EFFECTIVE DATE

27. The Final Administrative Order becomes effective thirty (30) days after issuance unless an appeal is taken pursuant to Section 1423(c)(6) of the Act, 42 U.S.C. § 300h-2(c)(6).



Digitally signed by
CHERYL SEAGER
Date: 2026.04.07
15:22:05 -05'00'

Cheryl T. Seager, Director
Enforcement and
Compliance Assurance Division

CERTIFICATE OF SERVICE

I certify that the foregoing Proposed Administrative Order was sent to the following persons, in the manner specified, on the date below:

Signed Original E-mailed: Regional Hearing Clerk (R6ORC)
U.S. EPA, Region 6
1201 Elm Street, Suite 500
Dallas, TX 75270
vaughn.lorena@epa.gov

File Stamped Copy
Transmitted via Email: Mr. Cliff Taylor
White Palace Energy, LLC
16210 Wind Hill Circle
Skiatook, Oklahoma 74070
whitepalaceenergy@yahoo.com

Electronic Copy: Tucker Henson
U.S. EPA, Region 6
1201 Elm Street, Suite 500
Dallas, TX 75270
Henson.Tucker@epa.gov

Adam Trumbly, Superintendent
Bureau of Indian Affairs, Osage Agency
P.O. Box 1539
Pawhuska, OK 74056
adam.trumbly@bia.gov

Craig Walker, Director
Osage Nation Department of Natural Resources
100 W. Main, Suite 304
Pawhuska, OK 74056
cmwalker@osagenation-nsn.gov

Dated: April 10, 2026

Signed: David Aguinaga