



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 8**

1595 Wynkoop Street  
Denver, CO 80202-1129  
Phone 800-227-8917  
www.epa.gov/region8

**AUG 01 2016**

**2016 AUG -1 PM 2: 16**

**FILED  
EPA REGION VIII  
HEARING CLERK**

Ref: 8ENF-W

CERTIFIED MAIL  
RETURN RECEIPT REQUESTED

Mr. James E. Greer, Registered Agent  
Y-O Investment, INC.  
21 Main Drive  
Wheatland, Wyoming 82201

Re: Administrative Order Addendum, Y-O Investments Inc.,  
PWS ID #5600777, Docket # SDWA-08-2016-0010


Dear Mr. Greer:

This letter is an addendum to the Emergency Administrative Order (Order) issued on June 8, 2016, to Y-O Investment, Inc. (Y-O), as owner and/or operator of the Y-O public water system. The purpose of this letter is to approve the June 21, 2016, schedule submitted via email by Janice Smith, on behalf of Y-O, for maintaining consistent pressure within the distribution system. The schedule to install a level control system by August 31, 2016, is hereby incorporated into the Order per paragraph 28 (page 4) of the Order.


Pursuant to paragraph 27 of the Order, the System shall prevent recurrence of pressure loss by the August 31, 2016, final completion deadline in this approved schedule. The EPA is authorized to seek penalties if these deadlines are not met. If Y-O has a reasonable basis to believe it may be unable to meet any deadline in the schedule, it shall notify the EPA well in advance of the scheduled deadline to request an extension. The EPA may, in its discretion, consider granting an extension.

Please contact Metea Wright, Environmental Protection Specialist, at (303) 312-6023 or via email at [wright.metea@epa.gov](mailto:wright.metea@epa.gov) if you have any questions concerning this Addendum.

Sincerely,



Arturo Palomares, Director  
Water Technical Enforcement Program  
Office of Enforcement, Compliance  
and Environmental Justice



James H. Eppers, Supervisory Attorney  
Legal Enforcement Program  
Office of Enforcement, Compliance  
and Environmental Justice

cc: Janice Smith, Cooper Sub MHP (via email: [jksmith96@me.com](mailto:jksmith96@me.com) )  
WY DEQ/DOH (via email)  
Missy Haniewicz, EPA Regional Hearing Clerk

