U.S. ENVIRONMENTAL PROTECTION AGENCY, REGION 7 11201 Renner Boulevard, Lenexa, Kansas 66219 UNDERGROUND STORAGE TANK FIELD CITATION FORM FOR EXPEDITED SETTLEMENT DOCKET NO. RCRA-07-2014-0022

PART I: INSPECTION SUMMARY	PART II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER
On: <u>August 12, 2013</u> (Date of inspection) At: <u>Bucky's Express #24 (ID #:3169)</u>	A. Settlement Agreement: The Owner or Operator by signing this Settlement Agreement (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the following terms and conditions:
(Facility Name and Identification Number) Address:2223 South 24 th Street	The Owner or Operator certifies, subject to civil and criminal penalties for making a false submission to the U.S. Government, that he or she has corrected the violations, submitted true and accurate documentation of their correction, and submitted payment to the U.S. Treasury for the amount of \$210.00 in payment of the full proposed penalty amount, as described in Part I of this Form.
Omaha, NE 68106	
(Name of On-site Representative if not the Owner or Operator)	The Owner or Operator agrees to comply with the terms of the Compliance Order in Part II.B. Without admitting liability for the violations cited in Part I,
Name and address of the UST <u>Owner</u> or Operator (circle which applies).	the Owner or Operator signing below waives any objections to EPA's jurisdiction with respect to the Compliance Order and this Settlement Agreement, and consents to EPA's final approval of this Settlement
Name: Ms. Nichole Mallett, Buchanan Energy LLC	Agreement without further notice. The Owner or Operator waives the opportunity for a public hearing pursuant to RCRA section 9006.
Address: 4973 Dodge Street	Once EPA signs the Settlement Agreement, EPA will take no further enforcement action against the Owner or Operator for the civil violations described in Part I, provided the violations have been timely corrected and the penalty has been paid. EPA does not waive its right to enforce against the
A duly designated officer, employee, or representative of the EPA or a duly designated officer or employee of the State or Tribe inspected this facility. EPA has reviewed the inspection report and other relevant materials and has identified the following violation(s) of the UST regulations promulgated or	Owner or Operator for any other violations not described in Part I and violations of the UST requirements or other requirements listed in Part I that were not corrected in a timely manner.
approved by EPA under Subtitle I of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. § 6991 et seq.).	This Settlement Agreement and Compliance Order will become effective once signed by EPA and is binding on EPA and the Owner or Operator upon signature by both parties. Final approval of the Settlement Agreement and
1. Violation: No outside Overfill Alarm	Compliance Order is in the sole discretion of the Regional Administrator, Region 7, EPA, or his or her authorized delegate. Upon final approval, EPA shall mail a copy of this document to the Owner or Operator signing below.
Cite: 40 C.F.R. § 280.44(a) [NSFM Title 159,7-005.01] Proposed Penalty: \$ 210.00	DIGNATURE DY ONINER OPERATOR OF AUTHORIZED
PROPOSED PENALTY TOTAL: \$ 210.00	Signature: Dete: \$1.5/14
EPA finds the Owner or Operator In violation of the above referenced UST regulations. Signature of Authonized Officer or Employee of EPA)	B. Compliance Order: This Compliance Drder is issued under the authority of RCRA section 9006 to resolve the civil violations Identified In Part I. The Owner or Operator is ordered to correct the violations, submit true and accurate documentation that the violations were corrected, and pay the total penalty amount listed In Part I of this Form. This Compliance Order shall become final and enforceable only upon signature by an EPA official with the authority to sign this document.
AM 8: 43	SIGNATURE BY EPA APPROVING THE SETTLEMENT AGREEMENT AND COMPLIANCE ORDER: Name (print): Karina Boy vomeo
A B:	Title (print): <u>Regional Judicial Officer</u>
S-12	Signature: Karna Bonomec Date: 8-26-14
GUILED HCY-	Notes:
ZOI4 AUG	
ZOIIA AGEN	

IN THE MATTER OF Bucky's Express #24, Respondent Docket No. RCRA-07-2014-0022

CERTIFICATE OF SERVICE

I certify that a true and correct copy of the foregoing Order was sent this day in the following manner to the addressees:

Copy by email to Attorney for Complainant:

bosch.raymond@epa.gov

Copy by First Class Mail to:

Nichole Mallett Buchanan Energy LLC 4973 Dodge Street Omaha, Nebraska 68132

Dated: 8

Jenden

Kathy Robinson Hearing Clerk, Region 7