

Re: CAA-08-2012-0014 Greg Bazley to: Tina Artemis

2012 OCT 17 AM 8: 07

10/16/2012 01:12 PM

From:

Greg Bazley/R8/USEPA/US

To:

Tina Artemis/R8/USEPA/US@EPA

TEA KEGION TEST REPORTING OF FINE

Hi Tina,

We have received/accepted the Certification of Compliance as related to the docket number.

Thanks,

Greg Bazley US EPA Region 8 1595 Wynkoop Street Denver, CO 80202-1129 Phone: 303.312.6255

Tina Artemis

Fax: 303.312.6409

Payment received in full please notify me when t...

10/15/2012 07:17:44 AM

From:

Tina Artemis/R8/USEPA/US

To:

Greg Bazley/R8/USEPA/US@EPA, David Rochlin/R8/USEPA/US@EPA

Date: Subject: 10/15/2012 07:17 AM CAA-08-2012-0014

Payment received in full please notify me when the compliance report is accepted by EPA so I may close this matter

[attachment "CAA-08-2012-0014.pdf" deleted by Greg Bazley/R8/USEPA/US]

THE ATTACHMENT IS CONSIDERED CONFIDENTIAL PLEASE DO NOT RELEASE.

Tina Artemis

Paralegal/Regional Hearing Clerk U.S. EPA - Region 8 1595 Wynkoop Street Denver, CO 80202-1129 303-312-6765 - Telephone 303-312-6859 - Fax