

U.S. ENVIRONMENTAL PROTECTION AGENCY (EPA), REGION 7  
901 N. 5<sup>th</sup> Street, Kansas City, Kansas 66101

UNDERGROUND STORAGE TANK (UST) FIELD CITATION FORM FOR EXPEDITED SETTLEMENT DOCKET NO. RCRA-07-2011-0018

PART I: INSPECTION SUMMARY

On: July 14, 2010  
(Date of Inspection)

At: Reinhart Food Service (NE State ID #11337)  
(Facility Name and Identification Number)

Address: 6720 North 9<sup>th</sup> Street  
Omaha, NE 68110

James Johnson  
(Name of On-site Representative if not the Owner or Operator)

Name and address of the UST Owner or Operator (circle which applies).

Name: James Johnson

Address: 6720 North 9<sup>th</sup> Street  
Omaha, NE 68110

A duly designated officer, employee, or representative of the EPA or a duly designated officer or employee of the State or Tribe inspected this facility. EPA has reviewed the inspection report and other relevant materials and has identified the following violation(s) of the UST regulations promulgated or approved by EPA under Subtitle I of the Resource Conservation and Recovery Act (RCRA) (42 U.S.C. § 6991 et seq.).

1. Violation: Failure to monitor tanks at least every 30 days. Tanks must be monitored at least every 30 days for releases using one of the methods listed in § 280.43. Owner was unable to provide 12 months of tank release detection records from the ATG.

Cite: 40 CFR § 280.41(a) Proposed Penalty: \$ 420.00

2. Violation: Installation of inadequate overfill prevention equipment in diesel tank.

Cite: 40 CFR § 280.20(c)(1)(ii) Proposed Penalty: \$ 210.00

3. Violation: \_\_\_\_\_

Cite: \_\_\_\_\_ Proposed Penalty: \$ \_\_\_\_\_

4. Violation: \_\_\_\_\_

Cite: \_\_\_\_\_ Proposed Penalty: \$ \_\_\_\_\_

PROPOSED PENALTY TOTAL: \$ 630.00

EPA finds the Owner or Operator in violation of the above referenced UST regulations.

[Signature] Date: 6-5-2011  
(Signature of Authorized Officer or Employee of EPA)

PART II: SETTLEMENT AGREEMENT/COMPLIANCE ORDER

**A. Settlement Agreement:** The Owner or Operator by signing this Settlement Agreement (or by having an authorized representative sign it) agrees to settle the violations identified in Part I, subject to the following terms and conditions:

The Owner or Operator certifies, subject to civil and criminal penalties for making a false submission to the U. S. Government, that he or she has corrected the violations, submitted true and accurate documentation of their correction, and submitted payment to the U.S. Treasury for the amount of \$ 630.00 in payment of the full proposed penalty amount, as described in Part I of this Form.

The Owner or Operator agrees to comply with the terms of the Compliance Order in Part II.B. Without admitting liability for the violations cited in Part I, the Owner or Operator signing below waives any objections to EPA's jurisdiction with respect to the Compliance Order and this Settlement Agreement, and consents to EPA's final approval of this Settlement Agreement without further notice. The Owner or Operator waives the opportunity for a public hearing pursuant to RCRA section 9006.

Once EPA signs the Settlement Agreement, EPA will take no further enforcement action against the Owner or Operator for the civil violations described in Part I, provided the violations have been timely corrected and the penalty has been paid. EPA does not waive its right to enforce against the Owner or Operator for any other violations not described in Part I and violations of the UST requirements or other requirements listed in Part I that were not corrected in a timely manner.

This Settlement Agreement and Compliance Order will become effective once signed by EPA and is binding on EPA and the Owner or Operator upon signature by both parties. Final approval of the Settlement Agreement and Compliance Order is in the sole discretion of the Regional Administrator, Region 7, EPA, or his or her authorized delegate. Upon final approval, EPA shall mail a copy of this document to the Owner or Operator signing below.

SIGNATURE BY OWNER, OPERATOR, OR AUTHORIZED REPRESENTATIVE:

Name (print): KERRY BARTLETT

Title (print): SAFETY SPECIALIST

Signature: [Signature] Date: 6-1-11

**B. Compliance Order:** This Compliance Order is issued under the authority of RCRA section 9006 to resolve the civil violations identified in Part I. The Owner or Operator is ordered to correct the violations, submit true and accurate documentation that the violations were corrected, and pay the total penalty amount listed in Part I of this Form. This Compliance Order shall become final and enforceable only upon signature by an EPA official with the authority to sign this document.

SIGNATURE BY EPA APPROVING THE SETTLEMENT AGREEMENT AND COMPLIANCE ORDER:

Name (print): \_\_\_\_\_

Title (print): Regional Judicial Officer

Signature: [Signature] Date: 6-28-2011

Notes:

REGIONAL JUDICIAL OFFICER  
EPA REGION VII  
HOLLISTON, MASSACHUSETTS

JUN 28 AM 10:45

IN THE MATTER OF Reinhart Food Service, Respondent  
Docket No. RCRA-07-2011-0018

CERTIFICATE OF SERVICE

I certify that a true and correct copy of the foregoing Underground Storage Tank (UST) Field Citation Form for Expedited Settlement was sent this day in the following manner to the addressees:


Copy hand delivered to  
Attorney for Complainant:

Raymond C. Bosch  
Senior Assistant Regional Counsel  
Region 7  
United States Environmental Protection Agency  
901 N. 5<sup>th</sup> Street  
Kansas City, Kansas 66101

Copy by Certified Mail Return Receipt to:

Reinhart Food Service  
James Johnson  
6720 North 9<sup>th</sup> Street  
Omaha, Nebraska 68110

Dated: 10/28/11

  
\_\_\_\_\_  
Kathy Robinson  
Hearing Clerk, Region 7