



# MIAMI PRODUCTS & CHEMICAL COMPANY

P.O. BOX 486 • 520 LONOKE STREET • DAYTON, OHIO 45401

937/253-8927 • 800/776-1313 • FAX 937/253-1559

#050218-3162-14  
P.24/2

Transaction Type

SALES ORDER

100047

Sold To

CHEMICAL SERVICES  
2600 THUNDERHAWK CT.  
DAYTON OH 45414

100071

Ship To

TATE LYLE CITRIC ACID, INC.  
PREV. HAARMANN REIMER  
5301 WAGONER FORD  
DAYTON OH 45414

MAR 16 2005  
PESTICIDE REGULATION

Customer Purchase Order No. 48582/TATE

Terms	Area	Class	Salesperson	Order Date	Sales Order No.
NET 30 DAYS	99	400	9 HOUSE ACCOUNT	02/16/04	298039-00
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.
	02/17/04	MPC TRUCK	MPC WAREHOUSE		

Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.C.	Price	Amount
S-C1-BULK-1	HYPOCHLORITE SOLUTION WITH MORE THAN 5% BUT LESS THAN 16% AVAILABLE CHLORINE, B, UNIT 1, 111 (SEE ERG 154) SODIUM HYPOCHLORITE PER GALLON BIN LOC: AA7 EXTENDED WEIGHT: 150 "CERTIFICATE OF ANALYSIS" LOT/ANALYSIS NUMBER 20404 % NaOCl: 13.02 * NaOH: 4 SP. GR.: 1.2 METALS: TRADE QUALITY CONTROL:	150	150		.077	
***** SEAL # 187405 & OR Lock 406426						
I HAVE INSPECTED THE AREA AROUND THIS DELIVERY. I FIND THIS DELIVERY COMPLETE AND THE AREA AROUND THIS DELIVERY HAS BEEN PROPERLY MAINTAINED.						
DIRECTIONS: NEEDMORE RD. TO WEBSTER, TURN RIGHT, GO TO MAIN ENTRANCE, TURN LEFT, GO STRAIGHT TO CHILLING TOWER.						
PLACARDS REQUIRED FOR TRANSPORT: CORROSIVE						

Comments:

TATE PU# 4300031448



00183

WEIGHT: 1503.000 CARTONS: 150

Subtotal

11.55

Tax

(0)  
.00%

.00

Freight

53.90

65.45

James R Smith

George 2.17.04

RECEIVED BY

DELIVERED BY

is to certify that the above named materials are properly classified, described, packaged, m

for transportation, according to the applicable

FILE COPY

8050218-3102-15  
P. 10/2



**MIAMI PRODUCTS & CHEMICAL COMPANY**

937/253-8927 • 800/776-1313 • FAX: 937/253-1559

REMIT PAYMENT TO: P.O. Box 71-1763, Columbus, OH 43271-7163

Transaction Type  
**INVOICE**

PAGE: 1

100042

Sold To

100071

Ship To

**CHEMICAL SERVICES  
2600 THUNDERHAWK CT.  
DAYTON OH 45414**

**TATE LYLE CITRIC ACID, INC.  
PREV. HAARMANN REIMER  
5301 WAGONER FORD RD.  
DAYTON OH 45414**

Customer Purchase Order No. **48582/TATE**

Terms	Area	Class	Salesperson	Order Date	Sales Order No.
NET 30 DAYS	99	400	9 HOUSE ACCOUNT	02/16/04	298039-00
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.
	02/17/04	MPC TRUCK	MPC WAREHOUSE	02/17/04	252565

Line	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.	Price	Amount
1	S-C1-BULK-1	SODIUM HYPOCHLORITE PER GALLON	150	150		.077	11.55
8	FS	FUEL SURCHARGE	1	1		2.160	2.16
<p>DIRECTIONS: NEEDMORE RD. TO WEBSTER, TURN RIGHT, GO TO MAIN ENTRANCE, TURN LEFT, GO STRAIGHT TO CHILLING TOWER.</p>							

MAR 16 2005  
PESTICIDE REGULATION

Comments:	Subtotal	13.71
TATE PO# 4300031448	Tax (0) .00%	.00
WEIGHT: 1503.000 CARTONS: 151	Freight	53.90

00184

BALANCES OVER 30 DAYS ARE SUBJECT TO MONTHLY 1½% SERVICE CHARGE (18% PER ANNUM). PLEASE REMIT THIS TOTAL **67.61**



# MIAMI PRODUCTS & CHEMICAL COMPANY

P.O. BOX 486 • 520 LONOKE STREET • DAYTON, OHIO 45401  
937/253-8927 • 800/776-1313 • FAX 937/253-1559

W050210 - P. 20/22

MAR 16 2005

Transaction Type  
**SALES ORDER**


PESTICIDE REGULATION

**Sold To**  
SUNBELT SERVICES  
6000 WILDERMAN ST.  
DAYTON OH 45424

**Ship To**  
METRO SEWER - MILLCREEK  
1600 GEST  
MILLCREEK WASTE WATER  
CINCINNATI OH 00000

Customer Purchase Order No. 00185

Terms	Area	Class	Salesperson	Order Date	Sales Order No.
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.

HM	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.
A	R-01-BU K-1	HYPOCHLORITE SOLUTION WITH MORE THAN 1% LESS THAN 16% AVAILABLE CHLORINE, 8-UN1791 (P&H) (SEE ERG 104) SODIUM HYPOCHLORITE PER GALLON 4500 AIR LOG. RAT. EXTENDED WEIGHT: 45000 "CERTIFICATE OF ANALYSIS" LOT/ANALYSIS NUMBER 2035 % NaOCL: 13.06 % NaOH: .34 SP. GR.: 1.2 METALS: TRACE QUALITY CONTROL:			
***** SEAL # 95940 & OR					
I HAVE INSPECTED THE AREA AROUND THIS DELIVERY. I FIND THIS DELIVERY COMPLETE AND THE AREA AROUND THIS DELIVERY HAS BEEN PROPERLY MAINTAINED.					
BRIT START TIME: _____ BRIT END TIME: _____ PRIMARY START TIME: _____ PRIMARY END TIME: _____ SECONDARY START TIME: 7:30 SECONDARY STOP TIME: 4:45					
 <b>ANSI / NSF-60</b> <b>DRINKING WATER TREATMENT ADDITIVE</b> <b>&lt;5N86&gt;</b> <b>FOR EMERGENCY USE ONLY</b> <b>FOR FIRE, EXPOSURE OR ACCIDENT</b> <b>USE IMMEDIATELY - DAY OR NIGHT</b> <b>800-424-9300</b>					

75,200.00	+
29,820.00	-
45,380.00	÷
10.02	=
4,528.94	*

Comments:  
METRO P.O. 001850004  
00185  
WEIGHT: 45090.000 CARTONS: 4500

RECEIVED BY *K. Black* DELIVERED BY *R. Baycl*

This is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation

PACKING LIST



050218-5102-10  
P.1 of 2

# MIAMI PRODUCTS & CHEMICAL COMPANY

937/253-8927 • 800/776-1313 • FAX: 937/253-1559

Transaction Type

INVOICE

100098 REMIT-PAYMENT TO: P.O. Box 71-1763, Columbus, OH 43271-7163

100098

PAGE: 1

Sold To

CHEMICAL SERVICES  
2600 THUNDERHAWK CT.  
DAYTON OH 45414

Ship To

METRO SEWER - MILLCREEK  
1600 GEST  
MILLCREEK WASTE WATER  
CINCINNATI OH 00000

Customer Purchase Order No. 61174/MILLCREEK

Terms		Area	Class	Salesperson	Order Date	Sales Order No.	
NET 30 DAYS		99	400	9 HOUSE ACCOUNT	02/11/05	325892-00	
Ship Via		Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.	
		02/12/05	HPC TRUCK	MPC WAREHOUSE	02/16/05	275194	
Line	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.	Price	Amount
1	S-C1-BULK-1	SODIUM HYPOCHLORITE PER GALLON	4529	4529		.077	348.73
8	FS	FUEL SURCHARGE	1	1		10.050	10.05

MAR 16 2005  
PESTICIDE REGULATION

Comments:  
METRO PO# 031R005094

00186

WEIGHT: 45380.580 CARTONS: 4530

Subtotal		358.78
Tax	(0)	.00
Freight	.002	251.37

BALANCES OVER 30 DAYS ARE SUBJECT TO MONTHLY 1½% SERVICE CHARGE (18% PER ANNUM). PLEASE REMIT THIS TOTAL

610.15



#050218-3162-17  
Jef 2

# MIAMI PRODUCTS & CHEMICAL COMPANY

P.O. BOX 486 • 520 LONOKE STREET • DAYTON, OHIO 45401  
937/253-8927 • 800/776-1313 • FAX 937/253-1559

Transaction Type  
**SALES ORDER**

Sold To  
  
DAYTON, OHIO

Ship To  
CMA OF OHIO  
620 CHERRY AVE NE  
330-455-3800  
CANTON OH 44705  
**MAR 16 2005**  
PESTICIDE REGULATION

Customer Purchase Order No. 105571005

Terms	Area	Class	Salesperson	Order Date	Sales Order No.
NET 30 DAYS				03/16/05	105571005
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.

HM	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.
X	P-01-BULK-2	HYPOCHLORITE SOLUTION WITH MORE THAN 5% AVAILABLE CHLORINE (SEE ERD 134) 13.5 UNITS PER GAL 4500 4425 45900.0 CERTIFICATE OF ANALYSIS LOT/ANALYSIS NUMBER 1055 % NaOCL: 13.75 % NaOH: 42 SP. GR.: 1.2 METALS: TRACE QUALITY CONTROL: ***** SEAL # 95810 & OR I HAVE INSPECTED THE AREA AROUND THIS DELIVERY. I FIND THIS DELIVERY COMPLETE AND THE AREA AROUND THIS DELIVERY HAS BEEN PROPERLY MAINTAINED. NO SET OF HOSE NEEDED FOR DELIVERY DRIVER MUST BRING HOSE AND SAMPLE. IF LOST CAL 330-352-2025 ANSI / NSF 60 DRINKING WATER TREATMENT ADDIT <5N86> FOR CHEMICAL EMERGENCY SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC - DAY OR NIGHT CHEMTREC 800-424-9300 MAX US LEVEL 30mg/L STANDARDS REQUIRED FOR TRANSPORT	4500	4425	

0. C  
75,200.00 +  
30,060.00 -  
45,140.00 ÷  
10.2 =  
4,425.49

Comments:  
DELIVER BY TO  
00187  
WEIGHT 45900.000 CARTONS: 4500  
CEIVED BY [Signature]  
DELIVERED BY [Signature]

is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation, according to the applicable

#050218-3102-17 10/2



# MIAMI PRODUCTS & CHEMICAL COMPANY

937/253-8927 • 800/776-1313 • FAX: 937/253-1559

Transaction Type

INVOICE

REMIT PAYMENT TO: P.O. Box 71-1763, Columbus, OH 43271-7163  
100042

100705

PAGE: 1

Sold To

CHEMICAL SERVICES  
2600 THUNDERHAWK CT.  
DAYTON OH 45414

Ship To

CMA OF OHIO  
620 CHERRY AVE NE  
330-455-3800  
CANTON OH 44705  
MAR 16 2005

PESTICIDE REGULATION

Customer Purchase Order No. 134577/CMA

Terms	Area	Class	Salesperson	Order Date	Sales Order No.
NET 30 DAYS	99	400	9 HOUSE ACCOUNT	01/18/05	325439-00
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.
	01/21/05	MPC TRUCK	MPC WAREHOUSE	01/21/05	274854

Line	Item Number	Description	Qty. Ordered	Qty. Ship	U.O.	Price	Amount
1	S-C1-BULK-2	13.5 HYPO PER GAL	4425	4425		.068	300.90
8	FS	FUEL SURCHARGE	1	1		25.000	25.00

Comments:  
DELIVER 9AM TO 10AM

00188

Subtotal		325.90
Tax	(0)	.00
Freight		625.00

WEIGHT: 45135.000 CARTONS: 4426

BALANCES OVER 30 DAYS ARE SUBJECT TO MONTHLY 1½% SERVICE CHARGE (16% PER ANNUM).  
PLEASE REMIT THIS TOTAL

950.90



# MIAMI PRODUCTS & CHEMICAL COMPANY

P.O. BOX 486 • 520 LONOKE STREET • DAYTON, OHIO 45401  
937/253-8927 • 800/776-1313 • FAX 937/253-1559

Transaction Type  
**SALES ORDER**

**Sold To**  
CHEMICAL SERVICES  
2600 THUNDERHAWK CT.  
DAYTON OH 45414

**Ship To**  
CARGILL - REFINEREY  
3201 NEEDMORE RD  
DAYTON OH 45414  
**MAR 16 2005**  
PESTICIDE REGULATION

Customer Purchase Order No.

CARGILL 0094146-61865

Terms	Area	Class	Salesperson	Order Date	Sales Order No.
NET 30 DAYS	89	400	9 HOUSE ACCOUNT	02/11/05	325896-00
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.
	02/11/05	MPC TRUCK	MPC WAREHOUSE		

HM	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.	Price	Amount
	5-C1-BULK-1	HYPOCHLORITE SOLUTION WITH MORE THAN 5% BUT LESS THAN 16% AVAILABLE CHLORINE, 8, UN1791, PGIII (SEE ERG 154) SODIUM HYPOCHLORITE PER GALLON BIN LOC: AA7 EXTENDED WEIGHT: 1503.0 "CERTIFICATE OF ANALYSIS" LOT/ANALYSIS NUMBER <u>2035</u> % NAOCL: <u>13.02</u> * NAOH: <u>1.6</u> SP. GR.: <u>1.2</u> METALS: TRACE QUALITY CONTROL:	150	150		.077	11.55
***** SEAL # <u>184114</u> & OR <u>Lock 406-426</u>							
I HAVE INSPECTED THE AREA AROUND THIS DELIVERY. I FIND THIS DELIVERY COMPLETE AND THE AREA AROUND THIS DELIVERY HAS BEEN PROPERLY MAINTAINED.							
***** SPLIT LOAD *****							
DIRECTIONS: 75 N. TO NEEDMORE EXIT, RIGHT ON NEEDMORE, ABOUT 1 MILE ON LEFT.							
<u>150</u> TOP OFF REFINERY A TOP OFF FRUCTOSE TOP OFF S. MILL REFINERY B NORTH MILL EAST MOST COOLING TOWER TRACTOR # <u>459</u> TRAILER # _____							
PLACARDS REQUIRED FOR TRANSPORT: CORROSIVE							

Comments: DELIVER TO REFINERY A ONLY	Subtotal	11.55
	Tax (0)	.00
	Freight	.00
	<b>Total</b>	<b>11.55</b>

WEIGHT: 1503.000 CARTONS: 150

42-11-05  
DELIVERED BY

is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

FILE COPY



# MIAMI PRODUCTS & CHEMICAL COMPANY

937/253-8927 • 800/776-1313 • FAX: 937/253-1559

Transaction Type

INVOICE

100042 REMIT PAYMENT TO: P.O. Box 71-1763, Columbus, OH 43271-7163

100079

PAGE: 1

Sold To

CHEMICAL SERVICES  
2600 THUNDERHAWK CT.  
DAYTON OH 45414

Ship To

CARGILL - REFINERY  
3201 NEEDMORE RD  
DAYTON OH 45414  
MAR 16 2005  
PESTICIDE REGULAT.

Customer Purchase Order No. 61865/CAR.

Terms		Area	Class	Salesperson	Order Date	Sales Order No.	
NET 30 DAYS		99	400	9 HOUSE ACCOUNT	02/11/05	325896-00	
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.		
	02/11/05	HPC TRUCK	HPC WAREHOUSE	02/16/05	275217		
Line	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.	Price	Amount
1	S-CI-BULK-1	SODIUM HYPOCHLORITE PER GALLON	150	150		.077	11.55
8	FS	FUEL SURCHARGE	1	1		2.160	2.16
***** SPLIT LOAD *****							
TOP OFF REFINERY							
TOP OFF FRUCTOSE							
TOP OFF S. MILL							
REFINERY B							
NORTH MILL							
EAST MOST COOLING TOWER							

Comments:  
DELIVER TO REFINERY A ONLY

00190

WEIGHT: 1503.000 CARTONS: 151

Subtotal		13.71
Tax	(0)	.00
Freight	.002	53.90

BALANCES OVER 30 DAYS ARE SUBJECT TO MONTHLY 1½% SERVICE CHARGE (18% PER ANNUM). PLEASE REMIT THIS TOTAL

67.61





# MIAMI PRODUCTS & CHEMICAL COMPANY

P.O. BOX 486 • 520 LONOKE STREET • DAYTON, OHIO 45401  
937/253-8927 • 800/776-1313 • FAX 937/253-1559

2050218-3102  
20/2

Transaction Type  
**SALES ORDER**

100042  
**Sold To**  
CHEMICAL SERVICES  
2600 THUNDERHAWK CT.  
DAYTON OH 45414

100131  
**Ship To**  
DP L OH HUTCHINS STATION  
9200 CHAUTAQUA  
MIAMISBURG OH 45342

Customer Purchase Order No. **DPL 61967**

<b>Terms</b> NET 30 DAYS	<b>Area</b> 99	<b>Class</b> 400	<b>Salesperson</b> 9 HOUSE ACCOUNT	<b>Order Date</b> 02/11/05	<b>Sales Order No.</b> 325860-00
<b>Ship Via</b>	<b>Ship Date</b> 02/12/05	<b>Freight</b> MPC TRUCK	<b>Warehouse</b> MPC WAREHOUSE	<b>Invoice/Credit Date</b>	<b>Invoice/Credit No.</b>

HM	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.	Price	Amount
X	1-50 2-70 2-60 S-C-BULK-1 210	HYPOCHLORITE SOLUTION WITH MORE THAN 5% BUT LESS THAN 16% AVAILABLE CHLORINE, 8, UN1791, PG11 (SEE ERG 154) SODIUM HYPOCHLORITE PER GALLON BIN LOC: AA7 EXTENDED WEIGHT: 2004.0 "CERTIFICATE OF ANALYSIS" LOT/ANALYSIS NUMBER 2035 % NaOCl: 13.22 % NaOH: .33 SP. GR.: 1.2 METALS: TRACE QUALITY CONTROL:	200	210		.077	15.40
***** SEAL # 184/114 & OR Lock 406426							
I HAVE INSPECTED THE AREA AROUND THIS DELIVERY. I FIND THIS DELIVERY COMPLETE AND THE AREA AROUND THIS DELIVERY HAS BEEN PROPERLY MAINTAINED.							
***** SPLIT LOAD *****							
DIRECTIONS: 1-755 TO 725 TO SOUTH DIXIE TO CHAUTAQUA RD. TURN LEFT-YOU WILL SEE DPL HUTCHINS ON RIGHT GO TO GAURD SHACK DRIVER **MUST PUT QTY DEL TO EACH WELL ON BILL OF LADING							
PLACARDS REQUIRED FOR TRANSPORT: CORROSIVE.							

MAR 16 2005  
PESTICIDE REGULATION

<b>Comments:</b>	00191	<b>Subtotal</b>	15.40
	WEIGHT: 2004.000 CARTONS: 200	<b>Tax (0)</b>	.00
		<b>Freight</b>	.00

RECEIVED BY: *R. Wentworth* DELIVERED BY: *[Signature]* 2/11/05

FILE COPY

is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation, according to the applicable



# MIAMI PRODUCTS & CHEMICAL COMPANY

937/253-8927 • 800/776-1313 • FAX: 937/253-1559

Transaction Type

INVOICE

REMIT PAYMENT TO: P.O. Box 71-1763, Columbus, OH 43271-7163  
100042

100131

PAGE: 1

Sold To

CHEMICAL SERVICES  
2600 THUNDERHAWK CT.  
DAYTON OH 45414

Ship To

DP L OH HUTCHINS STATION  
9200 CHAUTAUQUA  
MIAMISBURG OH 45342

Customer Purchase Order No. 61967/DPL

Terms		Area	Class	Salesperson	Order Date	Sales Order No.	
NET 30 DAYS		99	400	9 HOUSE ACCOUNT	02/11/05	325860-00	
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.		
	02/12/05	HPC TRUCK	HPC WAREHOUSE	02/16/05	275197		
Line	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.	Price	Amount
1	S-C1-BULK-1	SODIUM HYPOCHLORITE PER GALLON	210	210		.077	16.17
2	SPLIT	SPLIT LOAD CHARGE	2	2		25.000	50.00
8	FS	FUEL SURCHARGE	1	1		1.960	1.96
		***** SPLIT LOAD *****					

MAR 16 2005  
PESTICIDE REGULATION

Comments:	00192	Subtotal	68.13
	WEIGHT: 2104.200 CARTONS: 213	Tax (0)	.00
		Freight	49.00

BALANCES OVER 30 DAYS ARE SUBJECT TO MONTHLY 1½% SERVICE CHARGE (18% PER ANNUM). PLEASE REMIT THIS TOTAL **117.13**



# MIAMI PRODUCTS & CHEMICAL COMPANY

P.O. BOX 486 • 520 LONOKE STREET • DAYTON, OHIO 45401  
937/253-8927 • 800/776-1313 • FAX 937/253-1559

2050418 2102 W  
202

Transaction Type

SALES ORDER

10702

Sold To

CITY OF KETTERING  
3600 SHROYER RD.  
ATTN ACCOUNTING  
KETTERING OH 45429-2799

10702

Ship To

KETTERING RECREATION CENTER  
2900 GLENGARRY DRIVE  
KETTERING OH 45429

MAR 16 2005

PESTICIDE REGULATION

Customer Purchase Order No.

Terms	Area	Class	Salesperson	Order Date	Sales Order No.
NET ON RECEIPT	89	200	4 BRUCE FINE	02/07/05	325776-00
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.
	02/08/05	MPC TRUCK	MPC WAREHOUSE		

HM	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.
X	S-C1-BULK	HYPOCHLORITE SOLUTION WITH MORE THAN 5% BUT LESS THAN 16% AVAILABLE CHLORINE, 8, UN1791, PGIII (SEE ERG 154) SANYGEN LIQUID CHLORINE-EA GAL BIN LOC: B10 EXTENDED WEIGHT: 10.20	1	500	
		DIRECTIONS: DORTHLY LANE RIGHT ON STROOP, RIGHT TO GLENGARRY TO POOL.			
		PLACARDS REQUIRED FOR TRANSPORT: CORROSIVE			

Comments:

00193

WEIGHT: 10.020 CARTONS: 1

2.8.05  
George

RECEIVED BY

DELIVERED BY

is to certify that the above named materials are properly classified, described, packaged, marked and labeled and are in proper condition for transportation, according to the applicable regulations of the Department of Transportation.

PACKING LIST



# MIAMI PRODUCTS & CHEMICAL COMPANY

937/253-8927 • 800/776-1313 • FAX: 937/253-1559

10703 PAYMENT TO: P.O. Box 71-1763, Columbus, OH 43271-7163

Transaction Type

INVOICE

10703

PAGE: 1

Sold To

CITY OF KETTERING  
3600 SHROYER RD.  
ATTN ACCOUNTING  
KETTERING OH 45429-2799

Ship To

KETTERING RECREATION CENTER  
2900 GLENGARRY DRIVE  
KETTERING OH 45420

Customer Purchase Order No. \*

Terms		Area	Class	Salesperson	Order Date	Sales Order No.	
NET ON RECEIPT		99	200	4 BRUCE FINE	02/07/05	325776-00	
Ship Via	Ship Date	Freight	Warehouse	Invoice/Credit Date	Invoice/Credit No.		
	02/10/05	NPC TRUCK	NPC WAREHOUSE	02/10/05	275098		
Line	Item Number	Description	Qty. Ordered	Qty. Ship	Qty. B.O.	Price	Amount
1	S-CI-BULK	SANYGEN LIQUID CHLORINE-EA GAL	500	500		1.160	580.00

MAR 16 2005  
PESTICIDE REGULATION

Comments:

00194

WEIGHT: 5010.000 CARTONS: 500

Subtotal		580.00
Tax	(0)	.00
Freight	.002	.00

BALANCES OVER 30 DAYS ARE SUBJECT TO MONTHLY 1½% SERVICE CHARGE (18% PER ANNUM). PLEASE REMIT THIS TOTAL

580.00

# Bleach Batch Record

Date: JAN 9 02 Batch Number: 1042

Chlorine Car: OL-NX 114016 Caustic Lot #: 2681

Strong Caustic Start: 8343 Finish: 16878

Product Out Strong: 28175

MAR 16 2005  
PESTICIDE REGULATION

## Full Strenght Bleach

- Grams Per Liter 192
- Excess Caustic .65
- Specific Gravity 1.25
- ORP 563
- Temperature 59

Filter test 2.54

## Finished Product

Gallons	Grams per Liter	Comments
<u>20736</u>	<u>150.60</u>	<u>stock</u>
<u>4500</u>	<u>160.62</u>	<u>D.N.</u>
<u>8801</u>	<u>150.60</u>	<u>stock</u>
<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>
<u>          </u>	<u>          </u>	<u>          </u>
<u>34037</u>		

Production records from Fairborn plant

050218-3162-03  
12 of 15

# Bleach Batch Record

Date: JAN 14, 02

Batch Number: 1062

Chlorine Car: OLN x 114016

Caustic Lot #: 2762

Strong Caustic Start: 72679

Finish: 28355

Product Out Strong: 19021

MAR 16 2005

PESTICIDE REGULATION

## Full Strenght Bleach

- Grams Per Liter 190
- Excess Caustic .65
- Specific Gravity 1.25
- ORP 563
- Temperature 60

Filter test 2.52

## Finished Product

Gallons	Grams per Liter	Comments
<u>2069</u>	<u>Stock</u>	<u>150.60</u>
<u><del>4548</del></u>	<u>-</u>	<u>-</u>
<u>4548</u>	<u>160.60</u>	<u>stock</u>
<u>1985</u>	<u>150.60</u>	<u>stock</u>
<u>9307</u>	<u>150.60</u>	<u>stock</u>
<u>17102</u>		

# Bleach Batch Record

Date: JAN 17, 02

Batch Number: 1082

Chlorine Car: UCLX 90002

Caustic Lot #: 2762

MAR 16 2005

Strong Caustic Start: 0

Finish: 8766

PESTICIDE REGULATION

Product Out Strong: 2903

## Full Strenght Bleach

- Grams Per Liter 191
- Excess Caustic .60
- Specific Gravity 1.25
- ORP 505
- Temperature 60

Filter test 2.51

## Finished Product

Gallons	Grams per Liter	Comments
<u>17010</u>	<u>150 / .56</u>	<u>stock</u>
<u>4500</u>	<u>160 / .56</u>	<u>DN</u>
<u>4921</u>	<u>150 / .56</u>	<u>stock</u>
<u>4500</u>	<u>160 / .56</u>	<u>DN</u>
<u>30931</u>		

140715

# Bleach Batch Record

Date: JAN 21, 02

Batch Number: 1092

Chlorine Car: UCLX 90002

Caustic Lot #: 2141

Strong Caustic Start: 8766

Finish: 17461

Product Out Strong: 28933

MAR 16 2005

PESTICIDE REGULATION

## Full Strenght Bleach

- Grams Per Liter 193
- Excess Caustic .63
- Specific Gravity 1.25
- ORP 563
- Temperature 60

Filter test 2.51

## Finished Product

Gallons	Grams per Liter	Comments
<u>17741</u>	<u>150/.60</u>	<u>B-1.</u>
<u>4500</u>	<u>100 .63</u>	<u>B-2</u>
<u>4300</u>	<u>150/.60</u>	<u>B-1</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

26747



DUPLICATE #  
050218-3162-03  
15/15

# Bleach Batch Record

Date: JAN 28, 02 Batch Number: 1102  
Chlorine Car: UCLX 9000Z Caustic Lot #: 2702  
Strong Caustic Start: 26017 Finish: 31770  
Product Out Strong: 19302

MAR 16 2005  
PESTICIDE REGULATION

## Full Strenght Bleach

- Grams Per Liter 195
- Excess Caustic .65
- Specific Gravity 1.25
- ORP 563
- Temperature 60

Filter test 2.40

## Finished Product

Gallons	Grams per Liter	Comments
<u>16000</u>	<u>150 / .66</u>	<u>stock</u>
<u>4500</u>	<u>160 / .6</u>	<u>DIVERSITY</u>
<u>4500</u>	<u>160 .6</u>	<u>stock</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

050218-3162-03  
5915

# Bleach Batch Record

Date: 5/21/07

Batch Number: 5239

Chlorine Car: UTLX 28251

Caustic Lot #: 214

Strong Caustic Start: D

Finish: 3992

Product Out Strong: 19V51

MAR 16 2005  
PESTICIDE REGULATION

## Full Strength Bleach

- Grams Per Liter 19.8
- Excess Caustic 1.25
- Specific Gravity .54
- ORP 545
- Temperature 76
- Filter Test 2.33

## Finished Product

Gallons	Grams per Liter	Comments
<u>21.195</u>	<u>1521.44</u>	<u>Bolky</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

# Bleach Batch Record

Date: May 28, 03 Batch Number: 5/203  
 Chlorine Car: UTLX 29169 Caustic Lot #: 914  
 Strong Caustic Start: 0 Finish: 1893  
 Product Out Strong: 38043

MAR 16 2005  
PESTICIDE REGULATION

## Full Strenght Bleach

- Grams Per Liter 146
- Excess Caustic .54
- Specific Gravity 1.25
- ORP 545
- Temperature 74
- Filter Test 2-23

## Finished Product

Gallons	Grams per Liter	Comments
<u>4500</u>	<u>142/40</u>	<u>MPC</u>
<u>12964</u>	<u>152/44</u>	<u>B-1</u>
<u>1257</u>	<u>152/44</u>	<u>B-1</u>
<u>22462</u>	<u>152/44</u>	<u>B-1</u>
<u>1400</u>	<u>100/46</u>	<u>B-2</u>
<u>1625</u>	<u>152/44</u>	<u>B-1</u>
<u>4565</u>	<u>142/40</u>	<u>Peak</u>
<u>4500</u>	<u>142/40</u>	<u>MPC</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

# Bleach Batch Record

Date: May 23 Batch Number: 5183  
 Chlorine Car: CAF 35752 Caustic Lot #: 829  
 Strong Caustic Start: 20462 Finish: 32159  
 Product Out Strong: 37818

## Full Strenght Bleach

- Grams Per Liter 1.28
- Excess Caustic .52
- Specific Gravity 1.25
- ORP 545
- Temperature 82
- Filter Test 7.30

MAR 1 6 99  
PESTICIDE REGULATION

## Finished Product

Gallons	Grams per Liter	Comments
<u>1776</u>	<u>152.42</u>	<u>B-1</u>
<u>14234</u>	<u>152.42</u>	<u>B-1</u>
<u>456</u>	<u>142.40</u>	<u>Pack</u>
<u>4569</u>	<u>142.40</u>	<u>Pack</u>
<u>19959</u>	<u>152.42</u>	<u>B-1</u>

# Bleach Batch Record

Date: 5/17/03 Batch Number: 5133  
Chlorine Car: Ho 4p 132005 Caustic Lot #: 1059  
Strong Caustic Start: 0 Finish: 8800  
Product Out Strong: 29230

MAR 16 2005  
PESTICIDE REGULATION

## Full Strenght Bleach

- Grams Per Liter 198
- Excess Caustic .62
- Specific Gravity 1.25
- ORP 545
- Temperature 80
- Filter Test 2.28

## Finished Product

Gallons	Grams per Liter	Comments
<u>14258</u>	<u>152.17</u>	<u>B-1</u>
<u>4000</u>	<u>142.43</u>	<u>MPC</u>
<u>10255</u>	<u>152.47</u>	<u>B1</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

# Bleach Batch Record

Date: 5/5/03 Batch Number: 5033  
 Chlorine Car: ACFF 86746 Caustic Lot #: 734  
 Strong Caustic Start: 26036 Finish: 34264  
 Product Out Strong: 27987

MAR 16 2005  
PESTICIDE REGULATION

## Full Strenght Bleach

- Grams Per Liter 198
- Excess Caustic .52
- Specific Gravity 1.25
- ORP 545
- Temperature 86
- Filter Test 2.42

## Finished Product

Gallons	Grams per Liter	Comments
<u>21202</u>	<u>152/1.47</u>	<u>B-1</u>
<u>4500</u>	<u>160/1.50</u>	<u>B-2</u>
<u>4500</u>	<u>142/1.34</u>	<u>MPC</u>
<u>2380</u>	<u>190/1.76</u>	<u>B-1</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>

### Bleach Batch Record

Date: 1/19/04 Batch Number: 1005

Chlorine Car: ACFX95450 Caustic Lot #: 3058

50% NaOH Start: 3309 Finish: 12067

Product Out Strong: 27361

MAR 16 2005

PESTICIDE REGULATION

#### Full Strenght Bleach

- 1. Grams Per Liter 199
- 2. Excess Caustic .60
- 3. Specific Gravity 551
- 4. ORP 1.25
- 5. Temp 65
- 6. Filter Test 2.70

#### Finished Product

Gallons	Grams per Liter	Comments
<u>2908</u>	<u>152.36</u>	<u>B/K-1</u>
<u>24000</u>	<u>152.36</u>	<u>B-1</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

050218-3162-03  
10 of 15

# Bleach Batch Record

MAR 16 2005

PESTICIDE REGULATION

Date: JAN 5, 05 Batch Number: 1015

Chlorine Car: SIPK 240260 Caustic Lot #: 2581

50% NaOH Start: 0 Finish: 2465

Product Out Strong: 4000

## Full Strenght Bleach

- 1. Grams Per Liter 174
- 2. Excess Caustic 50
- 3. Specific Gravity 1.11
- 4. ORP 520
- 5. Temp 68
- 6. Filter Test 2.01

## Finished Product

Gallons	Grams per Liter	Comments
<u>16839</u>	<u>150 / .36</u>	<u>B-1</u>
<u>4500</u>	<u>140 / .42</u>	<u>B-2</u>
<u>2620</u>	<u>150 / .36</u>	<u>B-1</u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>



MAR 16 2005  
PESTICIDE REGULATION

# Bleach Batch Record

Date: 11/2/05 Batch Number: 1045

Chlorine Car: H01X7967 Caustic Lot #: 2581

50% NaOH Start: 24742 Finish: 35248

Product Out Strong: 34888

## Full Strenght Bleach

1. Grams Per Liter	<u>198</u>
2. Excess Caustic	<u>56</u>
3. Specific Gravity	<u>1.25</u>
4. ORP	<u>526</u>
5. Temp	<u>72</u>
6. Filter Test	<u>1.59</u>

## Finished Product

Gallons	Grams per Liter	Comments
<u>38719</u>	<u>152-36</u>	<u>P-1</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

UVH Sample #  
050218-3162-03  
9/15

# Bleach Batch Record

MAR 16 2005  
PESTICIDE REGULATION

Date: 11/10/05 Batch Number: 1035

Chlorine Car: HOKYR-67 Caustic Lot #: 2581

50% NaOH Start: 18153 Finish: 24742

Product Out Strong: 19024

## Full Strenght Bleach

1. Grams Per Liter	<u>194</u>
2. Excess Caustic	<u>.56</u>
3. Specific Gravity	<u>1.25</u>
4. ORP	<u>520</u>
5. Temp	<u>60</u>
6. Filter Test	<u>1.54</u>

## Finished Product

Gallons	Grams per Liter	Comments
<u>14352</u>	<u>152 .39</u>	<u>B-1</u>
<u>1300</u>	<u>160 .46</u>	<u>B-C</u>
<u>4500</u>	<u>16 .46</u>	<u>B-2</u>
<u>5569</u>	<u>152 .39</u>	<u>B-1</u>
<u>      </u>	<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>	<u>      </u>
<u>      </u>	<u>      </u>	<u>      </u>

00208

UV 11 Sample  
050218-3162-03  
7 of 15

# Bleach Batch Record

Date: 1/16/05 Batch Number: 1055 MAR 16 2005  
PESTICIDE REGULATION

Chlorine Car: ACFX 83450 Caustic Lot #: 2541

50% NaOH Start: 0 Finish: 3709

Product Out Strong: 10693

## Full Strenght Bleach

1. Grams Per Liter	<u>199</u>
2. Excess Caustic	<u>.56</u>
3. Specific Gravity	<u>1.25</u>
4. ORP	<u>550</u>
5. Temp	<u>66</u>
6. Filter Test	<u>2.06</u>

## Finished Product

Gallons	Grams per Liter	Comments
<u>4500</u>	<u>3120.46</u>	<u>B-2 KOK</u>
<u>4500</u>	<u>100.46</u>	<u>B-2 CMA</u>
<u>2124</u>	<u>152-37</u>	<u>B-1</u>
<u>10624</u>	<u>152-37</u>	<u>B-1</u>
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

00210

# Sanygen

## Liquid shock

(Sodium Dichloro S-Triazinetrione Disinfectant)

To maintain the pool, add manually or by feeder device 12 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 1 to 3 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 3 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 1/2 gallon to 1 gallon of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

**WINTERIZING POOLS:** While water is still clear & clean, apply 4 oz. of product per 1000 gallons, while filter is running, to obtain a 3 ppm available chlorine residual, as determined by a suitable test kit. Cover pool, prepare heater, filter and heater components for winter by following manufacturers' instructions.

### SPAS, HOT-TUBS, IMMERSION TANKS, ETC.

**SPAS/HOT-TUBS:** Apply 5 oz. of product per 1000 gallons of water to obtain a free available chlorine concentration of 5 ppm, as determined by a suitable chlorine test kit. Adjust and maintain pool water pH to between 7.2 and 7.8. Some oils, lotions, fragrances, cleaners, etc. may cause foaming or cloudy water as well as reduce the efficiency of the product.

To maintain the water, apply 5 oz. of product per 1000 gallons of water over the surface to maintain a chlorine concentration of 5 ppm.

After each use, shock treat with 10 oz. of this product per 500 gallons of water to control odor and algae.

During extended periods of disuse, add 4 oz. of product daily per 500 gallons to water to maintain a 3 ppm chlorine concentration.

**NOTICE: APPLY THIS PRODUCT ONLY AS SPECIFIED ON THIS LABEL.**  
Buyer assumes all risks of use of this chemical if used contrary to direction.  
EPA REG NO. 278-43  
EPA EST. NO 278-OH-1

MANUFACTURED BY MIAMI PRODUCTS & CHEMICAL CO. DAYTON, OHIO 45403

6  
 ns to broken  
 an handling  
 ated areas  
 containing  
 ss this product  
 affluent containing  
 it plant authority.  
 Mixing this  
 r (e.g. urine  
 s membranes.  
 uct in a manner  
 use dosage, as  
 in direct sunlight  
 inities of water.  
 re disposal in a  
 ontaminate food  
 n of product for  
 ght. Check the  
 to between 7.2  
 ) to 100 ppm.

**IF IN EYES:**  
 -Hold eye open and flush slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes.  
 -Call a poison control center or doctor for treatment advice.  
 -Do not induce vomiting unless told to do so by poison control center or doctor.  
 -Do not give anything by mouth to an unconscious person.  
 -If swallowed:  
 -Call a poison control center or doctor immediately for treatment advice.  
 -Have person sip a glass of water if able to swallow.  
 -Do not induce vomiting unless told to do so by poison control center or doctor.  
 -Do not give anything by mouth to an unconscious person.  
 -If inhaled:  
 -Move person to fresh air.  
 -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.  
 -Call a poison control center or doctor for further treatment advice.

**IF ON SKIN OR CLOTHING:**  
 -Take off contaminated clothing.  
 -Flush skin immediately with plenty of water for 15-20 minutes.  
 -Call a poison control center or a doctor for treatment advice.  
 -Have the product container or label with you when calling a poison control center, a doctor, or going for treatment.

**NOTE TO PHYSICIAN:** Probable mucosal damage; they contraindicate the use of gastric lavage.

**Keep Out of Reach of Children**  
**Danger**

Net Contents: One Gallon  
 See side panel for additional Precautionary Statements

00211

00212

ODA Sample #

050214-3162-05

Liquid Shock Label

EPA Reg. No. 278-43

KEEP CAP TIGHT AND BOTTLE UPRIGHT IN COOL PLACE. BOTTLE WILL LEAK IF PLACED ON SIDE.



MAR 16 2005 PESTICIDE REGULATION



PRECAUTIONARY STATEMENTS

ACTIVE INGREDIENT: Sodium Hypochlorite	10.5%
INERT INGREDIENT:	89.5%
	100%

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER:** Corrosive, may cause severe skin and eye irritation or chemical burns to broken skin. Causes eye damage. Wear face shield or goggles and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vapors poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, bays or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with chemicals (e.g. ammonia, acids, detergents, etc.) or organic matter (e.g. urine, feces, etc.) will release chlorine gas which is irritating to eyes, lungs and mucous membranes.

**DIRECTIONS FOR USE:** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**NOTE:** This product bagrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

**STORAGE AND DISPOSAL:** Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water, and treat to avoid deterioration. Product or residues that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

SWIMMING POOL WATER DISINFECTION

For a new pool or spring start-up, superchlorinate with 1/2 gallon to 1 gallon of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 to 100 ppm.

00213

00214