



U.S. Environmental Protection Agency

Region 7

Serving Iowa, Kansas, Missouri, Nebraska and 9 Tribal Nations

Contact Us | Print Version Search:

[EPA Home](#) > [Region 07](#) > [Laws & Regulations](#) > [CWA](#) > McBride and Son Homes, Inc, Chesterfield, MO

CWA Public Notice - McBride and Son Homes, Inc., Chesterfield, Missouri

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

In accordance with Section 309(g)(4)(A) of the Clean Water Act ("CWA"), 33 U.S.C. § 1319(g)(4)(A), and 40 C.F.R. § 22.45 of the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties, Issuance of Compliance or Corrective Action Orders, and the Revocation, Termination or Suspension of Permits ("Consolidated Rules"), the Environmental Protection Agency ("EPA") is providing notice of a proposed Administrative Penalty Assessment against McBride and Son Homes, Inc., a business located at #1 McBride and Son Center Drive, Chesterfield, St. Louis County, Missouri, for alleged violations at the construction sites known as Kings Gate at Winghaven and Winghaven Phase II - Boardwalk Meadows, located at on Phoenix Parkway, O'Fallon, St. Charles County, Missouri.

Under Section 309(g) of the Clean Water Act, 33 U.S.C. § 1319(g), the EPA is authorized to issue orders assessing civil penalties for various violations of the Clean Water Act. The EPA may issue such orders after filing a Complaint commencing either a Class I or Class II penalty proceeding. The EPA provides notice of the proposed assessment of a Class II civil penalty pursuant to 33 U.S.C. § 1319(g)(4)(A). Class II proceedings are conducted under EPA's Consolidated Rules, 40 C.F.R. Part 22.

In this case, the EPA alleges that Respondent had an illegal discharge of pollutants associated with an industrial activity into waters of the United States, in violation of Section 301 and 402 of the Clean Water Act, 33 U.S.C. §§ 1311 and 1342. The EPA alleges that Respondent failed to comply with the terms of a National Pollutant Discharge Elimination System (NPDES) permit, including the failure to maintain pollution control measures, failure to install appropriate best management practices, and failure to have an adequate Storm Water Pollution Prevention Plan. Respondent has reached agreement with EPA on the terms of a proposed Consent Agreement/Final Order which would resolve this matter. Under the proposed Consent Agreement/Final Order, Respondent will pay a civil penalty of \$34,000. Final approval of the proposed Consent Agreement/Final Order is subject to the requirements of 40 C.F.R. § 22.45.

The EPA will receive written comments on the proposed Administrative Penalty Assessment for a period of thirty (30) days from the date of publication of this notice. The procedures by which the public may submit written comments on a proposed Class II order or participate in a Class II proceeding, and the procedures by which a respondent may request a hearing, are set forth in the Consolidated Rules. Persons wishing to receive a copy of EPA's Consolidated Rules, review the Complaint, comment upon the proposed penalty assessment, or otherwise participate in the proceeding should contact Kathy Robinson, Regional Hearing Clerk, U.S. Environmental Protection Agency, Region VII, 901 N. Fifth Street, Kansas City, Kansas 66101. Please reference Docket No. CWA-07-2006-0197. In order to provide opportunity for public comment, EPA will issue no final order assessing a penalty in this proceeding prior to forty (40) days from the date of


News & Events

Information
for Citizens
for Businesses
for Government &
Tribal Nations

Education Resources

Employment

Environmental Topics



this notice.

11/28/06
Date

/s/ Betty J. Berry for
William A. Spratlin
Director, Water, Wetlands, and
Pesticides Division
U.S. EPA, Region 7

[EPA Home](#) | [Privacy and Security Notice](#) | [Contact Us](#)

Last updated on Wednesday, November 29th, 2006

URL:

http://www.epa.gov/region07/laws_regulations/CWA/2006/mcbride_son_homes_chesterfield_mo112906.htm