



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
REGION 6  
1445 ROSS AVENUE, SUITE 1200  
DALLAS TX 75202-2733

FILED  
2010 OCT 12 AM 11:18  
REGIONAL HEARING CLERK  
EPA REGION VI

OCT 12 2010

REPLY TO: 6EN-WR

Mr. Gary Robinson  
PO Box 152  
Wynona, OK 74084

Re: Withdrawal of Proposed Administrative Order  
Docket No.: SDWA-06-2010-1106  
Inventory No. Well No. Location-Osage County, Oklahoma  
OS5404 1A NW/4, Sec. 9, T24N, R 9E


Dear Mr. Robinson:

We received a copy of the easement for the referenced injection well. You are, therefore, fully compliant with the referenced Administrative Order proposed on July 14, 2010. Therefore, we are withdrawing the proposed Order.

We note that the well is overdue for a mechanical integrity demonstration. Please contact Mr. Rick Davis at 918-605-1643 before you use the well for injection so he can witness a mechanical integrity test.

Thank you for promptly complying with Osage Underground Injection Control program requirements. Please contact Mr. Ronald Van Wyk at 214-665-6459 if you have any questions.

Sincerely yours,

  
Jerry Saunders  
Associate Director  
Water Enforcement Branch

cc: Osage Nation Environmental and Natural Resources Department  
BIA, Minerals Branch