

# **Exhibit 17**

---

**From:** Wood, Jon  
**Sent:** Thursday, November 15, 2018 2:27 PM  
**To:** Page, Jordan (Page.Jordan@epa.gov)  
**Cc:** Bloom, Jill (Bloom.Jill@epa.gov); Jonynas, Ann  
**Subject:** RE: DCPA Testing ENVIGO - Quarterly Update and Draft Study Plan  
**Attachments:** JW36WK Draft Study Plan 4.doc; DCPA Update November 2018 v2.pdf  
  
**Categories:** DCPA - US

Hi Jordan,

Attached please find the next quarterly update for the DCPA Thyroid testing (signed 12 November 2018).

Also attached is the DCPA: Dose Range Finding Pre and Post Natal Developmental Thyroid Study (Including a Positive Control Group ) in Sprague-Dawley Rats by Oral Administration: Draft Study Plan 4 (dated 9 November 2018) for EPA's review. We will await EPA's review and acceptance of this draft study plan, before finalization and commencing the study.

Please let me know if you have questions or concerns.

Best regards,

*Jon*

Jon C. Wood  
Sr. Regulatory Manager  
AMVAC Chemical Corporation  
4695 MacArthur Court  
Suite 1200  
Newport Beach, CA 92660  
Office: (949) 221-6109  
Mobile: (714) 651-7541