

**UNITED STATES
ENVIRONMENTAL PROTECTION AGENCY
BEFORE THE ADMINISTRATOR**

IN THE MATTER OF)	COMPLAINANT’S SUPPLEMENT
)	TO ITS PREHEARING EXCHANGE
)	TO INCLUDE COMPLAINANT’S
)	EXHIBIT CX57
)	
ADAMAS CONSTRUCTION AND)	
DEVELOPMENT SERVICES, PLLC)	
)	
)	
)	
)	
)	
AND)	
)	
NATHAN PIERCE,)	
)	
Respondents)	Docket No. CWA-07-2019-0262
)	
Proceedings under Section 309(g) of the)	
Clean Water Act, 33 U.S.C. § 1319(g))	

COMPLAINANT’S SUPPLEMENT TO ITS PREHEARING EXCHANGE TO INCLUDE
COMPLAINANT’S EXHIBIT CX57

COMES NOW, the United States Environmental Protection Agency (“EPA” or “Complainant”), pursuant to the Consolidated Rules of Practice Governing the Administrative Assessment of Civil Penalties and the Revocation/Termination or Suspension of Permits, 40 C.F.R. §§ 22.1 to 22.45, and submits this Supplement to its Prehearing Exchange.

1. 40 C.F.R. § 22.19(f) directs parties that have submitted prehearing exchanges to “promptly supplement or correct the exchange when the party learns that the

information exchanged or response provided is incomplete, inaccurate or outdated, and the additional or corrective information has not otherwise been disclosed to the other party pursuant to this section.”

2. Judge Coughlin’s October 18, 2019 Prehearing Order allows the parties to this proceeding to submit supplements to their prehearing exchanges without motion prior to 60 days of the scheduled hearing.
3. Judge Coughlin’s May 23, 2022 Notice of Hearing Order provided a deadline of June 24, 2022 to submit supplements to the prehearing exchanges without leave of court.
4. Complainant supplements its prehearing exchange by adding the attached exhibit marked as CX57.

RESPECTFULLY SUBMITTED this 24th day of June, 2022.

/s/ Chris Muehlberger

Chris Muehlberger, Assistant Regional Counsel
Office of Regional Counsel
U.S. Environmental Protection Agency, Region 7
11201 Renner Boulevard
Lenexa, Kansas 66219
Email: muehlberger.christopher@epa.gov
Telephone: (913) 551-7623

CERTIFICATE OF SERVICE

I certify that the foregoing Complainant's Supplement to Its Prehearing Exchange to Include Complainant's Exhibit CX57, Docket No. CWA-07-2019-0262, has been submitted electronically using the OALJ E-Filing System.

A copy was sent by email to:

Nathan Pierce, Owner, Adamas Construction and Development Services PLLC:

Nathan Pierce
Email: *adamas.mt.406@gmail.com*

Date: 6/24/2022

/s/ Chris Muehlberger

Chris Muehlberger
Assistant Regional Counsel
U.S. Environmental Protection Agency,
Region 7
11201 Renner Boulevard
Lenexa, Kansas 66209
(913) 551-7623 (Telephone)
Email: *muehlberger.christopher@epa.gov*