




WILSON'S PEST CONTROL

**PROFESSIONAL GROWTH
REGULATOR**

POISON CONTROL 1-(800)-563-5635

PEST CONTROL
ONAL GROWTH
ULATOR
CONTROL 1-(800)-228-
2835











Extra Strength PROFESSIONAL
PEST CONTROL
CONCENTRATE
Permethrin Insecticide 45.8%

COCKROACHES (WATERBUGS) • ANTS
SPIDERS • FLEAS • BEES • CENTIPEDES
LIES • SILVERFISH • CRICKETS • WASPS
TERMITES • AND MORE ...

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Pests and pets may enter treated areas after application has dried.

FIRST AID

Have the poison container or label with you when calling poison control center or doctor, or going for treatment.

- If Swallowed: Immediately call a poison center or doctor. Do not induce vomiting unless told to do so by a poison center or doctor. Do not drink liquid to help the person. Do not give anything by mouth to an unconscious person.
- If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison center or doctor for further treatment advice.
- If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison center or doctor for further treatment advice.
- If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Use clean water, if present, after the first 5 minutes. Then continue rinsing eye. Call a poison center or doctor for further treatment advice.

For Medical Emergency information call 1-800-228-5633, extension 139

**PROFESSIONAL
PEST CONTROL**
CONCENTRATE
Permethrin Insecticide 36.8%
For Termite and Insect Control
KEEP OUT OF REACH OF CHILDREN

COCKROACHES (WATERBUGS) • ANTS
SPIDERS • FLEAS • BEES • CENTIPEDES
FLIES • SILVERFISH • CRICKETS • WASPS
AND MORE....

HAZARDS TO

Harmful if swallowed, inhaled, or absorbed. Irritates skin, eyes or clothing. Avoid contact with soap and water after handling. Do not reuse. People and pets may be exposed.

Have the product container or label with you in case you need a doctor, or going for treatment.

If Swallowed: Immediately call a poison center for help. Do not vomit unless told to do so by a professional. Do not give any liquid to the person. Do not give any food or drink.

If Inhaled: Move person to fresh air. If breathing is difficult, then give artificial respiration. Call a poison control center or doctor for help or medical advice.

If on Skin or Clothing: Take off contaminated clothing. Wash skin with plenty of water for 15-20 minutes. Call a poison control center or doctor for help or medical advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first rinsing eye. Call a poison control center or doctor for help or medical advice.

For Medical Emergency Information: Call 1-800-424-9293

WILSON'S TERMITE & CARPENTER
ANT CONTROL

*Kills Ticks That May Transmit
Grasshoppers, European Crabs,
Flies & Others*

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

PRECAUTIONARY STATEMENTS

CAUTION

Hazard if swallowed, inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove or discard clothing if contaminated. Avoid contact with food, feed, or animal feed. Avoid application near food.

FIRST AID

Have the product container or label with you when calling poison control center or doctor, or going for treatment.

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting. If you have swallowed any liquid, drink 2-4 glasses of water. Do not give anything by mouth to an unconscious person.


If Inhaled: Remove person to fresh air. If person is not breathing, call 911 or a poison control center or doctor for further instructions. If breathing, give person artificial respiration. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Wash skin thoroughly with soap and water. Wash clothing with soap and water. If person is not breathing, call 911 or a poison control center or doctor for further instructions.

If in Eyes: Flush eyes with water slowly and gently with water for 15-20 minutes. Remove contact lenses, if worn and can be removed. Wash eyes gently with soap and water. Call a poison control center or doctor for further instructions.

For Medical or Emergency Information Call 1-800-225-6283, extension 336.

COCKROACHES (WATERBUGS) • ANTS
SPIDERS • FLEAS • BEES • CENTIPEDES
FLIES • SILVERFISH • CRICKETS • WASPS





ALL-WEATHER
BLOX™



CONTRAC
ALL-WEATHER BLOX™

KILLS RATS, MICE & MEADOW VOLES

Kills Warfarin Resistant Norway Rats

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panels for First Aid and additional precautionary statements

ACTIVE INGREDIENT:

Bromadiolone (EPA #28772-5-7) 0.00%

OTHER INGREDIENTS: 99.99%

1 Contains Denatonium Benzoate TOTAL 100.00%

*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, House mouse, Pocket mouse, Spiny-tailed woodrat, Southern house mouse

NET WT:
18 lbs (8.2 kg)

CONTRAC[®]

ALL-WEATHER BLOX[™]

KILLS RATS, MICE & MEADOW VOLES
Kills Warfarin Resistant Norway Rats

KEEP OUT OF REACH OF CHILDREN
CAUTION

See back panel for First Aid and additional precautionary statements.

ACTIVE INGREDIENT:	
Bromadiolone (CAS #28772-86-7)	100%
OTHER INGREDIENTS:	
Contains: Bismuth Subsalicylate	100%
TOTAL	100%

KILLS RATS, MICE, AND MEADOW VOLES*

Norway rats, roof rats, and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

ACTIVE INGREDIENT:	
Bromadiolone (CAS #28772-56-7):	0.005%
OTHER INGREDIENTS†:	99.995%
†Contains Denatonium Benzoate	TOTAL 100.000%

See side panels for First Aid and additional precautionary statements

Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store only in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.
Pesticide Disposal: Wastes resulting from the use of this product may be placed in trash or delivered to an approved waste disposal facility.
Container Handling: Nonrefillable container. Do not reuse or refill this container. **[Plastic:]** Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill; or by incineration. In most states, burning is not allowed.

WARRANTY: To the extent consistent with applicable law, seller makes no warranty, expressed or implied concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

NET WEIGHT: 18 lbs (8.2 kg)

EPA REG. NO. 12455-79
EPA EST. NOS. 12455-WI-1^k, 12455-WI-2^p, 12455-WI-3^w
Superscript is first letter of the lot number.

Manufactured by:



Bell
LABORATORIES, INC.
3699 Kinsman Blvd.
Madison, WI 53704 U.S.A.
www.belllabs.com
MADE IN USA

FIRST AID TREATMENT ADVICE

1-800-858-7378** immediately for treatment advice.

IF SWALLOWED:

- Call your control center, doctor, or 1-877-654-2439.
- Give patient a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

IF ON SKIN OR CLOTHING:

- Rinse skin immediately with plenty of water for 15–20 minutes.
- Remove contaminated clothing.

FOR FURTHER INFORMATION:

- Call toll-free 1-800-4-A-Poison.
- Poison prevention tips are available at www.poisonhelp.org.

Hold open and rinse slowly and gently with water for 15-30 minutes. Continue rinsing eye. Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing eye. Call your poison control center, doctor, or 1-877-854-2424 immediately for treatment advice.

* Visit this number for information on health concerns and products.

NOTE TO PHYSICIAN

NOTE TO PHYSICIAN
If washed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. Preoperatively administer Vitamin K₁ intramuscularly or orally. Repeat as necessary based on monitoring of coagulation times.

TREATMENT FOR PET POISONING

TREATMENT FOR PET POISONING
If animal eats bait, call veterinarian at once.

NOTE TO VETERINARIAN
 Anticoagulant Bromeladone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin time), give Vitamin K₁. If needed, check prothrombin times every 3 days until values return to normal (14-16 sec). In severe cases, blood transfusions may be needed.

DIRECTIONS FOR USE

READ THE LABEL: Read this entire label and follow all use directions and use precautions. Use only for sites, pests, and application methods described on this label.

WARNING: Do not expose children, pets, or nontarget animals to rodenticides. To help to prevent exposure:

Keep bait outdoors out of reach of children, pets, domestic animals and nontarget wildlife, or in tamper-resistant bait stations. These stations must be resistant to destruction by dogs and by children under six years of age, and must be equipped with a feature that prevents such children from reaching into bait compartments and obtaining bait. If bait can be obtained from bait stations when they are tilted, units must be secured or otherwise immobilized. Stronger bait stations are needed in areas open to feral livestock, raccoons, bears, or other potentially destructive animals, or in areas open to the public.

1. Remove product container and unused, spoiled, or unconsumed bait as specified on this label.

not subject to mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used where children, pets, non-target mammals, or birds may have access to the bait placement location.

USE DIRECTIONS: This product may only be used to control the following rodent pests in and around man-made structures: House mouse (*Mus musculus*), Norway rat (*Rattus norvegicus*), Roof rat (*Rattus rattus*), Cotton mouse (*Thomomys talpoides*), Cotton rat (*Rattus flavipectus*), Cotton rat (*Rattus agilis*), Meadow vole (*Microtus pennsylvanicus*), Deer mouse (*Peromyscus maniculatus*), Eastern harvest mouse (*Reithrodontomys humill*), Golden mouse (*Reithrodontomys natalii*), Polynesian rat (*Rattus exulans*), Meadow vole (*Microtus pennsylvanicus*), White footed mouse (*Peromyscus leucopus*), White-throated woodrat (*Neotoma albigula*), Southern plains woodrat (*Neotoma micropus*), and Mexican woodrat (*Neotoma mexicana*). This product must be used in and after 100 feet of man-made structures constructed in a manner so as to be vulnerable to commensal rodent infestation or to harboring or attracting rodent infestations. Examples of such structures include homes and dwellings, agricultural and public buildings, transport vehicles (ships, trains, aircraft), docks and port or terminal facilities, and open-air outdoor areas and associated with these sites. Fence and perimeter baiting, beyond 100 feet from structures or before access, is prohibited. This product must not be applied directly to food or feed crops.

272

DIRECTIONS FOR USE (Continued from other panel)

Burrow baiting with CONTRAC® All-Weather Blox is prohibited.

Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed processing equipment, or milk or meat handling equipment or surfaces that come into direct contact with food or feed. In inspected facilities, this product must be applied in tamper-resistant bulk containers. Do not use to dispose of animal waste or product in sewers.

Do not sell this product in individual containers holding less than 16 pounds of bait.

SELECTION OF TREATMENT

IDENTIFICATION OF TREATMENT AREAS: Determine areas where rats, mice, or meadow voles will not likely find and consume the bait. Generally, these areas are along walls, by grouted openings, in corners and crevices, and between floors and walls, or in locations where rats, mice, or meadow voles, in corners and crevices, and between floors and walls, or in locations where rats, mice, or meadow voles, or their signs have been seen. Remove as much alternative food as possible.

APPLICATION DIRECTIONS:

RATS: Place 3 to 16 bait blocks (at intervals of 15 to 30 feet) per placement in infested areas. Maintain an uninterrupted supply of fresh bait for at least 10 days or until signs of rat activity cease.

MICE AND MEADOW VOLE[®]: Place 1 block per placement. Space placements at 8- to 12-foot intervals in infested areas. Two blocks may be needed at points of very high activity. Maintain an uninterrupted supply of fresh bait for at least 15 days or until signs of mouse or meadow vole[®] activity cease.

FOLLOW-UP: Replace contaminated or spoiled bait immediately. Wearing gloves, collect and dispose of all dead, exposed animals and leftover bait. To prevent reinestation, limit sources of rodent food, water, and harborage as much as possible. If reinestation does occur, repeat treatment. Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin or on clothing.

All handlers (including applicators) must wear: shoes plus socks, and waterproof gloves. Any person who enters a sprayed bait following application of this product must wear gloves.

User Safety Requirements

[illegible]

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish, birds and other wildlife. Logs and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply the product to water or to areas where surface water is present or to intertidal areas below the mean high water mark. This product also may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinseate.

*Not permitted for use against the following species in certain areas: House mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat.

Product Code: CB4051



DUE \$10.40
CASH \$20.00
CHANGE \$9.60
1:53PM JUN 6/22
00-0000 001 CASH 1
#07275 CLERK
BEDBUGSPRAY \$150.00

MDSE \$150.00
TAX1 \$14.23
CASH \$164.23

1:53PM JUN 6/22
00-0000 001 CASH 1
#07276 CLERK

MISC 1 \$150.00
MISC 1 \$10.50
MISC 1 \$10.50
MDSE \$171.00
TAX1 \$16.22
DUE \$187.22
CASH \$200.00
CHANGE \$12.78

1:56PM JUN 6/22
00-0000 001 CASH 1
#07277 CLERK

MISC 1 \$19.50
MDSE \$19.50
TAX1 \$1.85
CASH \$21.35

1:59PM JUN 6/22
00-0000 001 CASH 1
#07278 CLERK

* NDSALE 1 *
2:21PM JUN 6/22
00-0000 001 CASH 1
#07279 CLERK
MISC 1 \$8.50
MDSE \$8.50
TAX1 \$0.81
CASH \$9.31

2:30PM JUN 6/22
00-0000 001 CASH 1
#07280 CLERK

* NDSALE 1 *
2:35PM JUN 6/22
00-0000 001 CASH 1
#07281 CLERK

* NDSALE 1 *
6:54AM JUN 7/22
00-0000 001 CASH 1
#07282 CLERK

* NDSALE 1 *
6:58AM JUN 7/22

00-0000 001 CASH 1
#07283 CLERK

* NDSALE 1 *
6:58AM JUN 7/22

00-0000 001 CASH 1
#07284 CLERK

LABEL CERTIFICATION STATEMENT
I certify that this label is identical to the label on
EPA Reg. No. 70506-1-72 (60)
being held for distribution or sale

WILSON'S
ANT

Controls Lawn Pests
Chinchbug, Sod Webworm
Grasshoppers, European
Flies & Others
Kills Ticks That May Transmit
Disease

FORMULATED
RESIDENTIAL USE

maximum
No. 48498-CA-1
CHILDREN

Aid and Precautionary

NET CONTENTS:
1 PINT (16 oz)

Distributed by WILSON'S PEST CONTROL
2400 N. GRAND • ST. LOUIS, MO. 63106
314-531-9980













& Supplies









Supplies

tr

9. Establishment Name
10. City
11. Province/Region
12. Telephone Number
13. Check if your establishment's name has changed
14. Company Name
15. Company Site Address
16. Country
17. Check if your address has changed
18. Check if your authorized agent has changed
19. Signature of Authorized Agent
20. Signature of Authorized Agent
21. Signature of Authorized Agent

Answer even if you are not sure
Do not leave blank
If you are not sure, write "N/A"

