

GEO Group

Chemical Transition
HALT

Because your
world is busy
enough.



RX5

According to the Centers for Disease Control in Atlanta (CDC):

Cleaning; refers to the removal of dirt and impurities, including germs from surfaces. Cleaning alone does not kill the germs. But by removing the germs it decreases their number and therefore any risk of spreading infection.

Disinfecting; works by using chemicals, for example EPA-registered disinfectants, to kill germs on surfaces. This process does not necessarily clean dirty surfaces or remove germs. But killing germs remaining on a surface after cleaning further reduces any risk of spreading infection.



Enjoy the fresh, clean fragrance of lavender while you clean with Xcelenté™ multi-purpose, hard surface cleaner. The phosphate-free formula is great for floors, and other surfaces where a bright, shiny, streak free finish is desired. With a long-lasting, fragrant bloom of lavender, Xcelenté will delight building residents and visitors throughout the day.

COLOR	Bright Purple
DILUTION	1 - 3 oz./gal.
PH	7.0 - 8.0
SCENT	Fresh Lavender



Spartan Chemical Company, Inc.
1110 Spartan Drive
Maumee, OH 43537
1-800-537-8990
www.spartanchemical.com

FEATURES AND BENEFITS:

- Safe to use on all surfaces not harmed by water
- Long-lasting fresh lavender fragrance
- Leaves floors and other surfaces film and streak free
- Economical to use—Dilution range of 1–3 oz per gallon of water
- Cold water is recommended for dilution
- Personal Protective Equipment (PPE) Recommendations: Gloves: None required with expected use. Eye Protection: Splash goggles are recommended to prevent eye contact
- Phosphate-free formula is a better choice for environmental health



DIRECTIONS FOR USE:

Some individuals may be sensitive to ingredients in this product. Before use, read product label and Safety Data Sheet. If questions remain, consult your employer or a physician. **WET FLOORS MAY BE SLIPPERY. PREVENT PEDESTRIAN TRAFFIC WITH SIGNS OR BARRICADES.**

DAILY DUTY CLEANING ON HARD SURFACES:

Spray and Wipe:

1. Dilute Xcelenté at 2–3 oz. per gallon depending the soil load and/or desired fragrance level.
2. Spray and wipe.
3. For heavy soiled surfaces, allow solution to set for a few minutes before wiping.

Bucket:

1. Mix Xcelenté at 2–3 oz. per gallon depending the soil load and/or desired fragrance level.
2. For heavy soiled surfaces, allow solution to set for a few minutes before wiping.

LIGHT DUTY CLEANING ON FLOORS:

1. Dilute Xcelenté at 1–3 oz. per gallon for most applications. Test at various dilutions to achieve desired result.
2. No rinse is necessary.

Be sure to read all Directions, Precautionary and First Aid Statements on product labels before use of this or any Spartan product. If questions remain, consult your employer or physician. Material safety data sheets for all Spartan products are available from your authorized Spartan distributor or by visiting www.spartanchemical.com.

SPECIFICATION DATA:

pH (concentrate): 7.0 – 8.0

Density: 8.32 lbs./gal. @ 24°C/75°F

Specific Gravity: 1.000 @ 24°C/75°F

Viscosity: Water thin @ 24°C/75°F

Flash Point (Cleveland Open Cup): None

Storage Stability:

- a. Shelf @ 24°C/75°F—1 year minimum
- b. Accelerated @ 49°C/120°F—60 days minimum
- c. Freeze/thaw cycle: Product will withstand a minimum of one freeze/thaw cycle.

Miscibility: Completely soluble in all proportions with hot or cold water

Rinsability: Rinses freely with hot or cold water and leaves no film.

This product is in compliance with the California Air Resources Board for VOCs.

Biodegradable

ENVIRONMENTALLY PREFERABLE:

This product meets Green Seal™ Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. GreenSeal.org.




INFECTION PREVENTION



Hand hygiene



Clean and disinfect



PPE

WHAT IS A ONE-STEP DISINFECTANT?

A one-step disinfectant has been verified by the EPA to be effective against named organisms in the presence of 5% blood serum solution. These products generally do not require pre-cleaning in order to disinfect a hard surface as long as dwell time is observed. However, related to [SARS-CoV-2](#), the CDC is recommending a multi-step cleaning process including pre-cleaning prior to disinfection.

HALT®

One-Step Cleaner/Disinfectant

PRODUCT DETAILS



Halt is a hospital grade, one-step cleaner, bacteriacidal, virucidal, mildewcidal, fungicidal, disinfectant proven effective against norovirus, canine parvovirus and blood borne pathogens. At 1:64 dilution, Halt economically disinfects and deodorizes. With a fantastic, fresh scent, Halt leaves surfaces clean, germ-free, and safe!

DILUTION	2 oz./gal.
EPA REGISTRATION NUMBER	10324-93-5741
PH	11.0 - 12.0

FEATURES

- Hospital grade one-step cleaner, bactericidal, virucidal, mildewcidal, fungicidal disinfectant
- Proven effective against Norovirus, Canine Parvovirus
- Meets OSHA Bloodborne Pathogen Standard for HIV, HBV, and HCV
- Kills Human Coronavirus in 10 minutes









BENEFITS

- Disinfects, cleans, and deodorizes non-food contact surfaces in one labor saving step
- At 2 ounces per gallon dilution, economically disinfects and deodorizes
- Eliminates odors, leaving surfaces smelling fresh
- Sanitizes non-food contact surfaces in 1 minute

SPECIFICATION DATA

Dilution	2 oz/gal
pH	11.0 – 12.0
Color	Orange
Fragrance	Fresh
Specific Gravity @ 24°C/75°F	1.052
Stability: Shelf @ 24°C/75°F	1 year minimum
Stability: Freeze/Thaw	3 cycles
EPA Registration Number	10324-93-5741

ORDERING INFORMATION

							
#480602	#101804	#101805	#101815	#101830	#101855	#101860	#101865

ADDITIONAL RESOURCES

Scan the QR code to access this product's safety information and documentation.



EFFICACY DATA

DISINFECTION PERFORMANCE

This product kills the following bacteria in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Acinetobacter baumannii*, *Bordetella bronchiseptica*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Escherichia coli* 0111:H8, *Escherichia coli* 0157:H7, *Enterococcus faecium* Vancomycin Resistant (VRE), *Escherichia coli*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* – (NDM-1 positive) (New Delhi metallo-beta-lactamase) (CDC 1000527), *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Staphylococcus aureus* (CA MRSA) Community Associated Methicillin Resistant, *Staphylococcus aureus* (VISA) Vancomycin Intermediate Resistant, *Streptococcus salivarius*.

VIRUCIDAL* PERFORMANCE

This product kills the following viruses in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus (H5N1), Avian Influenza A H9N2/Turkey/Wisconsin Virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Type 1 Virus, Human Coronavirus, HIV-1† (AIDS Virus), Influenza A2/Japan Virus, Influenza A (H1N1) Virus, Norovirus (Norwalk-like Virus).

† Indicates a 2 minute contact time is required for this claim.

*** Kills HIV, HBV and HCV on pre-cleaned hard, non-porous surfaces/objects previously soiled with blood/body fluids** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), and Hepatitis C Virus (HCV).

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE

This product kills the following viruses in 10 minutes at 8 oz. per gallon of water and 5% soil on hard, non-porous surfaces: Canine Parvovirus*** (CPV), Minute Virus of Mice*** (Parvovirus), Porcine Parvovirus***

*** Indicates that a dilution of 8 oz. per gallon of water is required for this claim.

FUNGICIDAL PERFORMANCE

This product kills the following fungi in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Trichophyton mentagrophytes*.

NON-FOOD CONTACT SANITIZING PERFORMANCE

This product is an effective one-step sanitizer in 1 minute at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Staphylococcus aureus*, *Klebsiella pneumoniae*.

MILDEWSTATIC PERFORMANCE

This product controls the following mold at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger*.



ve, Maumee, OH 43537 USA / 1-800-537-8990 / www.spartanchem.com

equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

G-18 SCC 7

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Sold by: Spartan Chemical Company, Inc., 1110 Spartan Drive, Maumee, OH 43537 USA
#1018 NET CONTENTS: 1 U.S. Gallon / 3.79 Liters





This product is for use on hard, non-porous surfaces in:

- Hospitals, nursing homes, medical and dental offices and clinics, healthcare facilities, physician offices, operating rooms/theaters, radiology rooms, isolation wards, hospices, and medical research facilities
- Day care centers and nurseries, sick rooms, elder care centers, kindergartens, and preschools
- Police stations, courthouses, correctional facilities, municipal government buildings, jails, prisons, penitentiaries, correctional institutions
- Institutional facilities, laboratories, factories, businesses and office buildings, and transportation terminals
- Public restrooms, public facilities, waysides, travel rest areas, bathrooms
- Hotels, motels, dormitories, cruise ships, campgrounds
- Institutions, schools, colleges, commercial and industrial sites, churches, classrooms, community colleges, universities, athletic facilities and locker rooms, exercise rooms, exercise facilities, gyms, gymnasiums, field houses
- Health clubs, spas, tanning salons, tanning spas, tanning beds, massage/facial salons.

DISINFECTION PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES:

This product kills the following bacteria in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Acinetobacter baumannii*, *Bordetella bronchiseptica*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Escherichia coli* O111:H8, *Escherichia coli* O157:H7, *Enterococcus faecium* Vancomycin Resistant (VRE), *Escherichia coli*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* – (NDM-1 positive) (New Delhi metallo-beta-lactamase) (CDC 1000527), *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Staphylococcus aureus* (CA MRSA) Community Associated Methicillin Resistant, *Staphylococcus aureus* Methicillin Resistant (MRSA), *Staphylococcus aureus* (VISA) Vancomycin Intermediate Resistant, *Streptococcus salivarius*

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus (H5N1), Avian Influenza A H9N2/Turkey/Wisconsin Virus,

Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Type 1 Virus, Human Coronavirus, HIV-1 \ddagger (AIDS Virus), Influenza A2/Japan Virus, Influenza A (H1N1) Virus, Norovirus (Norwalk-like Virus)
 \ddagger Indicates a 2 minute contact time is required for this claim.

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 8 oz. per gallon of water and 5% soil on hard, non-porous surfaces: Canine Parvovirus*** (CPV), Minute Virus of Mice*** (Parvovirus), Porcine Parvovirus***

*** Indicates that a dilution of 8 oz. per gallon of water is required for this claim.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Trichophyton mentagrophytes*

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 1 minute at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Staphylococcus aureus*, *Klebsiella pneumoniae*

MILDEWSTATIC PERFORMANCE: This product controls the following mold at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger*

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

This product is not for use on medical device surfaces.

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE*:

1. Pre-clean heavily soiled areas.
2. Apply use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-food contact, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Treated surfaces must remain wet for 10 minutes.
4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
5. Prepare a fresh solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood



Sold by: SPARTAN CHEMICAL COMPANY, INC., 1110 Spartan Drive, Maumee, OH 43537 USA / 1-800-537-8990 / www.spartanchemical.com

or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Specific barrier protection items to be worn when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Allow hard, non-porous surfaces to remain wet for 2 minutes for HIV and for 10 minutes to kill all other organisms listed on the label.

TO CONTROL MOLD/MILDEW: Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water (or equivalent dilution). Apply use solution to hard, non-porous, non-food contact surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

ANIMAL PREMISES: Prior to use of this product, remove all animals and feeds from premises, animal transportation vehicles, and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other hard, non-porous surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/VIRUCIDE*:** Prepare a use solution of 8 oz. of this product per gal. of water 2800 ppm.

Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, mechanical spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

FOR USE AS A GENERAL CLEANER AND/OR

DEODORIZER: Prepare use solution of 2 to 4 oz. of this product per gal. of water and apply to hard, non-porous surfaces. Rinse or allow to air dry. For heavy-duty use, add 4 oz. of this product per gal. of water to clean hard, non-porous surfaces.

DISINFECTION/FUNGICIDE/VIRUCIDE* OF HARD, NON-POROUS SURFACES IN WHIRLPOOL UNITS:

After using the whirlpool unit, drain unit. Prepare a use solution of 2 oz. of the product per gal. of water (or equivalent use dilution) and refill with use solution to just cover the intake valve or 2 inches above the highest jet. Briefly start the pump to circulate the solution. Turn off the pump. Wash down the unit sides, seat of the chair lift and any other related equipment with a clean swab, brush or sponge. Treated surfaces must remain wet for

10 minutes. After the unit has been thoroughly disinfected, drain the solution from the unit and rinse disinfected surfaces with fresh water. Wipe dry with a clean sponge or cloth or allow to air dry. Repeat for heavy soiled units.

NON-FOOD CONTACT SURFACE SANITIZING DIRECTIONS

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean heavily soiled surfaces. Add 2 oz. of this product per gal. of water (700 ppm active) (or equivalent use dilution). Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when visibly dirty.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic invertebrates.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.


PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

● HIGH TOUCH SURFACES

Pathogens spread mainly on hands from person to person, but can also be transferred to cart handles, bed rails, bedside tables, toilets, sinks, stethoscopes, thermometers—even telephones and remote controls. Use Diffense to clean and disinfect High Touch Surfaces in order to prevent the spread of infection.



Distributed by:



Thank You