

ACTIVE INGREDIENTS:
Alkyl (60% C14, 30% C16, 5% C12, 5% C18)
Dimethyl Benzyl Ammonium Chloride.....2.25%
Alkyl (68% C12, 32% C14)
Dimethyl Ethylbenzyl
Ammonium Chloride..... 2.25%
OTHER INGREDIENTS:..... 95.50%
TOTAL: 100.00%

EPA Reg. No. 10324-93-5741
EPA Est. No. 5741-OH-1

SI USTED NO ENTIENDE LA ETIQUETA, BUSQUE
A ALGUIEN PARA QUE SE LA EXPLIQUE A USTED
EN DETALLE.
IF YOU DO NOT UNDERSTAND THE LABEL, FIND
SOMEONE TO EXPLAIN IT TO YOU IN DETAIL.



**Cleaner - Disinfectant - Deodorizer -
Fungicide - Mildewstat - Virucide***

**KEEP OUT OF REACH OF CHILDREN
DANGER PELIGRO**

See back panel for additional precautionary statements.

FIRST AID

In case of emergency, call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.
IF SWALLOWED: Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Call a poison control center or doctor immediately for treatment advice.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Sold by: **Spartan Chemical Company, Inc.**
1110 Spartan Drive, Maumee, OH 43537 USA
NET CONTENTS: 5 U.S. Gallons / 18.95 Liters

This product is for use on hard, non-porous surfaces in:

- Hospitals, nursing homes, medical and dental offices and clinics, healthcare facilities, physician offices, operating rooms/theaters, radiology rooms, isolation wards, hospices, and medical research facilities
- Day care centers and nurseries, sick rooms, elder care centers, kindergartens, and preschools
- Police stations, courthouses, correctional facilities, municipal government buildings, jails, prisons, penitentiaries, correctional institutions
- Institutional facilities, laboratories, factories, businesses and office buildings, and transportation terminals,
- Public restrooms, public facilities, waysides, travel rest areas, bathrooms,
- Hotels, motels, dormitories, cruise ships, campgrounds
- Institutions, schools, colleges, commercial and industrial sites, churches, classrooms, community colleges, universities, athletic facilities and locker rooms, exercise rooms, exercise facilities, gyms, gymnasiums, field houses
- Health clubs, spas, tanning salons, tanning spas, tanning beds, massage/facial salons.

DISINFECTION PERFORMANCE IN INSTITUTIONS AND NON-MEDICAL FACILITIES: This product kills the following bacteria in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Acinetobacter baumannii*, *Bordetella bronchiseptica*, *Campylobacter jejuni*, *Corynebacterium ammoniagenes*, *Enterobacter aerogenes*, *Enterococcus faecalis*, *Escherichia coli* O111:H8, *Escherichia coli* O157:H7, *Enterococcus faecium* Vancomycin Resistant (VRE), *Escherichia coli*, *Klebsiella pneumoniae*, *Klebsiella pneumoniae* – (NDM-1 positive) (New Delhi metallo-beta-lactamase) (CDC 1000527), *Listeria monocytogenes*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Salmonella schottmuelleri*, *Salmonella typhi*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Staphylococcus aureus* (CA MRSA) Community Associated Methicillin Resistant, *Staphylococcus aureus* Methicillin Resistant (MRSA), *Staphylococcus aureus* (VISA) Vancomycin Intermediate Resistant, *Streptococcus salivarius*

VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: Avian Influenza A Virus (H5N1), Avian Influenza A H9N2/Turkey/Wisconsin Virus, Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Herpes Simplex Type 1 Virus, Human Coronavirus, HIV-1† (AIDS Virus), Influenza A2/Japan Virus, Influenza A (H1N1) Virus, Norovirus (Norwalk-like Virus)
‡ Indicates a 2 minute contact time is required for this claim.

ANIMAL PREMISE VIRUCIDAL* PERFORMANCE: This product kills the following viruses in 10 minutes at 8 oz. per gallon of water and 5% soil on hard, non-porous surfaces: Canine Parvovirus*** (CPV), Minute Virus of Mice*** (Parvovirus), Porcine Parvovirus***
*** Indicates that a dilution of 8 oz. per gallon of water is required for this claim.

FUNGICIDAL PERFORMANCE: This product kills the following fungi in 10 minutes at 2 oz. per gallon of water (700 ppm active) and on hard, non-porous surfaces: *Trichophyton mentagrophytes*

NON-FOOD CONTACT SANITIZING PERFORMANCE: This product is an effective one-step sanitizer in 1 minute at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces: *Staphylococcus aureus*, *Klebsiella pneumoniae*

MILDEWSTATIC PERFORMANCE: This product controls the following mold at 2 oz. per gallon of water (700 ppm active) and 5% soil on hard, non-porous surfaces for up to 7 days: *Aspergillus niger*



#101805

SCC 7/19



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Before using this product, food products and packaging materials must be removed from the room or carefully protected.

This product is not for use on medical device surfaces.

FOR USE AS A ONE-STEP, GENERAL, HOSPITAL DISINFECTANT, FUNGICIDE, VIRUCIDE*:

1. Pre-clean heavily soiled areas.
2. Apply use solution of 2 oz. of this product per gal. of water (or equivalent use dilution) to disinfect hard, non-food contact, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray.
3. Treated surfaces must remain wet for 10 minutes.
4. Allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.
5. Prepare a fresh solution daily or when visibly dirty.

***KILLS HIV, HBV AND HCV ON PRE-CLEANED HARD, NON-POROUS SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of hard, non-porous surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV) and Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV and HCV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Specific barrier protection items to be worn when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye protection.

Cleaning Procedure: Blood and other body fluids must be thoroughly cleaned from hard, non-porous surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Allow hard, non-porous surfaces to remain wet for 2 minutes for HIV and for 10 minutes to kill all other organisms listed on the label.

TO CONTROL MOLD/MILDEW: Pre-clean heavily soiled areas. Prepare use solution by adding 2 oz. of this product per gal. of water (or equivalent dilution). Apply use solution to hard, non-porous, non-food contact surfaces which will effectively inhibit the growth of mold and mildew and their odors. Repeat treatment every seven days, or more often if new growth appears.

ANIMAL PREMISES: Prior to use of this product, remove all animals and feeds from premises, animal transportation vehicles, and enclosures. Remove all litter, droppings and manure from floors, walls and surfaces of barns, pens, stalls, chutes and other hard, non-porous surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean surfaces with soap or detergent and rinse with water.

FOR USE AS AN ANIMAL PREMISE DISINFECTANT/ VIRUCIDE*:** Prepare a use solution of 8 oz. of this product per gal. of water 2800 ppm.

Apply use solution to disinfect hard, non-porous surfaces with a sponge, brush, cloth, by immersion, mechanical spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Immerse all halters and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure in the use solution. Treated surfaces must remain wet for 10 minutes. Ventilate buildings, coops and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains and waterers and other treated equipment which can contact food or water with soap or detergent, and rinse with potable water before reuse.

FOR USE AS A GENERAL CLEANER AND/OR

DEODORIZER: Prepare use solution of 2 to 4 oz. of this product per gal. of water and apply to hard, non-porous surfaces. Rinse or allow to air dry. For heavy-duty use, add 4 oz. of this product per gal. of water to clean hard, non-porous surfaces.

DISINFECTION/FUNGICIDE/VIRUCIDE* OF HARD, NON-POROUS SURFACES IN WHIRLPOOL UNITS: After using the whirlpool unit, drain unit. Prepare a use solution of 2 oz. of the product per gal. of water (or equivalent use dilution) and refill with use solution to just cover the intake valve or 2 inches above the highest jet. Briefly start the pump to circulate the solution. Turn off the pump. Wash down the unit sides, seat of the chair lift and any other related equipment with a clean swab, brush or sponge.

Treated surfaces must remain wet for 10 minutes. After the unit has been thoroughly disinfected, drain the solution from the unit and rinse disinfected surfaces with fresh water. Wipe dry with a clean sponge or cloth or allow to air dry. Repeat for heavy soiled units.

NON-FOOD CONTACT SURFACE SANITIZING DIRECTIONS

NON-FOOD CONTACT SURFACE SANITIZING: Pre-clean heavily soiled surfaces. Add 2 oz. of this product per gal. of water (700 ppm active) (or equivalent use dilution). Apply solution to hard, non-porous surfaces with a sponge, brush, cloth, mop, by immersion, auto scrubber, mechanical spray device, coarse trigger spray device. For spray applications, spray 6-8 inches from surface. Do not breathe spray. Treated surfaces must remain wet for 1 minute. Prepare a fresh solution daily or when visibly dirty.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store only in original container. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Non-Refillable Container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Fill the container 1/4 full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration.

Sold by: **SPARTAN CHEMICAL COMPANY, INC.**
1110 Spartan Dr., Maumee, OH 43537 USA / 1-800-537-8990 / www.spartanchemical.com

#101805

G-18 SCC 7/19

Halt®

Cleaner - Disinfectant - Deodorizer -
Fungicide - Mildewstat - Virucide*
User Prepared Ready-To-Use Solution

EPA Reg. No 10324-93-5741

ACTIVE INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
Dimethyl Benzyl Ammonium Chloride	2.25%
Alkyl (68% C12, 32% C14)	
Dimethyl Ethylbenzyl Ammonium Chloride	2.25%

OTHER INGREDIENTS:	95.50%
TOTAL	100.00%

The product in this container is diluted as directed on the pesticide label.

Follow the directions for use on the pesticide label when applying this product.

Read safety data sheet before using product.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

DANGER: Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

See first aid statement on pesticide product label.

KEEP OUT OF REACH OF CHILDREN
DO NOT MIX WITH OTHER CHEMICALS
MEDICAL EMERGENCY: 888-314-6171

Halt®

Cleaner - Desinfectante - Desodorante -
Fungicidas - Mildewstat - Virucida *

Une solution préparée à l'intention de l'utilisateur, prête à l'emploi

EPA Reg. N° 10324-93-5741

ACTIFS INGREDIENTS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
Dimethyl Benzyl Ammonium Chloride.....	2.25%
Alkyl (68% C12, 32% C14)	
Dimethyl Ethylbenzyl Ammonium Chloride	2.25%

AUTRES INGRÉDIENTS :	95.50%
TOTAL	100.00%

Le produit dans ce conteneur est dilué comme il l'est indiqué sur l'étiquette des produits phytosanitaires.

Suivre le mode d'emploi figurant sur l'étiquette des produits phytosanitaires lors de l'application de ce produit.

Lire la fiche de données de sécurité avant d'utiliser le produit.

MISES EN GARDE

Dangereux pour les êtres humains et les animaux domestiques
DANGER : Corrosif. Cause des dommages irréversibles aux yeux et des brûlures de la peau. Nocif en cas d'ingestion ou absorbé par la peau. Ne pas mettre dans les yeux, la peau ou les vêtements. Porter des lunettes ou un écran facial et des gants résistant aux produits chimiques et des vêtements de protection lors de la manipulation. Bien se laver avec de l'eau et du savon après la manipulation et avant de manger, boire, mâcher de la gomme, de fumer ou d'utiliser les toilettes. Retirer les vêtements contaminés et laver les vêtements avant de les réutiliser.

Consulter les directives de premiers soins figurant sur l'étiquette du produit phytosanitaire.

CONSERVER HORS DE LA PORTÉE DES ENFANTS
NE PAS MÉLANGER AVEC D'AUTRES PRODUITS CHIMIQUES
URGENCE MÉDICALE : 888-314-6171

Halt®

Nettoyant - Désinfectant - Désodorisant -
Fongicide - Mildewstat - Virucida *

Una solución preparada por el usuario, lista-para-usar

No. Reg. EPA 10324-93-5741

INGREDIENTES ACTIVOS:

Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
Dimethyl Benzyl Ammonium Chloride.....	2.25%
Alkyl (68% C12, 32% C14)	
Dimethyl Ethylbenzyl Ammonium Chloride	2.25%

OTROS INGREDIENTES:	95.50%
TOTAL	100.00%

El producto en este recipiente es diluido según las instrucciones en la etiqueta de productos fitosanitarios.

Siga las instrucciones para uso en la etiqueta de productos fitosanitarios cuando se aplica este producto.

Lea la hoja de datos de seguridad antes de usar el producto.

DECLARACIONES DE PRECAUCIÓN

Dañino a humanos y a animales domésticos

PELIGRO: Corrosivo. Causa daño irreversible en los ojos y quemaduras en la piel. Dañino si es ingerido o absorbido por la piel. Evite el contacto con los ojos, la piel o la ropa. Use gafas o careta y guantes resistentes a productos químicos y ropa protectora cuando el manejo. Lávese bien con agua y jabón después de manipular y antes de comer, beber, mascar chicle, fumar o ir al baño. Quite la ropa contaminada y lávela antes de volverla a usar.

Consulte la declaración de primeros auxilios en la etiqueta del producto fitosanitario.

MANTENGA LEJOS DEL ALCANCE DE LOS NIÑOS
NO MEZCLE CON OTRAS SUSTANCIAS QUÍMICAS
EMERGENCIA MÉDICA: 888-314-6171

Sold by: SPARTAN CHEMICAL COMPANY, INC., 1110 Spartan Drive, Maumee, OH 43537 USA / 1-800-537-8990 / www.spartanchemical.com

#903300

SCC 8/20