





TrapRite
RODENT STATIONS

IMPROVE YOUR TRAPPING RESULTS

TrapRite stations are ideal for both residential and commercial applications. Research shows mice prefer cardboard 5 to 1 over plastic stations. Also, trapping rodents inside the box using traditional snap traps and glue boards you contain the biohazard in an economical and disposable station.

Use TrapRite stations in areas where rodents are prohibited, such as:

- Sound - Studies show that rodents prefer cardboard due to its sound dampening qualities.
- Whiskers - Our unique tunnel shape allows rodent whiskers to touch both sides of the box, releasing them and increasing the chance that they will enter.
- Temperature - Cardboard is preferred by rodents in hot or cold environments, increasing rodent acceptance and improving trapping results.

• Private labeling available

ANSTAR
PRODUCTION
Better Pest Suppression

Parts:

- ① 2196 MS
- ② 2154 RS
- ③ 2152 RST
- ④ 2198 MS
- ⑤ 2168 RST
- ⑥ 2198 Q

PROFESSIONAL PEST CONTROL CONCENTRATE
TERMITICIDE / INSECTICIDE

For Termite and Insect Control

KEEP OUT OF REACH OF CHILDREN

CAUTION
REFER TO INSIDE OF LABEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

ACTIVE INGREDIENT:	21.4%
Imidacloprid*	6.6%
Fipronil*	72.0%
INERT INGREDIENTS**	100%
Total	
*cis/trans ratio: Max. 42% (z) cis and min. 58% (z) trans	
**Contains Petroleum Distillates.	
EPA Reg. No. 70506-7-72693	EPA Est. No. 1386-OH-1
NET CONTENTS: 1 PINT (16 oz)	

DISTRIBUTED BY:
WILSON'S PEST CONTROL
2400 N. GRAND • ST. LOUIS, MO • 63106
314-531-9980

ZipTerry
PROTECT-A-BED

Mattress Needs Protection

PROTECT-A-BED	\$129.00
MATRESS BOX SPRING SET	\$159.00
MATRESS BOX SPRING SET	\$199.00
MATRESS BOX SPRING SET	\$239.00

PROFESSIONAL PEST CONTROL CONCENTRATE
Permethrin Insecticide 36.8%

For Termite and Insect Control

KEEP OUT OF REACH OF CHILDREN

CAUTION
REFER TO INSIDE OF LABEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

ACTIVE INGREDIENT:	36.8%
Permethrin*	63.2%
INERT INGREDIENTS**	100%
Total	
*cis/trans ratio: Max. 42% (z) cis and min. 58% (z) trans	
**Contains Petroleum Distillates.	
EPA Reg. No. 70506-7-72693	EPA Est. No. 1386-OH-1
NET CONTENTS: 1 PINT (16 oz)	

DISTRIBUTED BY:
WILSON'S PEST CONTROL
2400 N. GRAND • ST. LOUIS, MO • 63106
314-531-9980

PROFESSIONAL PEST CONTROL CONCENTRATE
Permethrin Insecticide 36.8%

For Termite and Insect Control

KEEP OUT OF REACH OF CHILDREN

CAUTION
REFER TO INSIDE OF LABEL BOOKLET FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE

ACTIVE INGREDIENT:	36.8%
Permethrin*	63.2%
INERT INGREDIENTS**	100%
Total	
*cis/trans ratio: Max. 42% (z) cis and min. 58% (z) trans	
**Contains Petroleum Distillates.	
EPA Reg. No. 70506-7-72693	EPA Est. No. 1386-OH-1
NET CONTENTS: 1 QUART	

DISTRIBUTED BY:
WILSON'S PEST CONTROL
2400 N. GRAND • ST. LOUIS, MO 63106
314-531-9980



TrapRite MS Tunnel

TrapRite RST Tunnel

E YOUR TRAPPING RESULTS

both residential and commercial applications. Use cardboard 5 to 1 over plastic stations. Also, use box using traditional snap traps and glue boards in an economical and disposable station.

Studies show that rodents are more likely to enter a tunnel than a box. Our unique tunnel shape allows rodents to touch both sides of the bait, increasing the chance that they will enter.

Temperature - Cardboard is preferred by rodents in hot or cold environments, increasing rodent acceptance and improving trapping results.

For more information, visit: www.traprite.com

Part	Dimensions	Qty	Weight
2156 MS	4'0" x 2'5" x 9" W	5000	100
2154 RS	6'0" x 3'0" x 10'0" W	5000	100
2152 RST	6'0" x 4'0" x 11'0" W	5000	100
2158 MS Tunnel	12'0" x 2'5" x 2'5" W	5000	100
2160 RST Tunnel	22'0" x 4'0" x 4'0" W	5000	100
2159 Glue board	4'0" x 8" W	7500	75

INSTAR
Pest Suppression

ALLERZIP Jerry
US Patent No. 7,552,489

PROTECT-A-BED

Every Mattress Needs Protection

Product	Price
PROTECT-A-BED	\$120.00
MATRESS-SIDE SPRING NET	\$120.00
MATRESS-SIDE SPRING NET	\$120.00
MATRESS-SIDE SPRING NET	\$120.00
MATRESS-SIDE SPRING NET	\$120.00

DEMON MAX

Handicide

100% Effective

100% Effective

100% Effective

PROFESSIONAL CONTROL

100% Effective

100% Effective

100% Effective

PROFESSIONAL CONTROL

100% Effective

100% Effective

100% Effective

PROFESSIONAL CONTROL

100% Effective

100% Effective

100% Effective



1. Establishment Name
3. Establishment
4. City SAIN
6. Province/Reg
9. Establishment
10. City SAIN
12. Province/R
15. Telephone
17. Check if y changed
19. Company M
20. Company S
21. City ST L
23. Province/R
26. Company M
27. City ST L
29. Province/R
32. Telephone
34. Check if y
36. Name of C or Authoriz
38. Signature Authorized
40. Telephone Official or Aut
EPA Reviewer



ULTRAshield

SEE LABEL ON OUTER
PACKAGING FOR ADDITIONAL
PRECAUTIONARY
INFORMATION

NOTE TO VETERINARIAN
This is a violation of Federal law
if this product is used in a manner
inconsistent with its labeling.
Outer package label for more
DIRECTIONS FOR USE
USE RESTRICTIONS
APPLICATION DIRECTIONS
is accompanied by a complete
of its accepted labeling.

**FIRST AID
HAVE LABEL WITH YOU
WHEN OBTAINING
TREATMENT ADVICE**

If Swallowed

- Call a poison control center, doctor, or 1-877-854-2494, immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If In Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-877-854-2494, immediately for treatment advice.

NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally. Vitamin K₁ is antidotal at doses of 10-20 mg (not mg/kg). Repeat as necessary based on monitoring of prothrombin times.

**FIRST AID
HAVE LABEL WITH YOU
WHEN OBTAINING
TREATMENT ADVICE**

If Swallowed

- Call a poison control center, doctor, or 1-877-854-2494, immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If In Eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-877-854-2494, immediately for treatment advice.

NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally. Vitamin K₁ is antidotal at doses of 10-20 mg (not mg/kg).

**TREATMENT FOR
PET POISONING**

animal eats bait, call veterinarian or 1-877-854-2494 at once.

NOTE TO VETERINARIAN

Anticoagulant Brodifacoum For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), Vitamin K₁ at doses of 2-4 mg/kg. If needed, repeat until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

**SEE LABEL ON OUTER
PACKAGING FOR ADDITIONAL
PRECAUTIONARY
INFORMATION**

DIRECTIONS FOR USE

It is a violation of Federal law if this product is used in a manner inconsistent with its labeling. Outer package label for more DIRECTIONS FOR USE.

USE RESTRICTIONS

Application DIRECTIONS: It is illegal to sell this product unless it is accompanied by a complete set of its accepted labeling.

MEADOW

Resistant to House Mice

may consume a bait with first dead mouse after feeding begins.

REG. NO.: 12455-M
12455-WI-1K, 12455-WI-2, 12455-WI-3W
is first letter of the loc name

permitted for use against the following species in California:
eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, re-throated woodrat, Southern plains woodrat, and Mexican woodrat

Manufactured by:
Bell
LABORATORIES, INC.
3699 Kinsman Blvd
Madison, WI 53704 U.S.A.

AL

USE PLACE

MEADOW

Resistant to House Mice

may consume a bait with first dead mouse after feeding begins.

REG. NO.: 12455-M

12455-WI-1K, 12455-WI-2, 12455-WI-3W


is first letter of the loc name

permitted for use against the following species in California:

eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, re-throated woodrat, Southern plains woodrat, and Mexican woodrat

Manufactured by:

Bell
LABORATORIES, INC.
3699 Kinsman Blvd
Madison, WI 53704 U.S.A.



FINAL[®]

RODENTICIDE READY-TO-USE PLACE PACS

KILLS RATS, MICE, & MEADOW VOLES[†]

**Kills Warfarin Resistant
Norway Rats & House Mice**

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

ACTIVE INGREDIENT:

Brodifacoum (CAS #58073-10-0):	0.005%
OTHER INGREDIENTS†:	99.995%
†Contains Denatonium Benzoate	TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panels for First Aid and additional precautionary statements.

NET WEIGHT: 0.88 oz (25 g)

EPA REG. NO.: 12455-91

EPA EST. NOs. 12455-WI-1k, 12455-WI-2P, 12455-WI-3W
Superscript is first letter of the lot number.

Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat.

Manufactured by:



Bell
LABORATORIES, II C.

3689 Kinsman Blvd.
Madison, WI 53704 U.S.A.
www.bellabs.com

LOT: K48618
12381

FIRST AID
HAVE LABEL WITH YOU
WHEN OBTAINING
TREATMENT ADVICE

If Swallowed

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If In Eyes

- Hold eye open and rinse slowly and gently with warm water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-877-854-2494, immediately for treatment advice.

NOTE TO PHYSICIAN

If swallowed, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally. Vitamin K₁ is antidotal at doses of 10-20 mg (not mg/kg). Repeat as necessary based on monitoring of prothrombin times.

111518/09-15

TREATMENT FOR
POISONING
animal's body.
administration or 1-877-854-2494.

NOTE TO VETERINARIAN
Anticoagulant Brodifacoum
for animals ingesting
rodenticide or showing signs
of poisoning (bleeding or eleve
prothrombin times),
Vitamin K₁ at doses of
mg/kg. If needed, ch
prothrombin times every
days until values return
normal (up to 30 days).
In severe cases, blood
transfusions may be needed.

SEE LABEL ON OUTER
PACKAGING FOR ADDITIONAL
PRECAUTIONARY
INFORMATION

DIRECTIONS FOR USE
is a violation of Federal
if this product in a
consistent with its label
per package label.
RECTIONS FOR
RESTRICTIONS
APPLICATIONS
not to sell
accompanies
accepted labeling.

INDIVIDUAL
SALE IS
PROHIBITED
BY LAW

>2417-

FINAL[®]

RODENTICIDE READY-TO-USE PLACE PACS

KILLS RATS, MICE, & MEADOW VOLES*

**Kills Warfarin Resistant
Norway Rats & House Mice**

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

ACTIVE INGREDIENT:

Brodifacoum (CAS #56073-10-0): 0.005%

OTHER INGREDIENTS: 99.995%

†Contains Denatonium Benzoate TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panels for First Aid and
additional precautionary statements.

NET WEIGHT: 0.88 oz (25g)


EPA REG. NO.: 12455-91

EPA EST. NOS. 12455-WI-1K, 12455-WI-2P, 12455-WI-3M

Superscript is first letter of the lot number.

*Not permitted for use against the following species in California: Cottontail, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat.

Manufactured by:



LABORATORIES, INC.

3699 Kinsman Blvd.

Madison, WI 53704 U.S.A.

www.bellabs.com

0.005%
99.995%
100.000%
OF CHILDREN
Additional statements
55-WI-SW
Cotton rat,
White,
drat

Talona C
Rodenticide Bait Pack Mini-Pellets
For Control of Commensal Rats and House Mice
Second-Generation Anticoagulant
Kills Warfarin-Resistant Norway Rats and House Mice.
Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.
Active Ingredient:
Brodifacoum: 3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one
Other Ingredients:
Total: 100.000%
99.995%
0.005%

KEEP OUT OF REACH OF CHILDREN.
CAUTION
See additional precautionary statements and directions for use on container label.
Distribution to and sales in "consumer" stores, including grocery stores, drug stores, hardware stores, and club stores, is prohibited.
EPA Reg. No. 100-1050 EPA Est. 61282-WI-1
SCP 1050A-L1E 0712 4027991
0.88 ounces bait pack
3/32" Mini-Pellets
Net Weight

syngenta

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.
All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

Talona C
Rodenticide Bait Pack Mini-Pellets
For Control of Commensal Rats and House Mice
Second-Generation Anticoagulant
Kills Warfarin-Resistant Norway Rats and House Mice.
Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.
Active Ingredient:
Brodifacoum: 3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one
Other Ingredients:
Total: 100.000%
99.995%
0.005%

KEEP OUT OF REACH OF CHILDREN.
CAUTION
See additional precautionary statements and directions for use on container label.
Distribution to and sales in "consumer" stores, including grocery stores, drug stores, hardware stores, and club stores, is prohibited.
EPA Reg. No. 100-1050 EPA Est. 61282-WI-1
SCP 1050A-L1E 0712 4027991
0.88 ounces bait pack
3/32" Mini-Pellets
Net Weight

syngenta

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.
All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

BRAND NAME
Talona C
0.88 ounces bait pack
A Syngenta Company
Syngenta

Pest

1. Establishment Name

3. Establishment Site

4. City SAINT L

6. Province/Regio

9. Establishment

10. City SAINT

12. Province

15. Telephone

17. Check change

19. Com

20. Co

21. C

23.

26.

FIRST AID: HAVE LABEL WHEN OBTAINING TREATMENT. If swallowed: Call a poison control center or HOT LINE NUMBER for treatment advice. Have person of water if able to swallow. Do not vomit unless told to do so by control center or doctor.

If on skin or clothing: Take off clothing. Rinse skin immediately with water for 15-20 minutes. Call control center, doctor, or 1-800-888-8383 immediately for treatment advice.

HOT LINE NUMBER: For 24-Hour Emergency Assistance (Human or Chemical Emergency Assistance, Fire or Accident) Call 1-800-888-8383.

NOTE TO PHYSICIAN: If swallowed, a small amount may reduce the clotting ability and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly. Vitamin K₁ is antidotal at doses of 2.5 mg/kg. Repeat as necessary. Monitor prothrombin times.

TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian or HOT LINE NUMBER at once.

NOTE TO VETERINARIAN: Brodifacoum: For animals ingesting bait showing poisoning signs (e.g., elevated prothrombin times), give K₁ at doses of 2.5 mg/kg. If necessary, repeat prothrombin times every 3 days. Return to normal (up to 30 days). In severe cases, blood transfusions may be necessary.

STORAGE AND DISPOSAL: Refer to label on the outer package for complete pesticide storage, pesticide container handling directions.

Manufactured by Syngenta Crop Protection, LLC
P.O. Box 18300, Greensboro, NC 27402

MACOI 09001

Use Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining. Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

Environmental Hazards: This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory scavenging mammals and birds may be poisoned if they feed upon animals that have eaten this bait. This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas where the mean high water mark may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE LABEL: Read the entire label on the outer package and follow the use directions and use precautions only for the sites, pest, and application methods described on the label. It is to sell these bait packs individually.

Talon® and the Syngenta logo are registered trademarks of Syngenta Group Company. Bitrex® is a registered trademark of Macfarlan Smith Ltd., Edinburgh, Scotland.

FIRST AID: HAVE LABEL WHEN OBTAINING TREATMENT. If swallowed: Call a poison control center or HOT LINE NUMBER for treatment advice. Have person of water if able to swallow. Do not vomit unless told to do so by control center or doctor.

If on skin or clothing: Take off clothing. Rinse skin immediately with water for 15-20 minutes. Call control center, doctor, or 1-800-888-8383 immediately for treatment advice.

HOT LINE NUMBER: For 24-Hour Emergency Assistance (Human or Chemical Emergency Assistance, Fire or Accident) Call 1-800-888-8383.

NOTE TO PHYSICIAN: If swallowed, a small amount may reduce the clotting ability and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly. Vitamin K₁ is antidotal at doses of 2.5 mg/kg. Repeat as necessary. Monitor prothrombin times.

TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian or HOT LINE NUMBER at once.

NOTE TO VETERINARIAN: Brodifacoum: For animals ingesting bait showing poisoning signs (e.g., elevated prothrombin times), give K₁ at doses of 2.5 mg/kg. If necessary, repeat prothrombin times every 3 days. Return to normal (up to 30 days). In severe cases, blood transfusions may be necessary.

STORAGE AND DISPOSAL: Refer to label on the outer package for complete pesticide storage, pesticide container handling directions.

Manufactured by Syngenta Crop Protection, LLC
P.O. Box 18300, Greensboro, NC 27402

MACOI 09001

Environmental Hazards: This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory scavenging mammals and birds may be poisoned if they feed upon animals that have eaten this bait. This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas where the mean high water mark may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE LABEL: Read the entire label on the outer package and follow the use directions and use precautions only for the sites, pest, and application methods described on the label. It is to sell these bait packs individually.

Talon® and the Syngenta logo are registered trademarks of Syngenta Group Company. Bitrex® is a registered trademark of Macfarlan Smith Ltd., Edinburgh, Scotland.

Ziploc®
BRAND / MARQUE

A Family Company
The Enterprise Family

ENVIRONMENTAL
Pesticide Report Form

1. Establishment Name: WILSON'S PEST CONTROL

3. Establishment Site Address: 2000 N. 10TH ST.

4. City: SAINT LOUIS

6. Province/Region: MISSOURI

9. Establishment Mailing Address: 2000 N. 10TH ST.

10. City: SAINT LOUIS

12. Province/Region: MISSOURI

15. Telephone Number: (636) 341-1111

17. Check if you have changed: ☐

19. Company Name: WILSON'S PEST CONTROL

20. Company Address: 2000 N. 10TH ST.

21. City: SAINT LOUIS

23. Province/Region: MISSOURI

26. County: SAINT LOUIS

27. State: MISSOURI



Talon®G

Rodenticide Bait Pack Mini-Pellets

INDIVIDUAL SALE PROHIBITED BY LAW

For Control of Commensal Rats and House Mice

Second-Generation Anticoagulant

Kills Warfarin-Resistant Norway Rats and House Mice.

Norway rats and house mice may consume a lethal dose in one night's feeding with first dead rodents appearing four or five days after feeding begins.

Active Ingredient:

Brodifacoum: 3-[3-(4'-bromo-[1,1'-biphenyl]-4-yl)-1,2,3,4-tetrahydro-1-naphthalenyl]-4-hydroxy-2H-1-benzopyran-2-one 0.008

Other Ingredients:

Total:

99.992
100.000

KEEP OUT OF REACH OF CHILDREN.

CAUTION

See additional precautionary statements and directions for use on container label.

Distribution to and sales in "consumer" stores, including grocery stores, drug stores, hardware stores, and club stores, is prohibited.

EPA Reg. No. 100-1050 EPA Est. 61282-WI-1

SCP 1050A-L1E 0712 4027991

0.88 ounces bait pack

3/32" Mini-Pellets

Net Weight

syngenta

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Keep away from children, domestic animals and pets. Do not get in eyes, on skin, or on clothing.

All handlers (including applicators) must wear shoes plus socks, and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves.

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability on the outer package before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.



WACO109001

FIRST AID: HAVE LABEL WHEN OBTAINING TREATMENT

If swallowed: Call a poison control center, doctor, or **HOT LINE NUMBER** for treatment advice. Have person vomit if able to swallow. Do not vomit unless told to do so by control center or doctor.

If on skin or clothing: Take off clothing. Rinse skin immediately with water for 15-20 minutes. Call control center, doctor, or **HOT LINE NUMBER** immediately for treatment advice.

HOT LINE NUMBER: For 24-Hour Emergency Assistance (Human or Chemical Emergency Assistance) Call 1-800-888-8383.

NOTE TO PHYSICIAN: If swallowed, material may reduce the clotting of blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly (not mg/kg). Repeat as necessary monitoring of prothrombin times.

TREATMENT FOR PET POISONING: If animal eats bait, call veterinarian for **NUMBER** at once.

NOTE TO VETERINARIAN: Administer Brodifacoum: For animals showing signs of or elevated prothrombin times, administer Vitamin K₁ at doses of 2-5 mg/kg. If no prothrombin times every 3 days return to normal (up to 30 days), cases, blood transfusions may be necessary.

STORAGE AND DISPOSAL

Refer to label on the outer package for complete storage, pesticide container handling directions.

Manufactured for: ©21
Syngenta Crop Protection, LLC
P.O. Box 18300, Greensboro, NC 27418

User Safety Requirements: Follow manufacturer's instructions for cleaning/maintaining. Personal Protective Equipment (PPE). If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

Environmental Hazards: This product is extremely toxic to mammals and birds. Dogs, cats, and other predatory scavenging mammals and birds may be poisoned if they feed upon bait that have eaten this bait. This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ THE LABEL: Read the entire label on the outer package and follow use directions and use precautions only for the sites, pests, and application methods described on the label. It is illegal to sell these bait packs individually.

Talc® and the SYNGENTA Logo are registered trademarks of a Syngenta Group Company. Bitrex® is a registered trademark of Macfarlan Smith Ltd., Edinburgh, Scotland.



Pesticide

1. Establishment Name WILSON

3. Establishment Site A

4. City SAINT LOUIS

6. Province/Region

9. Establishment

10. City SAINT LOUIS

12. Province


15. Telephone

17. Character of pest

19. Control method

20. Date of application

21. Date of inspection



**FIRST AID
HAVE LABEL WITH
YOU WHEN OBTAINING
TREATMENT ADVICE**

If Swallowed

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If In Eyes

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

NOTE TO PHYSICIAN

Material absorbed through the skin or ingested, administer intramuscularly or orally, as necessary based on monitoring of prothrombin times.

**TREATMENT FOR
PET POISONING**

If animal eats bait, call veterinarian at once.

NOTE TO VETERINARIAN

Anticoagulant - This product is a second generation anticoagulant. It is a violation of Federal law to use this product in a manner inconsistent with the labeling. See outer package label for complete DIRECTIONS FOR USE, including USE RESTRICTIONS and APPLICATION DIRECTIONS. It is illegal to sell this product unless accompanied by a complete and accepted labeling.

**SEE LABEL ON OUTER PACKAGE
FOR ADDITIONAL PRECAUTION
INFORMATION**

DIRECTIONS FOR USE

If it is a violation of Federal law to use this product in a manner inconsistent with the labeling. See outer package label for complete DIRECTIONS FOR USE, including USE RESTRICTIONS and APPLICATION DIRECTIONS. It is illegal to sell this product unless accompanied by a complete and accepted labeling.

**INDIVIDUAL
SALE IS
PROHIBITED
BY LAW**

LOT: K40899
13561

>2008-9

**TREATMENT FOR
PET POISONING**

If animal eats bait, call veterinarian at once.

NOTE TO VETERINARIAN

Anticoagulant Bromadiolone - This product is a second generation anticoagulant. It is a violation of Federal law to use this product in a manner inconsistent with the labeling. See outer package label for complete DIRECTIONS FOR USE, including USE RESTRICTIONS and APPLICATION DIRECTIONS. It is illegal to sell this product unless accompanied by a complete and accepted labeling.

**SEE LABEL ON OUTER PACKAGE
FOR ADDITIONAL PRECAUTION
INFORMATION**

**TREATMENT FOR
PET POISONING**

If animal eats bait, call veterinarian at once.

NOTE TO VETERINARIAN

Anticoagulant - This product is a second generation anticoagulant. It is a violation of Federal law to use this product in a manner inconsistent with the labeling. See outer package label for complete DIRECTIONS FOR USE, including USE RESTRICTIONS and APPLICATION DIRECTIONS. It is illegal to sell this product unless accompanied by a complete and accepted labeling.

**FIRST AID
HAVE LABEL WITH
YOU WHEN OBTAINING
TREATMENT ADVICE**

If Swallowed

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

If In Eyes

- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

NOTE TO PHYSICIAN
Material absorbed through the skin or ingested, administer intramuscularly or orally, as necessary based on monitoring of prothrombin times.

www.belllabs.com

CONTRAC[®]

RODENTICIDE READY-TO-USE PLACE PACS

KILLS RATS, MICE & MEADOW VOLES*

ACTIVE INGREDIENT:

Bromadiolone (CAS #28772-56-7): 0.005%

OTHER INGREDIENTS†: 99.995%

†Contains Denatonium Benzoate TOTAL 100.000%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panels for First Aid and additional precautionary statements.

NET WT: 1.5 oz (43 g)

EPA REG. NO. 12455-76

EPA EST. NOS. 12455-WI-1k, 12455-WI-2P, 12455-WI-3W

Superscript is first letter of the lot number.

*Not permitted for use against the following species in California: Cotton rat, Eastern harvest mouse, Golden mouse, Polynesian rat, Meadow vole, White-throated woodrat, Southern plains woodrat, and Mexican woodrat

Manufactured by:



3699 Kinsman Blvd.

Madison, WI 53704 U.S.A.

www.belllabs.com

**FIRST AID
HAVE LABEL WITH
YOU WHEN OBTAINING
TREATMENT ADVICE**

If Swallowed

- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.
- Have a person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

In Eyes

- Hold eyes open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center, doctor, or 1-877-854-2494 immediately for treatment advice.

NOTE TO PHYSICIAN

If swallowed or absorbed through the skin, this material may reduce the clotting ability of the blood and cause bleeding. If ingested, administer Vitamin K₁ intramuscularly or orally. Repeat as necessary based on monitoring of prothrombin times.

**TREATMENT FOR
POISONING**

If animal eats bait, call veterinarian at once.

NOTE TO VETERINARIAN

Anticoagulant Bromadiolone: For animals ingesting bait and/or showing poisoning signs (bleeding or elevated prothrombin times), give Vitamin K₁. If needed, check prothrombin times every 3 days until values return to normal (up to 30 days). In severe cases, blood transfusions may be needed.

**SEE LABEL ON OUTER PACKAGE
FOR ADDITIONAL PRECAUTIONING
INFORMATION**

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. See outer package label for complete DIRECTIONS FOR USE including USE RESTRICTIONS, and APPLICATION DIRECTIONS. It is illegal to sell this product unless it is accompanied by a complete set of its accepted labeling.

**INDIVIDUAL
SALE IS
PROHIBITED
BY LAW**


LOT: K49899
13561

>2008-9

112613/09-15



DUE TO FEDERAL LAW
AND OUR INSURANCE
CARRIERS REGULATIONS, WE
CANNOT REFUND YOU FOR ANY
INSECTICIDES.



For questions p
Chad C. Schulze
Pesticides and T
Office of Comp
U.S. EPA Region
1200 6th Avenue
Seattle WA 98101
206-553-0505 (ph)
206-419-8377 (cell)
206-553-1775 (fax)
schulze.chad@epa.gov

Printed on Recycled Paper