

Microfiche No. (7) •	OTS 0206597		1	No. of Pages	2
Doc I.D.	878214495	3	Old Doc I.D.	8DS	4
Case No.(s)	OTS 8403A				5
Date Produced (6)	102943	6	Date Rec'd (6)	071984	7
			Conf. Code •	N	8
Check One:	<input type="checkbox"/> Publication		<input type="checkbox"/> Internally Generated		<input checked="" type="checkbox"/> Externally Generated
Pub/Journal Name	_____				9
	_____				9
Author(s)	_____				10
Organ. Name	DOW CHEM CO				11
Dept/Div	_____				12
P.O. Box	_____	13	Street No./Name	BARSTOW BLDG 2226 DOW CTR	
City	MIDLAND	15	State	MI	16
			Zip	48640	17
			Country	_____	18
MID No. (7)	_____	19	D & B NO. (11)	_____	20
Contractor	_____				21
Doc Type	• RI • UP • H.E.A.S.D 8.D. S4 HS FN				22
Doc Title	TOXICITY OF P,P'-ISOPROPYLIDENE BIS-PHENOL (BIS-PHENOL A)				23
Chemical Name (300 per name)	BISPHENOL A		25	CAS No. (10)	24
				80-05-7	

1A

Subject THE TOXICITY OF P,P'-ISOPROPYLIDENE BIS-PHENOL
(BIS-PHENOL A)

File
Chg.
Rec'd 8-23-37
Fin'd 10-29-43
Work By E. M. Adams

RECEIVED
JUL 19 1984

001312

To

Check Edmund E. Quinn Rept. By E. M. Adams.

Acute Oral Toxicity:

When tested upon guinea pigs this material was found to have a low toxicity. A dose of 2.2 grams per kilogram failed to kill any animal, and a dose of 3.0 grams killed part of the animals fed. It was not possible readily to feed larger doses.

Skin Irritation:

When tested upon rabbits, the material was found to be only very slightly irritating to the skin. It is expected that severe exposures would be required to produce an irritation on man.

THIS INFORMATION IS UNCLASSIFIED
DATE 10-15-83 BY SP-6 JAC/STW

000002