



BioLab

8 ENG-0895-13497

RECEIVED
OPPT CBIC

RECEIVED
OPPT NCIC

95 AUG 22 AM 11:18
95 AUG 28 AM 8:32

August 16, 1995

Document Control Officer (7404)
Office of Toxic Substances
U.S. Environmental Protection Agency
401 M Street, S.W.
Washington, DC 20460-0001

ORIGINAL

Attn: TSCA Section 8(e) Coordinator

Contains No CBI

Dear Sir / Madam:

BioLab, Inc. is submitting on behalf of Union Laboratories, Inc. (5600 N. Preston; Flagstaff, AZ 86004) a Section 8(e) substantial risk notification concerning human exposure. Union Laboratories is the manufacturer and BioLab distributes the product under the name Aqua Chem Vinyl Repair Kit.

Components from Union Laboratories MSDS sheet are as follows:

1. Cyclohexanone, CAS # 108-94-1
2. Methyl isobutyl ketone, CAS # 108-10-1
3. DOP, CAS # 117-81-7
4. Vinyl Resin, CAS # 9003-22-9
5. Vinyl Resin, CAS # 9005-09-8



A consumer called into the Rocky Mountain Poison Control Center on July 10, 1995, which was subsequently relayed to BioLab on July 25, 1995, that while using this product their finger was exposed to the substance and that they experienced what was referred to as a small muscle spasm.

BioLab spoke with Union Laboratories and they said this was the first time they had a muscle spasm related to this product, which has been manufactured since 1950. Union Laboratories related that they had sold an average of 500,000 units per year.

If you have any questions, please contact me at 404-378-1761 ext 359.

Sincerely,

Mark Jernigan

Mark Jernigan
Federal Registration Manager



Bio-Lab, Inc.
P.O. Box 1489
Decatur, GA 30031-1489 USA
(404) 378-1753 FAX (404) 371-0373
A Subsidiary of Great Lakes Chemical Corporation

Best Available Copy