

STATE OF IDAHO

DEPARTMENT OF HEALTH AND WELFARE

DIVISION OF ENVIRONMENT

Pursuant to the Provisions
of Section 39-115 of the Idaho Code,
and the Rules and Regulations for the Con-
trol of Air Pollution in Idaho,

Monsanto Company
Permittee, including affiliates, if any

Post Office Box 816
Located at

Soda Springs, Idaho 83276

is hereby granted permission to operate the Air
Pollution Source(s) and Control Equipment specified
herein provided the emission limitations, monitoring
requirements and other conditions set forth in the
Source Permit(s) are complied with.

Validation:

Issued 7/18/79Expiration 7/17/84


Director

PART I

SOURCE PERMIT NO. 13-0420-0001-01

Page 2 of 15

Monsanto Corporation located at Soda Springs, Idaho
is hereby granted permission to operate the following air pollution
source or control equipment: Natural gas fired boiler with distillate
fuel oil for standby.

Restrictions:

Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
-------------------	----------------------------	-------------------------	----------------------------

Sulfur limitations for distillate fuel grades as defined in
section 1-1354 of the Rules and Regulations for the Control of
Air Pollution in Idaho

Conditions:

Validation (if different from Facility Permit)

Issued _____

Expiration _____



PART I

SOURCE PERMIT NO. 13-0420-0001-02

Page 3 of 15

Monsanto Corporation located at Soda Springs, Idaho

is hereby granted permission to operate the following air pollution source or control equipment: Phosphate ore nodulizing kiln and cooler; both points are controlled by separate spray towers.

Restrictions:

Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
Nodulizing Kiln Spray Tower	Particulate	See Part III	Stack Tests as Required by Operation and Maintenance Manu
Cooler Spray Tower	Particulate		

Conditions:

Total process weight is that amount, in pounds per hour, being fed to the nodulizing kiln. Total actual emissions are calculated by adding the emissions from the above source(s).

Validation (if different from Facility Permit)

Issued _____

Expiration _____



PART I

SOURCE PERMIT NO. 13-0420-0001-03

Page 4 of 15

Monsanto Corporation located at Soda Springs, Idaho
is hereby granted permission to operate the following air pollution
source or control equipment: Crushing and screening with emissions
controlled by a venturi scrubber.

Restrictions:

Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
Venturi Scrubber	Particulate	See Part III	Stack Test as Required by Operation and Maintenance Manu


Conditions:

Total process weight is that amount in pounds per hour, being fed to the crushing and screening operation. Total actual emissions are calculated by adding the emissions from the above source(s).

Validation (if different from Facility Permit)

Issued _____

Expiration _____



PART I

SOURCE PERMIT NO. 13-0420-0001-04

Page 5 of 15

Monsanto Corporation located at Soda Springs, Idaho
is hereby granted permission to operate the following air pollution
source or control equipment: Coke and quartzite handling and storage
with emissions controlled by 4 baghouses

Restrictions:

*PPT means pounds per ton of material processed in this operation.

Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
Coke handling Baghouse	Particulate	0.10 PPT*	Stack test as required by Operatic & Maintenance Manu
Quartzite handling Baghouse	Particulate	0.10 PPT*	
Coke Bunker Baghouse	Particulate	0.10 PPT*	
105 Conveyor Baghouse	Particulate	0.10 PPT*	

Conditions:


When visible emissions from the baghouse exceed 5% opacity, Corrective action is to be implemented.

*PPT - Pounds per ton of material input.

Validation (if different from Facility Permit)

Issued _____

Expiration _____



PART I

SOURCE PERMIT NO. 13-0420-0001-05

Page 6 of 15

Monsanta Corporation located at Soda Springs, Idaho
is hereby granted permission to operate the following air pollution
source or control equipment: Coke dryer and quartz dryer with
emissions controlled by a scrubber.

Restrictions:

Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
Scrubber	Particulate	Part III	Stack Tests as Required by Operation and Maintenance Manu

Conditions:

Total process weight is that amount, in pounds per hour, being fed to the dryer. Total actual emissions are calculated by adding the emissions from the above source(s).

Validation (if different from Facility Permit)

Issued _____

Expiration _____



PART I

SOURCE PERMIT NO. 13-0420-0001-06

Page 7 of 15

Monsanto Corporation located at Soda Springs, Idaho

is hereby granted permission to operate the following air pollution source or control equipment: Proportioning of phosphate ore, coke and quartzite and stocking area over furnaces. Scale room transfer points are controlled by a scrubber. Stocking area to be controlled in accordance with the schedule in Part IV.

Restrictions:

Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
Scale Room Transfer Point Scrubber	Particulate	0.10 Pounds per ton of material processed.	Stack Test as Required by Operation and Maintenance Manual

Conditions:

Validation (if different from Facility Permit)

Issued _____

Expiration _____



PART I

SOURCE PERMIT NO. 13-0420-0001-07

Page 8 of 15

Monsanto Corporation located at Soda Springs, Idaho
is hereby granted permission to operate the following air pollution
source or control equipment: #7 electric arc furnace with emissions
from the furnace tapping operations controlled by a venturi scrubber

Restrictions:

Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
Scrubber	Particulate	0.20 Pounds per ton of material processed.	Stack Test as Required by Operation and Maintenance Man

Conditions:

Validation (if different from Facility Permit)

Issued _____

Expiration _____



Authorizing Signature

PART I

SOURCE PERMIT NO. 13-0420-0001-08

Page 9 of 15

Monsanto Corporation located at Soda Springs, Idaho
is hereby granted permission to operate the following air pollution
source or control equipment: #8 electric arc furnace with emissions
from the furnace tapping operations controlled by a venturi scrubber

Restrictions:


Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
Scrubber	Particulate	0.20 Pounds per ton of material processed.	Stack Test as Required by Operation and Maintenance Manual

Conditions:

Validation (if different from Facility Permit)

Issued _____

Expiration _____



PART I

SOURCE PERMIT NO. 13-0420-0001-9

Page 10 of 15

Monsanto Corporation located at Soda Springs, Idaho
is hereby granted permission to operate the following air pollution
source or control equipment: #9 electric arc furnace with emissions
from the furnace tapping operations controlled by a venturi scrub

Restrictions:

Emission Point	Emission Characteristic	Emission Limitations	Monitoring Requirements
Scrubber	Particulate	0.20 Pounds per ton of material processed.	Stack Test as Required by Operation and Maintenance Man

Conditions:

Validation (if different from Facility Permit)

Issued _____

Expiration _____



PART II GENERAL PROVISIONS

- A. All emissions authorized herein shall be consistent with the terms and conditions of this permit. The emission of any pollutant in excess of the limitations specified herein, or non-compliance with any other condition or limitation contained in this permit, shall constitute a violation of this permit and the Rules and Regulations for the Control of Air Pollution in Idaho, and the Environmental Protection and Health Act, Idaho Code 39-101 et seq.
- B. The permittee shall at all times (except as provided in the Rules and Regulations for the Control of Air Pollution in Idaho) maintain in good working order and operate as efficiently as practicable, all treatment or control facilities or systems installed or used to achieve compliance with the terms and conditions of this permit and other applicable laws for the control of air pollution.
- C. The permittee shall allow the Director, and/or his authorized representative(s), upon the presentation of credentials:
- 1) To enter upon the permittee's premises where an emission source is located, or in which any records are required to be kept under the terms and conditions of this permit; and

- 2) at reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit; to inspect any monitoring equipment or monitoring method required in this permit, and to sample any emission of pollutants.
- D Except for data determined to be confidential under Section 39-111, Idaho Code, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the appropriate regional office of the Division of Environment.
- E Nothing in this permit is intended to relieve or exempt the permittee from compliance with any applicable federal, state or local law or regulation, except as specifically provided herein.
- F In the event of any change in control or ownership of source(s) from which the authorized emissions emanate, the permittee shall notify the succeeding owner or controller of the existence of this permit by letter, a copy of which shall be forwarded to the Director.
- G Until the expiration date, this permit shall be renewable annually, provided the permittee submits any and all information necessary for the Director to determine the amount and type of air pollutants emitted from the equipment for which this permit is granted. Failure to submit

such information within sixty (60) days after receipt of the Director's request shall cause the permit to be voided.

- H The Director may require the permittee to develop a list of Operation and Maintenance Procedures which must be approved by the Department. Such list of procedures shall become a part of this permit by reference, and the permittee shall adhere to all of the operation and maintenance procedures contained therein.
- I The permittee shall provide the appropriate regional office a minimum of five (5) days notice prior to the scheduled date of any emissions test required pursuant to this permit. The permittee shall notify the appropriate regional office of any change in the testing schedule and shall provide at least one (1) days notice prior to conducting any rescheduled test. Any records or data generated as a result of such compliance tests shall be made available to the Department upon request.

PART III EMISSION LIMITATIONS

1. Allowable Mass Emission Rate (Effective on Issuance of Permit Unless Otherwise Noted)

A person shall not discharge into the atmosphere from any source operating prior to February 1, 1979 particulate matter in excess of the amount shown by the following equations:

If PW is less than 17,000 pounds per hour,

$$E = .045 (PW)^{0.60}$$

If PW is equal to or greater than 17,000 pounds per hour,

$$E = 1.12 (PW)^{0.27}$$

Where E is the allowable emission from the entire source in pounds per hour, and PW is the process weight in pounds per hour.

PART IV .

<u>Equipment</u>	<u>Engineering & Development</u>	<u>Begin Construction</u>	<u>Complete Construction</u>	<u>Shakedown Period</u>	<u>In Compliance</u>
<u>Module Fines From Burden Screens</u> Install Dust Controls	Jan. 15, 1978 to Jan. 15, 1979	Feb. 15, 1979	May 15, 1979	May 15, 1979 to June 30, 1979	June 30, 1979
<u>Precipitator Dust Disposal</u> Install such equipment or institute such operational measures as necessary to control emissions from phosphorus burning of precipitator dust at disposal site.	Jan. 31, 1978 to Jan. 31, 1981	Oct. 30, 1980	Oct. 31, 1981	Oct. 31, 1981 to Jan. 31, 1982	Jan. 31, 1982
<u>Stocking System Area Dust Control</u> Install Dust Controls	Dec. 31, 1978 to July 31, 1980	March 31, 1980	March 31, 1981	March 31, 1981 to June 30, 1981	June 30, 1981
<u>Vent Risers</u> Install sprays in vent stacks to scrub emissions during emergency periods when furnaces must be vented.	Jan. 1, 1978 to Jan 1, 1979	Jan. 25, 1978	May 31, 1979	Feb. 1, 1978 to June 30, 1979	June 30, 1979
<u>Slag Handling</u> Alter slagging process to reduce fugitive emissions.					