



Map Document: (O:\Projects\Portland_Harbor\LWG-Map-Projects\Round2_Reporting\COI_Dots\MXDs\TotDDx_a.mxd) 1/3/2007 -- 3:35:26 PM

integral consulting inc.

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS .
Channel & River miles: US Army Corps of Engineers .
Bathymetric Information: David Evans and Associates, Inc.
Surface defined as sample top = 0 and sample bottom is <40 cm.
Subsurface sample defined as sample top is >= 40 cm.

0 1,000 2,000 3,000 Feet

Outfalls
River miles
Navigation Channel
Docks and Structures
capping
Waterfront Taxlots
Upland Sites (2006)

Map 6.1-9a
Portland Harbor RI/FS
Comprehensive Round 2 Report
Maximum Concentrations in Surface and Subsurface Sediment
Total of 2,4' and 4,4'-DDD, -DDE, -DDT (µg/kg)





Map Document: (O:\Projects\Portland_Harbor\LWG-Map-Projects\Round2_Reporting\COI_Dots\MXDs\TotDDx_b.mxd) 1/3/2007 -- 3:39:16 PM

integral consulting inc.

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS .
Channel & River miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.
Surface defined as sample top = 0 and sample bottom is <40 cm.
Subsurface sample defined as sample top is >= 40 cm.

0 1,000 2,000 3,000 Feet

Outfalls
River miles
Navigation Channel
Docks and Structures
capping
Waterfront Taxlots
Upland Sites (2006)

Map 6.1-9b
Portland Harbor RI/FS
Comprehensive Round 2 Report
Maximum Concentrations in Surface and Subsurface Sediment
Total of 2,4' and 4,4'-DDD, -DDE, -DDT (µg/kg)





1/3/2007 -- 2:57:18 PM

Map Document: (O:\Projects\Portland_Harbor\LWG-Map-Projects\Round2_Reporting\COI_Dots\MXDs\TotDDD_a.mxd)

integral consulting inc.

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS .
Channel & River miles: US Army Corps of Engineers .
Bathymetric Information: David Evans and Associates, Inc.
Surface defined as sample top = 0 and sample bottom is <40 cm.
Subsurface sample defined as sample top is >= 40 cm.

0 1,000 2,000 3,000 Feet

Outfalls
River miles
Navigation Channel
Docks and Structures
capping
Waterfront Taxlots
Upland Sites (2006)

Map 6.1-10a
Portland Harbor RI/FS
Comprehensive Round 2 Report
Maximum Concentrations in Surface and Subsurface Sediment
Total of 2,4' and 4,4'-DDD (µg/kg)





Map Document: (O:\Projects\Portland_Harbor\LWG-Map-Projects\Round2_Reporting\COI_Dots\MXDs\TotDDD_b.mxd) 1/3/2007 -- 3:03:12 PM

integral consulting inc.

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS .
Channel & River miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.
Surface defined as sample top = 0 and sample bottom is <40 cm.
Subsurface sample defined as sample top is >= 40 cm.

0 1,000 2,000 3,000 Feet

Outfalls
River miles
Navigation Channel
Docks and Structures
capping
Waterfront Taxlots
Upland Sites (2006)

Map 6.1-10b
Portland Harbor RI/FS
Comprehensive Round 2 Report
Maximum Concentrations in Surface and Subsurface Sediment
Total of 2,4' and 4,4'-DDD (µg/kg)





Map Document: (O:\Projects\Portland_Harbor\LWG-Map-Projects\Round2_Reporting\COI_Dots\MXDs\TotDDE_a.mxd) 1/3/2007 -- 3:05:51 PM

integral consulting inc.

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS .
Channel & River miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.
Surface defined as sample top = 0 and sample bottom is <40 cm.
Subsurface sample defined as sample top is >= 40 cm.

0 1,000 2,000 3,000 Feet

Outfalls
River miles
Navigation Channel
Docks and Structures
capping
Waterfront Taxlots
Upland Sites (2006)

Map 6.1-11a
Portland Harbor RI/FS
Comprehensive Round 2 Report
Maximum Concentrations in Surface and Subsurface Sediment
Total of 2,4' and 4,4'-DDE (µg/kg)





Map Document: (O:\Projects\Portland_Harbor\LWG-Map-Projects\Round2_Reporting\COI_Dots\MXDs\TotDDE_b.mxd) 1/3/2007 -- 3:08:57 PM

integral consulting inc.

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS .
Channel & River miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.
Surface defined as sample top = 0 and sample bottom is <40 cm.
Subsurface sample defined as sample top is >= 40 cm.

0 1,000 2,000 3,000 Feet

Outfalls
River miles
Navigation Channel
Docks and Structures
capping
Waterfront Taxlots
Upland Sites (2006)

Map 6.1-11b
Portland Harbor RI/FS
Comprehensive Round 2 Report
Maximum Concentrations in Surface and Subsurface Sediment
Total of 2,4' and 4,4'-DDE (µg/kg)





integral consulting inc.

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS .
Channel & River miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.
Surface defined as sample top = 0 and sample bottom is <40 cm.
Subsurface sample defined as sample top is >= 40 cm.

0 1,000 2,000 3,000 Feet

Outfalls
River miles
Navigation Channel
Docks and Structures
capping
Waterfront Taxlots
Upland Sites (2006)

Map 6.1-12a
Portland Harbor RI/FS
Comprehensive Round 2 Report
Maximum Concentrations in Surface and Subsurface Sediment
Total of 2,4' and 4,4'-DDT (µg/kg)

Map Document: (O:\Projects\Portland_Harbor\LWG-Map-Projects\Round2_Reporting\COI_Dots\MXDs\TotDDT_a.mxd) 1/3/2007 -- 3:12:10 PM





Map Document: (O:\Projects\Portland_Harbor\LWG-Map-Projects\Round2_Reporting\COI_Dots\MXDs\TotDDT_b.mxd)
1/3/2007 -- 3:14:48 PM

integral consulting inc.

LWG Lower Willamette Group

FEATURE SOURCES:
Transportation, Property, or Boundaries: Metro RLIS .
Channel & River miles: US Army Corps of Engineers.
Bathymetric Information: David Evans and Associates, Inc.
Surface defined as sample top = 0 and sample bottom is <40 cm.
Subsurface sample defined as sample top is >= 40 cm.

0 1,000 2,000 3,000 Feet

Outfalls
River miles
Navigation Channel
Docks and Structures
capping
Waterfront Taxlots
Upland Sites (2006)

Map 6.1-12b
Portland Harbor RI/FS
Comprehensive Round 2 Report
Maximum Concentrations in Surface and Subsurface Sediment
Total of 2,4' and 4,4'-DDT (µg/kg)