

List of Citations for Washington water temperature assessment

Foot notes for data template column headers:

1. Unless otherwise cited, all data in this column are from WDFW salmon/steelhead distribution database.
2. Unless otherwise cited, all data in this column are from Washington States Salmon and Steelhead Stock Inventory database (SASI).
3. Unless otherwise cited, all data in this column are from the Washington Department of Ecology's temperature database.

Literature

Ahmed, A. and L. Sullivan. 2004. Total maximum daily load analysis for temperature in tributaries to Oakland Bay- Hammersley Inlet: Mill, Cranberry, and Johns creeks. Quality Assurance Project Plan. Department of Ecology. Olympia, Washington.

Dewberry, C. 2003. Unpublished Report. Snorkel survey of the Acme to Saxon Bridge section of the South Fork Nooksack River (August 2003). Submitted to the Lummi Nation.

Coe, T. 2004. Nooksack Chinook Rearing Habitat Assessment. Report to Salmon Recovery Funding Board, IAC #00-1796N Final Report. November 29, 2004. Nooksack Tribe, Natural Resources Department. Deming, WA. 76 pp. (+appendices).

Federal Register 64FR14308. 1999. March 24, 1999. NMFS final rule listing four Chinook salmon ESUs as threatened.

Griffith, J., R. Rogers, J. Drotts, and P. Stevenson. 2001. 2001 Stillaguamish River smolt trapping project. Annual Report. Stillaguamish Tribe. Natural Resources Department, Arlington, WA.

Griffith, J., R. Rogers, J. Drotts, and P. Stevenson. 2003. 2002 Stillaguamish River smolt trapping project. Annual Report. Stillaguamish Tribe. Natural Resources Department, Arlington, WA.

Haring D. 2002. Salmonid habitat limiting factors: Snohomish River watershed, water resources inventory area 7. Final Report. Washington State Conservation Commission. Olympia, Washington.

Haring, D. 2000. Salmonid habitat limiting factors: water resources inventory area 15(east). Washington State Conservation Commission. Olympia, Washington

Haring, D. and J. Kovonsky. 1999. Salmonid habitat limiting factors: water resources inventory area 13. Final Report. Washington State Conservation Commission. Olympia, Washington.

Jamestown S'Klallam Tribe. 2004. Unpublished Data. Chinook spawning start/peak/end dates in the Dungeness River, 1986-2002. Unpublished data supplied by J. Humphries, Jamestown S'Klallam Tribe.

Johnson, A., K. Macdonald, and P. Trotter. 2003. Programmatic biological effects analysis: King County river management program. Prepared for King County Department of Natural Resources and Parks, Water and Land Resources Division. Seattle, Washington.

Kerwin, J. 1982. Juvenile steelhead emergence timing as related to 1981 thermograph data. Memorandum to Fisheries Sub-committee, NRCC. March 23, 1982. Nisqually Indian Tribe.

Kerwin, J. 1999. Salmon and steelhead habitat limiting factors: water resources inventory area 11. Final Report. Washington State Conservation Commission. Olympia, Washington.

King County DNR. 2000. 1997 Volunteer Salmon Watcher Program in Lake Washington Watershed. King County Department of Natural Resources.

King County. 2000. WRIA 9 habitat limiting factors and reconnaissance assessments for salmon habitat: Green/Duwamish and central Puget Sound Watershed. King County Department of Natural Resources and Parks-Water and Land Resources Division. Seattle, WA. Available at:<http://dnr.metrokc.gov/Wrias/9/recon.htm>

King County. 1998. Watershed Management Committee. Lower Cedar River Basin and Non Point Pollution Action Plan. King County Department of Natural Resources, and Washington State Department of Ecology.

Kraemer, C. 2003 (January). Lower Skagit bull trout: age and growth information developed from scales collected from anadromous and fluvial char. Management Brief. Washington Department of Fish and Wildlife, Mill Creek Office.

Kuttel, M., Jr. 2002. Salmonid habitat limiting factors: water resources inventory area 14, Kennedy-Goldsborough Basin. Washington State Conservation Commission. Olympia, Washington.

Kuttel, M., Jr. 2003. Salmonid habitat limiting factors: water resources inventory area 15(west), Kitsap Basin and 14 (north), Kennedy-Goldsborough Basin. Washington State Conservation Commission. Olympia, Washington.

Marks, E., B. Smith, R. Ladley, and T. Sebastian. 2004. 2003-2004 annual salmon, steelhead, and char report: WRIA 10 Puyallup/White River watershed. Puyallup Tribal Fisheries, Puyallup Tribe of Indians. Puyallup, Washington.

Marks, E., R. Ladley, B. Smith, and T. Sebastian. 2003. 2002-2003 annual salmon, steelhead, and char report: Puyallup and White River watershed. Puyallup Tribal Fisheries, Puyallup Tribe of Indians. Puyallup, Washington.

Marks, E., T. Sebastian, R. Ladley, and B. Smith. 2002. 2001-2002 annual salmon, steelhead, and char report: Puyallup River watershed. Puyallup Tribal Fisheries, Puyallup Tribe of Indians. Puyallup, Washington.

Marshall, A., C. Smith, R. Brix, W. Dammers, J. Hymer, and L. LaVoy. 1995. Genetic diversity units and major ancestral lineages for Chinook salmon in Washington. Technical Report. State of Washington, Department of Fish and Wildlife, Fish Management Program, Resource Assessment Division. Olympia Washington

Maudlin, M., T. Coe, N. Currence, and J. Hansen. 2002. Unpublished Report. South Fork Nooksack River Acme-Saxon reach restoration planning: analysis of existing information and preliminary recommendations. Lummi Natural Resources Department and Nooksack Indian Tribe Natural Resource Department.

Muckleshoot Indian Tribe. Unpublished Data. Muckleshoot Indian Tribe, Division of Analysis of WDFW Spawner Database.

Muckleshoot Tribe. Unpublished Data. Buckley trap data provided by Muckleshoot Tribe. Auburn, Washington.

National Marine Fisheries Service. 2000. Draft. Recovery planning guidance for technical recovery teams. Available at <http://research.nwfsc.noaa.gov/trt/guidanc9.pdf>
Nisqually Tribe. 1984. Unpublished Data. Nisqually basin temperature data. Received from George Walter, Nisqually Tribe.

- Nooksack Tribe. 2003. Unpublished Data. Seine data collected in 2002 from Mainstem. Nooksack Tribe Natural Resource Department. Deming, Washington.
- Nooksack Tribe. 2003. Unpublished Data. Smolt counts collected from Nooksack River trap. Nooksack Tribe Natural Resource Department. Deming, Washington.
- Nooksack Tribe. 2004. Unpublished Data. Char catch in Hovander (mainstem Nooksack, rm 4.8) smolt trap, 1994-2003. Nooksack Tribe. Natural Resources Department. Deming, Washington.
- Pess, G. 2003. Unpublished Data. Snorkel surveys of North Fork Stillaguamish River (RM 25.1-21.2) conducted in August or September each year, 1996-2003. National Oceanic and Atmospheric Administration, Seattle, WA.
- Pfundt, A. 2004. Unpublished Draft. Salmon smolt catch by a rotary screw trap operated in the Nooksack River (mainstem rm 4.8) 2003. Lummi Indian Tribe, Natural Resources Department, Bellingham, WA.
- Pollock, M. M., Pess G. R., T.J. Beechie, and D.R. Montgomery. (2004). "The Importance of Beaver Ponds to Coho Salmon Production in the Stillaguamish River Basin, Washington, USA." North American Journal of Fisheries Management **24**(3): 749-760.
- Puyallup Tribe. Unpublished Data. Redd observation data, 1999-2004. Puyallup Tribe, Puyallup, Washington.
- Roberts, M. 2003. Deschutes River, Capitol Lake, Budd Inlet TMDL quarterly progress report #2 (July through September 2003). Memorandum to Chris Hempleman. Supplied by J. Kovonsky, Squaxin Indian Tribe, 10_04.
- Salmon Recovery Funding Board, IAC #00-1796N Final Report. November 29,
- Seiler, D., G. Volkhardt, and L. Kishimoto. 2003. Evaluation of Downstream Salmon Production in 1999 and 2000 from Three Lake Washington Tributaries: Cedar River, Bear Creek, and Issaquah Creek. Washington Department of Fish and Wildlife, Fish Program, Science Division. Olympia, Washington.
- Seiler, D., Volkhardt, G., Murdoch, A. Hawkins, S., Fuss, H. and B. Ehinger. 2002. 2002 Index watershed salmon recovery monitoring report. Washington Salmon Recovery Funding Board. Washington Department of Ecology Publication No. 02-03-061. Olympia, Washington.

Shaklee, J.B., J. Ames, and D. Hendrick. 1995. Genetic diversity units and major ancestral lineages for pink salmon in Washington. Washington State Department of Fish and Wildlife, Fish Management Program, Resource Assessment Division. Olympia, Washington.

Squaxin Indian Tribe. 2004. Unpublished Data. Coho smolt outmigration estimates for Cranberry, Mill, Goldsborough, Skookum, Johns, and Sherwood creeks for 1999-2004. Data Supplied by Jon Kovonsky, Squaxin Indian Tribe.

Squaxin Indian Tribe. 2004. Unpublished Data. Temperature data for McLane, Skookum, Coulter, and Goldsborough creeks, summer 2003. Data Supplied by Jon Kovonsky, Squaxin Indian Tribe.

Stillaguamish Tribe Natural Resource Department. 2004(Sept). 2003 Stillaguamish River smolt trapping project. Annual Report. Stillaguamish Tribe. Natural Resources Department, Arlington, WA.

Stillaguamish Tribe. 2004. Unpublished Data: Old channel of Stillaguamish River seine data 2002-2004 (RM 1.4-8.6). Provided by Jody Brown, Stillaguamish Tribe, Natural Resources Department, Arlington, WA.

Sullivan, K, Duncan, S.H., Bisson, P.A., Heffner, J.T., Ward, J.W., Bilby, R.E., and J.L. Nielsen. 1987. A summary of the Deschutes River basin: sediment, flow, temperature, and fish habitat. Technical Report. Weyerhaeuser Company, Project No. 044-5002. Tacoma, Washington.

Tyler, R.W. 1980. Nisqually River juvenile salmonid study. Final Report submitted to City of Tacoma and City of Centralia. University of Washington, College of fisheries, Fisheries Research Institute. Seattle, Washington.

Upper Skagit Indian Tribe. 2004. Unpublished Data. Spawner survey data collected in Samish River, Silver Creek, and Bear/Friday Creeks. Submitted 10/14/2004 by Jon-Paul Shanahan, Upper Skagit Indian Tribe.

USFWS 2004 (May). Draft recovery plan for the Coastal-Puget Sound distinct population segment of bull trout (*Salvelinus confluentus*), Volume II (of II) Olympic Peninsula management unit. Portland, Oregon, U.S. Fish and Wildlife Service.

USFWS. 2004 (May). Draft recovery plan for the Coastal-Puget Sound distinct population segment of bull trout (*Salvelinus confluentus*), Volume I (of II) Puget Sound management unit. Portland, Oregon, U.S. Fish and Wildlife Service.

Warner, E.J. and R.L. Fritz. 1995. The distribution and growth of Green River Chinook Salmon (*Oncorhynchus tshawytscha*) and chum (*Oncorhynchus keta*) outmigrants in the Duwamish estuary as a function of water quality and substrate. Muckleshoot Indian Tribe, Fisheries Department, Water Resources Division. Auburn, Washington.

Washington Department of Fish and Wildlife. 2004. Unpublished Data. Steelhead spawning surveys of index reaches of streams in WRIA's 18 and 19, 1998-2004. Unpublished data supplied by Randy Cooper, Washington Department of Fish and Wildlife. Port Townsend, Washington.

Washington State Conservation Commission. 1999. Salmon habitat limiting factors analysis: water resources inventory area 5 Stillaguamish watershed. Washington State Conservation Commission. Olympia, Washington.

WDFW and Point No Point Treaty Tribes. 2001. Summer chum salmon conservation initiative: an implementation plan to recover summer chum in the Hood Canal and Strait of Juan de Fuca Region. Supplemental Report No. 3. Annual Report for the 2000 summer chum salmon return. Washington Department of Fish and Wildlife. Olympia, Washington.

WDFW. 2004. Unpublished Data. Spawner survey data of Burley, Sherwood, Johns, and Coulter creeks (WRIAs 14 and 15). Collected by Bill Evans, WDFW. Data supplied by John Kovonsky, Squaxin Tribe.

Whiley, A.J. and G. Walter. 2000. The review and analysis of water quality for the Nisqually River and the major lakes of the Nisqually Basin. Nisqually Natural Resources, Water Quality Program. Technical Report #6. Nisqually Indian Tribe.

Databases/gis data/websites:

Washington Department of Fisheries, Washington Department of Wildlife, and the Western Washington Treaty Indian Tribes (1993). 1992 Washington State salmon and steelhead stock inventory (SASI). Olympia, Washington, Fish Program, Washington Department of Fisheries.

Washington Department of Fish and Wildlife (WDFW). 2004. Salmon Spawning ground survey database.

WDFW Washington Lakes and Rivers Information System. Fish distribution database. Fish Program, Washington Department of Fish and Wildlife. Olympia, Washington.

Washington Department of Ecology. Draft spatial data representing surface water quality standards. Chapter 173-201A WAC. Washington Administrative Code. State of Washington.

Salmonscape (2004). Interactive database. Fish Program, Washington Department of Fish and Wildlife. Olympia, Washington.

Personal Communication:

Brown, Jody. 10/2004. Pers. Comm. from Pat Stevens (coworker) regarding upstream migration period for Chinook (email forwarded to Lil Herger). Stillaguamish Tribe, Natural Resources Department, Arlington, WA.

Cooper, Randy. 11/22/04. Pers. Comm. to Jennifer Hagen (email). Comments on winter steelhead spawning duration based on spawning index reach surveys conducted in streams of the Strait of Juan de Fuca. Washington Department of Fish and Wildlife.

Cropp, Tom. 11/04. Pers. Comm. from Tom Cropp to Nancy Rapin, Muckleshoot Tribe. Regarding presents of pink salmon in the Green River. Washington Department of Fish and Wildlife.

Currence, Ned. 1/26/04. Pers. Comm. to Martha Jensen (email). Screw trap data for mainstem Nooksack for char at rm 4.8. Nooksack Indian Tribe.

Kovonsky, John. 11/04. Pers. Comm. to Lil Herger. September spawning of chum salmon in Coulter and Rocky creeks. Squaxin Tribe.

Ladley, Russ. 12/13/04. Pers. Comm. to Lil Herger (email). Comments on observations of redd construction period by Chinook in the Diversion Reach (to R street in Auburn). Puyallup Tribal Fisheries.

Ladley, Russ. 12/8/04. Pers. Comm. to Eron Drew (email) forwarded to Lil Herger. Observation of pinks in WRIA 10. Puyallup Tribal Fisheries.

Nancy Rapin. 11/2004. Pers Comm. to Lil Herger. Importance of Green River reach to spawning fall Chinook. Muckleshoot Tribe.

Peterschmidt, Caroline. 11/17/04. Pers. Comm. to Lil Herger. Comment that no other species spawn in the summer period that would warrant the 13°C temperature standard (telephone conversation). Makah Tribe.