

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY

BUREAU OF AIR

DIVISION of AIR POLLUTION CONTROL

PERMIT SECTION

PROJECT SUMMARY for the
DRAFT CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT

Abbott Laboratories
100 Abbott Park Road, Abbott Park, Lake County, 60064

Illinois EPA ID Number: 097809AAD

Application Number: 96010010

Application Type: Significant Modification

Start of Public Comment Period: August 11, 2010

Close of Public Comment Period: September 10, 2010

Permit Engineer/Technical Contact: Anatoly Belogorsky, 217/782-2113

Community Relations/Comments Contact: Brad Frost, 217/782-7027

(This Project Summary generally describes the source and explains the draft permit. This document has been prepared pursuant to Section 39.5(8)(b) of the Illinois Environmental Protection Act, which requires "a statement that sets forth the legal and factual basis for the draft CAAPP permit conditions.")

I. INTRODUCTION

This source has applied for a significant modification of the Clean Air Act Permit Program (CAAPP) operating permit. The CAAPP is the program established in Illinois for operating permits for significant stationary sources as required by Title V of the federal Clean Air Act and Section 39.5 of Illinois' Environmental Protection Act. The conditions in a CAAPP permit are enforceable by the Illinois Environmental Protection Agency (Illinois EPA), the USEPA, and the public. This document is for informational purposes only and does not shield the Permittee from enforcement actions or its responsibility to comply with applicable regulations. This document shall not constitute a defense to a violation of the Act or any rule or regulation.

A CAAPP permit contains conditions identifying the applicable state and federal air pollution control requirements that apply to a source. The permit also establishes emission limits, appropriate compliance procedures, and specific operational flexibility. The appropriate compliance procedures may include monitoring, record keeping, and reporting to show compliance with these requirements. The Permittee must carry out these procedures on an on-going basis to demonstrate that the source is operating in accordance with the requirements of the permit. Further explanations of the specific provisions of the draft CAAPP permit are contained in the attachments to this document, which also identify the various emission units at the source.

II. GENERAL SOURCE DESCRIPTION

a. Nature of source

Abbott is a worldwide health care corporation with its headquarters located at this site, also known as Abbott Park. This permit addresses operations at the Abbott Park Facility and the K-Complex Facility.

b. Ambient air quality status for the area

This source is located in an area that, as of the date of permit issuance, is designated nonattainment for the National Ambient Air Quality Standards for ozone (moderate nonattainment), PM_{2.5}, and attainment or unclassifiable for all other criteria pollutants (CO, lead, NO_x, SO₂).

c. Major source status

This permit is issued based on the source requiring a CAAPP permit as a major source of CO, NO_x, PM₁₀, SO₂, VOM and HAP emissions.

d. Nature of Significant Modification Request

The Permittee has applied for revision of this permit for the following reasons: 1) Incorporation of operation of two boilers and two water heaters (Building K8). No construction permits issued for

these small units and therefore CAAPP significant modification is the only vehicle to reflect those operational changes; 2) As part of the boiler operations restructuring, existing boiler K8-1 shall be removed from the permit; and 3) Slight increase of allowable source emissions for fees in Condition 5.6.1 shall be addressed.

III. NEW SOURCE REVIEW / TITLE I CONDITIONS

This draft permit does contain conditions that address the applicability of permit programs for new and modified sources under Title I of the Clean Air Act (CAA) and regulations promulgated thereunder, including 40 CFR 52.21, Prevention of Significant Deterioration (PSD) and 35 IAC Part 203, Major Stationary Sources Construction and Modification. Conditions 7.14.6 and 7.14.7 reference to new Title I conditions as T1N.

IV. COMPLIANCE INFORMATION

The source has certified compliance with all applicable rules and regulations; therefore, a compliance schedule is not required for this source. In addition, the draft permit requires the source to certify its compliance status on an annual basis. Also, the Annual Emission Reports and latest inspection report have been reviewed which indicate compliance.

V. PROPOSED ILLINOIS EPA ACTION / REQUEST FOR COMMENTS

It is the Illinois EPA's preliminary determination that this source's permit application meets the standards for issuance of a CAAPP permit. The Illinois EPA is therefore proposing to issue a CAAPP permit, subject to the conditions proposed in the draft permit.

Comments are requested by the Illinois EPA for the draft or proposed permit, pursuant to 35 IAC Part 252 and Sections 39.5(8) and (9) of the Illinois Environmental Protection Act. A final decision on the draft or proposed permit will not be made until the public, affected states, and USEPA have had an opportunity to comment. The Illinois EPA is not required to accept recommendations that are not based on applicable requirements. If substantial public interest is shown in this matter, the Illinois EPA will consider holding a public hearing in accordance with 35 IAC Part 166.

ATTACHMENT 1: Summary of Source-Wide Requirements

- a. The following table indicates the source-wide emissions control programs and planning requirements that are applicable to this source. These programs are addressed in Sections 5 and 6 of the draft permit.

Program/Plan	Applicable
Emissions Reduction Market System (ERMS)	N/A
Nitrogen Oxides (NO _x) Trading Program	N/A
Acid Rain Program	N/A
Fugitive Particulate Matter (PM) Operating Program	N/A
Risk Management Plan (RMP)	N/A
PM ₁₀ Contingency Measure Plan	N/A

- b. The following table indicates source-wide site-specific requirements addressed in Section 5 of the draft permit.

Non-Applicable Rules and Requirements w/justification
Source-wide non-applicability of regulations of concern are not set for this source
Title I Conditions and/or Synthetic Minor Limits
<ul style="list-style-type: none"> • N/A
Testing, Monitoring and Recordkeeping
<ul style="list-style-type: none"> • <u>Testing</u>: N/A
<ul style="list-style-type: none"> • <u>Monitoring</u>: N/A
<ul style="list-style-type: none"> • <u>Recordkeeping</u>: N/A

ATTACHMENT 2: Summary of Requirements for Specific Emission Units

The following tables include information on the requirements that apply to significant emission units at this source. The requirements are found in Section 7 of the draft permit, which is further divided into subsection, i.e., Section 7.1, 7.2, etc., for the different categories of units at the source. A separate table is provided for each subsection in Section 7 of the draft permit. An explanation of acronyms and abbreviations is contained in Section 2 of the draft permit.

Table 1 (New Section 7.14 of the draft permit)

Emission Unit	
Name	New Natural Gas-Fired Boilers and Water Heaters
Description	All units (2 boilers and 2 water heaters) are equipped with the low NO _x burners and having maximum firing rate 6.0 mmBtu/hr for each boiler and 3.0 mmBtu/hr for each water heater)
Date Constructed	2008 and 2009
Emission Control Equipment	None
Applicable Rules and Requirements	
Emission Standards	•
Streamlining	N/A
Title I Conditions	• Condition 7.14.6 and 7.14.7 for the natural gas consumption and emissions of regulated air pollutants associated with burning of natural gas.
Other Production or Emission Limits	• N/A
Non-applicability (reason)	<ul style="list-style-type: none"> • 35 IAC 216.121, 35 IAC 217.121 and 40 CFR 60 Subpart Dc: designed firing rates are below the thresholds established in the above standards. • 35 IAC 218.301: fuel combustion emission units are not subject 8 lb VOM/hr. • 40 CFR Part 63 Subpart DDDDD and case-by-case MACT determination: water heaters are excluded from applicability
Periodic Monitoring (other than basic regulatory requirements)	
Case-by-case MACT determination for boilers	<ul style="list-style-type: none"> • Conduct tune-ups once in two years • Testing of CO
Testing	<ul style="list-style-type: none"> • For boilers: CO emissions • For heaters: none

Emissions Monitoring	<ul style="list-style-type: none"> • None
Operational Monitoring	<ul style="list-style-type: none"> • None
Inspections	<ul style="list-style-type: none"> • Inspection maintenance logs
Recordkeeping	<ul style="list-style-type: none"> • Monthly operating hours • Total natural gas usage for the Building K8 • Records of monthly and annual emissions • Operating log of tune-ups performed • Records of test results
Reporting	
Prompt Reporting	<ul style="list-style-type: none"> • Deviation reports
Other Reporting	<ul style="list-style-type: none"> • None
Other Information	
Footnotes	N/A

ATTACHMENT 3: Prompt Reporting of Deviations

Prompt reporting of deviations is critical in order to have timely notice of deviations and the opportunity to respond, if necessary. The effectiveness of the permit depends upon, among other important elements, timely and accurate reporting. The Illinois EPA, USEPA and the public rely on timely and accurate reports submitted by the permittee to measure compliance and to direct investigation and follow-up activities. Prompt reporting is evidence of a permittee's good faith in disclosing deviations and describing the steps taken to return to compliance and prevent similar incidents.

Any occurrence that results in an excursion from any emission limitation, operating condition, or work practice standard as specified in this CAAPP permit is a deviation subject to prompt reporting. Additionally, any failure to comply with any permit term or condition is a deviation of that permit term or condition and must be reported to the Illinois EPA as a permit deviation. The deviation may or may not be a violation of an emission limitation or standard. A permit deviation can exist even though other indicators of compliance suggest that no emissions violation or exceedance has occurred. Reporting permit deviations does not necessarily result in enforcement action. The Illinois EPA has the discretion to take enforcement action for permit deviations that may or may not constitute an emission limitation or standard or the like, as necessary and appropriate.

Section 39.5(7)(f)(ii) of the Illinois Environmental Protection Act, which mirrors 40 CFR 70.6(a)(3)(iii)(B), requires prompt reporting of deviations from the permit requirements. The permitting authority (in this case, Illinois EPA) has the discretion to define "prompt" in relation to the degree and type of deviation likely to occur. Furthermore, Section 39.5(7)(f)(i) of the Illinois Environmental Protection Act, which mirrors 40 CFR 70.6(a)(3)(iii)(A) requires that monitoring reports must be submitted at least every 6 months. Therefore, USEPA generally considers anything less than 6 months to be "prompt" as long as the selected time frame is justified appropriately (60 Fed. Reg. 36083, 36086 (July 13, 1995)).

The USEPA has stated that, for purposes of administrative efficiency and clarity, it is acceptable to define prompt in each individual permit. *Id.* The Illinois EPA has elected to follow this approach and defines prompt reporting on a permit by permit basis. In instances where the underlying applicable requirement contains "prompt" reporting, this frequency or a shorter frequency of reporting is the required timeframe used in this permit. Where the underlying applicable requirement fails to explicitly set forth the timeframe for reporting deviations, the Illinois EPA has developed a structured manner to determine the reporting approach used in this permit.

The Illinois EPA generally uses a time frame of 30 days to define prompt reporting of most deviations. Also, for certain permit conditions in individual permits, the Illinois EPA may require an alternate timeframe that is less than 30 days if the permit requirement justifies a shorter reporting time period. Under certain circumstances, EPA may establish a deviation reporting period longer than 30 days, but, in no event exceeding 6 months. Where it has established a deviation reporting period other than 30 days in an individual permit (specifically Section 7.x.10), the Illinois EPA has explained the reason for the alternative timeframe. (See Attachment 2 of this Project Summary.)

The timing for certain deviation reporting may be different when a source or emission unit at a source warrants reporting to address operation, independent of the occurrence of any deviations. This is the case for a source that is required to perform continuous monitoring for the emission unit, for which quarterly or semi-annual "monitoring" reports are appropriate. Where appropriate, reporting of deviations has generally been combined in, or coordinated with these quarterly or semi-annual reports, so that the overall performance of the plant can be reviewed

in a comprehensive fashion. This will allow a more effective and efficient review of the overall performance of the source by the Illinois EPA and other interested parties, as well as by the source itself.

At the same time, there are certain deviations for which quicker reporting is appropriate. These are deviations for which individual attention or concern may be warranted by the Illinois EPA, USEPA, and other interested parties. Under this scenario, emphasis has been placed primarily on deviations that could represent substantial violations of applicable emission standards or lapses in control measures at the source. For these purposes, depending on the deviation, immediate notification may be required and preceded by a follow-up report submitted within 15 days, during which time the source may further assess the deviation and prepare its detailed plan of corrective action.

In determining the timeframe for prompt reporting, the Illinois EPA assesses a variety of criteria such as:

- historical ability to remain in continued compliance,
- level of public interest in a specific pollutant and/or source,
- seriousness of the deviation and potential to cause harm,
- importance of applicable requirement to achieving environmental goals,
- designation of the area (i.e., non-attainment or attainment),
- consistency among industry type and category,
- frequency of required continuous monitoring reports (i.e., quarterly),
- type of monitoring (inspection, emissions, operational, etc.), and
- air pollution control device type and operation

These prompt reporting decisions reflect the Illinois EPA's consideration of the possible nature of deviations by different emission units and the responses that might be required or taken for those different types of deviations. As a consequence, the conditions for different emission units may identify types of deviations which include but are not limited to: 1) Immediate (or very quick) notification; 2) Notification within 30 days as the standard; or 3) Notification with regular quarterly or semi-annual monitoring reports.

The Illinois EPA's decision to use the above stated prompt reporting approach for deviations as it pertains to establishing a shorter timeframe in certain circumstances reflects the criteria discussed as well as USEPA guidance on the topic.

- 40 CFR 71.6(a)(3)(iii)(B) specifies that certain potentially serious deviations must be reported within 24 or 48 hours, but provides for semi-annual reporting of other deviations. (Serious or severe consequences)
- FR Vol. 60, No. 134, July 13, 1995, pg. 36086 states that prompt should generally be defined as requiring reporting within two to ten days of the deviation, but longer time periods may be acceptable for a source with a low level of excess emissions. (intermediate consequences)
- Policy Statement typically referred to as the "Audit Policy" published by the USEPA defines prompt disclosure to be within 21 days of discovery. (Standard for most "pollutant limiting" related conditions)
- Responses to various States by USEPA regarding other States' definition of prompt.

As a result, the Illinois EPA's approach to prompt reporting for deviations as discussed herein is consistent with the requirements of 39.5(7)(f)(ii) of the Act as well as 40 CFR part 70 and the CAA. This reporting arrangement is designed so that the source will appropriately notify the Illinois EPA of those events that might warrant individual attention. The timing for these event-specific notifications is necessary and appropriate as it gives the source enough time to conduct a thorough investigation into the causes of an event, collecting any necessary data, and to develop preventative measures, to reduce the likelihood of similar events, all of which must be addressed in the notification for the

deviation.