

FINAL DRAFT/PROPOSED CAAPP PERMIT
Barron Industries
I.D. No.: 201030AZW
Application No.: 97100061
June 13, 2001

217/782-2113

TITLE V - CLEAN AIR ACT PERMIT PROGRAM (CAAPP) PERMIT
and
TITLE I PERMIT¹

PERMITTEE

Barron Industries
Attn: Dennis Barron, President/Treasurer
129 Morgan
Rockford, Illinois 61101

Application No.: 97100061 I.D. No.: 201030AZW
Applicant's Designation: Date Received: October 20, 1997
Operation of: Metal Finishing and Associated Operations
Date Issued: TO BE DETERMINED Expiration Date²: TO BE DETERMINED
Source Location: 129 Morgan, Rockford, Winnebago County
Responsible Official: Dennis Barron, President/Treasurer

This permit is hereby granted to the above-designated Permittee to OPERATE a source performing metal finishing and associated operations, pursuant to the above referenced permit application. This permit is subject to the conditions contained herein.

If you have any questions concerning this permit, please contact Jonathan Sperry at 217/782-2113.

Donald E. Sutton, P.E.
Manager, Permit Section
Division of Air Pollution Control

DES:JS:psj

cc: Illinois EPA, FOS, Region 2

¹ This permit may contain terms and conditions which address the applicability, and compliance if determined applicable, of Title I of the CAA and regulations promulgated thereunder, including 40 CFR 52.21 - federal PSD and 35 IAC Part 203 - Major Stationary Sources Construction and Modification. Any such terms and conditions are identified within this permit.

² Except as provided in Condition 8.7 of this permit.

TABLE OF CONTENTS

		<u>PAGE</u>
1.0	SOURCE IDENTIFICATION	4
	1.1 Source	
	1.2 Owner/Parent Company	
	1.3 Operator	
	1.4 General Source Description	
2.0	LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0	INSIGNIFICANT ACTIVITIES	7
	3.1 Identification of Insignificant Activities	
	3.2 Compliance with Applicable Requirements	
	3.3 Addition of Insignificant Activities	
4.0	SIGNIFICANT EMISSION UNITS AT THIS SOURCE	9
5.0	OVERALL SOURCE CONDITIONS	10
	5.1 Source Description	
	5.2 Applicable Regulations	
	5.3 Non-Applicability of Regulations of Concern	
	5.4 Source-Wide Operational and Production Limits and Work Practices	
	5.5 Source-Wide Emission Limitations	
	5.6 General Recordkeeping Requirements	
	5.7 General Reporting Requirements	
	5.8 General Operational Flexibility/Anticipated Operating Scenarios	
	5.9 General Compliance Procedures	
6.0	NOT APPLICABLE TO THIS PERMIT	17
7.0	UNIT SPECIFIC CONDITIONS	18
	7.1 Open Top Vapor Degreasing	
	7.2 Furnace	
8.0	GENERAL PERMIT CONDITIONS	40
	8.1 Permit Shield	
	8.2 Applicability of Title IV Requirements	
	8.3 Emissions Trading Programs	
	8.4 Operational Flexibility/Anticipated Operating Scenarios	
	8.5 Testing Procedures	

PAGE

8.6	Reporting Requirements	
8.7	Obligation to Comply with Title I Requirements	
9.0	STANDARD PERMIT CONDITIONS	46
9.1	Effect of Permit	
9.2	General Obligations of Permittee	
9.3	Obligation to Allow Illinois EPA Surveillance	
9.4	Obligation to Comply with Other Requirements	
9.5	Liability	
9.6	Recordkeeping	
9.7	Annual Emissions Report	
9.8	Requirements for Compliance Certification	
9.9	Certification	
9.10	Defense to Enforcement Actions	
9.11	Permanent Shutdown	
9.12	Reopening and Reissuing Permit for Cause	
9.13	Severability Clause	
9.14	Permit Expiration and Renewal	
10.0	ATTACHMENTS	
10.1	Attachment 1 - Example Certification by a Responsible Official	1-1
10.2	Attachment 2 - Guidance on Revising This Permit	2-1
10.3	Attachment 3 - Form 199-CAAPP, Application For Construction Permit (For CAAPP Sources Only)	3-1

1.0 SOURCE IDENTIFICATION

1.1 Source

Barron Industries
129 Morgan
Rockford, Illinois 61101
815/962-8053

I.D. No.: 201030AZW
Standard Industrial Classification: 3471, Plating and Polishing

1.2 Owner/Parent Company

Barron Industries
129 Morgan
Rockford, Illinois 61101

1.3 Operator

Barron Industries
129 Morgan
Rockford, Illinois 61101

Dennis Barron, President/Treasurer
815/962-8053

1.4 General Source Description

Barron Industries is located at 129 Morgan Street in Rockford, Illinois. The source is a metal finishing job shop. The source performs metal finishing and associated operations, including polishing, buffing, degreasing, materials receiving, storage, and shipping.

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
Btu	British thermal unit
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CAM	Compliance Assurance Monitoring
CFR	Code of Federal Regulations
cm	centimeter
°F	degree Fahrenheit
ft ³	cubic foot
HAP	Hazardous Air Pollutant
hr	hour
IAC	Illinois Administrative Code
I.D. No.	Identification Number of Source, assigned by Illinois EPA
ILCS	Illinois Compiled Statutes
Illinois EPA	Illinois Environmental Protection Agency
in	inch
kg	kilogram
kW	kilowatts
lb	pound
mmBtu	Million British thermal units
MW	megawatt
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO _x	Nitrogen Oxides
NSPS	New Source Performance Standards
PM	Particulate Matter
PM ₁₀	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods
ppm	parts per million
PSD	Prevention of Significant Deterioration
RMP	Risk Management Plan
SO ₂	Sulfur Dioxide
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit

FINAL DRAFT/PROPOSED CAAPP PERMIT
Barron Industries
I.D. No.: 201030AZW
Application No.: 97100061
June 13, 2001

T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
U.S.C.	United States Code
USEPA	United States Environmental Protection Agency
VOM	Volatile Organic Material

3.0 INSIGNIFICANT ACTIVITIES

3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

Distiller

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

None

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

Direct combustion units designed and used for comfort heating purposes and fuel combustion emission units as follows: (A) Units with a rated heat input capacity of less than 2.5 mmBtu/hr that fire only natural gas, propane, or liquefied petroleum gas; (B) Units with a rated heat input capacity of less than 1.0 mmBtu/hr that fire only oil or oil in combination with only natural gas, propane, or liquefied petroleum gas; and (C) Units with a rated heat input capacity of less than 200,000 Btu/hr which never burn refuse, or treated or chemically contaminated wood [35 IAC 201.210(a)(4)].

- 3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability, such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

- 3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.
 - 3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.
 - 3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, 218.301, or 219.301, which requires that organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.
- 3.3 Addition of Insignificant Activities
- 3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).
 - 3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.
 - 3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

FINAL DRAFT/PROPOSED CAAPP PERMIT
 Barron Industries
 I.D. No.: 201030AZW
 Application No.: 97100061
 June 13, 2001

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Date Constructed	Emission Control Equipment
Degreasing Tank	Open Top Vapor Degreasing	1990	Chiller Condenser, Dwell, 1.0 Freeboard Ratio of 1.0, and Reduced Room Draft
Detrex Degreasing Tank	Open Top Vapor Degreasing	1998	Chiller Condenser, Freeboard Ratio of 1.0, Superheated Vapor, and Freeboard Refrigeration Device
Make-up Air Furnace	Natural Gas Space Heating (4.32 mmBtu/hr)	Prior to 1980	None

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of HAP emissions.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to the requirements of 35 IAC 212.122, pursuant to 35 IAC 212.123(a), except as allowed by 35 IAC 212.123(b) and 212.124.

5.2.3 Fugitive Particulate Matter Operating Program

- a. This source shall be operated under the provisions of an operating program prepared by the Permittee and submitted to the Illinois EPA for its review. Such operating program shall be designed to significantly reduce fugitive particulate matter emissions [35 IAC 212.309(a)].
- b. The operating program shall be amended from time to time by the Permittee so that the operating program is current. Such amendments shall be consistent with

the requirements set forth by this Condition and shall be submitted to the Illinois EPA [35 IAC 212.312].

- c. All normal traffic pattern roads and parking facilities located at this source shall be paved or treated with water, oils, or chemical dust suppressants. All paved areas shall be cleaned on a regular basis. All areas treated with water, oils, or chemical dust suppressants shall have the treatment applied on a regular basis, as needed, in accordance with the operating program [35 IAC 212.306].

5.2.4 Ozone Depleting Substances

The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

5.2.5 Risk Management Plan

Should this stationary source, as defined in 40 CFR Section 68.3, become subject to the Accidental Release Prevention regulations in 40 CFR Part 68, then the owner or operator shall submit [40 CFR 68.215(a)(2)(i) and (ii)]:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or

- b. A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan (RMP), as part of the annual compliance certification required by 40 CFR Part 70 or 71.
- 5.2.6
- a. Should this stationary source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by 40 CFR Part 70 or 71.
 - b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate compliance with all applicable requirements of any potentially applicable regulation which was promulgated after the date issued of this permit.
- 5.2.7 Episode Action Plan
- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan (plan) for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The plan shall contain the information specified in 35 IAC 244.144.
 - b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.
 - c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.

- d. For sources required to have a plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to:
 - i. Illinois EPA, Compliance Section; and
 - ii. For sources located in Cook County and outside of the city of Chicago: Cook County Department of Environmental Control; or
 - iii. For sources located within the city of Chicago: Chicago Department of Environmental Control.

5.3 Non-Applicability of Regulations of Concern

None

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable.

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	20.1
Sulfur Dioxide (SO ₂)	0.1
Particulate Matter (PM)	0.1
Nitrogen Oxides (NO _x)	0.2
HAP, not included in VOM or PM	---
TOTAL	20.5

5.5.2 Emissions of Hazardous Air Pollutants

Source-wide emission limitations for HAPs as listed in Section 112(b) of the CAA are not set. This source is considered to be a major source of HAPs.

5.5.3 Other Source-Wide Emission Limitations

No person shall cause or allow the total emissions of sulfur dioxide into the atmosphere in any one hour period from all fuel combustion emission sources to exceed the emissions determined by 35 IAC 214.183 [35 IAC 214.182].

5.6 General Recordkeeping Requirements

5.6.1 Emission Records

The Permittee shall maintain records of the following items for the source to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

5.6.2 Records for VOM and HAP Emissions

The Permittee shall maintain records of the following items for the source to quantify annual VOM and HAP emissions, so as to demonstrate compliance with the annual emission limits in Condition 5.5:

- a. Aggregate VOM emissions from the emission units included in Section 7 of this permit; and
- b. Aggregate HAP emissions from the emission units included in Section 7 of this permit, calculated as a fraction of VOM emission according to vapor weight

percent. For cleaning solvents that are considered both volatile organic materials and hazardous air pollutants, HAP emissions are 100% of VOM emissions.

5.6.3 Records for Operating Scenarios

N/A

5.6.4 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision herein), shall be kept at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.
- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for records during the course of a source inspection.

5.7 General Reporting Requirements

5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the source with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

5.7.3 Annual Reporting of HAP Emissions

The Permittee shall submit an annual report to the Illinois EPA, Compliance Section, on HAP emissions from the source. This report shall be submitted with the Annual Emissions Report (Condition 9.7).

5.8 General Operational Flexibility/Anticipated Operating Scenarios

N/A

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordkeeping and reporting requirements of Conditions 5.6 and 5.7, and compliance procedures in Section 7 (Unit Specific Conditions) of this permit.

- a. For the purpose of estimating VOM and HAP emissions from the solvent cleaning operations, the current version of AP-42, Section 4.6 is acceptable.
- b. For the purpose of estimating HAP emissions from equipment at the source, the vapor weight percent of each HAP for each organic liquid times the VOM emissions contributed by that organic liquid is acceptable.

5.9.2 Compliance Procedures for Sulfur Dioxide

Compliance with the sulfur dioxide emission limit in Condition 5.5.3 is assured by the inherent operating conditions of all fuel combustion emission units combusting natural gas.

FINAL DRAFT/PROPOSED CAAPP PERMIT
Barron Industries
I.D. No.: 201030AZW
Application No.: 97100061
June 13, 2001

6.0 NOT APPLICABLE TO THIS PERMIT

7.0 UNIT SPECIFIC CONDITIONS

7.1 Open Top Vapor Degreasing

7.1.1 Description

This source operates two degreasing (solvent cleaning) tanks using trichloroethylene, which is considered a volatile organic material and a hazardous air pollutant. Parts are lowered into the solvent vapor for a specified amount of time, sprayed with solution, and slowly raised and removed. Operation of the degreasers includes equipment and work practices designed to minimize VOM and HAP emissions.

One degreasing tank was constructed on or before November 29, 1993, and is considered an existing solvent cleaning machine for purposes of the NESHAP for halogenated solvent cleaning. The Detrex degreasing tank was constructed in 1998 and is considered a new solvent cleaning machine for purposes of the NESHAP for halogenated solvent cleaning.

7.1.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Degreasing Tank	Open Top Vapor Degreasing	Chiller Condenser, Dwell, 1.0 Freeboard Ratio of 1.0, and Reduced Room Draft
Detrex Degreasing Tank	Open Top Vapor Degreasing	Chiller Condenser, Freeboard Ratio of 1.0, Superheated Vapor, and Freeboard Refrigeration Device

7.1.3 Applicability Provisions and Applicable Regulations

- a. The "affected solvent cleaning machines" for the purpose of these unit-specific conditions, are the solvent degreasers as described in Conditions 7.1.1 and 7.1.2.
- b. The affected solvent cleaning machines is subject to the NESHAP for Halogenated Solvent Cleaning, 40 CFR 63 Subparts A and T, because each machine uses a solvent containing methylene chloride, perchloroethylene, trichloroethylene, 1,1,1-trichloroethane, carbon tetrachloride or chloroform, or any combination of these halogenated HAP solvents,

in a total concentration greater than 5 percent by weight, as a cleaning and/or drying agent.

- c. The affected solvent cleaning machines are subject to 35 IAC 215.183, Open Top Vapor Degreasing, because emissions of VOM may exceed 6.8 kg (15 lb) in any one day and 1.4 kg (3 lb) in any one hour.

7.1.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on the affected solvent cleaning machines using trichloroethylene as a cleaning solvent not being subject to 35 IAC 218.301: Use of Organic Material, because trichloroethylene is not considered a photochemically reactive material and no odor nuisance exists at this source.
- b. This permit is issued based on the affected solvent cleaning machines not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because each affected solvent cleaning machines is subject to a NESHAP proposed after November 15, 1990, pursuant to 40 CFR 64.2(b)(1)(i).

7.1.5 Operational And Production Limits And Work Practices

- a. The Permittee shall ensure that each existing or new batch vapor solvent cleaning machine conforms to the design requirements specified below:
 - i. Each cleaning machine shall be designed or operated to meet one of the following control equipment or technique requirements:
 - A. An idling and downtime mode cover, as described in 40 CFR 63.463(d)(1)(i), that may be readily opened or closed, that completely covers the cleaning machine openings when in place, and is free of cracks, holes, and other defects [40 CFR 63.463(a)(1)(i)]; or
 - B. A reduced room draft as described in 40 CFR 63.463(e)(2)(ii) [40 CFR 63.463(a)(1)(ii)].

- ii. Each cleaning machine shall have a freeboard ratio of 0.75 or greater [40 CFR 63.463(a)(2)].
 - iii. Each cleaning machine shall have an automated parts handling system capable of moving parts or parts baskets at a speed of 3.4 meters per minute (11 feet per minute) or less from the initial loading of parts through removal of cleaned parts [40 CFR 63.463(a)(3)].
 - iv. Each vapor cleaning machine shall be equipped with a device that shuts off the sump heat if the sump liquid solvent level drops to the sump heater coils [40 CFR 63.463(a)(4)].
 - v. Each vapor cleaning machine shall be equipped with a vapor level control device that shuts off sump heat if the vapor level in the vapor cleaning machine rises above the height of the primary condenser [40 CFR 63.463(a)(5)].
 - vi. Each vapor cleaning machine shall have a primary condenser [40 CFR 63.463(a)(6)].
- b. The Permittee shall comply with the following control combination pursuant to 40 CFR 63.463(b)(1)(i) and (b)(2)(i):
- i. The new batch vapor cleaning machine with a solvent/air interface area greater than 1.21 square meters (13 square feet) shall employ control combination Option 1 listed in Table 2 of 40 CFR 63.463(b).

Option 1: Freeboard Refrigeration Device, Freeboard Ratio of 1.0, Superheated Vapor
 - ii. The existing batch vapor cleaning machine with a solvent/air interface area of 1.21 square meters (13 square feet) or less shall employ control combination Option 8 listed in Table 1 of 40 CFR 63.463(b).

Option 8: Reduced Room Draft, Dwell, Freeboard Ratio of 1.0

- c. The Permittee shall meet all of the following required work and operational practices specified below.
- i. Control air disturbances across the cleaning machine opening(s) by incorporating the control equipment or techniques as follows:
 - A. Cover(s) to each solvent cleaning machine shall be in place during the idling mode, and during the downtime mode unless either the solvent has been removed from the machine or maintenance or monitoring is being performed that requires the cover(s) to not be in place [40 CFR 63.463(d)(1)(i)]; or
 - B. A reduced room draft as described in 40 CFR 63.463(e)(2)(ii) [40 CFR 63.463(d)(1)(ii)].
 - ii. The parts baskets or the parts being cleaned in an open-top batch vapor cleaning machine shall not occupy more than 50 percent of the solvent/air interface area unless the parts baskets or parts are introduced at a speed of 0.9 meters per minute (3 feet per minute) or less [40 CFR 63.463(d)(2)].
 - iii. Any spraying operations shall be done within the vapor zone or within a section of the solvent cleaning machine that is not directly exposed to the ambient air (i.e., a baffled or enclosed area of the solvent cleaning machine) [40 CFR 63.463(d)(3)].
 - iv. Parts shall be oriented so that the solvent drains from them freely. Parts having cavities or blind holes shall be tipped or rotated before being removed from any solvent cleaning machine unless an equally effective approach has been approved by the Illinois EPA [40 CFR 63.463(d)(4)].
 - v. Parts baskets or parts shall not be removed from any solvent cleaning machine until dripping has stopped [40 CFR 63.463(d)(5)].

- vi. During startup of each vapor cleaning machine, the primary condenser shall be turned on before the sump heater [40 CFR 63.463(d)(6)].
 - vii. During shutdown of each vapor cleaning machine, the sump heater shall be turned off and the solvent vapor layer allowed to collapse before the primary condenser is turned off [40 CFR 63.463(d)(7)].
 - viii. When solvent is added or drained from any solvent cleaning machine, the solvent shall be transferred using threaded or other leakproof couplings and the end of the pipe in the solvent sump shall be located beneath the liquid solvent surface [40 CFR 63.463(d)(8)].
 - ix. Each solvent cleaning machine and associated controls shall be maintained as recommended by the manufacturers of the equipment or using alternative maintenance practices that have been demonstrated to the Illinois EPA's satisfaction to achieve the same or better results as those recommended by the manufacturer [40 CFR 63.463(d)(9)].
 - x. Each operator of a solvent cleaning machine shall complete and pass the applicable sections of the test of solvent cleaning operating procedures in appendix B of 40 CFR 63, Subpart T, if requested during an inspection by the Illinois EPA [40 CFR 63.463(d)(10)].
 - xi. Waste solvent, still bottoms, and sump bottoms shall be collected and stored in closed containers. The closed containers may contain a device that would allow pressure relief, but would not allow liquid solvent to drain from the container [40 CFR 63.463(d)(11)].
 - xii. Sponges, fabric, wood, and paper products shall not be cleaned [40 CFR 63.463(d)(12)].
- d. The Permittee shall comply with the following requirements.
- i. Conduct monitoring of each control device used to comply with 40 CFR 63.463 as provided in

Condition 7.1.8 (see also 40 CFR 63.466) [40 CFR 63.463(e)(1)].

- ii. Determine during each monitoring period whether each control device used to comply with these standards meets the following requirements.
 - A. The Permittee shall comply with the following requirements for a freeboard refrigeration device [40 CFR 63.463(e)(2)(i)]:
 - 1. The owner or operator shall ensure that the chilled air blanket temperature (in $^{\circ}$ F), measured at the center of the air blanket, is no greater than 30 percent of the solvent's boiling point.
 - B. The Permittee shall comply with the following requirements for the reduced room draft [40 CFR 63.463(e)(2)(ii)]:
 - 1. Ensure that the flow or movement of air across the top of the freeboard area of the solvent cleaning machine or within the solvent cleaning machine enclosure does not exceed 15.2 meters per minute (50 feet per minute) at any time as measured using the procedures in 40 CFR 63.466(d).
 - 2. Establish and maintain the operating conditions under which the wind speed was demonstrated to be 15.2 meters per minute (50 feet per minute) or less as described in 40 CFR 63.466(d).
 - C. The Permittee shall comply with the following requirements for dwell [40 CFR 63.463(e)(2)(v)]:
 - 1. Determine the appropriate dwell time for each type of part or parts basket, or determine the maximum dwell time using the most complex

part type or parts basket, as described in 40 CFR 63.465(d).

2. Ensure that, after cleaning, each part is held in the solvent cleaning machine freeboard area above the vapor zone for the dwell time determined for that particular part or parts basket, or for the maximum dwell time determined using the most complex part type or parts basket.

D. The Permittee shall comply with the following requirements for superheated vapor [40 CFR 63.463(e)(2)(vi)]:

1. Ensure that the temperature of the solvent vapor at the center of the superheated vapor is at least 10°F above the solvent's boiling point.
2. Ensure that the manufacturer's specifications for determining the minimum proper dwell time within the superheated vapor system are followed.
3. Ensure that parts remain within the superheated vapor for at least the minimum proper dwell time.

e. Operating Requirements - Pursuant to 35 IAC 215.183(a), no person shall operate an open top vapor degreaser unless:

- i. The cover of the degreaser is closed when workloads are not being processed through the degreaser;
- ii. Solvent carryout emissions are minimized by:
 - A. Racking parts to allow complete drainage;
 - B. Moving parts in and out of the degreaser at less than 3.3 meters per minute (11 feet per minute);

- C. Holding the parts in the vapor zone until condensation ceases;
 - D. Tipping out any pools of solvent on the cleaned parts before removal from the vapor zone; and
 - E. Allowing parts to dry within the degreaser until visually dry.
- iii. Porous or absorbent materials, such as cloth, leather, wood or rope are not degreased;
 - iv. Less than half of the degreaser's open top area is occupied with a workload;
 - v. The degreaser is not loaded to the point where the vapor level would drop more than 10 cm (4 in) when the workload is removed from the vapor zone;
 - vi. Spraying is done below the vapor level only;
 - vii. Solvent leaks are repaired immediately;
 - viii. Waste solvent is stored in covered containers only and not disposed of in such a manner that more than 20% of the waste solvent (by weight) is allowed to evaporate into the atmosphere;
 - ix. Water is not visually detectable in solvent exiting from the water separator; and
 - x. Exhaust ventilation exceeding 20 cubic meters per minute per square meter (65 cubic feet per minute per square foot) of degreaser open area is not used, unless necessary to meet the requirements of the Occupational Safety and Health Act (29 U.S.C. Section 651 et seq.).
- f. Equipment Requirements - Pursuant to 35 IAC 215.183(b), no person shall operate an open top vapor degreaser unless:
 - i. The degreaser is equipped with a cover designed to open and close easily without disturbing the vapor zone;

- ii. The degreaser is equipped with the following switches:
 - A. A device which shuts off the sump heat if the amount of condenser coolant is not sufficient to maintain the designed vapor level;
 - B. A device which shuts off the spray pump if the vapor level drops more than 10 cm (4 in) below the bottom condenser coil; and
 - C. A device which shuts off the sump heat source when the vapor level exceeds the design level;
- iii. A permanent conspicuous label summarizing the operating procedure is affixed to the degreaser; and
- iv. The degreaser is equipped with one of the following devices:
 - A. A freeboard height of 3/4 of the inside width of the degreaser tank or 91 cm (36 in), whichever is less; and if the degreaser opening is greater than 1 square meter (10.8 square feet), a powered or mechanically assisted cover; or
 - B. Any other equipment or system of equivalent emission control as approved by the Illinois EPA. Such equipment or system may include a refrigerated chiller, an enclosed design or a carbon adsorption system.
- g. Solvent usage for the Detrex degreasing tank shall not exceed 1,517 pounds per month and 9.10 tons per year.

7.1.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected solvent cleaning machines are subject to the following:

- a. Emissions from the Detrex degreasing tank shall not exceed the following limits:

VOM Emissions	
<u>(Lb/Month)</u>	<u>(Ton/Year)</u>
1,342	8.05

These limits are based on the maximum solvent usage specified in Condition 7.1.5 and emissions based on material balance.

Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1].

The above limitations were established in Permit 98080089, pursuant to 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits ensure that the construction and/or modification addressed in the aforementioned permit does not constitute a new major source or major modification pursuant to Title I of the CAA, specifically the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21 [T1].

7.1.7 Testing Requirements

- a. The Permittee using a dwell time to comply with 40 CFR 63.463 shall determine the appropriate dwell time for each part or parts basket using the procedure specified below [40 CFR 63.465(d)]:
- i. Determine the amount of time for the part or parts basket to cease dripping once placed in the vapor zone. The part or parts basket used for this determination must be at room temperature before being placed in the vapor zone.
 - ii. The proper dwell time for parts to remain in the freeboard area above the vapor zone is no less than 35 percent of the time determined in subparagraph (i) of this paragraph [40 CFR 63.465(d)(2)].
- b. The Permittee shall determine the percent concentration of solvent in waste in accordance with

USEPA Test Methods for Evaluation of Solid Waste,
Physical/Chemical Methods (SW-846), Test Method 8260.

7.1.8 Monitoring Requirements

- a. The Permittee complying with the equipment standards in 40 CFR 63.463 shall conduct monitoring and record the results on a weekly basis for the control devices specified below:
 - i. For a freeboard refrigeration device, the owner or operator shall use a thermometer or thermocouple to measure the temperature at the center of the air blanket during the idling mode [40 CFR 63.466(a)(1)].
 - ii. For a superheated vapor system, the owner or operator shall use a thermometer or thermocouple to measure the temperature at the center of the superheated vapor zone while the solvent cleaning machine is in the idling mode [40 CFR 63.466(a)(2)].
- b. The Permittee complying with the equipment standards in 40 CFR 63.463 shall conduct monitoring and record the results on a monthly basis for the control devices specified below:
 - i. The owner or operator shall determine the actual dwell time by measuring the period of time that parts are held within the freeboard area of the solvent cleaning machine after cleaning [40 CFR 63.466(b)(2)].
- c. The Permittee complying with the equipment standards in 40 CFR 63.463 shall monitor the hoist speed as described below:
 - i. The Permittee shall determine the hoist speed by measuring the time it takes for the hoist to travel a measured distance. The speed is equal to the distance in meters divided by the time in minutes (meters per minute) [40 CFR 63.466(c)(1)].
 - ii. The monitoring shall be conducted monthly. If after the first year, no exceedances of the hoist speed are measured, the owner or

operator may begin monitoring the hoist speed quarterly [40 CFR 63.466(c)(2)].

- iii. If an exceedance of the hoist speed occurs during quarterly monitoring, the monitoring frequency returns to monthly until another year of compliance without an exceedance is demonstrated [40 CFR 63.466(c)(3)].
 - iv. If an owner or operator can demonstrate to the Illinois EPA's satisfaction in the initial compliance report that the hoist cannot exceed a speed of 3.4 meters per minute (11 feet per minute), the required monitoring frequency is quarterly, including during the first year of compliance [40 CFR 63.466(c)(4)].
- d. The Permittee complying with the equipment standards in 40 CFR 63.463 shall conduct monitoring and record the results as specified below:
- i. If the reduced room draft is maintained by controlling room parameters (i.e., redirecting fans, closing doors and windows, etc.), the owner or operator shall conduct an initial monitoring test of the windspeed and of room parameters, quarterly monitoring of windspeed, and weekly monitoring of room parameters as specified below [40 CFR 63.466(d)(1)]:
 - A. Measure the windspeed within 6 inches above the top of the freeboard area of the solvent cleaning machine using the procedure specified below:
 - 1. Determine the direction of the wind current by slowly rotating a velometer or similar device until the maximum speed is located.
 - 2. Orient a velometer in the direction of the wind current at each of the four corners of the machine.
 - 3. Record the reading for each corner.
 - 4. Average the values obtained at each corner and record the average wind speed.

- B. Monitor on a weekly basis the room parameters established during the initial compliance test that are used to achieve the reduced room draft.
- ii. If an enclosure (full or partial) is used to achieve a reduced room draft, the Permittee shall conduct an initial monitoring test and, thereafter, monthly monitoring tests of the windspeed within the enclosure using the procedure specified below and a monthly visual inspection of the enclosure to determine if it is free of cracks, holes and other defects [40 CFR 63.466(d)(2)].
 - A. Determine the direction of the wind current in the enclosure by slowly rotating a velometer inside the entrance to the enclosure until the maximum speed is located.
 - B. Record the maximum wind speed.

7.1.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for each affected solvent cleaning machine to demonstrate compliance with Conditions 5.5.1, 7.1.5, 7.1.6, 7.1.7, and 7.1.8, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee complying with the provisions of 40 CFR 63.463 shall maintain records in written or electronic form as specified below for the lifetime of the each solvent cleaning machine:
 - i. Owner's manuals, or if not available, written maintenance and operating procedures, for the solvent cleaning machine and control equipment [40 CFR 63.467(a)(1)].
 - ii. The date of installation for the solvent cleaning machine and all of its control devices. If the exact date for installation is not known, a letter certifying that the cleaning machine and its control devices were installed prior to, or on, November 29, 1993,

or after November 29, 1993, may be substituted [40 CFR 63.467(a)(2)].

- iii. Records of the tests required in 40 CFR 63.465(d) to determine an appropriate dwell time for each part or parts basket [40 CFR 63.467(a)(3)].
 - iv. Records of the halogenated HAP solvent content for each solvent used in a solvent cleaning machine [40 CFR 63.467(a)(4)].
- b. The Permittee shall maintain records as specified below either in electronic or written form for a period of 5 years:
- i. The results of control device monitoring required under Condition 7.1.8 (see also 40 CFR 63.466) [40 CFR 63.467(b)(1)]. This information shall also include the following:
 - A. Record of weekly freeboard air temperature measurements;
 - B. Record of weekly superheated vapor temperature measurements;
 - C. For reduced room draft, record of weekly room condition inspections and quarterly wind speed measurements if room parameters are monitored, or record of monthly wind speed measurements and monthly inspections of enclosures if a full or partial enclosure is used;
 - D. Record of monthly dwell time measurements; and
 - E. Record of freeboard ratio and any modification of freeboard ratio.
 - ii. Information on the actions taken to comply with Condition 7.1.5(d) (see also 40 CFR 63.463(e)). This information shall include records of written or verbal orders for replacement parts, a description of the repairs made, and additional monitoring conducted to demonstrate that monitored

parameters have returned to accepted levels
[40 CFR 63.467(b)(2)].

- iii. Estimates of annual solvent consumption for each solvent cleaning machine [40 CFR 63.467(b)(3)].
- c. The Permittee shall maintain the following records upon issuance of this permit:
- i. Monthly and annual solvent usage (gallons);
 - ii. Type and density (lb/gallon) of solvent used; and
 - iii. Amount of solvent reclaimed for reuse or sent offsite for disposal (gallons), including percent concentration of solvent in waste.

7.1.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of an affected solvent cleaning machine with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. The Permittee complying with the provisions of 40 CFR 63.463 shall submit an annual report by February 1 of the year following the one for which the reporting is being made. This report shall include the requirements specified below:
 - i. A signed statement from the facility owner or his designee stating that, "All operators of solvent cleaning machines have received training on the proper operation of solvent cleaning machines and their control devices sufficient to pass the test required in 40 CFR 63.463(d)(10)" [40 CFR 63.468(f)(1)].
 - ii. An estimate of solvent consumption for each solvent cleaning machine during the reporting period [40 CFR 63.468(f)(2)].
- b. If any of the requirements of Condition 7.1.5(d)(ii) (see also 40 CFR 63.463(e)(2)) are not met, the Permittee shall determine whether an exceedance has

occurred using the following criteria [40 CFR 63.463(e)(3)]:

- i. An exceedance has occurred if the requirements of Condition 7.1.5(d)(ii)(B)(ii), 7.1.5(d)(ii)(C), 7.1.5(d)(ii)(D)(ii), or 7.1.5(d)(ii)(D)(iii) (see also 40 CFR 63.463(e)(2)(ii)(B), (e)(2)(v), or (e)(2)(vi)(B), or (e)(2)(vi)(C)) have not been met.
 - ii. An exceedance has occurred if the requirements of Condition 7.1.5(d)(ii)(A) or 7.1.5(d)(ii)(D)(i) (see also 40 CFR 63.463(e)(2)(i) or (e)(2)(vi)(A)) have not been met and are not corrected within 15 days of detection. Adjustments or repairs shall be made to the solvent cleaning system or control device to reestablish required levels. The parameter must be remeasured immediately upon adjustment or repair and demonstrated to be within required limits.
 - iii. The Permittee shall report all exceedances and all corrections and adjustments made to avoid an exceedance as specified in Condition 7.1.10(c) (see also 40 CFR 63.468(h)) [40 CFR 63.463(e)(4)].
- c. The Permittee shall submit an exceedance report to the Illinois EPA semiannually, except when the Illinois EPA determines on a case-by-case basis that more frequent reporting is necessary to accurately assess the compliance status of the source or an exceedance occurs. Once an exceedance has occurred the Permittee shall follow a quarterly reporting format until a request to reduce reporting frequency under 40 CFR 63.468(i) is approved. Exceedance reports shall be delivered or postmarked by the 30th day following the end of each calendar half or quarter, as appropriate. The exceedance report shall include the following:
- i. Information on the actions taken to comply with Condition 7.1.5(d) (see also 40 CFR 63.463(e)). This information shall include records of written or verbal orders for replacement parts, a description of the repairs made, and additional monitoring

conducted to demonstrate that monitored parameters have returned to accepted levels [40 CFR 63.468(h)(1)].

- ii. If an exceedance has occurred, the reason for the exceedance and a description of the actions taken [40 CFR 63.468(h)(2)].
- iii. If no exceedances of a parameter have occurred, or a piece of equipment has not been inoperative, out of control, repaired, or adjusted, such information shall be stated in the report [40 CFR 63.468(h)(3)].

7.1.11 Operational Flexibility/Anticipated Operating Scenarios

The Permittee is authorized to make the following physical or operational change with respect to an affected solvent cleaning machine without prior notification to the Illinois EPA or revision of this permit. This condition does not affect the Permittee's obligation to properly obtain a construction permit in a timely manner for any activity constituting construction or modification of the source, as defined in 35 IAC 201.102:

Changes in solvents to materials that contain less VOM than trichloroethylene, as long as such changes do not cause a violation of the limitations in Section 7.1.6 and Section 5.5.1.

7.1.12 Compliance Procedures

- a. Compliance with the operating and control requirements in Condition 7.1.5 shall be determined by the testing, monitoring, and recordkeeping required by Conditions 7.1.7, 7.1.8, and 7.1.9.
- b. For determination of compliance with the operating and emission limits of this permit, solvent usage shall be determined by the following equation:

$$U = V - (W \times P)$$

Where:

U = Solvent usage for compliance determinations (gallons)

- V = Virgin (unused) solvent added to the degreasers (gallons), as determined by daily addition log sheets
- W = Waste (used) solvent removed from the degreasers and sent off-site for reclamation or disposal, as determined by monthly manifests
- P = Percent concentration of solvent in waste, as determined by analysis or testing in accordance with USEPA Test Methods for Evaluation of Solid Waste, Physical/Chemical Methods (SW-846), Test Method 8260
- c. Compliance with the VOM emission limits shall be calculated using the solvent density as specified in the Material Safety Data Sheet, and the solvent usage (U) per month, as follows:

$$\text{Emissions (lb)} = \frac{\text{Solvent Usage (U, gallons)} \times \text{Solvent Density (lb/gallon)}}{\text{Solvent Density (lb/gallon)}}$$

7.2 Furnace

7.2.1 Description

This source operates a furnace to provide space heating. The furnace combusts natural gas and has a design heat input capacity of 4.32 mmBtu/hr.

7.2.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
Make-up Air Furnace	Natural Gas Space Heating (4.32 mmBtu/hr)	None

7.2.3 Applicability Provisions and Applicable Regulations

- a. The "affected furnace" for the purpose of these unit-specific conditions, is a fuel combustion emission unit that is described in Conditions 7.2.1 and 7.2.2.
- b. The affected furnace is subject to the opacity limits identified in Condition 5.2.2(b).

7.2.4 Non-Applicability of Regulations of Concern

- a. This permit is issued based on the affected furnace not being subject to the New Source Performance Standard for Small-Industrial-Commercial-Institutional Steam Generating Units, 40 CFR 60, Subpart Dc. This regulation applies to units constructed, modified, or reconstructed after June 9, 1989. The affected furnace was constructed prior to 1989 and has a maximum design heat input capacity of less than 2.9 MW (10 mmBtu/hr), therefore, this regulation does not apply to the affected furnace.
- b. This permit is issued based on the affected furnace not being subject to 35 IAC 216.121, Emissions of Carbon Monoxide from Fuel Combustion Emission Units, because the actual heat input of the unit is less than 2.9 MW (10 mmBtu/hr).
- c. This permit is issued based on the affected furnace not being subject to 35 IAC 217.141, Emissions of Nitrogen Oxides from Existing Fuel Combustion Emission Sources in Major Metropolitan Areas, because the actual heat input of the unit is less than 73.2 MW (250 mmBtu/hr).

- d. This permit is issued based on the affected furnace not being subject to 35 IAC 218.301, Use of Organic Material, pursuant to 35 IAC 218.303.
- e. This permit is issued based on the affected furnace not being subject to 40 CFR Part 64, Compliance Assurance Monitoring (CAM) for Major Stationary Sources, because the affected furnace does not use an add-on control device to achieve compliance with an emission limitation or standard.

7.2.5 Operational And Production Limits And Work Practices

None

7.2.6 Emission Limitations

There are no specific emission limitations for this unit, however, there are source wide emission limitations in Condition 5.5 that include this unit.

7.2.7 Testing Requirements

None

7.2.8 Monitoring Requirements

None

7.2.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected furnace to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

- a. Total natural gas usage for the affected furnace (ft³/month and ft³/year); and
- b. Annual aggregate NO_x, PM, SO₂, and VOM emissions from each affected furnace, based on fuel consumption and the applicable emission factors, with supporting calculations.

7.2.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the affected furnace with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. Notification within 60 days of operation of an affected furnace that may not have been compliance with the opacity limitations in Condition 5.2.2(b), with a copy of such record for each incident.
- b. Emissions of NO_x, PM, SO₂, and VOM in excess of the limits specified in Condition 5.5.1 based on the current annual records, within 30 days of such an occurrence.

7.2.11 Operational Flexibility/Anticipated Operating Scenarios

N/A

7.2.12 Compliance Procedures

- a. Compliance with the opacity limit in Condition 5.2.2(b) is demonstrated under inherent operating conditions of the affected furnace combusting natural gas, so that no compliance procedures are set in this permit addressing this requirement.
- b. Compliance with the emission limits in Condition 5.5.1 shall be based on the recordkeeping requirements in Condition 7.2.9 and the emission factors and formulas listed below:

<u>Pollutant</u>	<u>Emission Factor</u> (lb/10 ⁶ ft ³)
PM	7.6
SO ₂	0.6
VOM	5.5
NO _x	100.0

These are the emission factors for uncontrolled natural gas combustion in small boilers (<100 mmBtu/hr), Tables 1.4-1 and 1.4-2, AP-42, Volume I, Supplement D, March 1998.

FINAL DRAFT/PROPOSED CAAPP PERMIT
Barron Industries
I.D. No.: 201030AZW
Application No.: 97100061
June 13, 2001

Boiler Emissions (lb) = Natural Gas Consumed (ft³)
Multiplied by the Appropriate Emission Factor.

8.0 GENERAL PERMIT CONDITIONS

8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after _____ **{insert public notice start date}** (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

8.3 Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement [Section 39.5(7)(o)(vii) of the Act].

As of the date of issuance of this permit, there are no such economic incentive, marketable permit or emission trading programs that have been approved by USEPA.

8.4 Operational Flexibility/Anticipated Operating Scenarios

8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes that contravene express permit terms without applying for or obtaining an amendment to this permit, provided that [Section 39.5(12)(a)(i) of the Act]:

- a. The changes do not violate applicable requirements;
- b. The changes do not contravene federally enforceable permit terms or conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements;
- c. The changes do not constitute a modification under Title I of the CAA;
- d. Emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change; and
- e. The Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change. This notice shall:
 - i. Describe the physical or operational change;
 - ii. Identify the schedule for implementing the physical or operational change;
 - iii. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
 - iv. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
 - v. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

8.6 Reporting Requirements

8.6.1 Monitoring Reports

If monitoring is required by any applicable requirements or conditions of this permit, a report summarizing the required monitoring results, as specified in the conditions of this permit, shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);
- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;
- c. The specific conditions under which testing will be performed, including a discussion of why these

conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;

- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;
- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;
- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;
- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:
- i. Illinois EPA - Air Compliance Section

Illinois Environmental Protection Agency
Bureau of Air
Compliance Section (MC 40)
P.O. Box 19276
Springfield, Illinois 62794-9276
 - ii. Illinois EPA - Air Regional Field Office

Illinois Environmental Protection Agency
Division of Air Pollution Control
5415 North University
Peoria, Illinois 61614
 - iii. Illinois EPA - Air Permit Section

Illinois Environmental Protection Agency
Division of Air Pollution Control
Permit Section (MC 11)
P.O. Box 19506
Springfield, Illinois 62794-9506
 - iv. USEPA Region 5 - Air Branch

USEPA (AR - 17J)
Air & Radiation Division
77 West Jackson Boulevard
Chicago, Illinois 60604
- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to the Illinois EPA - Air Compliance Section with a copy sent to the Illinois EPA - Air Regional Field Office.

8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title

FINAL DRAFT/PROPOSED CAAPP PERMIT
Barron Industries
I.D. No.: 201030AZW
Application No.: 97100061
June 13, 2001

I provisions until the Illinois EPA deletes or revises them in
accordance with Title I procedures.

9.0 STANDARD PERMIT CONDITIONS

9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

9.2 General Obligations of Permittee

9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(a) and (p)(ii) of the Act and 415 ILCS 5/4]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d. Sample or monitor any substances or parameters at any location:
 - i. At reasonable times, for the purposes of assuring permit compliance; or
 - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants authorized by this permit; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

9.4 Obligation to Comply with Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

9.5 Liability

9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or

resulting from the construction, maintenance, or operation of the sources.

9.5.3 Structural Stability

This permit does not take into consideration or attest to the structural stability of any unit or part of the source.

9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

9.6 Recordkeeping

9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for

continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].

- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a particular permit provision.

9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit annual compliance certifications. The compliance certifications shall be submitted no later than May 1 or more frequently as specified in the applicable requirements or by permit condition. The compliance certifications shall be submitted to the Air Compliance Section, Air Regional Field Office, and USEPA Region 5 - Air Branch. The addresses for the submittal of the compliance certifications are provided in Condition 8.6.4 of this permit.

- a. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.
- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

9.10 Defense to Enforcement Actions

9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
 - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;
 - ii. The permitted source was at the time being properly operated;
 - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
 - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

9.12 Reopening and Reissuing Permit for Cause

9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(1), (n), and (o) of the Act].

10.0 ATTACHMENTS

10.1 Attachment 1 Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: _____

Name: _____

Official Title: _____

Telephone No.: _____

Date Signed: _____

10.2 Attachment 2 Guidance on Revising This Permit

The Permittee must submit an application to the Illinois EPA using the appropriate revision classification in accordance with Sections 39.5(13) and (14) of the Act and 35 IAC 270.302. Specifically, there are currently three classifications for revisions to a CAAPP permit. These are:

1. Administrative Permit Amendment;
2. Minor Permit Modification; and
3. Significant Permit Modification.

The Permittee must determine, request, and submit the necessary information to allow the Illinois EPA to use the appropriate procedure to revise the CAAPP permit. A brief explanation of each of these classifications follows.

1. Administrative Permit Amendment
 - Corrects typographical errors;
 - Identifies a change in the name, address, or phone number of any person identified in the permit, or provides a similar minor administrative change at the source;
 - Requires more frequent monitoring or reporting by the Permittee;
 - Allows for a change in ownership or operational control of the source where no other change in the permit is necessary, provided that a written agreement containing a specific date for transfer of permit responsibility, coverage, and liability between the current and new Permittees has been submitted to the Illinois EPA;
 - Incorporates into the CAAPP permit a construction permit, provided the conditions of the construction permit meet the requirements for the issuance of CAAPP permits; or
 - Incorporates into the CAAPP permit revised limitations or other requirements resulting from the application of an approved economic incentives rule, marketable permits rule, or generic emissions trading rule.

2. Minor Permit Modification

- Do not violate any applicable requirement;
- Do not involve significant changes to existing monitoring, reporting, or recordkeeping requirements in the permit;
- Do not require a case-by-case determination of an emission limitation or other standard, or a source-specific determination of ambient impacts, or a visibility or increment analysis;
- Do not seek to establish or change a permit term or condition for which there is no corresponding underlying requirement and which avoids an applicable requirement to which the source would otherwise be subject. Such terms and conditions include:
 - A federally enforceable emissions cap assumed to avoid classification as a modification under any provision of Title I of the CAA; and
 - An alternative emissions limit approved pursuant to regulations promulgated under Section 112(i)(5) of the CAA.
- Are not modifications under any provision of Title I of the CAA; and
- Are not required to be processed as a significant permit modification.

An application for a minor permit modification shall include the following:

- A description of the change, the emissions resulting from the change, and any new applicable requirements that will apply if the change occurs;
- The source's suggested draft permit/conditions;
- Certification by a responsible official that the proposed modification meets the criteria for use of minor permit modification procedures and a request that such procedures be used; and

- Information as contained on form 271-CAAPP for the Illinois EPA to use to notify USEPA and affected States.

3. Significant Permit Modification

- Applications that do not qualify as either minor permit modifications or as administrative permit amendments;
- Applications requesting a significant change in existing monitoring permit terms or conditions;
- Applications requesting a relaxation of reporting or recordkeeping requirements; and
- Cases in which, in the judgment of the Illinois EPA, action on an application for modification would require decisions to be made on technically complex issues.

An application for a significant permit modification shall include the following:

- A detailed description of the proposed change(s), including all physical changes to equipment, changes in the method of operation, changes in emissions of each pollutant, and any new applicable requirements which will apply as a result of the proposed change. Note that the Permittee need only submit revised forms for equipment and operations that will be modified.

The Illinois EPA requires the information on the following appropriate forms to be submitted in accordance with the proper classification:

- Form 273-CAAPP, REQUEST FOR ADMINISTRATIVE PERMIT AMENDMENT FOR CAAPP PERMIT; or
- Form 271-CAAPP, MINOR PERMIT MODIFICATION FOR CAAPP PERMIT; or
- Form 200-CAAPP, APPLICATION FOR CAAPP PERMIT (for significant modification).

Application forms can be obtained from the Illinois EPA website at <http://www.epa.state.il.us/air/forms>.

FINAL DRAFT/PROPOSED CAAPP PERMIT
Barron Industries
I.D. No.: 201030AZW
Application No.: 97100061
June 13, 2001

Note that the request to revise the permit must be certified for truth, accuracy, and completeness by a responsible official.

Note that failure to submit the required information may require the Illinois EPA to deny the application. The Illinois EPA reserves the right to require that additional information be submitted as needed to evaluate or take final action on applications pursuant to Section 39.5(5)(g) of the Act and 35 IAC 270.305.



Illinois Environmental Protection Agency
Division Of Air Pollution Control -- Permit Section
P.O. Box 19506
Springfield, Illinois 62794-9506

Application For Construction Permit (For CAAPP Sources Only)	For Illinois EPA use only
	ID number:
	Permit number:
Date received:	

This form is to be used by CAAPP sources to supply information necessary to obtain a construction permit. Please attach other necessary information and completed CAAPP forms regarding this construction/modification project.

Source Information		
1. Source name:		
2. Source street address:		
3. City:	4. Zip code:	
5. Is the source located within city limits? <input type="checkbox"/> Yes <input type="checkbox"/> No		
6. Township name:	7. County:	8. ID number:

Owner Information		
9. Name:		
10. Address:		
11. City:	12. State:	13. Zip code:

Operator Information (if different from owner)		
14. Name		
15. Address:		
16. City:	17. State:	18. Zip code:

Applicant Information	
19. Who is the applicant? <input type="checkbox"/> Owner <input type="checkbox"/> Operator	20. All correspondence to: (check one) <input type="checkbox"/> Owner <input type="checkbox"/> Operator <input type="checkbox"/> Source
21. Attention name and/or title for written correspondence:	
22. Technical contact person for application:	23. Contact person's telephone number:

This Agency is authorized to require and you must disclose this information under 415 ILCS 5/39. Failure to do so could result in the application being denied and penalties under 415 ILCS 5 et seq. It is not necessary to use this form in providing this information. This form has been approved by the forms management center.

Summary Of Application Contents	
24. Does the application address whether the proposed project would constitute a new major source or major modification under each of the following programs: a) Non-attainment New Source Review – 35 IAC Part 203; b) Prevention of Significant Deterioration (PSD) – 40 CFR 52.21; c) Hazardous Air Pollutants: Regulations Governing Constructed or Reconstructed Major Sources – 40 CFR Part 63?	<input type="checkbox"/> Yes <input type="checkbox"/> No
25. Does the application identify and address all applicable emissions standards, including those found in the following: a) Board Emission Standards – 35 IAC Chapter I, Subtitle B; b) Federal New Source Performance Standards – 40 CFR Part 60; c) Federal Standards for Hazardous Air Pollutants – 40 CFR Parts 61 and 63?	<input type="checkbox"/> Yes <input type="checkbox"/> No
26. Does the application include a process flow diagram(s) showing all emission units and control equipment, and their relationship, for which a permit is being sought?	<input type="checkbox"/> Yes <input type="checkbox"/> No
27. Does the application include a complete process description for the emission units and control equipment for which a permit is being sought?	<input type="checkbox"/> Yes <input type="checkbox"/> No
28. Does the application include the information as contained in completed CAAPP forms for all appropriate emission units and air pollution control equipment, listing all applicable requirements and proposed exemptions from otherwise applicable requirements, and identifying and describing any outstanding legal actions by either the USEPA or the Illinois EPA? Note: The use of "APC" application forms is not appropriate for applications for CAAPP sources. CAAPP forms should be used to supply information.	<input type="checkbox"/> Yes <input type="checkbox"/> No
29. If the application contains TRADE SECRET information, has such information been properly marked and claimed, and have two separate copies of the application suitable for public inspection and notice been submitted, in accordance with applicable rules and regulations?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Applicable, No TRADE SECRET information in this application

Note 1: Answering "No" to any of the above may result in the application being deemed incomplete.

Signature Block	
This certification must be signed by a responsible official. Applications without a signed certification will be returned as incomplete.	
30. I certify under penalty of law that, based on information and belief formed after reasonable inquiry, the statements and information contained in this application are true, accurate and complete. Authorized Signature:	
_____	_____
AUTHORIZED SIGNATURE	TITLE OF SIGNATORY
_____	_____ / _____ / _____
TYPED OR PRINTED NAME OF SIGNATORY	DATE

Note 2: An operating permit for the construction/modification permitted in a construction permit must be obtained by applying for the appropriate revision to the source's CAAPP permit, if necessary.

I. INTRODUCTION

This source has applied for a Clean Air Act Permit Program (CAAPP) operating permit for its existing operation. The CAAPP is the program established in Illinois for the operating permits for significant stationary sources required by the federal Clean Air Act, as amended in 1990. The conditions in a CAAPP permit are enforceable by both the Illinois Environmental Protection Agency (Illinois EPA) and the USEPA.

Barron Industries is located at 129 Morgan Street in Rockford, Illinois. The source is a metal finishing job shop. The source performs metal finishing and associated operations, including polishing, buffing, degreasing, materials receiving, storage, and shipping.

II. EMISSION UNITS

Significant emission units at this source are as follows:

Emission Unit	Description	Date Constructed	Emission Control Equipment
Degreasing Tank	Open Top Vapor Degreasing	1990	Chiller Condenser, Dwell, 1.0 Freeboard Ratio of 1.0, and Reduced Room Draft
Detrex Degreasing Tank	Open Top Vapor Degreasing	1998	Chiller Condenser, Freeboard Ratio of 1.0, Superheated Vapor, and Freeboard Refrigeration Device
Make-up Air Furnace	Natural Gas Space Heating (4.32 mmBtu/hr)	Prior to 1980	None

III. EMISSIONS

This source is required to have a CAAPP permit since it is a major source of emissions.

For purposes of fees, the source is allowed the following emissions:

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	20.1
Sulfur Dioxide (SO ₂)	0.1
Particulate Matter (PM)	0.1
Nitrogen Oxides (NO _x)	0.2
HAP, not included in VOM or PM	---
TOTAL	20.5

IV. APPLICABLE EMISSION STANDARDS

All emission sources in Illinois must comply with the Illinois Pollution Control Board's emission standards. The Board's emission standards represent the basic requirements for sources in Illinois.

All emission sources in Illinois must comply with the federal New Source Performance Standards (NSPS). The Illinois EPA is administering NSPS in Illinois on behalf of the United States EPA under a delegation agreement.

All emission sources in Illinois must comply with the federal National Emission Standards for Hazardous Air Pollutants (NESHAP). The Illinois EPA is administering NESHAP in Illinois on behalf of the United States EPA under a delegation agreement.

V. PROPOSED PERMIT

CAAPP

A CAAPP permit contains all conditions that apply to a source and a listing of the applicable state and federal air pollution control regulations that are the origin of the conditions. The permit also contains emission limits and appropriate compliance procedures. The appropriate compliance procedures may include inspections, work practices, monitoring, record keeping, and reporting to show compliance with these requirements. The Permittee must carry out these procedures on an on-going basis.

Title I

A combined Title I/CAAPP permit contains terms and conditions established by the Illinois EPA pursuant to authority found in Title I provisions, e.g., 40 CFR 52.21 - federal Prevention of Significant Deterioration (PSD) and 35 IAC Part 203 - Major Stationary Sources Construction and Modification. Notwithstanding the expiration date on the first page of the permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

VI. REQUEST FOR COMMENTS

It is the Illinois EPA's preliminary determination that this source's permit application meets the standards for issuance of a CAAPP permit. The Illinois EPA is therefore proposing to issue a CAAPP permit, subject to the conditions proposed in the draft permit.

Comments are requested on this proposed action by the Illinois EPA and the proposed conditions on the draft permit. If substantial public interest is shown in this matter, the Illinois EPA will consider holding a public hearing in accordance with 35 Ill. Adm. Code Part 164.

JS:psj