



TABLE OF CONTENTS

	<u>PAGE</u>
1.0 SOURCE IDENTIFICATION	4
1.1 Source	
1.2 Owner/Parent Company	
1.3 Operator	
1.4 General Source Description	
2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT	5
3.0 INSIGNIFICANT ACTIVITIES	6
3.1 Identification of Insignificant Activities	
3.2 Compliance with Applicable Requirements	
3.3 Addition of Insignificant Activities	
4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE	9
5.0 OVERALL SOURCE CONDITIONS	10
5.1 Source Description	
5.2 Applicable Regulations	
5.3 Non-Applicability of Regulations of Concern	
5.4 Source-Wide Operational and Production Limits and Work Practices	
5.5 Source-Wide Emission Limitations	
5.6 General Recordkeeping Requirements	
5.7 General Reporting Requirements	
5.8 General Operational Flexibility/Anticipated Operating Scenarios	
5.9 General Compliance Procedures	
6.0 Emission Reduction Market System (ERMS)	17
6.1 Description of ERMS	
6.2 Applicability	
6.3 Recordkeeping and Reporting	
6.4 Federal Enforceability	
7.0 UNIT SPECIFIC CONDITIONS	20
7.1 Paint Manufacturing Operation	

	<u>PAGE</u>
8.0 GENERAL PERMIT CONDITIONS	35
8.1 Permit Shield	
8.2 Applicability of Title IV Requirements	
8.3 Emissions Trading Programs	
8.4 Operational Flexibility/Anticipated Operating Scenarios	
8.5 Testing Procedures	
8.6 Reporting Requirements	
8.7 Obligation to Comply with Title I Requirements	
9.0 STANDARD PERMIT CONDITIONS	41
9.1 Effect of Permit	
9.2 General Obligations of Permittee	
9.3 Obligation to Allow Illinois EPA Surveillance	
9.4 Obligation to Comply with Other Requirements	
9.5 Liability	
9.6 Recordkeeping	
9.7 Annual Emissions Report	
9.8 Requirements for Compliance Certification	
9.9 Certification	
9.10 Defense to Enforcement Actions	
9.11 Permanent Shutdown	
9.12 Reopening And Reissuing Permit For Cause	
9.13 Severability Clause	
9.14 Permit Expiration and Renewal	
10.0 ATTACHMENTS	
10.1 Attachment 1 - Emissions of Particulate Matter from New Process Emission Units	1-1
10.2 Attachment 2 - Emissions of Particulate Matter from Existing Process Emission Units	2-1
10.3 Attachment 3 - Example Certification by a Responsible Official	3-1

1.0 SOURCE IDENTIFICATION

1.1 Source

Federated Paint Manufacturing Co., Inc.  
1882 South Normal Avenue  
Chicago, Illinois 60616  
312/243-4433

I.D. No.: 031600CGS  
Standard Industrial Classification: 2851, Paint and Coating  
Manufacturing

1.2 Owner/Parent Company

Federated Paint Manufacturing Co., Inc.  
1882 South Normal Avenue  
Chicago, Illinois 60616

1.3 Operator

Federated Paint Manufacturing Co., Inc.  
1882 South Normal Avenue  
Chicago, Illinois 60616

Jose Domingo  
312/243-4433

1.4 General Source Description

The Federated Paint Manufacturing Company, Inc. operates a manufacturing plant for producing paints and varnishes.

2.0 LIST OF ABBREVIATIONS/ACRONYMS USED IN THIS PERMIT

Act	Illinois Environmental Protection Act [415 ILCS 5/1 et seq.]
AP-42	Compilation of Air Pollutant Emission Factors, Volume 1, Stationary Point and Other Sources (and Supplements A through F), USEPA, Office of Air Quality Planning and Standards, Research Triangle Park, NC 27711
Btu	British thermal unit
CAA	Clean Air Act [42 U.S.C. Section 7401 et seq.]
CAAPP	Clean Air Act Permit Program
CFR	Code of Federal Regulations
HAP	Hazardous Air Pollutant
hr	hour
IAC	Illinois Administrative Code
ILCS	Illinois Compiled Statues
I.D. No.	Identification Number of Source, assigned by Illinois EPA
Illinois EPA	Illinois Environmental Protection Agency
kW	kilowatts
lb	pound
mmBtu	Million British thermal units
NESHAP	National Emission Standards for Hazardous Air Pollutants
NO <sub>x</sub>	Nitrogen Oxides
NSPS	New Source Performance Standards
PM	Particulate Matter
PM <sub>10</sub>	Particulate matter with an aerodynamic diameter less than or equal to a nominal 10 microns as measured by applicable test or monitoring methods
ppm	parts per million
PSD	Prevention of Significant Deterioration
RMP	Risk Management Plan
SO <sub>2</sub>	Sulfur Dioxide
T1	Title I - identifies Title I conditions that have been carried over from an existing permit
T1N	Title I New - identifies Title I conditions that are being established in this permit
T1R	Title I Revised - identifies Title I conditions that have been carried over from an existing permit and subsequently revised in this permit
USEPA	United States Environmental Protection Agency
VOM	Volatile Organic Material

### 3.0 INSIGNIFICANT ACTIVITIES

#### 3.1 Identification of Insignificant Activities

The following activities at the source constitute insignificant activities as specified in 35 IAC 201.210:

- 3.1.1 Activities determined by the Illinois EPA to be insignificant activities, pursuant to 35 IAC 201.210(a)(1) and 201.211, as follows:

Solvent Cold Cleaning Tanks (CC#D, CC#A-C)  
Q.C. Spraybooth (SB#1, 2)

- 3.1.2 Activities that are insignificant activities based upon maximum emissions, pursuant to 35 IAC 201.210(a)(2) or (a)(3), as follows:

None

- 3.1.3 Activities that are insignificant activities based upon their type or character, pursuant to 35 IAC 201.210(a)(4) through (18), as follows:

Direct combustion units designed and used for comfort heating purposes and fuel combustion emission units as follows: (A) Units with a rated heat input capacity of less than 2.5 mmBtu/hr that fire only natural gas, propane, or liquefied petroleum gas; (B) Units with a rated heat input capacity of less than 1.0 mmBtu/hr that fire only oil or oil in combination with only natural gas, propane, or liquefied petroleum gas; and (C) Units with a rated heat input capacity of less than 200,000 Btu/hr which never burn refuse, or treated or chemically contaminated wood [35 IAC 201.210(a)(4)].

Storage tanks of organic liquids with a capacity of less than 10,000 gallons and an annual throughput of less than 100,000 gallons per year, provided the storage tank is not used for the storage of gasoline or any material listed as a HAP pursuant to Section 112(b) of the CAA [35 IAC 201.210(a)(10)].

- 3.1.4 Activities that are considered insignificant activities pursuant to 35 IAC 201.210(b).

### 3.2 Compliance with Applicable Requirements

Insignificant activities are subject to applicable requirements notwithstanding status as insignificant activities. In particular, in addition to regulations of general applicability, such as 35 IAC 212.301 and 212.123 (Condition 5.2.2), the Permittee shall comply with the following requirements, as applicable:

- 3.2.1 For each cold cleaning degreaser, the Permittee shall comply with the applicable equipment and operating requirements of 35 IAC 215.182, 218.182, or 219.182.
- 3.2.2 For each particulate matter process emission unit, the Permittee shall comply with the applicable particulate matter emission limit of 35 IAC 212.321 or 212.322. For example, the particulate matter emissions from a process emission unit shall not exceed 0.55 pounds per hour if the emission unit's process weight rate is 100 pounds per hour or less, pursuant to 35 IAC 266.110.
- 3.2.3 For each organic material emission unit that uses organic material, e.g., a mixer or printing line, the Permittee shall comply with the applicable VOM emission limit of 35 IAC 215.301, 218.301, or 219.301, which requires that organic material emissions not exceed 8.0 pounds per hour or do not qualify as photochemically reactive material as defined in 35 IAC 211.4690.

### 3.3 Addition of Insignificant Activities

- 3.3.1 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type that is identified in Condition 3.1, until the renewal application for this permit is submitted, pursuant to 35 IAC 201.212(a).
- 3.3.2 The Permittee must notify the Illinois EPA of any proposed addition of a new insignificant activity of a type addressed by 35 IAC 201.210(a) and 201.211 other than those identified in Condition 3.1, pursuant to Section 39.5(12)(b) of the Act.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.  
I.D. No.: 031600CGS  
Application No.: 96080064  
July 12, 2000

3.3.3 The Permittee is not required to notify the Illinois EPA of additional insignificant activities present at the source of a type identified in 35 IAC 201.210(b).

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Federated Paint Manufacturing Co., Inc.  
 I.D. No.: 031600CGS  
 Application No.: 96080064  
 July 12, 2000

4.0 SIGNIFICANT EMISSION UNITS AT THIS SOURCE

Emission Unit	Description	Date Constructed	Emission Control Equipment
01	1 Horizontal Bead Mill (EM-1)	January 30, 1995	None
02	Big Sand Mill (SM-3)	Pre-1972	None
03	5 Cowles Mixers	Pre-1972	None
04	6 Ball Mills	Pre-1972	None
05	Air Mixer	Pre-1972	None
06	17 Lightning Mixers	Pre-1972	None

5.0 OVERALL SOURCE CONDITIONS

5.1 Source Description

5.1.1 This permit is issued based on the source requiring a CAAPP permit as a major source of VOM and HAP emissions.

5.2 Applicable Regulations

5.2.1 Specific emission units at this source are subject to particular regulations as set forth in Section 7 (Unit-Specific Conditions) of this permit.

5.2.2 In addition, emission units at this source are subject to the following regulations of general applicability:

- a. No person shall cause or allow the emission of fugitive particulate matter from any process, including any material handling or storage activity, that is visible by an observer looking generally overhead at a point beyond the property line of the source unless the wind speed is greater than 40.2 kilometers per hour (25 miles per hour), pursuant to 35 IAC 212.301 and 212.314.

Compliance with this requirement is considered to be assured by the inherent nature of operations at this source, as demonstrated by historical operation.

- b.
  - i. This source shall be operated under the provisions of an operating program prepared by the Permittee and submitted to the Illinois EPA for its review. Such operating program shall be designed to significantly reduce fugitive particulate matter emissions [35 IAC 212.309(a)].
  - ii. The operating program shall be amended from time to time by the Permittee so that the operating program is current. Such amendments shall be consistent with the requirements set forth by this Condition and shall be submitted to the Illinois EPA [35 IAC 212.312].
  - iii. All normal traffic pattern roads and parking facilities located at this source shall be

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS  
Application No.: 96080064

July 12, 2000

paved or treated with water, oils, or chemical dust suppressants. All paved areas shall be cleaned on a regular basis. All areas treated with water, oils, or chemical dust suppressants shall have the treatment applied on a regular basis, as needed, in accordance with the operating program [35 IAC 212.306].

- c. No person shall cause or allow the emission of smoke or other particulate matter, with an opacity greater than 30 percent, into the atmosphere from any emission unit other than those emission units subject to the requirements of 35 IAC 212.122, pursuant to 35 IAC 212.123(a), except as allowed by 35 IAC 212.123(b) and 212.124.

5.2.3 The Permittee shall comply with the standards for recycling and emissions reduction of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices pursuant to 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment pursuant to 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

5.2.4 Should this stationary source, as defined in 40 CFR Section 68.3, become subject to the Accidental Release Prevention regulations in 40 CFR Part 68, then the owner or operator shall submit [40 CFR 68.215(a)(2)(i) and (ii)]:

- a. A compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR 68.10(a); or

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS  
Application No.: 96080064

July 12, 2000

- b. A certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of the Risk Management Plan (RMP), as part of the annual compliance certification required by 40 CFR Part 70 or 71.
- 5.2.5
- a. Should this stationary source become subject to a regulation under 40 CFR Parts 60, 61, or 63, or 35 IAC after the date issued of this permit, then the owner or operator shall, in accordance with the applicable regulation(s), comply with the applicable requirements by the date(s) specified and shall certify compliance with the applicable requirements of such regulation(s) as part of the annual compliance certification, as required by 40 CFR Part 70 or 71.
  - b. No later than upon the submittal for renewal of this permit, the owner or operator shall submit, as part of an application, the necessary information to address either the non-applicability of, or demonstrate compliance with all applicable requirements of any potentially applicable regulation which was promulgated after the date issued of this permit.
- 5.2.6 Episode Action Plan
- a. If the source is required to have an episode action plan pursuant to 35 IAC 244.142, the Permittee shall maintain at the source and have on file with the Illinois EPA a written episode action plan (plan) for reducing the levels of emissions during yellow alerts, red alerts, and emergencies, consistent with safe operating procedures. The plan shall contain the information specified in 35 IAC 244.144.
  - b. The Permittee shall immediately implement the appropriate steps described in this plan should an air pollution alert or emergency be declared.
  - c. If a change occurs at the source which requires a revision of the plan (e.g., operational change, change in the source contact person), a copy of the revised plan shall be submitted to the Illinois EPA for review within 30 days of the change. Such plans shall be further revised if disapproved by the Illinois EPA.

- d. For sources required to have a plan pursuant to 35 IAC 244.142, a copy of the original plan and any subsequent revisions shall be sent to:
  - i. Illinois EPA, Compliance Section; and
  - ii. For sources located in Cook County and outside of the city of Chicago: Cook County Department of Environmental Control; or
  - iii. For sources located within the city of Chicago: Chicago Department of Environmental Control.

5.3 Non-Applicability of Regulations of Concern

None

5.4 Source-Wide Operational and Production Limits and Work Practices

In addition to the source-wide requirements in the Standard Permit Conditions in Section 9, the Permittee shall fulfill the following source-wide operational and production limitations and/or work practice requirements:

None

5.5 Source-Wide Emission Limitations

5.5.1 Permitted Emissions for Fees

The annual emissions from the source, not considering insignificant activities as addressed by Section 3.0 of this permit, shall not exceed the following limitations. The overall source emissions shall be determined by adding emissions from all emission units. Compliance with these limits shall be determined on a calendar year basis. These limitations (Condition 5.5.1) are set for the purpose of establishing fees and are not federally enforceable.

Permitted Emissions of Regulated Pollutants

Pollutant	Tons/Year
Volatile Organic Material (VOM)	40.0
Sulfur Dioxide (SO <sub>2</sub> )	---
Particulate Matter (PM)	---
Nitrogen Oxides (NO <sub>x</sub> )	---
HAP, not included in VOM or PM	---
TOTAL	40.0

5.5.2 Emissions of Hazardous Air Pollutants

Source-wide emission limitations for HAPs as listed in Section 112(b) of the CAA are not set. This source is considered to be a major source of HAPs.

5.5.3 Other Source-Wide Emission Limitations

Other source-wide emission limitations are not set for this source pursuant to either the federal rules for Prevention of Significant Deterioration (PSD), 40 CFR 52.21, Illinois EPA rules for Major Stationary Sources Construction and Modification, 35 IAC Part 203, or Section 502(b)(10) of the CAA. However, there may be unit specific emission limitations set forth in Section 7 of this permit pursuant to these rules.

5.6 General Recordkeeping Requirements

5.6.1 Emission Records

The Permittee shall maintain records of the following items for the source to demonstrate compliance with Condition 5.5.1, pursuant to Section 39.5(7)(b) of the Act:

Total annual emissions on a calendar year basis for the emission units covered by Section 7 (Unit Specific Conditions) of this permit.

5.6.2 Records for Operating Scenarios

N/A

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS

Application No.: 96080064

July 12, 2000

5.6.3 Retention and Availability of Records

- a. All records and logs required by this permit shall be retained for at least five years from the date of entry (unless a longer retention period is specified by the particular recordkeeping provision herein), shall be kept at a location at the source that is readily accessible to the Illinois EPA or USEPA, and shall be made available for inspection and copying by the Illinois EPA or USEPA upon request.
- b. The Permittee shall retrieve and print, on paper during normal source office hours, any records retained in an electronic format (e.g., computer) in response to an Illinois EPA or USEPA request for records during the course of a source inspection.

5.7 General Reporting Requirements

5.7.1 General Source-Wide Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section, of deviations of the source with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken.

5.7.2 Annual Emissions Report

The annual emissions report required pursuant to Condition 9.7 shall contain emissions information for the previous calendar year.

5.8 General Operational Flexibility/Anticipated Operating Scenarios

N/A

5.9 General Compliance Procedures

5.9.1 General Procedures for Calculating Emissions

Compliance with the source-wide emission limits specified in Condition 5.5 shall be based on the recordkeeping and reporting requirements of Conditions 5.6 and 5.7, and

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.  
I.D. No.: 031600CGS  
Application No.: 96080064  
July 12, 2000

Compliance Procedures in Section 7 (Unit Specific  
Conditions) of this permit.

## 6.0 EMISSIONS REDUCTION MARKET SYSTEM (ERMS)

### 6.1 Description of ERMS

The ERMS is a "cap and trade" market system for major stationary sources located in the Chicago ozone nonattainment area. It is designed to reduce VOM emissions from stationary sources to contribute to reasonable further progress toward attainment, as required by Section 182(c) of the CAA.

The ERMS addresses VOM emissions during a seasonal allotment period from May 1 through September 30. Participating sources must hold "allotment trading units" (ATUs) for their actual seasonal VOM emissions. Each year participating sources are issued ATUs based on allotments set in the sources' CAAPP permits. These allotments are established from historical VOM emissions or "baseline emissions" lowered to provide the emissions reductions from stationary sources required for reasonable further progress.

By December 31 of each year, the end of the reconciliation period following the seasonal allotment period, each source should have sufficient ATUs in its transaction account to cover its actual VOM emissions during the preceding season. A transaction account's balance as of December 31 will include any valid ATU transfer agreements entered into as of December 31 of the given year, provided such agreements are promptly submitted to the Illinois EPA for entry into the transaction account database. The Illinois EPA will then retire ATUs in sources' transaction accounts in amounts equivalent to their seasonal emissions. When a source does not appear to have sufficient ATUs in its transaction account, the Illinois EPA will issue a notice to the source to begin the process for Emissions Excursion Compensation.

In addition to receiving ATUs pursuant to their allotments, participating sources may also obtain ATUs from the market, including ATUs bought from other participating sources and general participants in the ERMS that hold ATUs (35 IAC 205.630) and ATUs issued by the Illinois EPA as a consequence of VOM emissions reductions from an Emissions Reduction Generator or an Intersector Transaction (35 IAC 205.500 and 35 IAC 205.510). During the reconciliation period, sources may also buy ATUs from a secondary reserve of ATUs managed by the Illinois EPA, the "Alternative Compliance Market Account" (ACMA) (35 IAC 205.710). Sources may also transfer or sell the ATUs that they hold to other sources or participants (35 IAC 205.630).

## 6.2 Applicability

Emissions of VOM from the source during the seasonal allotment period from May 1 through September 30 of each year shall not exceed 15 tons, not including VOM emissions from insignificant emission units and activities as identified in Section 3 of this permit. This limitation is established at the request of the source to exempt it from the requirements of 35 IAC Part 205, Emissions Reduction Market System (ERMS), pursuant to 35 IAC 205.205.

## 6.3 Recordkeeping and Reporting

- a. The Permittee shall maintain the following records to determine compliance with the above limitation:
  - i. Records of operating data and other information for each individual emission unit or group of related emission units at the source, as specified in Sections 5 and 7 of this permit, as appropriate, to determine actual VOM emissions during the seasonal allotment period;
  - ii. Records of the VOM emissions, in tons, during the seasonal allotment period, with supporting calculations, for each individual emission unit or group of related emission units at the source, determined in accordance with the procedures specified in Sections 5 and 7 of this permit; and
  - iii. Total VOM emissions from the source, in tons, during each seasonal allotment period.
- b. The Permittee shall submit the seasonal emissions component of the Annual Emissions Report by October 31 of each year, reporting actual emissions of VOM during the seasonal allotment period, in accordance with 35 IAC 205.205(b) and 35 IAC 205.300.
- c. In the event that the source's VOM emissions during the seasonal allotment period exceed 15 tons, the source shall no longer be exempt from the ERMS and beginning with the following seasonal allotment period, shall comply with 35 IAC Part 205, by holding allotment trading units (ATUs) for its VOM emissions during each seasonal allotment period.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.  
I.D. No.: 031600CGS  
Application No.: 96080064  
July 12, 2000

#### 6.4 Federal Enforceability

Section 6.0 becomes federally enforceable upon approval of the ERMS by USEPA as part of Illinois' State Implementation Plan.

7.0 UNIT SPECIFIC CONDITIONS

7.1 Paint Manufacturing

7.1.1 Description

Federated Paint Manufacturing Company produces water based and solvent based paints and varnishes. The major steps in production of paints are: mixing and grinding of raw material, tinting and thinning, and filling operations. For high gloss paints, the pigments, and a portion of the binder and vehicle are mixed into a paste. The paste is fed to a grinder, which disperses the pigments. Other paints are mixed and dispersed in a high-speed disperser. Next, the paint is transferred to tinting and thinning tanks by means of portable transfer tanks, gravity feed, or pumping. Here, the remaining binder and liquid, as well as various additives and tinting colors, are incorporated.

The pigments and extending agents are purchased in proper particle size, and the pigment, surfactant, and binder are dispersed into the vehicle with a high speed disperser. After thinning and tinting, the paint is analyzed and the composition adjusted as necessary to obtain the correct formulation for the type of paint being produced. The finished product is then transferred to filling operation where it is filtered, packaged, and labeled.

7.1.2 List of Emission Units and Air Pollution Control Equipment

Emission Unit	Description	Emission Control Equipment
01	1 Horizontal Bead Mill (EM-1)	None
02	Big Sand Mill(SM-3)	None
03	5 Cowles Mixers	None
04	6 Ball Mills	None
05	Air Mixer	None
06	17 Lightning Mixers	None

7.1.3 Applicability Provisions and Applicable Regulations

- a. The "affected paint manufacturing equipment" for the purpose of these unit specific conditions, is the

process emission units described in Conditions 7.1.1 and 7.1.2

- b. The affected paint manufacturing equipment is subject to the emission limits identified in Condition 5.2.2.
- c. The affected paint manufacturing equipment is subject to 35 IAC 218 Subpart AA - Paint and Ink Manufacturing. This subpart has the following requirements:

- i. Open-Top Mills, Tanks, Vats or Vessels

No person shall operate an open-top mill, tank, vat or vessel with a volume of more than 45 l (12 gal) for the production of paint or ink unless [35 IAC 218.624]:

- A. The mill, tank, vat or vessel is equipped with a cover which completely covers the mill, tank, vat or vessel opening except for an opening no larger than necessary to allow for safe clearance for a mixer shaft. Such cover shall extend at least 1.27 cm (0.5 in) beyond the outer rim of the opening or be attached to the rim [35 IAC 218.624(a)].
- B. The cover remains closed except when production, sampling, maintenance or inspection procedures require access [35 IAC 218.624(b)].
- C. The cover is maintained in good condition such that, when in place, it maintains contact with the rim of the opening for at least 90 percent of the circumference of the rim [35 IAC 218.624(c)].

- ii. Grinding Mills

- A. No person shall operate a grinding mill for the production of paint or ink which is not maintained in accordance with the manufacturer's specifications [35 IAC 218.625(a)].

- B. No person shall operate a grinding mill fabricated or modified after the effective date of this Subpart which is not equipped with fully enclosed screens [35 IAC 218.625(b)].
- C. The manufacturer's specifications shall be kept on file at the plant by the owner or operator of the grinding mill and be made available to any person upon verbal or written request during business hours [35 IAC 218.625(c)].

iii. Storage Tanks

- A. The owner or operator shall equip tanks storing VOL with a vapor pressure greater than 10 kPa (1.5 psi) at 20°C (68°F) with pressure/vacuum conservation vents set as a minimum at  $\pm$  0.2 kPa (0.029 psi). These controls shall be operated at all times. An alternative air pollution control system may be used if it results in a greater emission reduction than these controls. Any alternative control system can be allowed only if approved by the Illinois EPA and approved by the USEPA as a SIP revision [35 IAC 218.626(a)].
- B. Stationary VOL storage containers with a capacity greater than 946 l (250 gal) shall be equipped with a submerged-fill pipe or bottom fill. These controls shall be operated at all times. An alternative control system can be allowed only if approved by the Illinois EPA and approved by the USEPA as a SIP revision [35 IAC 218.626(b)].

iv. Leaks

The owner or operator of a paint or ink manufacturing source shall, for the purpose of detecting leaks, conduct and equipment

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.  
I.D. No.: 031600CGS  
Application No.: 96080064  
July 12, 2000

monitoring program as set forth below [35 IAC 218.628]:

- A. Each pump shall be checked by visual inspection each calendar week for indications of leaks, that is, liquids dripping from the pump seal. If there are indications of liquids dripping from the pump seal, the pump shall be repaired as soon as practicable, but no later than 15 calendar days after the leak is detected [35 IAC 218.628(a)].
- B. Any pump, valve, pressure relief valve, sampling connection, open-ended valve and flange or connector containing a fluid which is at least 10 percent VOM by weight which appears to be leaking on the basis of sight, smell or sound shall be repaired as soon as practicable, but no later than 15 calendar days after the leak is detected [35 IAC 218.628(b)].
- C. A weather proof, readily visible tag, in bright colors such as red or yellow, bearing an identification number and the date on which the leak was detected shall be attached to leaking equipment. The tag may be removed upon repair, that is, when the equipment is adjusted or otherwise altered to allow operation without leaking [35 IAC 218.628(c)].
- D. When a leak is detected, the owner or operator shall record the date of detection and repair and the record shall be retained at the source for at least two years from the date of each detection or each repair attempt. The record shall be made available to any person upon verbal or written request during business hours [35 IAC 218.628(d)].

v. Clean Up

- A. No person shall clean paint or ink manufacturing equipment with organic solvent unless the equipment being cleaned is completely covered or enclosed except for an opening no larger than necessary to allow safe clearance for proper operation of the cleaning equipment, considering the method and materials being used [35 IAC 218.630(a)].
  - B. No person shall store organic wash solvent in other than closed containers, unless closed containers are demonstrated to be a safety hazard, or dispose of organic wash solvent in a manner such that more than 20 percent by weight is allowed to evaporate into the atmosphere [35 IAC 218.630(b)].
- d. The affected paint manufacturing equipment constructed prior to April 14, 1972 is subject to 35 IAC 212.322, which provides that:

No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any process emission unit for which construction or modification commenced prior to April 14, 1972, which, either alone or in combination with the emission of particulate matter from all other similar process emission at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.322 (see also Attachment 2) [35 IAC 212.322(a)].

- e. The affected paint manufacturing equipment constructed on or after April 14, 1972 is subject to 35 IAC 212.321, which provides that:

No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit which, either alone or in combination with the emission of particulate matter from all other similar process emission units for

which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified subsection (b) or (c) of 35 IAC 212.321 (see also Attachment 1) [35 IAC 212.321 (a)].

7.1.4 Non-Applicability of Regulations of Concern

- a. The affected paint manufacturing operation is not subject to 35 IAC 218.301, because paint manufacturing is exempted per 35 IAC 218.304.

7.1.5 Operational and Production Limits and Work Practices

None

7.1.6 Emission Limitations

In addition to Condition 5.2.2 and the source wide emission limitations in Condition 5.5, the affected paint manufacturing equipment is subject to the following:

- a. Emissions from paint manufacturing operations shall not exceed the following limits:

VOM Emissions	
<u>(Ton/Mo)</u>	<u>(Ton/Yr)</u>
8.1	81.0

These limits are based on the maximum throughput of VOM containing raw materials.

- b. Emissions from cleaning operations shall not exceed the following limits:

VOM Emissions	
<u>(Ton/Mo)</u>	<u>(Ton/Yr)</u>
1.8	17.7

These limits are based the maximum usage of cleanup solvents.

- c. Emissions and operations of the pigment dispersion process with the horizontal bead mill shall not exceed the following limits:

VOM Emissions	
<u>(Ton/Mo)</u>	<u>(Ton/yr)</u>
0.9	8.56

These limits are based on the maximum throughput of VOM containing raw materials.

- d. Compliance with annual limits shall be determined on a monthly basis from the sum of the data for the current month plus the preceding 11 months (running 12 month total) [T1R].
- e. The above limitations contain revisions to previously issued Permit 73010617. The source has requested that the Illinois EPA establish conditions in this permit that allow various refinements from the conditions of this aforementioned permit, consistent with the information provided in the CAAPP application. The source has requested these revisions and has addressed the applicability and compliance of Title I of the CAA, specifically 35 IAC Part 203, Major Stationary Sources Construction and Modification and/or 40 CFR 52.21, Prevention of Significant Deterioration (PSD). These limits continue to ensure that the construction and/or modification addressed in this permit does not constitute a new major source or major modification pursuant to these rules. These limits are the primary enforcement mechanism for the equipment and activities permitted in this permit and the information in the CAAPP application contains the most current and accurate information for the source [T1R].

#### 7.1.7 Testing Requirements

- a. The VOM content of any VOM containing material, including raw materials, paints, cleaning solvents, and reclaimed waste solvents, shall be determined in accordance with Reference Method 24 specified in 40 CFR 60 Appendix A, pursuant to 35 IAC 218.105, or other test methods approved by the Illinois EPA or USEPA.

7.1.8 Monitoring Requirements

None

7.1.9 Recordkeeping Requirements

In addition to the records required by Condition 5.6, the Permittee shall maintain records of the following items for the affected paint manufacturing equipment to demonstrate compliance with Conditions 5.5.1, 7.1.3, 7.1.5, and 7.1.6, pursuant to Section 39.5(7)(b) of the Act:

- a. The Permittee shall maintain records of the following items to demonstrate compliance with Condition 7.1.3(c):
  - i. Record indicating compliance with Condition 7.1.3(c)(i) (35 IAC 218.624).
  - ii. The manufacturer's specification for the grinding mills and records indicating compliance with Condition 7.1.3(c)(ii) (35 IAC 218.625).
  - iii. Vapor pressure of all VOL in kPa or psi at 20°C (68°F) stored in the tanks and records indicating compliance with Condition 7.1.3(c)(iii) (35 IAC 218.626).
  - iv. Records indicating an equipment monitoring program for detection of leaks is in place and all record indicating compliance with Condition 7.1.3(c)(iv) (35 IAC 218.628).
  - v. Records indicating compliance with Condition 7.1.3(c)(v) (35 IAC 218.630).
- b. The Permittee shall maintain records of the following items to demonstrate compliance with Condition 7.1.6:
  - i. For the purpose of determining compliance with Condition 7.1.6(a), the following records shall be maintained:

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS

Application No.: 96080064

July 12, 2000

- A. The volume of each VOM containing raw material introduced into paint manufacturing operations, gallons/month and gallons/year.
  - B. The VOM content of each VOM containing raw material introduced into paint manufacturing operations, lb/gallon.
  - C. The volume of each paint product produced, gallons/month and gallons/year.
  - D. The VOM content of each paint product produced, lb/gallon.
  - E. The emissions of VOM resulting from paint manufacturing operations as calculated by the compliance procedure in Condition 7.1.12(c)(i), tons/month and tons/year.
- ii. For the purpose of determining compliance with Condition 7.1.6(b), the following records shall be maintained:
- A. The volume of each solvent used for cleaning operations, gallons/month and gallons/year.
  - B. The VOM content of each solvent used for cleaning operations, lb/gallon.
  - C. The number of drums of recovered waste solvent, per month and per year.
  - D. The volume of each drum of recovered waste solvent, gallons.
  - E. The VOM content of each drum of recovered waste solvent, lb/gallon.
  - F. The emissions of VOM resulting from cleaning operations as calculated by the compliance procedure in Condition 7.1.12(c)(ii), tons/month and tons/year.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS  
Application No.: 96080064

July 12, 2000

- iii. For the purpose of determining compliance with Condition 7.1.6(c), the following records shall be maintained:
  - A. The volume of each VOM containing raw material introduced into the pigment dispersion process with the horizontal bead mill, gallons/month and gallons/year.
  - B. The VOM content of each VOM containing raw material introduced into the pigment dispersion process with the horizontal bead mill, lb/gallon.
  - C. The volume of each material produced by the pigment dispersion process with the horizontal bead mill, gallons/month and gallons/year.
  - D. The VOM content of each material produced by the pigment dispersion process with the horizontal bead mill, lb/gallons.
  - E. The emissions of VOM resulting from the pigment dispersion process with the horizontal bead mill as calculated by the compliance procedure in Condition 7.1.12(c)(iii), tons/month and tons/year.
- c. The Permittee shall maintain records of the following items for each exceedance of the limits in Conditions 7.1.3, 7.1.5, or 7.1.6, which shall include:
  - i. Identification of the limit that may have been exceeded.
  - ii. Duration of the possible exceedance.
  - iii. An estimate of the amount of emissions in excess of the applicable standard.
  - iv. A description of the cause of the possible exceedance.
  - v. When compliance was reestablished.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS

Application No.: 96080064

July 12, 2000

7.1.10 Reporting Requirements

The Permittee shall promptly notify the Illinois EPA, Compliance Section of deviations of the affected paint manufacturing equipment with the permit requirements as follows, pursuant to Section 39.5(7)(f)(ii) of the Act. Reports shall describe the probable cause of such deviations, and any corrective actions or preventive measures taken:

- a. The Permittee shall notify the Illinois EPA within 30 days of an exceedance of the limits in Conditions 7.1.3, 7.1.5, or 7.1.6. The notification shall include:
  - i. Identification of the limit that may have been exceeded.
  - ii. Duration of the possible exceedance.
  - iii. An estimate of the amount of emissions in excess of the applicable standard.
  - iv. A description of the cause of the possible exceedance.
  - v. When compliance was reestablished.
- b. The Permittee shall submit the following information along with its annual emission report:
  - i. A summary of exceedances of the limits in Conditions 7.1.3, 7.1.5, or 7.1.6, if any, which required notification to the Compliance Section in accordance with Condition 7.1.10(a).
  - ii. The annual emissions of VOM from the affected paint manufacturing equipment for each month of the previous calendar year, to demonstrate compliance with Condition 7.1.6, tons/year (e.g., for the month of January, the emissions from February, of the preceding calendar year through January, for the month of February, the emissions from March of the preceding

calendar year through February, 12 months in all).

#### 7.1.11 Operational Flexibility/Anticipated Operating Scenarios

The Permittee is authorized to make the following physical or operational change with respect to the affected paint manufacturing equipment without prior notification to the Illinois EPA or revision of this permit. This condition does not affect the Permittee's obligation to properly obtain a construction permit in a timely manner for any activity constituting construction or modification of the source, as defined in 35 IAC 201.102:

Changes in the raw materials used and products produced provided the paint manufacturing equipment continues to comply with the Conditions of Section 7.1.

#### 7.1.12 Compliance Procedures

- a. Compliance with the particulate matter limitations in Condition 7.1.3(d) and (e) (35 IAC 212.321 and 212.322) is assured and achieved by the proper operation, maintenance and work-practices inherent in operation of the affected paint manufacturing equipment.
- b. Compliance with the requirements in Condition 7.1.3(c) (35 IAC 218 Subpart AA) shall be determined by the recordkeeping requirements in Condition 7.1.9(a).
- c. Compliance with the emission limits in Conditions 5.5.1 and 7.1.6 shall be determined by the recordkeeping requirements in Condition 7.1.9(b), the testing requirements in Condition 7.1.7 and the emission factors and formulas listed below:
  - i. To determine emissions of VOM from paint manufacturing operations, the following equation shall be used:

$$E_{pm} = \left[ \sum_{i=1}^{rm} V_{rm_i} C_{rm_i} - \sum_{k=1}^p V_{p_k} C_{p_k} \right] / 2000$$

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Federated Paint Manufacturing Co., Inc.  
 I.D. No.: 031600CGS  
 Application No.: 96080064  
 July 12, 2000

Where:

- E<sub>pm</sub> = Emissions of VOM resulting from paint manufacturing, tons.
- r<sub>m</sub> = Total number of VOM containing raw materials introduced into the paint manufacturing process.
- i = Subscript denoting the specified raw material used.
- V<sub>rm<sub>i</sub></sub> = The volume of each VOM containing raw material introduced into the paint manufacturing process, gallons.
- C<sub>rm<sub>i</sub></sub> = The VOM content of each raw material, lb/gallon.
- p = Total number of paint products produced.
- k = Subscript denoting the specified paint product.
- V<sub>p<sub>k</sub></sub> = The volume of each paint product produced, gallons.
- C<sub>p<sub>k</sub></sub> = The VOM content of each paint product produced, lb/gallons

ii. To determine emissions of VOM from cleanup operations, the following equation shall be used:

$$E_{co} = \left[ \sum_{j=1}^s V_{s_j} C_{s_j} - \sum_{l=1}^{r_{ws}} V_{r_{ws_l}} C_{r_{ws_l}} \right] / 2000$$

Where:

- E<sub>co</sub> = Emissions of VOM resulting from cleaning operations.
- s = Total number of solvents used for cleaning operations.

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Federated Paint Manufacturing Co., Inc.  
 I.D. No.: 031600CGS  
 Application No.: 96080064  
 July 12, 2000

- j = Subscript denoting the specified solvent.
- Vs<sub>j</sub> = The volume of each solvent used for cleaning operations, gallons.
- Cs<sub>j</sub> = The VOM content of each solvent used for cleaning operations, gallons.
- rws = Total number of drums of recovered waste solvent from cleaning operations that is shipped offsite.
- l = Subscript denoting the specified drum of recovered waste solvent.
- Vrws<sub>l</sub> = The volume of recovered waste solvent in each drum, gallons.
- Crws<sub>l</sub> = The VOM content of each drum of recovered waste solvent, lb/gallon.

iii. To determine emissions of VOM from the pigment dispersion process with the horizontal bead mills, the following equation shall be used:

$$Epd = \left[ \sum_{i=1}^{rm} Vrm_i Crm_i - \sum_{k=1}^{pd} Vpd_k Cpd_k \right] / 2000$$

Where:

- Epd = Emissions of VOM resulting from the pigment dispersion process with the horizontal bead mill, tons.
- rm = Total number of VOM containing raw materials introduced into the pigment dispersion process with the horizontal bead mill.
- i = Subscript denoting the specified raw material used.
- Vrm<sub>i</sub> = The volume of each VOM containing raw material introduced into the pigment

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS

Application No.: 96080064

July 12, 2000

dispersion process with the horizontal  
bead mill, gallons.

- $C_{rmi}$  = The VOM content of each VOM containing raw material introduced into the pigment dispersion process with the horizontal bead mill, lb/gallon.
- $pd$  = Total number of materials produced by the pigment dispersion process with the horizontal bead mill.
- $k$  = Subscript denoting the specified material produced.
- $V_{pd_k}$  = The volume of each material produced by the pigment dispersion process with the horizontal bead mill, gallons.
- $C_{pd_k}$  = The VOM content of each material produced by the pigment dispersion process with the horizontal bead mill, lb/gallons

## 8.0 GENERAL PERMIT CONDITIONS

### 8.1 Permit Shield

Pursuant to Section 39.5(7)(j) of the Act, the Permittee has requested and has been granted a permit shield. This permit shield provides that compliance with the conditions of this permit shall be deemed compliance with applicable requirements which were applicable as of the date the proposed permit for this source was issued, provided that either the applicable requirements are specifically identified within this permit, or the Illinois EPA, in acting on this permit application, has determined that other requirements specifically identified are not applicable to this source and this determination (or a concise summary thereof) is included in this permit.

This permit shield does not extend to applicable requirements which are promulgated after \_\_\_\_\_{insert public notice start date} (the date of issuance of the draft permit) unless this permit has been modified to reflect such new requirements.

### 8.2 Applicability of Title IV Requirements (Acid Deposition Control)

This source is not an affected source under Title IV of the CAA and is not subject to requirements pursuant to Title IV of the CAA.

### 8.3 Emissions Trading Programs

No permit revision shall be required for increases in emissions allowed under any USEPA approved economic incentives, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for elsewhere in this permit and that are authorized by the applicable requirement [Section 39.5(7)(o)(vii) of the Act].

### 8.4 Operational Flexibility/Anticipated Operating Scenarios

#### 8.4.1 Changes Specifically Addressed by Permit

Physical or operational changes specifically addressed by the Conditions of this permit that have been identified as not requiring Illinois EPA notification may be implemented without prior notice to the Illinois EPA.

8.4.2 Changes Requiring Prior Notification

The Permittee is authorized to make physical or operational changes that contravene express permit terms without applying for or obtaining an amendment to this permit, provided that [Section 39.5(12)(a)(i) of the Act]:

- a. The changes do not violate applicable requirements;
- b. The changes do not contravene federally enforceable permit terms or conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements;
- c. The changes do not constitute a modification under Title I of the CAA;
- d. Emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change; and
- e. The Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change. This notice shall:
  - i. Describe the physical or operational change;
  - ii. Identify the schedule for implementing the physical or operational change;
  - iii. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
  - iv. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
  - v. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

8.5 Testing Procedures

Tests conducted to measure composition of materials, efficiency of pollution control devices, emissions from process or control equipment, or other parameters shall be conducted using standard test methods. Documentation of the test date, conditions, methodologies, calculations, and test results shall be retained pursuant to the recordkeeping procedures of this permit. Reports of any tests conducted as required by this permit or as the result of a request by the Illinois EPA shall be submitted as specified in Condition 8.6.

8.6 Reporting Requirements

8.6.1 Monitoring Reports

If monitoring is required by any applicable requirements or conditions of this permit, a report summarizing the required monitoring results, as specified in the conditions of this permit, shall be submitted to the Air Compliance Section of the Illinois EPA every six months as follows [Section 39.5(7)(f) of the Act]:

<u>Monitoring Period</u>	<u>Report Due Date</u>
January - June	September 1
July - December	March 1

All instances of deviations from permit requirements must be clearly identified in such reports. All such reports shall be certified in accordance with Condition 9.9.

8.6.2 Test Notifications

Unless otherwise specified elsewhere in this permit, a written test plan for any test required by this permit shall be submitted to the Illinois EPA for review at least 60 days prior to the testing pursuant to Section 39.5(7)(a) of the Act. The notification shall include at a minimum:

- a. The name and identification of the affected unit(s);

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS

Application No.: 96080064

July 12, 2000

- b. The person(s) who will be performing sampling and analysis and their experience with similar tests;
- c. The specific conditions under which testing will be performed, including a discussion of why these conditions will be representative of maximum emissions and the means by which the operating parameters for the source and any control equipment will be determined;
- d. The specific determination of emissions and operation which are intended to be made, including sampling and monitoring locations;
- e. The test method(s) which will be used, with the specific analysis method, if the method can be used with different analysis methods;
- f. Any minor changes in standard methodology proposed to accommodate the specific circumstances of testing, with justification; and
- g. Any proposed use of an alternative test method, with detailed justification.

8.6.3 Test Reports

Unless otherwise specified elsewhere in this permit, the results of any test required by this permit shall be submitted to the Illinois EPA within 60 days of completion of the testing. The test report shall include at a minimum [Section 39.5(7)(e)(i) of the Act]:

- a. The name and identification of the affected unit(s);
- b. The date and time of the sampling or measurements;
- c. The date any analyses were performed;
- d. The name of the company that performed the tests and/or analyses;
- e. The test and analytical methodologies used;
- f. The results of the tests including raw data, and/or analyses including sample calculations;

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS

Application No.: 96080064

July 12, 2000

- g. The operating conditions at the time of the sampling or measurements; and
- h. The name of any relevant observers present including the testing company's representatives, any Illinois EPA or USEPA representatives, and the representatives of the source.

8.6.4 Reporting Addresses

- a. The following addresses should be utilized for the submittal of reports, notifications, and renewals:

- i. Illinois EPA - Air Compliance Section

Illinois Environmental Protection Agency (MC 40)  
Bureau of Air  
Compliance Section  
P.O. Box 19276  
Springfield, Illinois 62794-9276

- ii. Illinois EPA - Air Regional Field Office

Illinois Environmental Protection Agency  
Division of Air Pollution Control  
Eisenhower Tower  
1701 South First Avenue  
Maywood, Illinois 60153

- iii. Illinois EPA - Air Permit Section (MC 11)

Illinois Environmental Protection Agency  
Division of Air Pollution Control  
Permit Section  
P.O. Box 19506  
Springfield, Illinois 62794-9506

- iv. USEPA Region 5 - Air Branch

USEPA (AR - 17J)  
Air & Radiation Division  
77 West Jackson Boulevard  
Chicago, Illinois 60604

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.  
I.D. No.: 031600CGS  
Application No.: 96080064  
July 12, 2000

- b. Unless otherwise specified in the particular provision of this permit, reports shall be sent to the Illinois EPA - Air Compliance Section with a copy sent to the Illinois EPA - Air Regional Field Office.

#### 8.7 Obligation to Comply with Title I Requirements

Any term, condition, or requirement identified in this permit by T1, T1R, or T1N is established or revised pursuant to 35 IAC Part 203 or 40 CFR 52.21 ("Title I provisions") and incorporated into this permit pursuant to both Section 39.5 and Title I provisions. Notwithstanding the expiration date on the first page of this permit, the Title I conditions remain in effect pursuant to Title I provisions until the Illinois EPA deletes or revises them in accordance with Title I procedures.

## 9.0 STANDARD PERMIT CONDITIONS

### 9.1 Effect of Permit

9.1.1 The issuance of this permit does not release the Permittee from compliance with State and Federal regulations which are part of the Illinois State Implementation Plan, as well as with other applicable statutes and regulations of the United States or the State of Illinois or applicable ordinances, except as specifically stated in this permit and as allowed by law and rule [Section 39.5(7)(j)(iv) of the Act].

9.1.2 In particular, this permit does not alter or affect the following:

- a. The provisions of Section 303 (emergency powers) of the CAA, including USEPA's authority under that Section;
- b. The liability of an owner or operator of a source for any violation of applicable requirements prior to or at the time of permit issuance;
- c. The applicable requirements of the acid rain program consistent with Section 408(a) of the CAA; and
- d. The ability of USEPA to obtain information from a source pursuant to Section 114 (inspections, monitoring, and entry) of the CAA.

9.1.3 Notwithstanding the conditions of this permit specifying compliance practices for applicable requirements, any person (including the Permittee) may also use other credible evidence to establish compliance or noncompliance with applicable requirements.

### 9.2 General Obligations of Permittee

#### 9.2.1 Duty to Comply

The Permittee must comply with all terms and conditions of this permit. Any permit noncompliance constitutes a violation of the CAA and the Act, and is grounds for any or all of the following: enforcement action, permit termination, revocation and reissuance, modification, or

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS  
Application No.: 96080064

July 12, 2000

denial of a permit renewal application [Section 39.5(7)(o)(i) of the Act].

The Permittee shall meet applicable requirements that become effective during the permit term in a timely manner unless an alternate schedule for compliance with the applicable requirement is established.

9.2.2 Duty to Maintain Equipment

The Permittee shall maintain all equipment covered under this permit in such a manner that the performance or operation of such equipment shall not cause a violation of applicable requirements.

9.2.3 Duty to Cease Operation

No person shall cause, threaten or allow the continued operation of any emission unit during malfunction or breakdown of the emission unit or related air pollution control equipment if such operation would cause a violation of an applicable emission standard, regulatory requirement, ambient air quality standard or permit limitation unless such malfunction or breakdown is allowed by a permit condition [Section 39.5(6)(c) of the Act].

9.2.4 Disposal Operations

The source shall be operated in such a manner that the disposal of air contaminants collected by the equipment operations, or activities shall not cause a violation of the Act or regulations promulgated thereunder.

9.2.5 Duty to Pay Fees

The Permittee must pay fees to the Illinois EPA consistent with the fee schedule approved pursuant to Section 39.5(18) of the Act, and submit any information relevant thereto [Section 39.5(7)(o)(vi) of the Act]. The check should be payable to "Treasurer, State of Illinois" and sent to: Fiscal Services Section, Illinois Environmental Protection Agency, P.O. Box 19276, Springfield, Illinois 62794-9276.

9.3 Obligation to Allow Illinois EPA Surveillance

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(a) and (p)(ii) of the Act and 415 ILCS 5/4]:

- a. The changes do not violate applicable requirements;
- b. The changes do not contravene federally enforceable permit terms or conditions that are monitoring (including test methods), recordkeeping, reporting, or compliance certification requirements;
- c. The changes do not constitute a modification under Title I of the CAA;
- d. Emissions will not exceed the emissions allowed under this permit following implementation of the physical or operational change; and
- e. The Permittee provides written notice to the Illinois EPA, Division of Air Pollution Control, Permit Section, at least 7 days before commencement of the change. This notice shall:
  - i. Describe the physical or operational change;
  - ii. Identify the schedule for implementing the physical or operational change;
  - iii. Provide a statement of whether or not any New Source Performance Standard (NSPS) is applicable to the physical or operational change and the reason why the NSPS does or does not apply;
  - iv. Provide emission calculations which demonstrate that the physical or operational change will not result in a modification; and
  - v. Provide a certification that the physical or operational change will not result in emissions greater than authorized under the Conditions of this permit.

9.3 Obligation to Allow Illinois EPA Surveillance

Upon presentation of proper credentials and other documents, the Permittee shall allow the Illinois EPA, or an authorized representative to perform the following [Section 39.5(7)(a) and (p)(ii) of the Act and 415 ILCS 5/4]:

- a. Enter upon the Permittee's premises where an actual or potential emission unit is located; where any regulated equipment, operation, or activity is located or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect during hours of operation any sources, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit;
- d. Sample or monitor any substances or parameters at any location:
  - i. At reasonable times, for the purposes of assuring permit compliance; or
  - ii. As otherwise authorized by the CAA, or the Act.
- e. Obtain and remove samples of any discharge or emission of pollutants authorized by this permit; and
- f. Enter and utilize any photographic, recording, testing, monitoring, or other equipment for the purposes of preserving, testing, monitoring, or recording any activity, discharge or emission at the source authorized by this permit.

9.4 Obligation to Comply With Other Requirements

The issuance of this permit does not release the Permittee from applicable State and Federal laws and regulations, and applicable local ordinances addressing subjects other than air pollution control.

## 9.5 Liability

### 9.5.1 Title

This permit shall not be considered as in any manner affecting the title of the premises upon which the permitted source is located.

### 9.5.2 Liability of Permittee

This permit does not release the Permittee from any liability for damage to person or property caused by or resulting from the construction, maintenance, or operation of the sources.

### 9.5.3 Structural Stability

This permit does not take into consideration or attest to the structural stability of any unit or part of the source.

### 9.5.4 Illinois EPA Liability

This permit in no manner implies or suggests that the Illinois EPA (or its officers, agents or employees) assumes any liability, directly or indirectly, for any loss due to damage, installation, maintenance, or operation of the source.

### 9.5.5 Property Rights

This permit does not convey any property rights of any sort, or any exclusive privilege [Section 39.5(7)(o)(iv) of the Act].

## 9.6 Recordkeeping

### 9.6.1 Control Equipment Maintenance Records

A maintenance record shall be kept on the premises for each item of air pollution control equipment. As a minimum, this record shall show the dates of performance and nature of preventative maintenance activities.

9.6.2 Records of Changes in Operation

A record shall be kept describing changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under this permit, and the emissions resulting from those changes [Section 39.5(12)(b)(iv) of the Act].

9.6.3 Retention of Records

- a. Records of all monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit [Section 39.5(7)(e)(ii) of the Act].
- b. Other records required by this permit shall be retained for a period of at least 5 years from the date of entry unless a longer period is specified by a particular permit provision.

9.7 Annual Emissions Report

The Permittee shall submit an annual emissions report to the Illinois EPA, Compliance Section no later than May 1 of the following year, as required by 35 IAC Part 254.

9.8 Requirements for Compliance Certification

Pursuant to Section 39.5(7)(p)(v) of the Act, the Permittee shall submit annual compliance certifications. The compliance certifications shall be submitted no later than May 1 or more frequently as specified in the applicable requirements or by permit condition. The compliance certifications shall be submitted to the Air Compliance Section, Air Regional Field Office, and USEPA Region 5 - Air Branch. The addresses for the submittal of the compliance certifications are provided in Condition 8.6.4 of this permit.

- a. The certification shall include the identification of each term or condition of this permit that is the basis of the certification; the compliance status; whether compliance

was continuous or intermittent; the method(s) used for determining the compliance status of the source, both currently and over the reporting period consistent with the conditions of this permit.

- b. All compliance certifications shall be submitted to USEPA Region 5 in Chicago as well as to the Illinois EPA.
- c. All compliance reports required to be submitted shall include a certification in accordance with Condition 9.9.

#### 9.9 Certification

Any document (including reports) required to be submitted by this permit shall contain a certification by a responsible official of the Permittee that meets the requirements of Section 39.5(5) of the Act [Section 39.5(7)(p)(i) of the Act]. An example Certification by a Responsible Official is included as an attachment to this permit.

#### 9.10 Defense to Enforcement Actions

##### 9.10.1 Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for the Permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit [Section 39.5(7)(o)(ii) of the Act].

##### 9.10.2 Emergency Provision

- a. An emergency shall be an affirmative defense to an action brought for noncompliance with the technology-based emission limitations under this permit if the following conditions are met through properly signed, contemporaneous operating logs, or other relevant evidence:
  - i. An emergency occurred as provided in Section 39.5(7)(k) of the Act and the Permittee can identify the cause(s) of the emergency. Normally, an act of God such as lightning or flood is considered an emergency;

- ii. The permitted source was at the time being properly operated;
  - iii. The Permittee submitted notice of the emergency to the Illinois EPA within two working days of the time when emission limitations were exceeded due to the emergency. This notice must contain a detailed description of the emergency, any steps taken to mitigate emissions, and corrective actions taken; and
  - iv. During the period of the emergency the Permittee took all reasonable steps to minimize levels of emissions that exceeded the emission limitations, standards, or regulations in this permit.
- b. This provision is in addition to any emergency or upset provision contained in any applicable requirement. This provision does not relieve a Permittee of any reporting obligations under existing federal or state laws or regulations.

#### 9.11 Permanent Shutdown

This permit only covers emission units and control equipment while physically present at the indicated source location(s). Unless this permit specifically provides for equipment relocation, this permit is void for the operation or activity of any item of equipment on the date it is removed from the permitted location(s) or permanently shut down. This permit expires if all equipment is removed from the permitted location(s), notwithstanding the expiration date specified on this permit.

#### 9.12 Reopening and Reissuing Permit for Cause

##### 9.12.1 Permit Actions

This permit may be modified, reopened, and reissued, for cause pursuant to Section 39.5(15) of the Act. The filing of a request by the Permittee for a permit modification, revocation, and reissuance, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition [Section 39.5(7)(o)(iii) of the Act].

#### 9.12.2 Reopening and Revision

This permit must be reopened and revised if any of the following occur [Section 39.5(15)(a) of the Act]:

- a. Additional requirements become applicable to the equipment covered by this permit and three or more years remain before expiration of this permit;
- b. Additional requirements become applicable to an affected source for acid deposition under the acid rain program;
- c. The Illinois EPA or USEPA determines that this permit contains a material mistake or inaccurate statement when establishing the emission standards or limitations, or other terms or conditions of this permit; and
- d. The Illinois EPA or USEPA determines that this permit must be revised to ensure compliance with the applicable requirements of the Act.

#### 9.12.3 Inaccurate Application

The Illinois EPA has issued this permit based upon the information submitted by the Permittee in the permit application. Any misinformation, false statement or misrepresentation in the application shall be grounds for revocation under Section 39.5(15)(b) of the Act.

#### 9.12.4 Duty to Provide Information

The Permittee shall furnish to the Illinois EPA, within a reasonable time specified by the Illinois EPA any information that the Illinois EPA may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. Upon request, the Permittee shall also furnish to the Illinois EPA copies of records required to be kept by this permit, or for information claimed to be confidential, the Permittee may furnish such records directly to USEPA along with a claim of confidentiality [Section 39.5(7)(o)(v) of the Act].

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.

I.D. No.: 031600CGS

Application No.: 96080064

July 12, 2000

9.13 Severability Clause

The provisions of this permit are severable, and should any one or more be determined to be illegal or unenforceable, the validity of the other provisions shall not be affected. The rights and obligations of the Permittee shall be construed and enforced as if this permit did not contain the particular provisions held to be invalid and the applicable requirements underlying these provisions shall remain in force [Section 39.5(7)(i) of the Act].

9.14 Permit Expiration and Renewal

The right to operate terminates on the expiration date unless the Permittee has submitted a timely and complete renewal application. For a renewal to be timely it must be submitted no later than 9 and no sooner than 12 months prior to expiration. The equipment may continue to operate during the renewal period until final action is taken by the Illinois EPA, in accordance with the original permit conditions [Section 39.5(5)(l), (n), and (o) of the Act].

10.0 ATTACHMENTS

10.1 Attachment 1 Emissions of Particulate Matter from New Process Emission Units

10.1.1 Process Emission Units for Which Construction or Modification Commenced On or After April 14, 1972

- a. No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any new process emission unit, either alone or in combination with the emission of particulate matter from all other similar process emission units for which construction or modification commenced on or after April 14, 1972, at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.321 [35 IAC 212.321(a)].
- b. Interpolated and extrapolated values of the data in subsection (c) of 35 IAC 212.321 shall be determined by using the equation [35 IAC 212.321(b)]:

$$E = A(P)^B$$

Where:

P = Process weight rate; and  
 E = Allowable emission rate; and,

- i. Up to process weight rates of 408 Mg/hr (450 T/hr):

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lb/hr
A	1.214	2.54
B	0.534	0.534

- ii. For process weight rate greater than or equal to 408 Mg/hr (450 T/hr):

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lb/hr
A	11.42	24.8
B	0.16	0.16

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Federated Paint Manufacturing Co., Inc.  
 I.D. No.: 031600CGS  
 Application No.: 96080064  
 July 12, 2000

c. Limits for Process Emission Units For Which  
 Construction or Modification Commenced On or After  
 April 19, 1972 [35 IAC 212.321(c)]:

Metric		English	
P	E	P	E
Mg/hr	kg/hr	T/hr	lb/hr
0.05	0.25	0.05	0.55
0.1	0.29	0.10	0.77
0.2	0.42	0.2	1.10
0.3	0.64	0.30	1.35
0.4	0.74	0.40	1.58
0.5	0.84	0.50	1.75
0.7	1.00	0.75	2.40
0.9	1.15	1.00	2.60
1.8	1.66	2.00	3.70
2.7	2.1	3.00	4.60
3.6	2.4	4.00	5.35
4.5	2.7	5.00	6.00
9.0	3.9	10.00	8.70
13.0	4.8	15.00	10.80
18.0	5.7	20.00	12.50
23.0	6.5	25.00	14.00
27.0	7.1	30.00	15.60
32.0	7.7	35.00	17.00
36.0	8.2	40.00	18.20
41.0	8.8	45.00	19.20
45.0	9.3	50.00	20.50
90.0	13.4	100.00	29.50
140.0	17.0	150.00	37.00
180.0	19.4	200.00	43.00
230.0	22.0	250.00	48.50
270.0	24.0	300.00	53.00
320.0	26.0	350.00	58.00
360.0	28.0	400.00	62.00
408.0	30.1	450.00	66.00
454.0	30.4	500.00	67.00

10.2 Attachment 2 Emissions of Particulate Matter from Existing Process Emission Units

10.2.1 Process Emission Units for Which Construction or Modification Commenced Prior to After April 14, 1972

- a. No person shall cause or allow the emission of particulate matter into the atmosphere in any one hour period from any process emission unit for which construction or modification commenced prior to April 14, 1972, which, either alone or in combination with the emission of particulate matter from all other similar process emission at a source or premises, exceeds the allowable emission rates specified in subsection (c) of 35 IAC 212.322 [35 IAC 212.322(a)].
- b. Interpolated and extrapolated values of the data in subsection (c) of 35 IAC 212.321 shall be determined by using the equation [35 IAC 212.322(b)]:

$$E = C + A(P)^B$$

Where:

P = Process weight rate; and  
 E = Allowable emission rate; and,

- i. Up to process weight rates up to 27.2 Mg/hr (30 T/hr):

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lb/hr
A	1.985	4.10
B	0.67	0.67
C	0	0

- ii. For process weight rate in excess of 27.2 Mg/hr (30 T/hr):

	Metric	English
P	Mg/hr	T/hr
E	kg/hr	lb/hr
A	25.21	55.0
B	0.11	0.11
C	-18.4	-40.0

FINAL DRAFT/PROPOSED CAAPP PERMIT  
 Federated Paint Manufacturing Co., Inc.  
 I.D. No.: 031600CGS  
 Application No.: 96080064  
 July 12, 2000

c. Limits for Process Emission Units For Which  
 Construction or Modification Commenced Prior to  
 April 14, 1972 [35 IAC 212.322(c)]:

Metric		English	
P	E	P	E
Mg/hr	kg/hr	T/hr	lb/hr
0.05	0.27	0.05	0.55
0.1	0.42	0.10	0.87
0.2	0.68	0.2	1.40
0.3	0.89	0.30	1.83
0.4	1.07	0.40	2.22
0.5	1.25	0.50	2.58
0.7	1.56	0.75	3.38
0.9	1.85	1.00	4.10
1.8	2.9	2.00	6.52
2.7	3.9	3.00	8.56
3.6	4.7	4.00	10.40
4.5	5.4	5.00	12.00
9.0	8.7	10.00	19.20
13.0	11.1	15.00	25.20
18.0	13.8	20.00	30.50
23.0	16.2	25.00	35.40
27.2	18.15	30.00	40.00
32.0	18.8	35.00	41.30
36.0	19.3	40.00	42.50
41.0	19.8	45.00	43.60
45.0	20.2	50.00	44.60
90.0	23.2	100.00	51.20
140.0	25.3	150.00	55.40
180.0	26.5	200.00	58.60
230.0	27.7	250.00	61.00
270.0	28.5	300.00	63.10
320.0	29.4	350.00	64.90
360.0	30.0	400.00	66.20
400.0	30.6	450.00	67.70
454.0	31.3	500.00	69.00

FINAL DRAFT/PROPOSED CAAPP PERMIT  
Federated Paint Manufacturing Co., Inc.  
I.D. No.: 031600CGS  
Application No.: 96080064  
July 12, 2000

10.3 Attachment 3: Example Certification by a Responsible Official

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature: \_\_\_\_\_

Name: \_\_\_\_\_

Official Title: \_\_\_\_\_

Telephone No.: \_\_\_\_\_

Date Signed: \_\_\_\_\_

NAF:jar